

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
MINNESOTA						
2019	52,955	1,924 (3.6)	35,764 (67.5)	8,303 (15.7)	2,336 (4.4)	4,628 (8.7)
2018	56,971	2,128 (3.7)	38,482 (67.5)	9,035 (15.9)	2,550 (4.5)	4,776 (8.4)
2017	59,847	1,841 (3.1)	40,762 (68.1)	9,482 (15.8)	2,711 (4.5)	5,051 (8.4)
2016	62,644	2,346 (3.7)	42,382 (67.7)	10,005 (16.0)	2,834 (4.5)	5,077 (8.1)
2015	64,809	2,434 (3.8)	44,292 (68.3)	10,186 (15.7)	2,891 (4.5)	5,006 (7.7)
2014	62,749	2,471 (3.9)	43,055 (68.6)	9,334 (14.9)	2,807 (4.5)	5,082 (8.1)
2013	65,911	2,241 (3.4)	44,635 (67.7)	10,399 (15.8)	3,183 (4.8)	5,453 (8.3)
2012	70,114	1,959 (2.8)	48,025 (68.5)	11,224 (16.0)	3,328 (4.7)	5,578 (8.0)
2011	71,873	1,940 (2.7)	49,042 (68.2)	11,753 (16.4)	3,807 (5.3)	5,331 (7.4)
AITKIN						
2019	121	7 (5.8)	81 (66.9)	18 (14.9)	8 (6.6)	7 (5.8)
2018	155	6 (3.9)	110 (71.0)	22 (14.2)	7 (4.5)	10 (6.5)
2017	149	6 (4.0)	105 (70.5)	23 (15.4)	5 (3.4)	10 (6.7)
2016	171	12 (7.0)	126 (73.7)	17 (9.9)	7 (4.1)	9 (5.3)
2015	159	12 (7.5)	101 (63.5)	30 (18.9)	9 (5.7)	7 (4.4)
2014	168	5 (3.0)	111 (66.1)	35 (20.8)	8 (4.8)	9 (5.4)
2013	188	4 (2.1)	124 (66.0)	35 (18.6)	17 (9.0)	8 (4.3)
2012	210	7 (3.3)	147 (70.0)	30 (14.3)	13 (6.2)	13 (6.2)
2011	229	4 (1.7)	151 (65.9)	46 (20.1)	8 (3.5)	20 (8.7)
ANOKA						
2019	2,576	94 (3.6)	1,779 (69.1)	406 (15.8)	94 (3.6)	203 (7.9)
2018	2,685	95 (3.5)	1,874 (69.8)	430 (16.0)	98 (3.6)	188 (7.0)
2017	2,702	88 (3.3)	1,897 (70.2)	437 (16.2)	87 (3.2)	193 (7.1)
2016	2,677	100 (3.7)	1,873 (70.0)	417 (15.6)	117 (4.4)	170 (6.4)
2015	2,970	90 (3.0)	2,089 (70.3)	486 (16.4)	119 (4.0)	186 (6.3)
2014	2,834	102 (3.6)	1,965 (69.3)	453 (16.0)	93 (3.3)	221 (7.8)
2013	2,838	94 (3.3)	1,943 (68.5)	428 (15.1)	137 (4.8)	236 (8.3)
2012	2,976	92 (3.1)	2,037 (68.4)	502 (16.9)	131 (4.4)	214 (7.2)
2011	3,141	74 (2.4)	2,221 (70.7)	503 (16.0)	144 (4.6)	199 (6.3)
BECKER						
2019	519	16 (3.1)	350 (67.4)	81 (15.6)	15 (2.9)	57 (11.0)
2018	551	15 (2.7)	353 (64.1)	94 (17.1)	25 (4.5)	64 (11.6)
2017	554	12 (2.2)	364 (65.7)	92 (16.6)	34 (6.1)	52 (9.4)
2016	593	17 (2.9)	373 (62.9)	112 (18.9)	35 (5.9)	56 (9.4)
2015	643	21 (3.3)	414 (64.4)	107 (16.6)	41 (6.4)	60 (9.3)
2014	646	23 (3.6)	416 (64.4)	113 (17.5)	34 (5.3)	60 (9.3)
2013	673	17 (2.5)	419 (62.3)	118 (17.5)	46 (6.8)	73 (10.8)
2012	698	14 (2.0)	455 (65.2)	126 (18.1)	39 (5.6)	64 (9.2)
2011	736	18 (2.4)	483 (65.6)	122 (16.6)	43 (5.8)	70 (9.5)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
BELTRAMI						
2019	912	20 (2.2)	499 (54.7)	158 (17.3)	63 (6.9)	172 (18.9)
2018	968	32 (3.3)	516 (53.3)	201 (20.8)	69 (7.1)	150 (15.5)
2017	1,075	10 (<1)	571 (53.1)	235 (21.9)	80 (7.4)	179 (16.7)
2016	1,145	27 (2.4)	597 (52.1)	257 (22.4)	82 (7.2)	182 (15.9)
2015	1,231	27 (2.2)	657 (53.4)	263 (21.4)	82 (6.7)	202 (16.4)
2014	1,252	33 (2.6)	708 (56.5)	236 (18.8)	94 (7.5)	181 (14.5)
2013	1,363	30 (2.2)	737 (54.1)	292 (21.4)	99 (7.3)	205 (15.0)
2012	1,386	24 (1.7)	769 (55.5)	275 (19.8)	99 (7.1)	219 (15.8)
2011	1,412	22 (1.6)	760 (53.8)	279 (19.8)	130 (9.2)	221 (15.7)
BENTON						
2019	410	19 (4.6)	284 (69.3)	64 (15.6)	18 (4.4)	25 (6.1)
2018	439	20 (4.6)	312 (71.1)	53 (12.1)	20 (4.6)	34 (7.7)
2017	453	18 (4.0)	302 (66.7)	77 (17.0)	22 (4.9)	34 (7.5)
2016	470	21 (4.5)	317 (67.4)	73 (15.5)	17 (3.6)	42 (8.9)
2015	444	24 (5.4)	303 (68.2)	76 (17.1)	19 (4.3)	22 (5.0)
2014	414	12 (2.9)	278 (67.1)	73 (17.6)	19 (4.6)	32 (7.7)
2013	410	20 (4.9)	285 (69.5)	61 (14.9)	15 (3.7)	29 (7.1)
2012	446	22 (4.9)	322 (72.2)	58 (13.0)	20 (4.5)	24 (5.4)
2011	495	24 (4.8)	344 (69.5)	80 (16.2)	24 (4.8)	23 (4.6)
BIG STONE						
2019	68	0	46 (67.6)	14 (20.6)	6 (8.8)	2 (2.9)
2018	56	1 (1.8)	37 (66.1)	14 (25.0)	1 (1.8)	3 (5.4)
2017	75	1 (1.3)	54 (72.0)	9 (12.0)	2 (2.7)	9 (12.0)
2016	70	2 (2.9)	49 (70.0)	8 (11.4)	3 (4.3)	8 (11.4)
2015	79	7 (8.9)	52 (65.8)	13 (16.5)	2 (2.5)	5 (6.3)
2014	74	2 (2.7)	51 (68.9)	17 (23.0)	2 (2.7)	2 (2.7)
2013	78	4 (5.1)	49 (62.8)	13 (16.7)	4 (5.1)	8 (10.3)
2012	94	4 (4.3)	60 (63.8)	18 (19.1)	3 (3.2)	9 (9.6)
2011	99	5 (5.1)	67 (67.7)	16 (16.2)	3 (3.0)	8 (8.1)
BLUE EARTH						
2019	536	21 (3.9)	374 (69.8)	77 (14.4)	21 (3.9)	43 (8.0)
2018	562	12 (2.1)	392 (69.8)	84 (14.9)	32 (5.7)	42 (7.5)
2017	585	22 (3.8)	409 (69.9)	86 (14.7)	23 (3.9)	45 (7.7)
2016	593	27 (4.6)	405 (68.3)	101 (17.0)	26 (4.4)	34 (5.7)
2015	633	23 (3.6)	466 (73.6)	101 (16.0)	18 (2.8)	25 (3.9)
2014	609	25 (4.1)	446 (73.2)	80 (13.1)	25 (4.1)	33 (5.4)
2013	624	25 (4.0)	440 (70.5)	97 (15.5)	19 (3.0)	43 (6.9)
2012	699	25 (3.6)	495 (70.8)	103 (14.7)	29 (4.1)	47 (6.7)
2011	734	24 (3.3)	532 (72.5)	106 (14.4)	30 (4.1)	42 (5.7)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
BROWN						
2019	266	7 (2.6)	160 (60.2)	48 (18.0)	18 (6.8)	33 (12.4)
2018	296	8 (2.7)	184 (62.2)	52 (17.6)	20 (6.8)	32 (10.8)
2017	278	2 (<1)	178 (64.0)	49 (17.6)	16 (5.8)	33 (11.9)
2016	299	6 (2.0)	193 (64.5)	51 (17.1)	22 (7.4)	27 (9.0)
2015	308	8 (2.6)	212 (68.8)	49 (15.9)	15 (4.9)	24 (7.8)
2014	282	11 (3.9)	176 (62.4)	48 (17.0)	18 (6.4)	29 (10.3)
2013	299	5 (1.7)	195 (65.2)	50 (16.7)	18 (6.0)	31 (10.4)
2012	300	5 (1.7)	195 (65.0)	64 (21.3)	13 (4.3)	23 (7.7)
2011	307	8 (2.6)	201 (65.5)	49 (16.0)	17 (5.5)	32 (10.4)
CARLTON						
2019	347	14 (4.0)	236 (68.0)	49 (14.1)	16 (4.6)	32 (9.2)
2018	349	12 (3.4)	244 (69.9)	55 (15.8)	12 (3.4)	26 (7.4)
2017	433	9 (2.1)	330 (76.2)	50 (11.5)	16 (3.7)	28 (6.5)
2016	423	19 (4.5)	298 (70.4)	56 (13.2)	21 (5.0)	29 (6.9)
2015	449	27 (6.0)	308 (68.6)	67 (14.9)	19 (4.2)	28 (6.2)
2014	469	12 (2.6)	316 (67.4)	84 (17.9)	21 (4.5)	36 (7.7)
2013	527	18 (3.4)	349 (66.2)	75 (14.2)	32 (6.1)	53 (10.1)
2012	572	12 (2.1)	380 (66.4)	95 (16.6)	27 (4.7)	58 (10.1)
2011	568	17 (3.0)	388 (68.3)	85 (15.0)	29 (5.1)	49 (8.6)
CARVER						
2019	348	7 (2.0)	273 (78.4)	46 (13.2)	6 (1.7)	16 (4.6)
2018	368	9 (2.4)	291 (79.1)	41 (11.1)	7 (1.9)	20 (5.4)
2017	424	11 (2.6)	336 (79.2)	45 (10.6)	11 (2.6)	21 (5.0)
2016	407	11 (2.7)	323 (79.4)	46 (11.3)	5 (1.2)	22 (5.4)
2015	412	17 (4.1)	315 (76.5)	52 (12.6)	12 (2.9)	16 (3.9)
2014	400	13 (3.2)	317 (79.2)	49 (12.2)	3 (<1)	18 (4.5)
2013	424	6 (1.4)	334 (78.8)	40 (9.4)	16 (3.8)	28 (6.6)
2012	422	4 (<1)	314 (74.4)	74 (17.5)	10 (2.4)	20 (4.7)
2011	490	14 (2.9)	357 (72.9)	78 (15.9)	26 (5.3)	15 (3.1)
CASS						
2019	445	13 (2.9)	270 (60.7)	73 (16.4)	24 (5.4)	65 (14.6)
2018	493	10 (2.0)	305 (61.9)	85 (17.2)	25 (5.1)	68 (13.8)
2017	506	14 (2.8)	306 (60.5)	87 (17.2)	32 (6.3)	67 (13.2)
2016	559	12 (2.1)	360 (64.4)	79 (14.1)	42 (7.5)	66 (11.8)
2015	569	18 (3.2)	362 (63.6)	82 (14.4)	34 (6.0)	73 (12.8)
2014	538	21 (3.9)	315 (58.6)	84 (15.6)	47 (8.7)	71 (13.2)
2013	581	21 (3.6)	310 (53.4)	114 (19.6)	45 (7.7)	91 (15.7)
2012	626	13 (2.1)	342 (54.6)	122 (19.5)	49 (7.8)	100 (16.0)
2011	710	10 (1.4)	436 (61.4)	130 (18.3)	55 (7.7)	79 (11.1)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
CHIPPEWA						
2019	209	5 (2.4)	138 (66.0)	33 (15.8)	9 (4.3)	24 (11.5)
2018	227	4 (1.8)	146 (64.3)	41 (18.1)	10 (4.4)	26 (11.5)
2017	221	4 (1.8)	152 (68.8)	31 (14.0)	12 (5.4)	22 (10.0)
2016	214	11 (5.1)	141 (65.9)	34 (15.9)	11 (5.1)	17 (7.9)
2015	203	10 (4.9)	142 (70.0)	32 (15.8)	5 (2.5)	14 (6.9)
2014	186	7 (3.8)	125 (67.2)	28 (15.1)	12 (6.5)	14 (7.5)
2013	209	5 (2.4)	147 (70.3)	34 (16.3)	11 (5.3)	12 (5.7)
2012	201	11 (5.5)	134 (66.7)	33 (16.4)	7 (3.5)	16 (8.0)
2011	214	11 (5.1)	137 (64.0)	32 (15.0)	15 (7.0)	19 (8.9)
CHISAGO						
2019	347	18 (5.2)	235 (67.7)	52 (15.0)	15 (4.3)	27 (7.8)
2018	359	11 (3.1)	252 (70.2)	50 (13.9)	14 (3.9)	32 (8.9)
2017	378	20 (5.3)	264 (69.8)	56 (14.8)	8 (2.1)	30 (7.9)
2016	400	16 (4.0)	282 (70.5)	55 (13.8)	19 (4.8)	28 (7.0)
2015	411	9 (2.2)	298 (72.5)	60 (14.6)	20 (4.9)	24 (5.8)
2014	392	15 (3.8)	278 (70.9)	52 (13.3)	20 (5.1)	27 (6.9)
2013	462	18 (3.9)	329 (71.2)	62 (13.4)	23 (5.0)	30 (6.5)
2012	453	14 (3.1)	332 (73.3)	60 (13.2)	20 (4.4)	27 (6.0)
2011	516	14 (2.7)	361 (70.0)	80 (15.5)	21 (4.1)	40 (7.8)
CLAY						
2019	752	27 (3.6)	523 (69.5)	102 (13.6)	38 (5.1)	62 (8.2)
2018	851	37 (4.3)	570 (67.0)	129 (15.2)	38 (4.5)	77 (9.0)
2017	856	27 (3.2)	608 (71.0)	114 (13.3)	38 (4.4)	69 (8.1)
2016	886	34 (3.8)	605 (68.3)	138 (15.6)	39 (4.4)	70 (7.9)
2015	827	17 (2.1)	571 (69.0)	134 (16.2)	36 (4.4)	69 (8.3)
2014	790	25 (3.2)	556 (70.4)	113 (14.3)	28 (3.5)	68 (8.6)
2013	801	23 (2.9)	545 (68.0)	129 (16.1)	35 (4.4)	69 (8.6)
2012	830	16 (1.9)	605 (72.9)	133 (16.0)	27 (3.3)	49 (5.9)
2011	825	28 (3.4)	570 (69.1)	136 (16.5)	40 (4.8)	51 (6.2)
CLEARWATER						
2019	134	4 (3.0)	84 (62.7)	22 (16.4)	6 (4.5)	18 (13.4)
2018	133	4 (3.0)	73 (54.9)	27 (20.3)	13 (9.8)	16 (12.0)
2017	123	3 (2.4)	69 (56.1)	25 (20.3)	8 (6.5)	18 (14.6)
2016	116	2 (1.7)	70 (60.3)	25 (21.6)	6 (5.2)	13 (11.2)
2015	135	3 (2.2)	80 (59.3)	24 (17.8)	10 (7.4)	18 (13.3)
2014	135	5 (3.7)	73 (54.1)	26 (19.3)	10 (7.4)	21 (15.6)
2013	160	5 (3.1)	95 (59.4)	32 (20.0)	10 (6.2)	18 (11.2)
2012	158	1 (<1)	103 (65.2)	24 (15.2)	12 (7.6)	18 (11.4)
2011	165	9 (5.5)	98 (59.4)	35 (21.2)	7 (4.2)	16 (9.7)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
COOK						
2019	72	4 (5.6)	43 (59.7)	14 (19.4)	5 (6.9)	6 (8.3)
2018	69	1 (1.4)	45 (65.2)	12 (17.4)	4 (5.8)	7 (10.1)
2017	79	4 (5.1)	45 (57.0)	19 (24.1)	4 (5.1)	7 (8.9)
2016	85	4 (4.7)	56 (65.9)	14 (16.5)	6 (7.1)	5 (5.9)
2015	89	2 (2.2)	66 (74.2)	9 (10.1)	6 (6.7)	6 (6.7)
2014	81	2 (2.5)	56 (69.1)	12 (14.8)	3 (3.7)	8 (9.9)
2013	89	5 (5.6)	61 (68.5)	6 (6.7)	10 (11.2)	7 (7.9)
2012	83	3 (3.6)	55 (66.3)	15 (18.1)	5 (6.0)	5 (6.0)
2011	80	3 (3.8)	55 (68.8)	15 (18.8)	1 (1.2)	6 (7.5)
COTTONWOOD						
2019	169	3 (1.8)	113 (66.9)	31 (18.3)	6 (3.6)	16 (9.5)
2018	188	7 (3.7)	129 (68.6)	28 (14.9)	9 (4.8)	15 (8.0)
2017	191	7 (3.7)	130 (68.1)	34 (17.8)	3 (1.6)	17 (8.9)
2016	185	8 (4.3)	124 (67.0)	31 (16.8)	5 (2.7)	17 (9.2)
2015	198	3 (1.5)	130 (65.7)	37 (18.7)	6 (3.0)	22 (11.1)
2014	194	5 (2.6)	131 (67.5)	29 (14.9)	12 (6.2)	17 (8.8)
2013	201	7 (3.5)	142 (70.6)	30 (14.9)	5 (2.5)	17 (8.5)
2012	209	5 (2.4)	147 (70.3)	37 (17.7)	10 (4.8)	10 (4.8)
2011	210	4 (1.9)	143 (68.1)	38 (18.1)	8 (3.8)	17 (8.1)
CROW WING						
2019	645	20 (3.1)	438 (67.9)	100 (15.5)	41 (6.4)	46 (7.1)
2018	635	16 (2.5)	423 (66.6)	125 (19.7)	27 (4.3)	44 (6.9)
2017	692	12 (1.7)	459 (66.3)	132 (19.1)	43 (6.2)	46 (6.6)
2016	746	20 (2.7)	504 (67.6)	133 (17.8)	33 (4.4)	56 (7.5)
2015	768	35 (4.6)	525 (68.4)	133 (17.3)	28 (3.6)	47 (6.1)
2014	764	30 (3.9)	540 (70.7)	110 (14.4)	37 (4.8)	47 (6.2)
2013	839	31 (3.7)	585 (69.7)	121 (14.4)	48 (5.7)	54 (6.4)
2012	967	31 (3.2)	698 (72.2)	140 (14.5)	46 (4.8)	52 (5.4)
2011	1,023	45 (4.4)	740 (72.3)	149 (14.6)	44 (4.3)	45 (4.4)
DAKOTA						
2019	2,844	112 (3.9)	2,013 (70.8)	390 (13.7)	123 (4.3)	206 (7.2)
2018	3,119	138 (4.4)	2,164 (69.4)	462 (14.8)	135 (4.3)	220 (7.1)
2017	3,055	126 (4.1)	2,127 (69.6)	449 (14.7)	122 (4.0)	231 (7.6)
2016	3,214	146 (4.5)	2,265 (70.5)	460 (14.3)	122 (3.8)	221 (6.9)
2015	3,340	138 (4.1)	2,330 (69.8)	481 (14.4)	139 (4.2)	252 (7.5)
2014	3,301	155 (4.7)	2,313 (70.1)	445 (13.5)	133 (4.0)	255 (7.7)
2013	3,432	157 (4.6)	2,369 (69.0)	531 (15.5)	138 (4.0)	237 (6.9)
2012	3,508	119 (3.4)	2,474 (70.5)	520 (14.8)	144 (4.1)	251 (7.2)
2011	3,710	97 (2.6)	2,645 (71.3)	556 (15.0)	180 (4.9)	232 (6.3)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
DODGE						
2019	168	4 (2.4)	109 (64.9)	29 (17.3)	7 (4.2)	19 (11.3)
2018	178	4 (2.2)	130 (73.0)	20 (11.2)	9 (5.1)	15 (8.4)
2017	181	4 (2.2)	126 (69.6)	26 (14.4)	10 (5.5)	15 (8.3)
2016	221	10 (4.5)	141 (63.8)	39 (17.6)	8 (3.6)	23 (10.4)
2015	224	9 (4.0)	138 (61.6)	41 (18.3)	11 (4.9)	25 (11.2)
2014	220	3 (1.4)	147 (66.8)	46 (20.9)	8 (3.6)	16 (7.3)
2013	232	10 (4.3)	153 (65.9)	46 (19.8)	11 (4.7)	12 (5.2)
2012	265	5 (1.9)	175 (66.0)	53 (20.0)	14 (5.3)	18 (6.8)
2011	274	7 (2.6)	188 (68.6)	47 (17.2)	14 (5.1)	18 (6.6)
DOUGLAS						
2019	310	8 (2.6)	219 (70.6)	50 (16.1)	18 (5.8)	15 (4.8)
2018	370	17 (4.6)	269 (72.7)	41 (11.1)	20 (5.4)	23 (6.2)
2017	392	15 (3.8)	263 (67.1)	64 (16.3)	21 (5.4)	29 (7.4)
2016	396	21 (5.3)	272 (68.7)	63 (15.9)	14 (3.5)	26 (6.6)
2015	434	16 (3.7)	301 (69.4)	80 (18.4)	13 (3.0)	24 (5.5)
2014	445	13 (2.9)	316 (71.0)	71 (16.0)	15 (3.4)	30 (6.7)
2013	463	17 (3.7)	327 (70.6)	80 (17.3)	15 (3.2)	24 (5.2)
2012	477	14 (2.9)	358 (75.1)	61 (12.8)	18 (3.8)	26 (5.5)
2011	494	22 (4.5)	356 (72.1)	63 (12.8)	28 (5.7)	25 (5.1)
FARIBAULT						
2019	155	5 (3.2)	105 (67.7)	25 (16.1)	4 (2.6)	16 (10.3)
2018	158	5 (3.2)	102 (64.6)	23 (14.6)	14 (8.9)	14 (8.9)
2017	150	3 (2.0)	95 (63.3)	27 (18.0)	14 (9.3)	11 (7.3)
2016	164	3 (1.8)	106 (64.6)	34 (20.7)	5 (3.0)	16 (9.8)
2015	170	3 (1.8)	111 (65.3)	31 (18.2)	8 (4.7)	17 (10.0)
2014	195	7 (3.6)	110 (56.4)	37 (19.0)	19 (9.7)	22 (11.3)
2013	229	6 (2.6)	145 (63.3)	43 (18.8)	15 (6.6)	20 (8.7)
2012	239	8 (3.3)	160 (66.9)	42 (17.6)	17 (7.1)	12 (5.0)
2011	243	8 (3.3)	159 (65.4)	49 (20.2)	13 (5.3)	14 (5.8)
FILLMORE						
2019	183	7 (3.8)	122 (66.7)	27 (14.8)	15 (8.2)	12 (6.6)
2018	199	3 (1.5)	129 (64.8)	49 (24.6)	8 (4.0)	10 (5.0)
2017	226	5 (2.2)	157 (69.5)	42 (18.6)	14 (6.2)	8 (3.5)
2016	210	9 (4.3)	150 (71.4)	31 (14.8)	7 (3.3)	13 (6.2)
2015	214	5 (2.3)	145 (67.8)	34 (15.9)	11 (5.1)	19 (8.9)
2014	199	7 (3.5)	144 (72.4)	28 (14.1)	9 (4.5)	11 (5.5)
2013	199	2 (1.0)	138 (69.3)	33 (16.6)	14 (7.0)	12 (6.0)
2012	222	7 (3.2)	164 (73.9)	26 (11.7)	12 (5.4)	13 (5.9)
2011	246	9 (3.7)	167 (67.9)	47 (19.1)	14 (5.7)	9 (3.7)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
FREEBORN						
2019	381	13 (3.4)	240 (63.0)	45 (11.8)	35 (9.2)	48 (12.6)
2018	399	11 (2.8)	253 (63.4)	73 (18.3)	19 (4.8)	43 (10.8)
2017	426	6 (1.4)	284 (66.7)	79 (18.5)	20 (4.7)	37 (8.7)
2016	463	20 (4.3)	308 (66.5)	69 (14.9)	23 (5.0)	43 (9.3)
2015	530	17 (3.2)	353 (66.6)	84 (15.8)	30 (5.7)	46 (8.7)
2014	511	27 (5.3)	339 (66.3)	78 (15.3)	32 (6.3)	35 (6.8)
2013	533	23 (4.3)	366 (68.7)	82 (15.4)	33 (6.2)	29 (5.4)
2012	574	16 (2.8)	401 (69.9)	83 (14.5)	32 (5.6)	42 (7.3)
2011	559	22 (3.9)	379 (67.8)	89 (15.9)	31 (5.5)	38 (6.8)
GOODHUE						
2019	304	8 (2.6)	198 (65.1)	56 (18.4)	16 (5.3)	26 (8.6)
2018	315	15 (4.8)	200 (63.5)	63 (20.0)	12 (3.8)	25 (7.9)
2017	350	12 (3.4)	231 (66.0)	58 (16.6)	17 (4.9)	32 (9.1)
2016	372	13 (3.5)	254 (68.3)	55 (14.8)	19 (5.1)	31 (8.3)
2015	383	13 (3.4)	268 (70.0)	57 (14.9)	18 (4.7)	27 (7.0)
2014	385	11 (2.9)	270 (70.1)	56 (14.5)	18 (4.7)	30 (7.8)
2013	416	17 (4.1)	266 (63.9)	86 (20.7)	14 (3.4)	33 (7.9)
2012	452	13 (2.9)	303 (67.0)	75 (16.6)	19 (4.2)	42 (9.3)
2011	494	12 (2.4)	326 (66.0)	92 (18.6)	29 (5.9)	35 (7.1)
GRANT						
2019	73	2 (2.7)	51 (69.9)	12 (16.4)	2 (2.7)	6 (8.2)
2018	101	7 (6.9)	70 (69.3)	10 (9.9)	5 (5.0)	9 (8.9)
2017	112	4 (3.6)	75 (67.0)	21 (18.8)	6 (5.4)	6 (5.4)
2016	113	5 (4.4)	76 (67.3)	19 (16.8)	5 (4.4)	8 (7.1)
2015	115	7 (6.1)	80 (69.6)	17 (14.8)	4 (3.5)	7 (6.1)
2014	96	4 (4.2)	65 (67.7)	16 (16.7)	6 (6.2)	5 (5.2)
2013	101	3 (3.0)	71 (70.3)	14 (13.9)	8 (7.9)	5 (5.0)
2012	95	2 (2.1)	63 (66.3)	21 (22.1)	4 (4.2)	5 (5.3)
2011	123	7 (5.7)	83 (67.5)	19 (15.4)	5 (4.1)	9 (7.3)
HENNEPIN						
2019	10,234	445 (4.3)	7,062 (69.0)	1,491 (14.6)	414 (4.0)	822 (8.0)
2018	11,549	486 (4.2)	7,890 (68.3)	1,732 (15.0)	507 (4.4)	934 (8.1)
2017	12,608	460 (3.6)	8,669 (68.8)	1,860 (14.8)	564 (4.5)	1,055 (8.4)
2016	13,451	542 (4.0)	9,189 (68.3)	2,050 (15.2)	631 (4.7)	1,039 (7.7)
2015	14,093	572 (4.1)	9,745 (69.1)	2,122 (15.1)	615 (4.4)	1,039 (7.4)
2014	13,759	597 (4.3)	9,543 (69.4)	1,928 (14.0)	582 (4.2)	1,109 (8.1)
2013	14,139	579 (4.1)	9,682 (68.5)	2,073 (14.7)	640 (4.5)	1,165 (8.2)
2012	15,145	497 (3.3)	10,440 (68.9)	2,286 (15.1)	683 (4.5)	1,239 (8.2)
2011	15,309	435 (2.8)	10,390 (67.9)	2,412 (15.8)	815 (5.3)	1,257 (8.2)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
HOUSTON						
2019	127	4 (3.1)	95 (74.8)	19 (15.0)	4 (3.1)	5 (3.9)
2018	130	4 (3.1)	90 (69.2)	25 (19.2)	3 (2.3)	8 (6.2)
2017	131	0	98 (74.8)	22 (16.8)	5 (3.8)	6 (4.6)
2016	147	3 (2.0)	102 (69.4)	29 (19.7)	5 (3.4)	8 (5.4)
2015	133	1 (<1)	104 (78.2)	16 (12.0)	7 (5.3)	5 (3.8)
2014	130	4 (3.1)	91 (70.0)	14 (10.8)	10 (7.7)	11 (8.5)
2013	135	9 (6.7)	90 (66.7)	23 (17.0)	5 (3.7)	8 (5.9)
2012	141	2 (1.4)	101 (71.6)	20 (14.2)	9 (6.4)	9 (6.4)
2011	167	3 (1.8)	115 (68.9)	27 (16.2)	10 (6.0)	12 (7.2)
HUBBARD						
2019	267	32 (12.0)	173 (64.8)	33 (12.4)	9 (3.4)	20 (7.5)
2018	305	18 (5.9)	202 (66.2)	45 (14.8)	11 (3.6)	29 (9.5)
2017	302	9 (3.0)	208 (68.9)	50 (16.6)	10 (3.3)	25 (8.3)
2016	295	13 (4.4)	200 (67.8)	37 (12.5)	23 (7.8)	22 (7.5)
2015	302	9 (3.0)	214 (70.9)	41 (13.6)	17 (5.6)	21 (7.0)
2014	294	7 (2.4)	222 (75.5)	37 (12.6)	19 (6.5)	9 (3.1)
2013	357	6 (1.7)	238 (66.7)	63 (17.6)	21 (5.9)	29 (8.1)
2012	373	7 (1.9)	262 (70.2)	50 (13.4)	25 (6.7)	29 (7.8)
2011	363	10 (2.8)	245 (67.5)	69 (19.0)	21 (5.8)	18 (5.0)
ISANTI						
2019	376	14 (3.7)	258 (68.6)	58 (15.4)	13 (3.5)	33 (8.8)
2018	398	15 (3.8)	278 (69.8)	62 (15.6)	14 (3.5)	29 (7.3)
2017	444	8 (1.8)	322 (72.5)	73 (16.4)	16 (3.6)	25 (5.6)
2016	451	15 (3.3)	329 (72.9)	60 (13.3)	16 (3.5)	31 (6.9)
2015	497	19 (3.8)	352 (70.8)	74 (14.9)	25 (5.0)	27 (5.4)
2014	422	13 (3.1)	302 (71.6)	58 (13.7)	17 (4.0)	32 (7.6)
2013	495	13 (2.6)	347 (70.1)	75 (15.2)	23 (4.6)	37 (7.5)
2012	551	14 (2.5)	398 (72.2)	75 (13.6)	29 (5.3)	35 (6.4)
2011	583	10 (1.7)	426 (73.1)	101 (17.3)	22 (3.8)	24 (4.1)
ITASCA						
2019	456	12 (2.6)	325 (71.3)	69 (15.1)	19 (4.2)	31 (6.8)
2018	476	16 (3.4)	327 (68.7)	68 (14.3)	24 (5.0)	41 (8.6)
2017	500	20 (4.0)	332 (66.4)	89 (17.8)	23 (4.6)	36 (7.2)
2016	519	15 (2.9)	343 (66.1)	97 (18.7)	24 (4.6)	40 (7.7)
2015	555	13 (2.3)	366 (65.9)	106 (19.1)	22 (4.0)	48 (8.6)
2014	546	18 (3.3)	354 (64.8)	98 (17.9)	29 (5.3)	47 (8.6)
2013	549	20 (3.6)	359 (65.4)	95 (17.3)	23 (4.2)	52 (9.5)
2012	595	16 (2.7)	407 (68.4)	88 (14.8)	29 (4.9)	55 (9.2)
2011	621	14 (2.3)	433 (69.7)	104 (16.7)	21 (3.4)	49 (7.9)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
JACKSON						
2019	90	4 (4.4)	49 (54.4)	20 (22.2)	5 (5.6)	12 (13.3)
2018	71	1 (1.4)	44 (62.0)	15 (21.1)	4 (5.6)	7 (9.9)
2017	73	0	51 (69.9)	14 (19.2)	4 (5.5)	4 (5.5)
2016	89	2 (2.2)	53 (59.6)	22 (24.7)	5 (5.6)	7 (7.9)
2015	99	2 (2.0)	68 (68.7)	19 (19.2)	5 (5.1)	5 (5.1)
2014	93	1 (1.1)	66 (71.0)	10 (10.8)	8 (8.6)	8 (8.6)
2013	106	2 (1.9)	70 (66.0)	20 (18.9)	6 (5.7)	8 (7.5)
2012	103	3 (2.9)	70 (68.0)	15 (14.6)	8 (7.8)	7 (6.8)
2011	123	2 (1.6)	87 (70.7)	15 (12.2)	9 (7.3)	10 (8.1)
KANABEC						
2019	192	5 (2.6)	132 (68.8)	36 (18.8)	8 (4.2)	11 (5.7)
2018	209	4 (1.9)	143 (68.4)	40 (19.1)	6 (2.9)	16 (7.7)
2017	222	6 (2.7)	160 (72.1)	30 (13.5)	9 (4.1)	17 (7.7)
2016	224	12 (5.4)	162 (72.3)	28 (12.5)	10 (4.5)	12 (5.4)
2015	220	7 (3.2)	166 (75.5)	32 (14.5)	7 (3.2)	8 (3.6)
2014	211	8 (3.8)	161 (76.3)	19 (9.0)	11 (5.2)	12 (5.7)
2013	211	5 (2.4)	143 (67.8)	42 (19.9)	10 (4.7)	11 (5.2)
2012	248	5 (2.0)	178 (71.8)	39 (15.7)	11 (4.4)	15 (6.0)
2011	243	6 (2.5)	164 (67.5)	38 (15.6)	17 (7.0)	18 (7.4)
KANDIYOHI						
2019	825	30 (3.6)	505 (61.2)	138 (16.7)	54 (6.5)	98 (11.9)
2018	852	35 (4.1)	540 (63.4)	153 (18.0)	38 (4.5)	86 (10.1)
2017	863	36 (4.2)	560 (64.9)	137 (15.9)	45 (5.2)	85 (9.8)
2016	850	49 (5.8)	548 (64.5)	133 (15.6)	40 (4.7)	80 (9.4)
2015	822	34 (4.1)	545 (66.3)	128 (15.6)	33 (4.0)	82 (10.0)
2014	794	43 (5.4)	525 (66.1)	118 (14.9)	35 (4.4)	73 (9.2)
2013	826	31 (3.8)	547 (66.2)	135 (16.3)	45 (5.4)	68 (8.2)
2012	843	21 (2.5)	570 (67.6)	149 (17.7)	32 (3.8)	71 (8.4)
2011	870	28 (3.2)	570 (65.5)	145 (16.7)	57 (6.6)	70 (8.0)
KITTSON						
2019	43	3 (7.0)	24 (55.8)	9 (20.9)	4 (9.3)	3 (7.0)
2018	56	1 (1.8)	33 (58.9)	9 (16.1)	7 (12.5)	6 (10.7)
2017	58	1 (1.7)	35 (60.3)	15 (25.9)	4 (6.9)	3 (5.2)
2016	49	0	28 (57.1)	15 (30.6)	1 (2.0)	5 (10.2)
2015	62	1 (1.6)	45 (72.6)	13 (21.0)	2 (3.2)	1 (1.6)
2014	62	1 (1.6)	38 (61.3)	11 (17.7)	7 (11.3)	5 (8.1)
2013	69	0	51 (73.9)	11 (15.9)	5 (7.2)	2 (2.9)
2012	64	1 (1.6)	48 (75.0)	10 (15.6)	1 (1.6)	4 (6.2)
2011	77	3 (3.9)	58 (75.3)	9 (11.7)	2 (2.6)	5 (6.5)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
KOOCHICHING						
2019	66	6 (9.1)	40 (60.6)	14 (21.2)	3 (4.5)	3 (4.5)
2018	99	8 (8.1)	71 (71.7)	11 (11.1)	2 (2.0)	7 (7.1)
2017	105	2 (1.9)	81 (77.1)	9 (8.6)	5 (4.8)	8 (7.6)
2016	107	4 (3.7)	69 (64.5)	19 (17.8)	5 (4.7)	10 (9.3)
2015	138	5 (3.6)	91 (65.9)	24 (17.4)	11 (8.0)	7 (5.1)
2014	154	6 (3.9)	100 (64.9)	21 (13.6)	10 (6.5)	17 (11.0)
2013	154	2 (1.3)	105 (68.2)	27 (17.5)	6 (3.9)	14 (9.1)
2012	156	4 (2.6)	102 (65.4)	24 (15.4)	11 (7.1)	15 (9.6)
2011	156	3 (1.9)	102 (65.4)	27 (17.3)	12 (7.7)	12 (7.7)
LAC QUI PARLE						
2019	44	1 (2.3)	23 (52.3)	11 (25.0)	2 (4.5)	7 (15.9)
2018	53	0	28 (52.8)	14 (26.4)	5 (9.4)	6 (11.3)
2017	57	2 (3.5)	37 (64.9)	11 (19.3)	2 (3.5)	5 (8.8)
2016	70	1 (1.4)	40 (57.1)	19 (27.1)	6 (8.6)	4 (5.7)
2015	71	1 (1.4)	45 (63.4)	15 (21.1)	3 (4.2)	7 (9.9)
2014	80	2 (2.5)	50 (62.5)	19 (23.8)	2 (2.5)	7 (8.8)
2013	84	4 (4.8)	59 (70.2)	15 (17.9)	0	6 (7.1)
2012	88	3 (3.4)	67 (76.1)	12 (13.6)	2 (2.3)	4 (4.5)
2011	94	4 (4.3)	67 (71.3)	11 (11.7)	6 (6.4)	6 (6.4)
LAKE						
2019	108	3 (2.8)	73 (67.6)	15 (13.9)	7 (6.5)	10 (9.3)
2018	101	3 (3.0)	61 (60.4)	24 (23.8)	6 (5.9)	7 (6.9)
2017	114	1 (<1)	86 (75.4)	19 (16.7)	4 (3.5)	4 (3.5)
2016	102	5 (4.9)	61 (59.8)	26 (25.5)	5 (4.9)	5 (4.9)
2015	101	1 (1.0)	67 (66.3)	20 (19.8)	4 (4.0)	9 (8.9)
2014	104	4 (3.8)	69 (66.3)	17 (16.3)	4 (3.8)	10 (9.6)
2013	97	6 (6.2)	59 (60.8)	18 (18.6)	4 (4.1)	10 (10.3)
2012	139	5 (3.6)	82 (59.0)	29 (20.9)	6 (4.3)	17 (12.2)
2011	124	3 (2.4)	79 (63.7)	23 (18.5)	8 (6.5)	11 (8.9)
LAKE OF THE WOODS						
2019	35	2 (5.7)	25 (71.4)	2 (5.7)	1 (2.9)	5 (14.3)
2018	47	3 (6.4)	31 (66.0)	3 (6.4)	1 (2.1)	9 (19.1)
2017	51	2 (3.9)	35 (68.6)	6 (11.8)	4 (7.8)	4 (7.8)
2016	52	1 (1.9)	31 (59.6)	11 (21.2)	4 (7.7)	5 (9.6)
2015	44	3 (6.8)	28 (63.6)	5 (11.4)	6 (13.6)	2 (4.5)
2014	38	2 (5.3)	23 (60.5)	7 (18.4)	2 (5.3)	4 (10.5)
2013	51	5 (9.8)	25 (49.0)	11 (21.6)	2 (3.9)	8 (15.7)
2012	44	1 (2.3)	25 (56.8)	11 (25.0)	0	7 (15.9)
2011	52	1 (1.9)	38 (73.1)	9 (17.3)	0	4 (7.7)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
LE SUEUR						
2019	228	9 (3.9)	156 (68.4)	33 (14.5)	13 (5.7)	17 (7.5)
2018	222	6 (2.7)	157 (70.7)	32 (14.4)	11 (5.0)	16 (7.2)
2017	266	6 (2.3)	175 (65.8)	42 (15.8)	19 (7.1)	24 (9.0)
2016	259	11 (4.2)	167 (64.5)	46 (17.8)	7 (2.7)	28 (10.8)
2015	278	11 (4.0)	183 (65.8)	40 (14.4)	15 (5.4)	29 (10.4)
2014	252	11 (4.4)	173 (68.7)	33 (13.1)	9 (3.6)	26 (10.3)
2013	272	8 (2.9)	196 (72.1)	35 (12.9)	12 (4.4)	21 (7.7)
2012	274	5 (1.8)	191 (69.7)	41 (15.0)	10 (3.6)	27 (9.9)
2011	300	6 (2.0)	228 (76.0)	42 (14.0)	10 (3.3)	14 (4.7)
LINCOLN						
2019	53	1 (1.9)	35 (66.0)	9 (17.0)	2 (3.8)	6 (11.3)
2018	60	2 (3.3)	42 (70.0)	10 (16.7)	2 (3.3)	4 (6.7)
2017	59	2 (3.4)	44 (74.6)	9 (15.3)	2 (3.4)	2 (3.4)
2016	59	4 (6.8)	39 (66.1)	10 (16.9)	4 (6.8)	2 (3.4)
2015	74	2 (2.7)	52 (70.3)	9 (12.2)	4 (5.4)	7 (9.5)
2014	60	1 (1.7)	47 (78.3)	4 (6.7)	3 (5.0)	5 (8.3)
2013	74	0	49 (66.2)	16 (21.6)	5 (6.8)	4 (5.4)
2012	72	1 (1.4)	49 (68.1)	14 (19.4)	3 (4.2)	5 (6.9)
2011	88	3 (3.4)	60 (68.2)	15 (17.0)	5 (5.7)	5 (5.7)
LYON						
2019	524	16 (3.1)	351 (67.0)	91 (17.4)	19 (3.6)	47 (9.0)
2018	559	15 (2.7)	381 (68.2)	92 (16.5)	34 (6.1)	37 (6.6)
2017	527	17 (3.2)	373 (70.8)	71 (13.5)	24 (4.6)	42 (8.0)
2016	552	15 (2.7)	376 (68.1)	96 (17.4)	23 (4.2)	42 (7.6)
2015	544	22 (4.0)	376 (69.1)	84 (15.4)	25 (4.6)	37 (6.8)
2014	421	12 (2.9)	294 (69.8)	54 (12.8)	20 (4.8)	41 (9.7)
2013	492	9 (1.8)	344 (69.9)	83 (16.9)	24 (4.9)	32 (6.5)
2012	516	9 (1.7)	356 (69.0)	84 (16.3)	30 (5.8)	37 (7.2)
2011	515	15 (2.9)	350 (68.0)	78 (15.1)	24 (4.7)	48 (9.3)
MAHNOMEN						
2019	194	2 (1.0)	95 (49.0)	37 (19.1)	17 (8.8)	43 (22.2)
2018	208	5 (2.4)	93 (44.7)	40 (19.2)	18 (8.7)	52 (25.0)
2017	215	0	110 (51.2)	45 (20.9)	20 (9.3)	40 (18.6)
2016	236	4 (1.7)	115 (48.7)	49 (20.8)	22 (9.3)	46 (19.5)
2015	229	3 (1.3)	117 (51.1)	47 (20.5)	17 (7.4)	45 (19.7)
2014	261	4 (1.5)	139 (53.3)	55 (21.1)	18 (6.9)	45 (17.2)
2013	260	2 (<1)	130 (50.0)	52 (20.0)	28 (10.8)	48 (18.5)
2012	261	4 (1.5)	145 (55.6)	54 (20.7)	17 (6.5)	41 (15.7)
2011	249	5 (2.0)	129 (51.8)	62 (24.9)	23 (9.2)	30 (12.0)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
MARSHALL						
2019	118	2 (1.7)	89 (75.4)	13 (11.0)	5 (4.2)	9 (7.6)
2018	123	6 (4.9)	86 (69.9)	18 (14.6)	6 (4.9)	7 (5.7)
2017	137	3 (2.2)	88 (64.2)	25 (18.2)	9 (6.6)	12 (8.8)
2016	138	2 (1.4)	96 (69.6)	25 (18.1)	4 (2.9)	11 (8.0)
2015	133	4 (3.0)	93 (69.9)	17 (12.8)	7 (5.3)	12 (9.0)
2014	119	4 (3.4)	72 (60.5)	26 (21.8)	5 (4.2)	12 (10.1)
2013	128	5 (3.9)	78 (60.9)	30 (23.4)	3 (2.3)	12 (9.4)
2012	135	3 (2.2)	87 (64.4)	23 (17.0)	8 (5.9)	14 (10.4)
2011	133	5 (3.8)	84 (63.2)	24 (18.0)	11 (8.3)	9 (6.8)
MARTIN						
2019	241	7 (2.9)	143 (59.3)	41 (17.0)	8 (3.3)	42 (17.4)
2018	247	11 (4.5)	132 (53.4)	41 (16.6)	16 (6.5)	47 (19.0)
2017	248	6 (2.4)	138 (55.6)	60 (24.2)	15 (6.0)	29 (11.7)
2016	272	7 (2.6)	174 (64.0)	48 (17.6)	13 (4.8)	30 (11.0)
2015	288	8 (2.8)	191 (66.3)	46 (16.0)	13 (4.5)	30 (10.4)
2014	290	10 (3.4)	184 (63.4)	48 (16.6)	22 (7.6)	26 (9.0)
2013	275	6 (2.2)	185 (67.3)	43 (15.6)	16 (5.8)	25 (9.1)
2012	294	5 (1.7)	194 (66.0)	48 (16.3)	21 (7.1)	26 (8.8)
2011	308	6 (1.9)	214 (69.5)	47 (15.3)	18 (5.8)	23 (7.5)
MCLEOD						
2019	360	12 (3.3)	236 (65.6)	57 (15.8)	21 (5.8)	34 (9.4)
2018	376	18 (4.8)	232 (61.7)	70 (18.6)	25 (6.6)	31 (8.2)
2017	381	9 (2.4)	254 (66.7)	55 (14.4)	18 (4.7)	45 (11.8)
2016	402	7 (1.7)	270 (67.2)	57 (14.2)	23 (5.7)	45 (11.2)
2015	431	13 (3.0)	286 (66.4)	62 (14.4)	22 (5.1)	48 (11.1)
2014	421	13 (3.1)	291 (69.1)	61 (14.5)	18 (4.3)	38 (9.0)
2013	431	14 (3.2)	280 (65.0)	75 (17.4)	20 (4.6)	42 (9.7)
2012	459	13 (2.8)	293 (63.8)	90 (19.6)	19 (4.1)	44 (9.6)
2011	500	13 (2.6)	347 (69.4)	83 (16.6)	27 (5.4)	30 (6.0)
MEEKER						
2019	258	7 (2.7)	183 (70.9)	43 (16.7)	9 (3.5)	16 (6.2)
2018	273	11 (4.0)	186 (68.1)	38 (13.9)	14 (5.1)	24 (8.8)
2017	289	7 (2.4)	191 (66.1)	57 (19.7)	13 (4.5)	21 (7.3)
2016	279	4 (1.4)	189 (67.7)	46 (16.5)	16 (5.7)	24 (8.6)
2015	288	4 (1.4)	200 (69.4)	52 (18.1)	10 (3.5)	22 (7.6)
2014	274	6 (2.2)	188 (68.6)	47 (17.2)	12 (4.4)	21 (7.7)
2013	314	6 (1.9)	209 (66.6)	54 (17.2)	16 (5.1)	29 (9.2)
2012	338	6 (1.8)	221 (65.4)	78 (23.1)	12 (3.6)	21 (6.2)
2011	376	7 (1.9)	247 (65.7)	69 (18.4)	27 (7.2)	26 (6.9)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
MILLE LACS CO						
2019	395	13 (3.3)	277 (70.1)	50 (12.7)	25 (6.3)	30 (7.6)
2018	383	11 (2.9)	240 (62.7)	70 (18.3)	27 (7.0)	35 (9.1)
2017	369	10 (2.7)	254 (68.8)	57 (15.4)	12 (3.3)	36 (9.8)
2016	390	9 (2.3)	250 (64.1)	76 (19.5)	23 (5.9)	32 (8.2)
2015	418	15 (3.6)	281 (67.2)	58 (13.9)	26 (6.2)	38 (9.1)
2014	389	16 (4.1)	261 (67.1)	71 (18.3)	15 (3.9)	26 (6.7)
2013	437	12 (2.7)	289 (66.1)	79 (18.1)	25 (5.7)	32 (7.3)
2012	492	17 (3.5)	340 (69.1)	81 (16.5)	22 (4.5)	32 (6.5)
2011	520	11 (2.1)	346 (66.5)	88 (16.9)	27 (5.2)	48 (9.2)
MORRISON						
2019	312	13 (4.2)	225 (72.1)	46 (14.7)	8 (2.6)	20 (6.4)
2018	405	18 (4.4)	291 (71.9)	55 (13.6)	14 (3.5)	27 (6.7)
2017	439	15 (3.4)	321 (73.1)	59 (13.4)	19 (4.3)	25 (5.7)
2016	467	24 (5.1)	334 (71.5)	66 (14.1)	21 (4.5)	22 (4.7)
2015	487	21 (4.3)	350 (71.9)	64 (13.1)	21 (4.3)	31 (6.4)
2014	451	21 (4.7)	319 (70.7)	75 (16.6)	15 (3.3)	21 (4.7)
2013	498	18 (3.6)	360 (72.3)	71 (14.3)	24 (4.8)	25 (5.0)
2012	540	16 (3.0)	419 (77.6)	64 (11.9)	19 (3.5)	22 (4.1)
2011	576	17 (3.0)	428 (74.3)	86 (14.9)	19 (3.3)	26 (4.5)
MOWER						
2019	620	15 (2.4)	402 (64.8)	113 (18.2)	32 (5.2)	58 (9.4)
2018	624	20 (3.2)	397 (63.6)	98 (15.7)	39 (6.2)	70 (11.2)
2017	622	12 (1.9)	399 (64.1)	99 (15.9)	39 (6.3)	73 (11.7)
2016	639	17 (2.7)	387 (60.6)	116 (18.2)	40 (6.3)	79 (12.4)
2015	650	20 (3.1)	404 (62.2)	119 (18.3)	39 (6.0)	68 (10.5)
2014	674	14 (2.1)	443 (65.7)	121 (18.0)	45 (6.7)	51 (7.6)
2013	791	16 (2.0)	503 (63.6)	142 (18.0)	48 (6.1)	82 (10.4)
2012	834	21 (2.5)	518 (62.1)	162 (19.4)	52 (6.2)	81 (9.7)
2011	792	28 (3.5)	496 (62.6)	145 (18.3)	51 (6.4)	72 (9.1)
MURRAY						
2019	84	5 (6.0)	52 (61.9)	14 (16.7)	3 (3.6)	10 (11.9)
2018	93	8 (8.6)	62 (66.7)	16 (17.2)	1 (1.1)	6 (6.5)
2017	92	6 (6.5)	62 (67.4)	14 (15.2)	4 (4.3)	6 (6.5)
2016	110	3 (2.7)	81 (73.6)	15 (13.6)	3 (2.7)	8 (7.3)
2015	109	4 (3.7)	68 (62.4)	25 (22.9)	7 (6.4)	5 (4.6)
2014	96	3 (3.1)	71 (74.0)	14 (14.6)	1 (1.0)	7 (7.3)
2013	98	1 (1.0)	74 (75.5)	8 (8.2)	5 (5.1)	10 (10.2)
2012	94	3 (3.2)	64 (68.1)	12 (12.8)	4 (4.3)	11 (11.7)
2011	104	0	73 (70.2)	13 (12.5)	5 (4.8)	13 (12.5)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
NICOLLET						
2019	276	10 (3.6)	194 (70.3)	42 (15.2)	17 (6.2)	13 (4.7)
2018	278	14 (5.0)	191 (68.7)	50 (18.0)	12 (4.3)	11 (4.0)
2017	280	9 (3.2)	194 (69.3)	42 (15.0)	17 (6.1)	18 (6.4)
2016	317	19 (6.0)	214 (67.5)	46 (14.5)	14 (4.4)	24 (7.6)
2015	321	13 (4.0)	226 (70.4)	45 (14.0)	17 (5.3)	20 (6.2)
2014	300	12 (4.0)	221 (73.7)	37 (12.3)	9 (3.0)	21 (7.0)
2013	319	18 (5.6)	221 (69.3)	48 (15.0)	17 (5.3)	15 (4.7)
2012	337	7 (2.1)	245 (72.7)	47 (13.9)	16 (4.7)	22 (6.5)
2011	341	10 (2.9)	241 (70.7)	51 (15.0)	23 (6.7)	16 (4.7)
NOBLES						
2019	557	13 (2.3)	343 (61.6)	97 (17.4)	30 (5.4)	74 (13.3)
2018	588	21 (3.6)	361 (61.4)	110 (18.7)	33 (5.6)	63 (10.7)
2017	547	6 (1.1)	350 (64.0)	100 (18.3)	37 (6.8)	54 (9.9)
2016	584	13 (2.2)	371 (63.5)	103 (17.6)	30 (5.1)	67 (11.5)
2015	528	13 (2.5)	330 (62.5)	110 (20.8)	25 (4.7)	50 (9.5)
2014	504	17 (3.4)	330 (65.5)	88 (17.5)	32 (6.3)	37 (7.3)
2013	538	14 (2.6)	350 (65.1)	93 (17.3)	29 (5.4)	52 (9.7)
2012	545	12 (2.2)	347 (63.7)	101 (18.5)	28 (5.1)	57 (10.5)
2011	536	16 (3.0)	322 (60.1)	93 (17.4)	40 (7.5)	65 (12.1)
NORMAN						
2019	85	5 (5.9)	62 (72.9)	11 (12.9)	2 (2.4)	5 (5.9)
2018	95	3 (3.2)	67 (70.5)	14 (14.7)	8 (8.4)	3 (3.2)
2017	97	2 (2.1)	67 (69.1)	14 (14.4)	4 (4.1)	10 (10.3)
2016	93	5 (5.4)	66 (71.0)	9 (9.7)	4 (4.3)	9 (9.7)
2015	90	7 (7.8)	62 (68.9)	14 (15.6)	3 (3.3)	4 (4.4)
2014	91	2 (2.2)	66 (72.5)	13 (14.3)	3 (3.3)	7 (7.7)
2013	83	1 (1.2)	60 (72.3)	13 (15.7)	2 (2.4)	7 (8.4)
2012	105	3 (2.9)	73 (69.5)	17 (16.2)	4 (3.8)	8 (7.6)
2011	117	2 (1.7)	78 (66.7)	22 (18.8)	8 (6.8)	7 (6.0)
OLMSTED						
2019	1,577	82 (5.2)	1,050 (66.6)	236 (15.0)	74 (4.7)	135 (8.6)
2018	1,615	58 (3.6)	1,099 (68.0)	244 (15.1)	69 (4.3)	145 (9.0)
2017	1,636	65 (4.0)	1,130 (69.1)	237 (14.5)	68 (4.2)	136 (8.3)
2016	1,744	70 (4.0)	1,199 (68.8)	265 (15.2)	80 (4.6)	130 (7.5)
2015	1,803	80 (4.4)	1,240 (68.8)	273 (15.1)	77 (4.3)	133 (7.4)
2014	1,793	89 (5.0)	1,229 (68.5)	268 (14.9)	80 (4.5)	127 (7.1)
2013	1,919	73 (3.8)	1,309 (68.2)	303 (15.8)	85 (4.4)	149 (7.8)
2012	2,089	67 (3.2)	1,475 (70.6)	326 (15.6)	88 (4.2)	133 (6.4)
2011	2,096	71 (3.4)	1,481 (70.7)	328 (15.6)	95 (4.5)	121 (5.8)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
OTTER TAIL						
2019	621	17 (2.7)	419 (67.5)	103 (16.6)	27 (4.3)	55 (8.9)
2018	650	21 (3.2)	442 (68.0)	104 (16.0)	33 (5.1)	50 (7.7)
2017	635	14 (2.2)	439 (69.1)	109 (17.2)	29 (4.6)	44 (6.9)
2016	648	30 (4.6)	447 (69.0)	91 (14.0)	30 (4.6)	50 (7.7)
2015	687	25 (3.6)	495 (72.1)	92 (13.4)	26 (3.8)	49 (7.1)
2014	635	18 (2.8)	441 (69.4)	105 (16.5)	23 (3.6)	48 (7.6)
2013	631	17 (2.7)	426 (67.5)	109 (17.3)	31 (4.9)	48 (7.6)
2012	734	21 (2.9)	521 (71.0)	113 (15.4)	32 (4.4)	47 (6.4)
2011	789	29 (3.7)	557 (70.6)	123 (15.6)	37 (4.7)	43 (5.4)
PENNINGTON						
2019	181	3 (1.7)	122 (67.4)	34 (18.8)	7 (3.9)	15 (8.3)
2018	184	9 (4.9)	126 (68.5)	20 (10.9)	15 (8.2)	14 (7.6)
2017	204	5 (2.5)	138 (67.6)	30 (14.7)	16 (7.8)	15 (7.4)
2016	227	3 (1.3)	153 (67.4)	38 (16.7)	13 (5.7)	20 (8.8)
2015	220	4 (1.8)	148 (67.3)	29 (13.2)	20 (9.1)	19 (8.6)
2014	207	10 (4.8)	131 (63.3)	40 (19.3)	10 (4.8)	16 (7.7)
2013	243	9 (3.7)	160 (65.8)	45 (18.5)	15 (6.2)	14 (5.8)
2012	253	4 (1.6)	176 (69.6)	45 (17.8)	10 (4.0)	18 (7.1)
2011	262	6 (2.3)	175 (66.8)	44 (16.8)	11 (4.2)	26 (9.9)
PINE						
2019	327	10 (3.1)	213 (65.1)	52 (15.9)	18 (5.5)	34 (10.4)
2018	322	13 (4.0)	206 (64.0)	56 (17.4)	14 (4.3)	33 (10.2)
2017	348	6 (1.7)	229 (65.8)	71 (20.4)	15 (4.3)	27 (7.8)
2016	311	8 (2.6)	206 (66.2)	61 (19.6)	11 (3.5)	25 (8.0)
2015	357	8 (2.2)	237 (66.4)	59 (16.5)	19 (5.3)	34 (9.5)
2014	332	13 (3.9)	233 (70.2)	50 (15.1)	8 (2.4)	28 (8.4)
2013	352	10 (2.8)	247 (70.2)	51 (14.5)	15 (4.3)	29 (8.2)
2012	429	10 (2.3)	296 (69.0)	68 (15.9)	25 (5.8)	30 (7.0)
2011	470	20 (4.3)	320 (68.1)	67 (14.3)	18 (3.8)	45 (9.6)
PIPESTONE						
2019	149	2 (1.3)	106 (71.1)	22 (14.8)	7 (4.7)	12 (8.1)
2018	175	8 (4.6)	125 (71.4)	26 (14.9)	9 (5.1)	7 (4.0)
2017	193	6 (3.1)	141 (73.1)	28 (14.5)	7 (3.6)	11 (5.7)
2016	204	7 (3.4)	145 (71.1)	30 (14.7)	7 (3.4)	15 (7.4)
2015	230	9 (3.9)	167 (72.6)	26 (11.3)	12 (5.2)	16 (7.0)
2014	195	9 (4.6)	141 (72.3)	28 (14.4)	4 (2.1)	13 (6.7)
2013	176	6 (3.4)	130 (73.9)	23 (13.1)	3 (1.7)	14 (8.0)
2012	216	5 (2.3)	155 (71.8)	33 (15.3)	10 (4.6)	13 (6.0)
2011	209	1 (<1)	159 (76.1)	35 (16.7)	3 (1.4)	11 (5.3)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
POLK						
2019	432	11 (2.5)	294 (68.1)	76 (17.6)	15 (3.5)	36 (8.3)
2018	469	13 (2.8)	328 (69.9)	85 (18.1)	10 (2.1)	33 (7.0)
2017	480	13 (2.7)	342 (71.2)	73 (15.2)	11 (2.3)	41 (8.5)
2016	490	11 (2.2)	343 (70.0)	82 (16.7)	19 (3.9)	35 (7.1)
2015	505	19 (3.8)	332 (65.7)	84 (16.6)	28 (5.5)	42 (8.3)
2014	514	14 (2.7)	348 (67.7)	85 (16.5)	25 (4.9)	42 (8.2)
2013	550	14 (2.5)	385 (70.0)	80 (14.5)	27 (4.9)	44 (8.0)
2012	584	7 (1.2)	430 (73.6)	98 (16.8)	20 (3.4)	29 (5.0)
2011	588	18 (3.1)	410 (69.7)	96 (16.3)	29 (4.9)	35 (6.0)
POPE						
2019	112	2 (1.8)	82 (73.2)	21 (18.8)	4 (3.6)	3 (2.7)
2018	116	3 (2.6)	81 (69.8)	21 (18.1)	7 (6.0)	4 (3.4)
2017	114	4 (3.5)	82 (71.9)	18 (15.8)	6 (5.3)	4 (3.5)
2016	137	2 (1.5)	95 (69.3)	26 (19.0)	4 (2.9)	10 (7.3)
2015	143	4 (2.8)	98 (68.5)	25 (17.5)	7 (4.9)	9 (6.3)
2014	147	6 (4.1)	107 (72.8)	18 (12.2)	5 (3.4)	11 (7.5)
2013	160	9 (5.6)	96 (60.0)	36 (22.5)	9 (5.6)	10 (6.2)
2012	180	6 (3.3)	130 (72.2)	30 (16.7)	6 (3.3)	8 (4.4)
2011	195	5 (2.6)	141 (72.3)	21 (10.8)	16 (8.2)	12 (6.2)
RAMSEY						
2019	8,265	295 (3.6)	5,483 (66.3)	1,376 (16.6)	330 (4.0)	781 (9.4)
2018	8,946	343 (3.8)	5,992 (67.0)	1,425 (15.9)	383 (4.3)	803 (9.0)
2017	9,491	279 (2.9)	6,443 (67.9)	1,479 (15.6)	437 (4.6)	853 (9.0)
2016	10,099	374 (3.7)	6,800 (67.3)	1,610 (15.9)	432 (4.3)	883 (8.7)
2015	10,304	385 (3.7)	7,014 (68.1)	1,632 (15.8)	417 (4.0)	856 (8.3)
2014	9,918	384 (3.9)	6,793 (68.5)	1,386 (14.0)	465 (4.7)	890 (9.0)
2013	10,371	312 (3.0)	6,942 (66.9)	1,589 (15.3)	554 (5.3)	974 (9.4)
2012	10,634	250 (2.4)	7,071 (66.5)	1,771 (16.7)	580 (5.5)	962 (9.0)
2011	10,244	210 (2.0)	6,814 (66.5)	1,805 (17.6)	600 (5.9)	815 (8.0)
RED LAKE						
2019	58	1 (1.7)	35 (60.3)	8 (13.8)	5 (8.6)	9 (15.5)
2018	75	1 (1.3)	47 (62.7)	12 (16.0)	4 (5.3)	11 (14.7)
2017	73	2 (2.7)	42 (57.5)	12 (16.4)	6 (8.2)	11 (15.1)
2016	85	2 (2.4)	48 (56.5)	15 (17.6)	10 (11.8)	10 (11.8)
2015	76	4 (5.3)	42 (55.3)	16 (21.1)	6 (7.9)	8 (10.5)
2014	71	3 (4.2)	45 (63.4)	14 (19.7)	3 (4.2)	6 (8.5)
2013	67	3 (4.5)	45 (67.2)	9 (13.4)	4 (6.0)	6 (9.0)
2012	79	3 (3.8)	59 (74.7)	9 (11.4)	0	8 (10.1)
2011	68	4 (5.9)	43 (63.2)	17 (25.0)	1 (1.5)	3 (4.4)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
REDWOOD						
2019	206	5 (2.4)	154 (74.8)	33 (16.0)	2 (1.0)	12 (5.8)
2018	230	3 (1.3)	170 (73.9)	38 (16.5)	5 (2.2)	14 (6.1)
2017	216	1 (<1)	157 (72.7)	42 (19.4)	4 (1.9)	12 (5.6)
2016	207	4 (1.9)	151 (72.9)	37 (17.9)	4 (1.9)	11 (5.3)
2015	214	7 (3.3)	141 (65.9)	45 (21.0)	9 (4.2)	12 (5.6)
2014	228	4 (1.8)	163 (71.5)	33 (14.5)	9 (3.9)	19 (8.3)
2013	244	7 (2.9)	167 (68.4)	34 (13.9)	15 (6.1)	21 (8.6)
2012	288	5 (1.7)	194 (67.4)	53 (18.4)	13 (4.5)	23 (8.0)
2011	299	11 (3.7)	186 (62.2)	53 (17.7)	20 (6.7)	29 (9.7)
RENVILLE						
2019	226	8 (3.5)	151 (66.8)	37 (16.4)	8 (3.5)	22 (9.7)
2018	244	5 (2.0)	162 (66.4)	42 (17.2)	11 (4.5)	24 (9.8)
2017	242	2 (<1)	147 (60.7)	48 (19.8)	14 (5.8)	31 (12.8)
2016	253	3 (1.2)	161 (63.6)	38 (15.0)	13 (5.1)	38 (15.0)
2015	266	3 (1.1)	170 (63.9)	49 (18.4)	18 (6.8)	26 (9.8)
2014	241	9 (3.7)	159 (66.0)	32 (13.3)	13 (5.4)	28 (11.6)
2013	248	6 (2.4)	157 (63.3)	41 (16.5)	15 (6.0)	29 (11.7)
2012	286	4 (1.4)	204 (71.3)	37 (12.9)	12 (4.2)	29 (10.1)
2011	297	5 (1.7)	201 (67.7)	33 (11.1)	20 (6.7)	38 (12.8)
RICE						
2019	712	28 (3.9)	476 (66.9)	111 (15.6)	31 (4.4)	66 (9.3)
2018	756	33 (4.4)	499 (66.0)	130 (17.2)	30 (4.0)	64 (8.5)
2017	842	27 (3.2)	561 (66.6)	144 (17.1)	37 (4.4)	73 (8.7)
2016	852	38 (4.5)	567 (66.5)	141 (16.5)	36 (4.2)	70 (8.2)
2015	872	43 (4.9)	582 (66.7)	120 (13.8)	41 (4.7)	86 (9.9)
2014	865	43 (5.0)	583 (67.4)	121 (14.0)	38 (4.4)	80 (9.2)
2013	938	25 (2.7)	646 (68.9)	145 (15.5)	44 (4.7)	78 (8.3)
2012	1,004	31 (3.1)	668 (66.5)	168 (16.7)	53 (5.3)	84 (8.4)
2011	944	22 (2.3)	652 (69.1)	143 (15.1)	52 (5.5)	75 (7.9)
ROCK						
2019	88	5 (5.7)	58 (65.9)	15 (17.0)	3 (3.4)	7 (8.0)
2018	88	3 (3.4)	70 (79.5)	6 (6.8)	2 (2.3)	7 (8.0)
2017	98	2 (2.0)	77 (78.6)	12 (12.2)	4 (4.1)	3 (3.1)
2016	107	3 (2.8)	81 (75.7)	15 (14.0)	3 (2.8)	5 (4.7)
2015	101	2 (2.0)	80 (79.2)	12 (11.9)	2 (2.0)	5 (5.0)
2014	107	4 (3.7)	84 (78.5)	11 (10.3)	2 (1.9)	6 (5.6)
2013	127	1 (<1)	88 (69.3)	19 (15.0)	5 (3.9)	14 (11.0)
2012	104	1 (1.0)	75 (72.1)	14 (13.5)	5 (4.8)	9 (8.7)
2011	93	5 (5.4)	66 (71.0)	14 (15.1)	1 (1.1)	7 (7.5)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
ROSEAU						
2019	210	4 (1.9)	138 (65.7)	39 (18.6)	13 (6.2)	16 (7.6)
2018	227	6 (2.6)	144 (63.4)	44 (19.4)	15 (6.6)	18 (7.9)
2017	262	1 (<1)	164 (62.6)	54 (20.6)	24 (9.2)	19 (7.3)
2016	256	3 (1.2)	168 (65.6)	47 (18.4)	13 (5.1)	25 (9.8)
2015	287	6 (2.1)	196 (68.3)	49 (17.1)	15 (5.2)	21 (7.3)
2014	266	6 (2.3)	185 (69.5)	43 (16.2)	11 (4.1)	21 (7.9)
2013	285	7 (2.5)	202 (70.9)	39 (13.7)	12 (4.2)	25 (8.8)
2012	266	7 (2.6)	176 (66.2)	40 (15.0)	14 (5.3)	29 (10.9)
2011	282	3 (1.1)	197 (69.9)	44 (15.6)	14 (5.0)	24 (8.5)
ST. LOUIS						
2019	1,361	29 (2.1)	947 (69.6)	232 (17.0)	64 (4.7)	89 (6.5)
2018	1,435	31 (2.2)	1,003 (69.9)	243 (16.9)	55 (3.8)	103 (7.2)
2017	1,590	30 (1.9)	1,077 (67.7)	298 (18.7)	67 (4.2)	118 (7.4)
2016	1,602	41 (2.6)	1,086 (67.8)	290 (18.1)	69 (4.3)	116 (7.2)
2015	1,640	51 (3.1)	1,127 (68.7)	275 (16.8)	79 (4.8)	108 (6.6)
2014	1,668	50 (3.0)	1,154 (69.2)	274 (16.4)	65 (3.9)	125 (7.5)
2013	1,814	51 (2.8)	1,219 (67.2)	325 (17.9)	80 (4.4)	139 (7.7)
2012	2,024	50 (2.5)	1,407 (69.5)	324 (16.0)	95 (4.7)	148 (7.3)
2011	2,256	65 (2.9)	1,565 (69.4)	365 (16.2)	125 (5.5)	136 (6.0)
SCOTT						
2019	945	34 (3.6)	699 (74.0)	113 (12.0)	28 (3.0)	71 (7.5)
2018	964	45 (4.7)	708 (73.4)	124 (12.9)	34 (3.5)	53 (5.5)
2017	998	38 (3.8)	732 (73.3)	144 (14.4)	22 (2.2)	62 (6.2)
2016	1,019	46 (4.5)	728 (71.4)	156 (15.3)	31 (3.0)	58 (5.7)
2015	1,041	49 (4.7)	756 (72.6)	135 (13.0)	32 (3.1)	69 (6.6)
2014	994	51 (5.1)	724 (72.8)	124 (12.5)	39 (3.9)	56 (5.6)
2013	1,014	34 (3.4)	749 (73.9)	135 (13.3)	33 (3.3)	63 (6.2)
2012	1,051	27 (2.6)	753 (71.6)	165 (15.7)	43 (4.1)	63 (6.0)
2011	1,164	29 (2.5)	844 (72.5)	166 (14.3)	45 (3.9)	80 (6.9)
SHERBURNE						
2019	692	30 (4.3)	466 (67.3)	104 (15.0)	29 (4.2)	63 (9.1)
2018	775	26 (3.4)	558 (72.0)	115 (14.8)	26 (3.4)	50 (6.5)
2017	734	27 (3.7)	521 (71.0)	104 (14.2)	23 (3.1)	59 (8.0)
2016	793	40 (5.0)	577 (72.8)	96 (12.1)	26 (3.3)	54 (6.8)
2015	780	37 (4.7)	546 (70.0)	125 (16.0)	25 (3.2)	47 (6.0)
2014	696	32 (4.6)	516 (74.1)	90 (12.9)	22 (3.2)	36 (5.2)
2013	754	23 (3.1)	544 (72.1)	125 (16.6)	24 (3.2)	38 (5.0)
2012	858	38 (4.4)	634 (73.9)	120 (14.0)	30 (3.5)	36 (4.2)
2011	884	29 (3.3)	682 (77.1)	120 (13.6)	22 (2.5)	31 (3.5)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
SIBLEY						
2019	134	4 (3.0)	93 (69.4)	25 (18.7)	5 (3.7)	7 (5.2)
2018	152	2 (1.3)	103 (67.8)	22 (14.5)	6 (3.9)	19 (12.5)
2017	188	2 (1.1)	120 (63.8)	44 (23.4)	4 (2.1)	18 (9.6)
2016	218	8 (3.7)	143 (65.6)	43 (19.7)	9 (4.1)	15 (6.9)
2015	227	9 (4.0)	159 (70.0)	31 (13.7)	6 (2.6)	22 (9.7)
2014	208	10 (4.8)	158 (76.0)	22 (10.6)	3 (1.4)	15 (7.2)
2013	225	9 (4.0)	159 (70.7)	32 (14.2)	5 (2.2)	20 (8.9)
2012	243	7 (2.9)	171 (70.4)	30 (12.3)	13 (5.3)	22 (9.1)
2011	292	9 (3.1)	214 (73.3)	38 (13.0)	12 (4.1)	19 (6.5)
STEARNS						
2019	1,961	89 (4.5)	1,341 (68.4)	284 (14.5)	96 (4.9)	151 (7.7)
2018	1,997	118 (5.9)	1,378 (69.0)	270 (13.5)	89 (4.5)	142 (7.1)
2017	2,026	98 (4.8)	1,419 (70.0)	280 (13.8)	76 (3.8)	153 (7.6)
2016	1,949	121 (6.2)	1,379 (70.8)	262 (13.4)	66 (3.4)	121 (6.2)
2015	1,873	115 (6.1)	1,304 (69.6)	254 (13.6)	78 (4.2)	122 (6.5)
2014	1,687	93 (5.5)	1,192 (70.7)	217 (12.9)	76 (4.5)	109 (6.5)
2013	1,704	61 (3.6)	1,275 (74.8)	231 (13.6)	45 (2.6)	92 (5.4)
2012	1,741	60 (3.4)	1,264 (72.6)	242 (13.9)	76 (4.4)	99 (5.7)
2011	1,716	58 (3.4)	1,191 (69.4)	288 (16.8)	80 (4.7)	99 (5.8)
STEELE						
2019	420	12 (2.9)	273 (65.0)	70 (16.7)	19 (4.5)	46 (11.0)
2018	446	13 (2.9)	291 (65.2)	84 (18.8)	16 (3.6)	42 (9.4)
2017	492	20 (4.1)	317 (64.4)	95 (19.3)	22 (4.5)	38 (7.7)
2016	520	10 (1.9)	339 (65.2)	96 (18.5)	29 (5.6)	46 (8.8)
2015	528	27 (5.1)	368 (69.7)	71 (13.4)	20 (3.8)	42 (8.0)
2014	507	20 (3.9)	357 (70.4)	75 (14.8)	17 (3.4)	38 (7.5)
2013	585	23 (3.9)	404 (69.1)	83 (14.2)	34 (5.8)	41 (7.0)
2012	615	19 (3.1)	418 (68.0)	108 (17.6)	26 (4.2)	44 (7.2)
2011	682	16 (2.3)	486 (71.3)	92 (13.5)	33 (4.8)	55 (8.1)
STEVENS						
2019	108	3 (2.8)	77 (71.3)	11 (10.2)	5 (4.6)	12 (11.1)
2018	105	1 (1.0)	71 (67.6)	13 (12.4)	10 (9.5)	10 (9.5)
2017	111	3 (2.7)	79 (71.2)	17 (15.3)	3 (2.7)	9 (8.1)
2016	105	4 (3.8)	67 (63.8)	23 (21.9)	2 (1.9)	9 (8.6)
2015	105	5 (4.8)	75 (71.4)	15 (14.3)	5 (4.8)	5 (4.8)
2014	106	8 (7.5)	76 (71.7)	18 (17.0)	2 (1.9)	2 (1.9)
2013	116	7 (6.0)	78 (67.2)	22 (19.0)	4 (3.4)	5 (4.3)
2012	138	7 (5.1)	91 (65.9)	20 (14.5)	5 (3.6)	15 (10.9)
2011	153	4 (2.6)	109 (71.2)	24 (15.7)	8 (5.2)	8 (5.2)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
SWIFT						
2019	135	1 (<1)	89 (65.9)	26 (19.3)	11 (8.1)	8 (5.9)
2018	149	2 (1.3)	93 (62.4)	31 (20.8)	10 (6.7)	13 (8.7)
2017	131	3 (2.3)	80 (61.1)	31 (23.7)	5 (3.8)	12 (9.2)
2016	159	4 (2.5)	97 (61.0)	35 (22.0)	10 (6.3)	13 (8.2)
2015	177	6 (3.4)	107 (60.5)	45 (25.4)	9 (5.1)	10 (5.6)
2014	170	8 (4.7)	120 (70.6)	27 (15.9)	7 (4.1)	8 (4.7)
2013	164	10 (6.1)	105 (64.0)	25 (15.2)	7 (4.3)	17 (10.4)
2012	190	13 (6.8)	121 (63.7)	32 (16.8)	5 (2.6)	19 (10.0)
2011	190	5 (2.6)	130 (68.4)	27 (14.2)	9 (4.7)	19 (10.0)
TODD						
2019	315	8 (2.5)	207 (65.7)	58 (18.4)	16 (5.1)	26 (8.3)
2018	364	9 (2.5)	226 (62.1)	73 (20.1)	20 (5.5)	36 (9.9)
2017	366	5 (1.4)	225 (61.5)	61 (16.7)	26 (7.1)	49 (13.4)
2016	398	17 (4.3)	240 (60.3)	69 (17.3)	23 (5.8)	49 (12.3)
2015	404	12 (3.0)	256 (63.4)	78 (19.3)	22 (5.4)	36 (8.9)
2014	350	11 (3.1)	218 (62.3)	63 (18.0)	23 (6.6)	35 (10.0)
2013	366	13 (3.6)	241 (65.8)	67 (18.3)	20 (5.5)	25 (6.8)
2012	394	11 (2.8)	268 (68.0)	67 (17.0)	19 (4.8)	29 (7.4)
2011	430	17 (4.0)	279 (64.9)	76 (17.7)	32 (7.4)	26 (6.0)
TRAVERSE						
2019	42	1 (2.4)	19 (45.2)	15 (35.7)	0	7 (16.7)
2018	40	1 (2.5)	29 (72.5)	4 (10.0)	2 (5.0)	4 (10.0)
2017	42	2 (4.8)	27 (64.3)	9 (21.4)	2 (4.8)	2 (4.8)
2016	45	0	31 (68.9)	9 (20.0)	1 (2.2)	4 (8.9)
2015	39	4 (10.3)	27 (69.2)	5 (12.8)	3 (7.7)	0
2014	47	1 (2.1)	38 (80.9)	6 (12.8)	1 (2.1)	1 (2.1)
2013	50	1 (2.0)	33 (66.0)	8 (16.0)	2 (4.0)	6 (12.0)
2012	45	1 (2.2)	29 (64.4)	9 (20.0)	1 (2.2)	5 (11.1)
2011	53	1 (1.9)	31 (58.5)	12 (22.6)	2 (3.8)	7 (13.2)
WABASHA						
2019	138	5 (3.6)	94 (68.1)	21 (15.2)	9 (6.5)	9 (6.5)
2018	131	1 (<1)	92 (70.2)	23 (17.6)	2 (1.5)	13 (9.9)
2017	170	7 (4.1)	107 (62.9)	22 (12.9)	14 (8.2)	20 (11.8)
2016	198	14 (7.1)	120 (60.6)	35 (17.7)	8 (4.0)	21 (10.6)
2015	201	9 (4.5)	126 (62.7)	38 (18.9)	10 (5.0)	18 (9.0)
2014	175	8 (4.6)	110 (62.9)	26 (14.9)	7 (4.0)	24 (13.7)
2013	178	6 (3.4)	113 (63.5)	33 (18.5)	7 (3.9)	19 (10.7)
2012	208	4 (1.9)	133 (63.9)	42 (20.2)	4 (1.9)	25 (12.0)
2011	236	4 (1.7)	152 (64.4)	38 (16.1)	21 (8.9)	21 (8.9)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
WADENA						
2019	174	9 (5.2)	118 (67.8)	25 (14.4)	10 (5.7)	12 (6.9)
2018	162	8 (4.9)	113 (69.8)	28 (17.3)	5 (3.1)	8 (4.9)
2017	184	4 (2.2)	130 (70.7)	30 (16.3)	9 (4.9)	11 (6.0)
2016	181	2 (1.1)	109 (60.2)	44 (24.3)	6 (3.3)	20 (11.0)
2015	178	4 (2.2)	113 (63.5)	35 (19.7)	10 (5.6)	16 (9.0)
2014	158	9 (5.7)	101 (63.9)	22 (13.9)	9 (5.7)	17 (10.8)
2013	171	5 (2.9)	110 (64.3)	31 (18.1)	9 (5.3)	16 (9.4)
2012	218	3 (1.4)	147 (67.4)	43 (19.7)	9 (4.1)	16 (7.3)
2011	219	6 (2.7)	150 (68.5)	38 (17.4)	10 (4.6)	15 (6.8)
WASECA						
2019	188	6 (3.2)	125 (66.5)	37 (19.7)	7 (3.7)	13 (6.9)
2018	210	20 (9.5)	155 (73.8)	22 (10.5)	5 (2.4)	8 (3.8)
2017	212	7 (3.3)	148 (69.8)	36 (17.0)	8 (3.8)	13 (6.1)
2016	218	8 (3.7)	145 (66.5)	35 (16.1)	8 (3.7)	22 (10.1)
2015	216	13 (6.0)	143 (66.2)	38 (17.6)	6 (2.8)	16 (7.4)
2014	200	9 (4.5)	135 (67.5)	33 (16.5)	9 (4.5)	14 (7.0)
2013	220	5 (2.3)	150 (68.2)	42 (19.1)	4 (1.8)	19 (8.6)
2012	274	5 (1.8)	198 (72.3)	41 (15.0)	11 (4.0)	19 (6.9)
2011	269	5 (1.9)	191 (71.0)	48 (17.8)	10 (3.7)	15 (5.6)
WASHINGTON						
2019	1,200	35 (2.9)	797 (66.4)	217 (18.1)	49 (4.1)	102 (8.5)
2018	1,232	33 (2.7)	859 (69.7)	198 (16.1)	50 (4.1)	92 (7.5)
2017	1,314	29 (2.2)	906 (68.9)	202 (15.4)	72 (5.5)	105 (8.0)
2016	1,388	51 (3.7)	972 (70.0)	209 (15.1)	59 (4.3)	97 (7.0)
2015	1,518	58 (3.8)	1,073 (70.7)	228 (15.0)	74 (4.9)	85 (5.6)
2014	1,459	58 (4.0)	996 (68.3)	235 (16.1)	61 (4.2)	109 (7.5)
2013	1,568	41 (2.6)	1,073 (68.4)	261 (16.6)	75 (4.8)	118 (7.5)
2012	1,762	46 (2.6)	1,195 (67.8)	313 (17.8)	88 (5.0)	120 (6.8)
2011	1,758	34 (1.9)	1,208 (68.7)	324 (18.4)	85 (4.8)	107 (6.1)
WATONWAN						
2019	188	4 (2.1)	130 (69.1)	28 (14.9)	5 (2.7)	21 (11.2)
2018	187	2 (1.1)	128 (68.4)	33 (17.6)	9 (4.8)	15 (8.0)
2017	207	3 (1.4)	137 (66.2)	38 (18.4)	14 (6.8)	15 (7.2)
2016	229	2 (<1)	150 (65.5)	46 (20.1)	12 (5.2)	19 (8.3)
2015	209	2 (1.0)	137 (65.6)	40 (19.1)	9 (4.3)	21 (10.0)
2014	216	3 (1.4)	124 (57.4)	45 (20.8)	14 (6.5)	30 (13.9)
2013	215	3 (1.4)	122 (56.7)	47 (21.9)	17 (7.9)	26 (12.1)
2012	256	7 (2.7)	158 (61.7)	41 (16.0)	17 (6.6)	33 (12.9)
2011	253	7 (2.8)	155 (61.3)	51 (20.2)	17 (6.7)	23 (9.1)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
WILKIN						
2019	67	2 (3.0)	44 (65.7)	10 (14.9)	4 (6.0)	7 (10.4)
2018	64	1 (1.6)	40 (62.5)	14 (21.9)	4 (6.2)	5 (7.8)
2017	66	2 (3.0)	49 (74.2)	8 (12.1)	1 (1.5)	6 (9.1)
2016	68	2 (2.9)	52 (76.5)	6 (8.8)	1 (1.5)	7 (10.3)
2015	61	3 (4.9)	45 (73.8)	7 (11.5)	4 (6.6)	2 (3.3)
2014	87	7 (8.0)	62 (71.3)	9 (10.3)	5 (5.7)	4 (4.6)
2013	96	6 (6.2)	66 (68.8)	12 (12.5)	2 (2.1)	10 (10.4)
2012	105	5 (4.8)	73 (69.5)	13 (12.4)	6 (5.7)	8 (7.6)
2011	114	4 (3.5)	78 (68.4)	19 (16.7)	6 (5.3)	7 (6.1)
WINONA						
2019	278	9 (3.2)	177 (63.7)	46 (16.5)	13 (4.7)	33 (11.9)
2018	302	3 (1.0)	180 (59.6)	62 (20.5)	15 (5.0)	42 (13.9)
2017	339	5 (1.5)	202 (59.6)	65 (19.2)	14 (4.1)	53 (15.6)
2016	367	10 (2.7)	229 (62.4)	62 (16.9)	20 (5.4)	46 (12.5)
2015	380	10 (2.6)	243 (63.9)	67 (17.6)	20 (5.3)	40 (10.5)
2014	402	16 (4.0)	273 (67.9)	64 (15.9)	13 (3.2)	36 (9.0)
2013	450	19 (4.2)	302 (67.1)	78 (17.3)	17 (3.8)	34 (7.6)
2012	501	14 (2.8)	342 (68.3)	77 (15.4)	24 (4.8)	44 (8.8)
2011	497	15 (3.0)	335 (67.4)	86 (17.3)	28 (5.6)	33 (6.6)
WRIGHT						
2019	859	19 (2.2)	613 (71.4)	151 (17.6)	29 (3.4)	47 (5.5)
2018	914	27 (3.0)	648 (70.9)	156 (17.1)	33 (3.6)	50 (5.5)
2017	916	22 (2.4)	654 (71.4)	163 (17.8)	26 (2.8)	51 (5.6)
2016	1,026	22 (2.1)	721 (70.3)	183 (17.8)	50 (4.9)	50 (4.9)
2015	1,055	26 (2.5)	763 (72.3)	170 (16.1)	43 (4.1)	53 (5.0)
2014	1,053	33 (3.1)	735 (69.8)	201 (19.1)	37 (3.5)	47 (4.5)
2013	1,101	30 (2.7)	765 (69.5)	193 (17.5)	53 (4.8)	60 (5.4)
2012	1,217	25 (2.1)	888 (73.0)	192 (15.8)	46 (3.8)	66 (5.4)
2011	1,338	31 (2.3)	947 (70.8)	239 (17.9)	53 (4.0)	68 (5.1)
YELLOW MEDICINE						
2019	124	2 (1.6)	64 (51.6)	33 (26.6)	10 (8.1)	15 (12.1)
2018	142	3 (2.1)	87 (61.3)	28 (19.7)	11 (7.7)	13 (9.2)
2017	165	5 (3.0)	109 (66.1)	27 (16.4)	10 (6.1)	14 (8.5)
2016	146	4 (2.7)	81 (55.5)	39 (26.7)	8 (5.5)	14 (9.6)
2015	169	6 (3.6)	110 (65.1)	31 (18.3)	16 (9.5)	6 (3.6)
2014	177	5 (2.8)	119 (67.2)	26 (14.7)	12 (6.8)	15 (8.5)
2013	155	10 (6.5)	100 (64.5)	24 (15.5)	9 (5.8)	12 (7.7)
2012	180	5 (2.8)	125 (69.4)	26 (14.4)	11 (6.1)	13 (7.2)
2011	199	7 (3.5)	129 (64.8)	30 (15.1)	15 (7.5)	18 (9.0)

Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence and Calendar Year

Minnesota WIC Information System

COUNTY OF RESIDENCE ¹	Total Children ²	Underweight ³	Normal ³	Overweight ³	Obese ³	Very Obese ³
----------------------------------	-----------------------------	--------------------------	---------------------	-------------------------	--------------------	-------------------------

**** percentages suppressed if denominator <30

Suggested Citation: Minnesota WIC Information System. Weight Status in Minnesota WIC Children Ages 2 to 5 Years by County of Residence by Calendar Year. Minnesota WIC Program. 2020.

For more information contact: Minnesota WIC Program 1 (800) 657-3942

¹ Last reported county where children resided as of January of subsequent calendar year.

²Total children ages 2 to 5 years with weight status information. Analyses based on one randomly selected record per child. Excludes records with unknown data or errors. Biologically implausible values (BIV) for weight, height and BMI at a z score +5 were removed, which is consistent with previous MN WIC reports for years 2011 to 2016. For 2017 and later, BIV was defined for weight-for-age z score as <-5 or >8; height-for age z score as <-5 or >4; and BMI z score as <-4 or >8.

<https://www.cdc.gov/nccdphp/dnpao/growthcharts/resources/sas.htm>

These methodologies excluded <1% of all records.

³Total number in weight category (Percentage of total children). Based on 2000 CDC growth chart percentiles for children 2 years of age and older; underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, obese is defined as >= 95th percentile to <97.5 percentile, and very obese is defined as >=97.5 percentile.