

# **Induced Abortions in Minnesota January - December 2006: Report to the Legislature**

---

**July 2007**

**For more information, contact:  
Center for Health Statistics  
Minnesota Department of Health  
Golden Rule, 3<sup>rd</sup> Floor  
85 East Seventh Place  
P.O. Box 64882  
St. Paul, MN 55164-0882**

**Phone: (651) 201-5947  
TDD/TTY: (651) 201-5797**

As requested by Minnesota Statute 3.197: This report cost approximately \$15,000 to prepare, including staff time and printing expenses.

Upon request, this material will be made available in an alternative format such as large print, Braille, or cassette tape.

Printed on recycled paper.

# Table of Contents

---

Introduction .....	iii
Technical Notes .....	vii
Tables	
Table 1.1 Abortions by Month and Provider for Facilities .....	3
Table 1.2 Abortions by Month and Provider for Physicians .....	4
Table 2 Medical Specialty of Physician .....	6
Table 3 Type of Admission .....	6
Table 4 Age of Woman .....	7
Table 5 Marital Status of Woman .....	7
Table 6 Country/State Residence of Woman .....	8
Table 7 County of Residence for Women Residing in Minnesota .....	9
Table 8 Hispanic Origin of Woman .....	10
Table 9 Race of Woman .....	10
Table 10 Education Level of Woman .....	11
Table 11 Clinical Estimate of Fetal Gestational Age(grouped).....	12
Table 11a Clinical Estimate of Fetal Gestational Age .....	13
Table 12 Prior Pregnancies .....	14
Table 13 Contraceptive Use and Method .....	15
Table 14 Abortion Procedure .....	16
Table 15 Method of Disposal of Fetal Remains .....	17
Table 16 Payment Type and Health Insurance Coverage .....	18
Table 17 Reason for Abortion .....	19
Table 17a Other Stated Reason for Abortion .....	20
Table 18 Intraoperative Complications .....	21
Table 19 Postoperative Complications .....	22
Table 20 Induced Abortions by Gestational Age - Performed Out of State and Paid for with State Funds .....	23
Table 21 Total and Resident Induced Abortions, 1975-2006 .....	24
Table 22 Abortions per 100 Live Births by Selected Characteristics .....	25
Table 23 Selected Statistics by Age Group .....	26
Table 24 Contraceptive Use by Age Group and Marital Status .....	27
Table 25 Medical Risks Information, Informed Consent .....	31
Table 26 Medical Assistance/Printed Materials Information, Informed Consent .....	32
Table 27 Patient Access to Printed Materials, Informed Consent .....	33
Appendix	
Updates to 2005 Data .....	37
Definitions .....	61
Data Collection Instruments	
Figure 1 Report of Induced Abortion .....	65
Figure 2 Report of Complication(s) from Induced Abortion .....	69
Figure 3 Report of Informed Consent for Induced Abortion .....	71

## **Introduction**

The 1998 session of the Minnesota legislature amended Minnesota's abortion reporting requirement to include all physicians licensed and practicing in Minnesota who perform abortions and all Minnesota facilities in which abortions are performed (MN Statutes, 145.4131 - 145.4136). A report must be completed and submitted to the Minnesota Department of Health (MDH) for each procedure performed. This law also expanded the content of the reporting form. The number of induced abortions performed out-of-state and paid for with state funds must be reported to MDH by the Department of Human Services. Furthermore, any medical facility or any licensed, practicing physician in Minnesota who encounters an illness or injury that is the result of an induced abortion must submit a report of that complication on a separate form developed for that purpose. Both of these forms, *Report of Induced Abortion* and *Report of Complication(s) from Induced Abortion*, are included in the Appendix of this publication.

This report is issued in compliance with MN Statute 145.4134 which requires a yearly public report of induced abortion statistics for the previous calendar year and statistics for prior years adjusted to reflect any additional information from late and/or corrected report forms, beginning with October 1, 1998 data. This is the eighth such report and covers the period from January 1, 2006 through December 31, 2006. After publication of 2005 data, three additional reports were identified. These 3 reports represent a tiny fraction of the total number of reports received and thus would have no effect on any rates that may have been calculated using the previously published counts. Twenty-nine additional Informed Consent forms were received after the publication of 2005 data as well. The updated tables for 2005 are published in the appendix.

The 2003 Minnesota legislative session enacted the Woman's Right to Know Act. This legislation [Minnesota Statutes 145.4241 – 145.4249] requires physicians to provide women with certain information at least 24 hours prior to an abortion and to collect and report to the Minnesota Department of Health the number of women who were provided this information. Physicians were required to begin collecting this data on January 1, 2004 and to submit their 2006 data to the Department of Health by April 1, 2007. Data from this reporting requirement is published as Tables 25 through 27 on pages 31 through 33 of this report. Additional information about the Woman's Right to Know Act can be found at <http://www.health.state.mn.us/wrtk/index.html>.

## **Technical Notes**

Data included in this report are submitted to the Minnesota Department of Health by facilities and physicians who perform abortions in Minnesota. The *Report of Induced Abortion* (see Appendix, Figure 1) may be submitted by a facility/clinic on behalf of physicians who practice therein; or physicians may submit reports independently. A number of data items on the report form were specifically required by Minnesota statute. These items include: medical specialty of the physician performing the abortion, patient age, date of the abortion, clinical estimate of gestation, number of previous spontaneous and induced abortions, type of abortion procedure, intra-operative complications (post-operative complications are collected using the *Report of Complication(s) from Induced Abortion*), method of disposal of fetal remains, type of payment, health coverage type, and reason for the abortion. The items: type of admission, patient residence, date of last menses, and contraceptive use and method were included to provide continuity with previous abortion report forms. Marital status, Hispanic origin, race, education, and previous live births correspond to items on the Minnesota *Medical Supplement to the Certificate of Live Birth* and thus allow for statistical comparison with birth data and the calculation of pregnancy rates.

Report forms submitted with incomplete data are required by law to be returned to the clinic/facility or independently reporting physician for correction. Overall compliance and cooperation in completing the forms was excellent, however, some data remain unreported. In some cases this is due to a facility being unable to locate the record in question and in other instances due to a patient's refusal to provide the data. Continuing efforts are being made to further improve reporting compliance, completeness, and timeliness.

Due to the sensitivity of abortion data there arises the concern of revealing an individual's identity, whether patient or provider, from data presented in this publication. MN Statute 145.4134 states "The commissioner shall ensure that none of the information included in the public reports can reasonably lead to identification of an individual having performed or having had an abortion. All data included on the forms under sections 145.4131 to 145.4133 must be included on the public report except that the commissioner shall maintain as confidential, data which alone or in combination may constitute information from which an individual ....may be identified using epidemiologic principles."

In general, the policy is that when a single data item, such as age or race/ethnicity, is presented in a table that includes all of the cases, the large number of occurrences in each grouping makes it unnecessary to conceal, or suppress, those data. For example, a table of the age groups tallied for all of the reports received for 2006 would have such large numbers that none of the counts would have to be suppressed. No individual could possibly be identified.

Data generally are suppressed when there are such small numbers of two or more variables that it would be difficult to protect the confidentiality of individuals. For instance, age groups tallied for only a single town in Minnesota would most likely have small counts in some of the age groups. Likewise, a table of age group by race for each county in Minnesota would have small counts in cells for those counties with small populations and few minority residents. Suppression of those small counts would be necessary to protect the confidentiality of the individual.

As a hypothetical example, if the data were to include age and race/ethnicity, the only two Asian American women between the ages of 35 and 39 in a county with a low overall population might be identifiable.

Data by provider, tables 1.1 and 1.2, are presented for individual clinics that have been publicly identified as abortion providers, but aggregated into a single group for independently reporting physicians. Table 1.2 presents data on individual physicians with no small-number suppression, as the statute requires counts by physician by month. Physicians are simply identified as Physician A, Physician B, etc. to protect confidentiality. Please note that the identifiers are arbitrarily assigned to those physicians who reported in a given calendar year. Thus, Physician X in a prior year's report may not be the same individual as Physician X in this report. Data presented in frequency tables for the state as a whole have no small-number data suppressed. Likewise, Table 6, Country/State Residence of Woman, contains sufficiently large groups to confound identification of an individual. Table 7, County of Residence for Women Residing in Minnesota, is the only table for which counts of zero to five are suppressed. Some of the counties have a small population of females of childbearing age and/or a small number of physicians who may be qualified to provide abortion services and thus, though unlikely, it could be possible for a provider or patient to be identified.

**Table 1.1**  
**Abortions by Month and Provider, 2006**

	<u>Jan</u> <u>2006</u>	<u>Feb</u> <u>2006</u>	<u>Mar</u> <u>2006</u>	<u>Apr</u> <u>2006</u>	<u>May</u> <u>2006</u>	<u>Jun</u> <u>2006</u>	<u>Jul</u> <u>2006</u>	<u>Aug</u> <u>2006</u>	<u>Sep</u> <u>2006</u>	<u>Oct</u> <u>2006</u>	<u>Nov</u> <u>2006</u>	<u>Dec</u> <u>2006</u>	<u>Total</u> <u>2006</u>
Midwest Health Center for Women	260	235	238	194	204	281	199	232	213	228	189	218	2,691
Women's Health Center	44	59	78	54	37	60	49	44	42	46	64	42	619
Meadowbrook Women's Clinic	301	284	274	220	254	258	224	232	221	232	235	224	2,959
Robbinsdale Clinic	155	144	124	105	145	134	124	118	144	108	121	127	1,549
GYN Special Services	86	73	72	59	67	84	55	70	77	67	57	62	829
Dr. Mildred Hansen Clinic	169	140	169	135	172	155	80	174	119	113	96	116	1,638
Planned Parenthood of Minnesota	289	233	310	247	280	326	318	327	311	353	312	354	3,660
Independent Physicians <sup>1</sup>	11	6	12	9	9	17	10	9	6	10	9	12	120
Total Minnesota Occurrence	1,315	1,174	1,277	1,023	1,168	1,315	1,059	1,206	1,133	1,157	1,083	1,155	14,065

<sup>1</sup>This represents 44 reporting physicians

**Table 1.2**  
**Abortions by Month and Provider, 2006**

	<u>Jan</u>	<u>Feb</u>	<u>Mar</u>	<u>Apr</u>	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Oct</u>	<u>Nov</u>	<u>Dec</u>	<u>Total</u>
Physician A	1	0	2	1	0	0	0	0	2	0	1	0	7
Physician B	134	88	110	67	117	105	84	138	61	74	78	53	1,109
Physician C	0	0	9	132	170	150	3	0	1	0	0	0	465
Physician D	0	0	0	0	0	1	0	0	0	0	0	0	1
Physician E	67	63	30	58	78	29	74	53	57	114	84	25	732
Physician F	109	99	98	68	89	99	29	63	68	21	42	80	865
Physician G	59	82	95	49	39	87	95	78	47	56	61	59	807
Physician H	4	8	34	0	4	11	0	2	0	0	0	0	63
Physician I	22	28	5	11	8	10	6	5	6	5	5	0	111
Physician J	46	77	40	38	68	49	30	30	46	69	52	92	637
Physician K	0	0	2	2	8	0	1	6	1	0	7	6	33
Physician L	296	287	316	149	85	208	203	286	284	236	199	223	2,772
Physician M	153	143	124	105	145	134	114	113	144	108	121	127	1,531
Physician N	13	31	20	13	21	23	24	21	8	23	19	15	231
Physician O	14	14	11	20	0	0	0	0	0	0	0	12	71
Physician P	18	17	12	20	30	19	19	32	21	18	13	49	268
Physician Q	1	0	0	0	2	0	1	0	0	0	1	1	6
Physician R	41	20	34	59	37	37	31	36	34	37	38	40	444
Physician S	0	0	0	1	0	0	0	0	0	0	0	0	1
Physician T	88	61	105	148	75	118	188	115	87	123	44	102	1,254
Physician U	0	0	5	0	0	0	0	0	0	0	0	0	5
Physician V	1	0	0	0	0	0	0	0	0	1	0	0	2
Physician W	0	0	0	3	1	0	0	0	0	0	0	0	4
Physician X	1	1	1	0	0	1	1	0	0	2	0	1	8
Physician Y	65	38	49	45	47	42	26	38	45	40	42	58	535
Physician Z	0	1	0	0	0	0	0	0	0	0	0	0	1
Physician AA	0	0	0	0	0	0	0	0	0	2	0	1	3
Physician BB	0	0	0	0	0	0	0	1	0	0	0	0	1
Physician CC	0	0	1	0	0	0	0	0	0	0	1	0	2
Physician DD	1	0	0	0	0	0	0	0	0	0	0	0	1
Physician EE	0	0	1	0	0	0	0	0	0	0	0	0	1
Physician FF	0	0	0	0	0	0	0	1	0	0	0	0	1
Physician GG	32	16	11	22	23	29	11	13	24	7	12	18	218
Physician HH	0	0	0	0	0	0	0	1	0	0	0	0	1
Physician II	0	0	0	0	1	0	0	0	0	0	0	0	1
Physician JJ	0	1	0	0	0	1	0	0	0	0	0	0	2
Physician KK	0	0	0	0	0	1	0	0	0	0	0	0	1
Physician LL	0	0	0	0	0	0	0	0	0	0	0	1	1
Physician MM	1	0	0	0	0	0	0	0	0	0	0	0	1
Physician NN	1	0	0	0	0	0	0	0	0	0	0	0	1
Physician OO	119	79	135	3	100	122	20	0	1	0	12	0	591
Physician PP	17	14	15	0	10	10	13	0	7	0	12	0	98
Physician QQ	0	1	2	0	2	1	0	0	2	0	0	1	9
Physician RR	0	0	1	1	1	0	2	0	0	1	2	0	8
Physician SS	0	0	1	0	0	0	0	0	0	0	0	0	1
Physician TT	0	0	0	0	0	0	1	0	0	0	0	0	1
Physician UU	0	0	0	0	0	1	0	1	1	0	0	0	3
Physician VV	0	0	1	0	1	2	0	1	0	0	0	0	5
Physician WW	1	0	0	0	0	0	0	0	0	1	1	0	3
Physician XX	0	0	0	0	1	0	1	0	0	0	0	0	2

Physician YY	0	0	0	0	0	13	24	33	33	38	15	23	179
Physician ZZ	0	0	0	3	1	0	1	0	0	1	1	0	7
Physician AB	1	2	1	0	1	0	0	0	1	0	0	0	6
Physician AC	0	0	0	0	0	0	0	0	0	0	1	0	1
Physician AD	0	0	0	0	0	0	0	0	0	0	0	1	1
Physician AE	0	0	0	0	0	0	0	0	0	0	1	0	1
Physician AF	0	0	1	0	0	0	0	0	0	0	0	0	1
Physician AG	1	0	0	0	0	0	0	0	0	0	0	0	1
Physician AH	0	0	0	0	0	0	9	4	0	0	0	0	13
Physician AI	0	0	0	0	0	3	0	1	0	0	1	1	6
Physician AJ	3	0	0	0	0	1	0	2	2	2	0	0	10
Physician AK	0	0	0	0	0	0	0	0	0	0	0	1	1
Physician AL	0	1	0	0	0	1	0	0	1	1	4	1	9
Physician AM	0	0	0	0	0	0	1	0	0	1	0	0	2
Physician AN	0	0	0	0	0	1	2	0	0	0	0	0	3
Physician AO	0	0	0	0	0	0	1	0	0	0	0	0	1
Physician AP	0	0	0	0	0	0	0	0	0	13	19	6	38
Physician AQ	0	0	0	0	0	0	0	0	0	0	18	0	18
Physician AR	0	0	0	0	0	0	0	40	33	69	42	19	203
Physician AS	0	0	0	0	0	0	41	90	115	91	127	125	589
Physician AT	0	0	0	0	0	0	1	0	0	0	0	0	1
Physician AU	0	0	0	0	0	0	0	0	0	0	4	9	13
Physician AV	0	0	0	0	0	0	0	0	0	2	0	0	2
Physician AW	0	0	0	1	0	0	0	0	0	0	0	0	1
Physician AX	2	2	1	0	0	2	1	0	1	0	0	0	9
Physician AY	1	0	0	0	0	0	0	0	0	0	0	0	1
Physician AZ	0	0	0	0	1	0	0	0	0	0	0	0	1
Physician BC	1	0	1	0	0	0	1	0	0	1	2	1	7
Physician BD	0	0	0	0	0	0	0	0	0	0	1	0	1
Physician BE	0	0	1	0	0	0	0	1	0	0	0	0	2
Physician BF	0	0	0	0	0	0	0	0	0	0	0	1	1
Physician BG	0	0	0	0	0	0	0	0	0	0	0	1	1
Physician BH	0	0	1	3	0	2	0	1	0	0	0	1	8
Physician BI	0	0	0	1	1	0	0	0	0	0	0	0	2
Physician BJ	0	0	1	0	0	0	0	0	0	0	0	0	1
Physician BK	1	0	0	0	0	0	0	0	0	0	0	0	1
Physician BL	0	0	0	0	1	0	0	0	0	0	0	0	1
Physician BM	0	0	0	0	0	1	0	0	0	0	0	1	2
Physician BN	0	0	0	0	0	1	0	0	0	0	0	0	1
Total MN	1,315	1,174	1,277	1,023	1,168	1,315	1,059	1,206	1,133	1,157	1,083	1,155	14,065



**Table 2**  
**Medical Specialty of Physician, 2006**

Obstetrics & Gynecology	10,200
Emergency Medicine	2
General/Family Practice	3,860
Other/Unspecified	3
	<hr/>
Total	14,065

**Table 3**  
**Type of Admission, 2006**

Clinic	11,421
Outpatient Hospital	904
Inpatient Hospital	38
Ambulatory Surgery	5
Other/Not Specified	1,697
	<hr/>
Total Minnesota Occurrence	14,065

**Table 4**  
**Age of Woman, 2006**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
< 15 Years	63	54
15 - 17 Years	730	668
18 - 19 Years	1,348	1,221
20 - 24 Years	4,789	4,392
25 - 29 Years	3,465	3,209
30 - 34 Years	1,964	1,830
35 - 39 Years	1,267	1,173
40 Years & Over	439	401
Unknown Age*	0	
	<hr/>	<hr/>
Total	14,065	12,948

\*Item was left blank and could not be verified when queried.

**Table 5**  
**Marital Status, 2006**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
Married	2,300	2,114
Not Married	11,639	10,717
Not Reported	126	117
	<hr/>	<hr/>
Total	14,065	12,948

**Table 6**  
**Country/State of Residence, 2006**

Minnesota	12,948
Other States	
Iowa	42
Michigan	33
North Dakota	85
South Dakota	51
Wisconsin	856
Other States	44
Canada	5
Other Foreign Countries	1
Unknown	0
	<hr/>
Total MN Occurrence	14,065

**Table 7**  
**County of Residence for Women Residing in Minnesota, 2006**

State Total	12,948		
Aitkin	12	Marshall	*
Anoka	917	Martin	17
Becker	10	Meeker	14
Beltrami	42	Mille Lacs	50
Benton	61	Morrison	20
Big Stone	*	Mower	61
Blue Earth	131	Murray	*
Brown	27	Nicollet	70
Carlton	49	Nobles	6
Carver	154	Norman	*
Cass	33	Olmsted	281
Chippewa	11	Otter Tail	8
Chisago	73	Pennington	*
Clay	11	Pine	48
Clearwater	*	Pipestone	*
Cook	12	Polk	*
Cottonwood	6	Pope	*
Crow Wing	100	Ramsey	2,228
Dakota	1,050	Red Lake	*
Dodge	25	Redwood	16
Douglas	22	Renville	13
Faribault	16	Rice	83
Fillmore	28	Rock	*
Freeborn	35	Roseau	6
Goodhue	63	Saint Louis	414
Grant	*	Scott	279
Hennepin	4,801	Sherburne	136
Houston	15	Sibley	6
Hubbard	7	Stearns	229
Isanti	70	Steele	42
Itasca	53	Stevens	7
Jackson	8	Swift	7
Kanabec	21	Todd	10
Kandiyohi	39	Traverse	*
Kittson	*	Wabasha	27
Koochiching	14	Wadena	*
Lac Qui Parle	*	Waseca	30
Lake	11	Washington	519
Lake of the Woods	*	Watonwan	12
Le Sueur	42	Wilkin	*
Lincoln	*	Winona	47
Lyon	22	Wright	186
McLeod	40	Yellow Medicine	11
Mahnomen	*	Unknown County	1

\*Counts of 0 to 5 are indicated by an asterisk.

**Table 8**  
**Hispanic Origin of Woman, 2006**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
Non-Hispanic	13,163	12,073
Hispanic	796	772
Not Reported	106	103
	<hr/>	<hr/>
Total	14,065	12,948

**Table 9**  
**Race of Woman, 2006**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
White	8,847	7,854
Black	3,059	3,038
American Indian	279	244
Asian	1,003	971
Other	601	578
Not Reported	276	263
	<hr/>	<hr/>
Total	14,065	12,948

**Table 10**  
**Education Level of Woman, 2006**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
8th Grade or Less	280	265
Some High School	1,775	1,662
High School Graduate	4,785	4,358
Some College	3,542	3,242
College Graduate	1,400	1,277
Graduate Level	609	560
Not Reported	1,674	1,584
	<hr/>	<hr/>
Total	14,065	12,948

**Table 11**  
**Clinical Estimate of Fetal Gestational Age, 2006**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
<9 weeks	8,913	8,272
9 - 10 weeks	2,281	2,077
11 - 12 weeks	1,268	1,143
13 - 15 weeks	817	744
16 - 20 weeks	733	667
21 - 24 weeks	47	40
25 - 30 weeks	5	4
31 - 36 weeks	0	0
37 weeks & over	1	1
Unknown*	0	0
	<hr/>	<hr/>
Total	14,065	12,948

**Table 11a**  
**Clinical Estimate of Fetal Gestational Age, 2006**

<b>First Trimester</b>			<b>Second Trimester</b>			<b>Third Trimester</b>		
<u>Estimated Week</u>	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>	<u>Estimated Week</u>	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>	<u>Estimated Week</u>	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
<3	7	6	14	228	206	28	0	0
3	17	15	15	168	154	29	0	0
4	152	138	16	135	126	30	0	0
5	1,052	975	17	143	130	31	0	0
6	2,633	2,442	18	186	169	32	0	0
7	2,995	2,792	19	153	136	33	0	0
8	2,057	1,904	20	116	106	34	0	0
9	1,373	1,246	21	34	29	35	1	1
10	908	831	22	5	4	36	0	0
11	706	632	23	6	6	37	0	0
12	562	511	24	2	1	38	0	0
13	421	384	25	2	1	39	0	0
			26	1	1	40+	0	0
			27	2	2			
Trimester Total	12,883	11,876		1,181	1,071		1	1
Total Induced Abortions:			Occurring in Minnesota:	14,065	Minnesota Residents:		12,948	



**Table 12**  
**Prior Pregnancies, 2006**

Number of Previous Live Births

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
None	6,037	5,472
One	3,385	3,149
Two	2,674	2,458
Three	1,250	1,182
Four	430	408
Five	148	142
Six	68	67
Seven	25	24
Eight	19	19
Nine or more	25	24
Not Reported	4	3

Number of Previous Spontaneous Abortions (Miscarriages)

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
None	11,833	10,871
One	1,715	1,589
Two	366	344
Three	109	103
Four	26	25
Five	5	5
Six	1	1
Seven	3	3
Eight	1	1
Nine or more	6	6
Not Reported	0	0

Number of Previous Induced Abortions

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
None	8,224	7,416
One	3,342	3,130
Two	1,405	1,340
Three	597	576
Four	243	237
Five	115	113
Six	58	56
Seven	43	42
Eight	15	15
Nine or more	23	23
Not Reported	0	0

**Table 13**  
**Contraceptive Use and Method\*, 2006**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
Woman did not provide information	189	176
Woman did not know whether she used contraception	64	62
Woman has never used contraceptives	431	410
Woman has used contraceptives, but not at the time of conception	9,130	8,401
Woman used contraceptives at the time of conception	4,251	3,899
<b>Method Used</b>		
Condoms	2,266	2,093
Condoms & Spermicide	46	42
Spermicide Alone	77	71
Sterilization - Male	37	36
Sterilization - Female	9	8
Injectable (Depo-Provera)	51	45
IUD	23	19
Mini Pills	23	22
Combination Pills	997	884
Diaphragm & Spermicide	6	6
Diaphragm Alone	10	9
Cervical Cap	0	0
Rhythm/Natural Family Planning	58	57
Fertility Awareness	13	10
Withdrawal	103	100
Other	521	486
Method Not Reported	11	11

\*The accuracy of reporting 'Use of Contraceptives at the Time of Conception' is dependent upon self-reporting by the woman. Thus, ***these data should not be interpreted as an indication of the effectiveness of any particular method of birth control.***

**Table 14**  
**Abortion Procedure, 2006**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
Suction Curettage	11,433	10,501
Medical (non-surgical)	1,642	1,545
Dilation & Evacuation (D&E)	944	860
Intra-Uterine Instillation	9	9
Hysterectomy/otomy	1	1
Sharp Curettage (D&C)	13	13
Induction of Labor (Pitocin, etc.)	11	9
Intact Dilation & Extraction (D&X)	0	0
Other Dilation & Extraction (D&X)	1	1
Other Method	11	9
Not Reported*	0	0
	<hr/>	<hr/>
Total	14,065	12,948

\*Item was left blank and could not be verified when queried.

**Table 15**  
**Method of Disposal of Fetal Remains, 2006**

	Occurring in <u>Minnesota</u>	Minnesota <u>Residents</u>
Cremation	9,439	8,630
Burial	22	18
Not Reported*	4,604	4,300
	<hr/>	<hr/>
Total	14,065	12,948

\* 'Method of Disposal of Fetal Remains' is required to be reported only for those fetuses having reached the developmental stage outlined in Minnesota Statute 145.1621, subd. 2. Thus, not all reports contained this information.

**Table 16**  
**Payment Type and Health Insurance Coverage, 2006**

<u>Occurring in Minnesota</u>				
	<u>Fee for Service</u>	<u>Capitated</u>	<u>Other/Unknown and No Response</u>	<u>Total</u>
Private Coverage	546	650	2,147	3,343
Public Assistance	453	1,280 **	2,236	3,969
Self Pay	-	-	6,750	6,750
Unknown	-	-	3	3
	<hr/>	<hr/>	<hr/>	<hr/>
Total	999	1,930	11,136	14,065
 <u>Minnesota Residents</u>				
	<u>Fee for Service</u>	<u>Capitated</u>	<u>Other/Unknown and No Response</u>	<u>Total</u>
Private Coverage	500	631	2,081	3,212
Public Assistance	452	1,274 **	2,231	3,957
Self Pay	-	-	5,777	5,777
Unknown	-	-	2	2
	<hr/>	<hr/>	<hr/>	<hr/>
Total	952	1,905	10,091	12,948

\*\*Denotes enrollment in managed care as reported by the provider or the client. Although a client may be covered under a capitated public assistance plan, i.e. 'managed care', all abortion services are paid under fee-for-service.

**Table 17**  
**Reason for Abortion\*, 2006**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
Pregnancy was a result of rape	90	82
Pregnancy was a result of incest	12	11
Economic reasons	5,020	4,659
Does not want children at this time	9,598	8,890
Emotional health is at stake	699	649
Physical Health is at stake	588	553
Continued pregnancy will cause impairment of major bodily function	30	29
Pregnancy resulted in fetal anomalies	162	142
Unknown or the woman refused to answer	1,681	1,494
Other stated reason	3,145 **	2,878

\*Note: No totals are given because a woman may have given more than one response.

\*\*See Table 17a

**Table 17a**  
**Other Stated Reason for Abortion, 2006**

Single parent of one or more children	791
Education goals; desire to finish high school and/or college	616
Already have children, do not intend to have more	485
Relationship issues, including abuse, separation, and extra-marital affairs	318
Other miscellaneous responses	1,413
	<hr/>
Total*	3,623

\*Total is greater than 'Other Stated Reason' total on Table 17 because some women stated more than one other reason.

**Table 18**  
**Intraoperative Complications\*, 2006**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
No Complications	14,037	12,921
Cervical laceration requiring suture or repair	9	8
Heavy bleeding/hemorrhage with estimated blood loss in excess of 500cc	6	6
Uterine perforation	0	0
Other complication	8	8
Not Reported**	5	5
	<hr/>	<hr/>
Total	14,065	12,948

\*Complication occurring at the time of the abortion procedure



**Table 19**  
**Postoperative Complications\*, 2006**  
 reported on **Report of Complication from Induced Abortion** form

Cervical laceration requiring suture or repair	1
Heavy bleeding/hemorrhage with estimated blood loss in excess of 500cc	12
Uterine perforation	2
Infection requiring inpatient treatment	8
Heavy bleeding/anemia requiring transfusion	4
Failed termination of pregnancy (continued viable pregnancy)	6
Incomplete termination of pregnancy (retained products of conception requiring re-evacuation)	87
Other complication	16
Complication not indicated	4
	<hr style="width: 10%; margin-left: auto; margin-right: 0;"/>
Total Reported Complications	140 <sup>1</sup>

<sup>1</sup>129 'Report of Complication(s) from Induced Abortion' forms were received.

\*Neither location where the abortion was performed nor residence of patient is collected on the *Report of Complication(s) from Induced Abortion*. Therefore, these numbers cannot be directly correlated with counts of induced abortions in an attempt to seek a ratio of complications per procedure.

**Table 20**  
**Induced Abortions by Gestational Age**  
**Performed Out of State and Paid for with State Funds<sup>1</sup>**  
 reported by the Minnesota Department of Human Services, 2006

<9 weeks	45
9 - 10 weeks	47
11 - 12 weeks	30
13 - 15 weeks	15
16 - 20 weeks	2
21 - 24 weeks	0
25 - 30 weeks	0
31 - 36 weeks	0
37 weeks & over	0
Unknown	0
Total Occurrence	139
Total state funds used to pay for out of state abortion procedures, including incidental expenses	\$32,076.30

<sup>1</sup>All procedures occurred within the local trade area, that is, the "geographic area surrounding the person's residence, including portions of states other than Minnesota, which is commonly used by other persons in the same area to obtain similar necessary goods and services."

**Table 21**  
**Total and Resident Induced Abortions**  
**1975 - 2006**

	<u>Occurring in</u> <u>Minnesota</u>	<u>Minnesota</u> <u>Residents</u>	<u>Resident</u> <u>Percent</u>	<u>Resident</u> <u>Rate</u> <sup>1</sup>
1975	10,565	8,924	84.5	10.3
1976	14,124	11,109	78.7	12.5
1977	15,532	13,036	83.9	14.4
1978	17,262	14,521	84.1	15.6
1979	18,672	15,647	83.8	16.4
1980	19,028	16,490	86.7	17.2
1981	18,304	15,821	86.4	16.3
1982	17,758	15,559	87.6	15.8
1983	16,428	14,514	88.3	14.7
1984	17,314	15,556	89.8	15.7
1985	17,686	16,002	90.5	16.1
1986	17,383	15,716	90.4	15.8
1987	17,653	15,746	89.2	15.7
1988	17,975	16,124	89.7	15.8
1989	17,398	15,506	89.1	15.1
1990	17,156	15,280	89.1	14.9
1991	16,178	14,441	89.3	13.9
1992	15,546	13,846	89.1	13.1
1993	14,348	12,955	90.3	12.1
1994	14,027	12,702	90.6	11.8
1995	14,017	12,715	90.7	12.1
1996	14,193	12,876	90.7	12.1
1997	14,224	12,997	91.4	12.4
1998	14,422	13,050	90.5	12.4
1999	14,342	13,037	90.9	12.4
2000	14,477	13,208	91.2	12.2
2001	14,833	13,448	90.7	12.3
2002	14,239	12,953	91.0	11.8
2003	14,174	12,995	91.7	11.9
2004	13,788	12,753	92.5	11.6
2005	13,365	12,306	92.1	11.3
2006	14,065	12,948	92.1	11.9 <sup>2</sup>

<sup>1</sup>Rate per 1,000 female population ages 15 through 44

<sup>2</sup>2006 population estimates not available at time of publication. 2005 estimate was used.

**Table 22**  
**Abortions per 100 Live Births by Selected Patient Characteristics**  
**Minnesota Residents; 1980, 1990, 2000, 2002-2006**

	1980	1990	2000	2002	2003	2004	2005	2006 <sup>3</sup>
Total Resident Abortions	24.3	22.5	19.6	19.0	18.4	18.1	17.4	17.6
<b>Age Group*</b>								
<15 Years	231.1	68.1	71.3	82.4	72.1	71.4	79.7	98.2
15-17 Years	80.2 <sup>1</sup>	69.2	40.2	41.2	46.0	42.4	42.3	44.3
18-19 Years		57.5	39.5	37.8	36.1	36.3	36.0	34.7
20-24 Years	26.9	35.6	31.8	30.4	30.2	30.2	28.1	28.0
25-29 Years	11.7	14.1	15.6	14.8	14.7	14.0	13.6	14.1
30-34 Years	10.8	11.2	10.5	10.8	10.0	9.6	9.6	9.9
35-39 Years	19.8	18.3	13.7	13.2	13.3	12.7	12.6	12.6
40 Years & Over	41.9	35.9	28.2	24.2	22.0	22.8	19.5	20.6
<b>Race of Patient*</b>								
White	22.5	20.9	14.5	14.0	13.6	14.4	13.9	14.8
African American	n/a	n/a	60.3	60.4	55.2	53.2	48.5	48.4
American Indian	n/a	n/a	26.3	23.2	22.2	20.6	20.9	16.6
Asian	n/a	n/a	34.8	26.5	27.7	23.1	21.4	21.4
All Other <sup>2</sup>	45.1	33.4	--	--	--	--	--	--
Hispanic	n/a	n/a	18.4	16.7	15.5	14.4	13.3	12.9
<b>Marital Status*</b>								
Married	3.5	4.2	4.0	5.4	5.0	4.4	4.1	4.2
Not Married	159.3	48.4	56.9	54.7	54.0	50.9	48.2	46.5

\*Unknowns are not included in ratios

<sup>1</sup>Ratio is for age 15-19. Separate data for 15-17 and 18-19 is not available for 1980.

<sup>2</sup>Race/Ethnicity data was collected differently prior to 1999, thus ratios are not available for individual categories other than 'White'.

<sup>3</sup>Preliminary birth counts are used as 2006 data is not yet finalized at the time of this publication.

**Table 23**  
**Selected Statistics by Age Group, 2006**  
**Minnesota Residents**

	Total	<15 Years	15 - 17 Years	18 - 19 Years	20 - 24 Years	25 - 29 Years	30 - 34 Years	35 - 39 Years	40+ Years	Unkwn Age
Total Abortions	12,948	54	668	1,221	4,392	3,209	1,830	1,173	401	0
Marital Status:										
Married	2,114	0	5	20	303	541	567	483	195	0
Not Married	10,717	53	659	1,188	4,048	2,633	1,250	682	204	0
Unknown	117	1	4	13	41	35	13	8	2	0
Race/Ethnicity:										
White	7,854	18	418	764	2,614	1,901	1,044	781	314	0
African American	3,038	29	147	288	1,092	804	447	195	36	0
American Indian	244	0	19	25	80	59	33	26	2	0
Asian	971	3	32	60	285	244	195	114	38	0
Hispanic*	772	5	39	68	256	220	116	55	13	0
Gestation Estimate: **										
First Trimester	11,876	47	570	1,089	4,040	2,959	1,716	1,092	363	0
Second Trimester	1,071	7	98	132	352	250	114	81	37	0
Third Trimester	1	0	0	0	0	0	0	0	1	0
Unknown	0	0	0	0	0	0	0	0	0	0

\*Persons of Hispanic origin are included in the race counts above.

\*\*1<sup>st</sup> Trimester: 0-13 weeks, 2<sup>nd</sup> Trimester: 14-27 weeks, 3<sup>rd</sup> Trimester: 28-40+ weeks

**Table 24**  
**Contraceptive Use by Age Group and Marital Status, 2006**  
**Minnesota Residents**

	All Induced Abortions					Women with at Least One Prior Induced Abortion				
	Total	Never Used	Past Use, Not Now	Was Using	Unknown	Total	Never Used	Past Use, Not Now	Was Using	Unknown
Total Abortions	12,948	410	8,401	3,899	238	5,532	76	3,683	1,682	91
<b>Age Group:</b>										
<15 Years	54	18	21	14	1	1	0	1	0	0
15-17 Years	668	73	371	209	15	65	0	38	26	1
18-19 Years	1,221	43	814	343	21	229	2	154	69	4
20-24 Years	4,392	125	2,905	1,294	68	1,628	31	1,113	460	24
25-29 Years	3,209	74	2,119	957	59	1,690	13	1,140	509	28
30-34 Years	1,830	41	1,170	582	37	1,056	13	682	344	17
35-39 Years	1,173	26	743	377	27	669	13	428	214	14
40+ Years	401	10	258	123	10	194	4	127	60	3
Unknown Age	0	0	0	0	0	0	0	0	0	0
<b>Marital Status:</b>										
Married	2,114	88	1,341	631	54	884	17	557	291	19
Not Married	10,717	317	6,984	3,237	179	4,599	57	3,088	1,383	71
Unknown	117	5	76	31	5	49	2	38	8	1

**Table 25**  
**Medical Risks Information**  
**Report of Informed Consent for Induced Abortion, 2006**

<u>Contact Method</u>	<u>Referring Physician</u>	<u>Physician Performing Abortion</u>	<u>Total</u>
Telephone	7,930	3,406	11,336
In Person	2,523	841	3,364
Total Contacts	10,453	4,247	14,700
Information not provided:			
immediate abortion necessary to avert death			0
delay would create serious risk of substantial impairment			2
Medical Risks Information section was left blank			15
Total reports received			14,717

**Table 26**  
**Medical Assistance and Printed Materials Information**  
**Report of Informed Consent for Induced Abortion, 2006**

<u>Contact Method</u>	<u>Referring Physician</u>	<u>Agent of Referring Physician</u>	<u>Physician Performing Abortion</u>	<u>Agent of Physician Performing Abortion</u>	<u>Total</u>
Telephone	112	4,460	546	6,223	11,341
In Person	60	2,393	95	813	3,361
Total Contacts	172	6,853	641	7,036	14,702
Information not provided:					
immediate abortion necessary to avert death					1
delay would create serious risk of substantial impairment					5
Medical Assistance & Printed Materials Information section was left blank					9
Total reports received					14,717



**Table 27**  
**Patient Access to Printed Materials**  
**Report of Informed Consent for Induced Abortion, 2006**

	<u>Obtained Abortion</u>	<u>Did Not Obtain Abortion</u>	<u>Do Not Know</u>	<u>Total</u>
Patient obtained printed copies	280	7	102	389
Patient did not obtain printed copies	11,686	60	2,565	14,311
Total	11,966	67	2,667	14,700
Patient Access to Printed Materials section was left blank				17
Total reports received				14,717

# **Appendix**

## **Updates to 2005 Data**

MN Statute 145.4134 requires that each yearly report provide the statistics for any previous calendar year for which additional information from late or corrected reports was received, adjusted to reflect these new numbers. Following the publication of the report for calendar year 2005 in July of 2006, three additional ***Report of Induced Abortion*** records for 2005 were identified. Twenty-nine additional ***Report of Informed Consent for Induced Abortion*** forms were received as well. The tables included in this section of the Appendix reflect these updated statistics. Tables where the data did not change have not been republished here.

**Table 1.1**  
**Abortions by Month and Provider, 2005**

	<u>Jan</u> <u>2005</u>	<u>Feb</u> <u>2005</u>	<u>Mar</u> <u>2005</u>	<u>Apr</u> <u>2005</u>	<u>May</u> <u>2005</u>	<u>Jun</u> <u>2005</u>	<u>Jul</u> <u>2005</u>	<u>Aug</u> <u>2005</u>	<u>Sep</u> <u>2005</u>	<u>Oct</u> <u>2005</u>	<u>Nov</u> <u>2005</u>	<u>Dec</u> <u>2005</u>	<u>Total</u> <u>2005</u>
Midwest Health Center for Women	296	273	288	234	262	256	222	207	209	232	180	238	2,897
Women's Health Center	63	50	63	46	44	53	46	58	57	45	36	57	618
Meadowbrook Women's Clinic	248	222	266	251	246	244	241	290	248	237	218	245	2,956
Robbinsdale Clinic	145	133	148	124	124	117	138	129	108	133	140	131	1,570
GYN Special Services	71	57	68	66	62	64	51	60	57	56	50	71	733
Dr. Mildred Hansen Clinic	102	99	131	124	113	119	135	147	129	132	96	133	1,460
Planned Parenthood of Minnesota	278	245	245	294	266	270	158	285	262	220	246	246	3,015
Independent Physicians <sup>1</sup>	13	6	11	5	8	12	12	9	10	9	10	11	116
Total Minnesota Occurrence	1,216	1,085	1,220	1,144	1,125	1,135	1,003	1,185	1,080	1,064	976	1,132	13,365

<sup>1</sup>This represents 45 reporting physicians

**Table 2**  
**Medical Specialty of Physician, 2005**

Obstetrics & Gynecology	9,457
Emergency Medicine	1
General/Family Practice	3,903
Other/Unspecified	4
	<hr/>
Total	13,365

**Table 3**  
**Type of Admission, 2005**

Clinic	11,016
Outpatient Hospital	803
Inpatient Hospital	34
Ambulatory Surgery	21
Other/Not Specified	1,491
	<hr/>
Total Minnesota Occurrence	13,365

**Table 4**  
**Age of Woman, 2005**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
< 15 Years	50	47
15 - 17 Years	633	579
18 - 19 Years	1,343	1,229
20 - 24 Years	4,568	4,215
25 - 29 Years	3,198	2,937
30 - 34 Years	1,907	1,767
35 - 39 Years	1,229	1,144
40 Years & Over	437	388
Unknown Age*	0	0
	<hr/>	<hr/>
Total	13,365	12,306

\*Item was left blank and could not be verified when queried.

**Table 5**  
**Marital Status, 2005**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
Married	2,220	2,022
Not Married	10,997	10,149
Not Reported	148	135
	<hr/>	<hr/>
Total	13,365	12,306

**Table 6**  
**Country/State of Residence, 2005**

Minnesota	12,306
Other States	1,046
Iowa	51
Michigan	24
North Dakota	74
South Dakota	36
Wisconsin	827
Other States	34
Canada	6
Other Foreign Countries	6
Unknown	1
	<hr/>
Total MN Occurrence	13,365



**Table 7**  
**County of Residence for Women Residing in Minnesota, 2005**

State Total	12,306		
Aitkin	8	Marshall	*
Anoka	858	Martin	18
Becker	*	Meeker	16
Beltrami	33	Mille Lacs	39
Benton	68	Morrison	23
Big Stone	*	Mower	50
Blue Earth	139	Murray	6
Brown	22	Nicollet	60
Carlton	51	Nobles	*
Carver	96	Norman	*
Cass	29	Olmsted	261
Chippewa	19	Otter Tail	9
Chisago	79	Pennington	*
Clay	6	Pine	34
Clearwater	*	Pipestone	*
Cook	13	Polk	*
Cottonwood	*	Pope	6
Crow Wing	90	Ramsey	2,017
Dakota	986	Red Lake	*
Dodge	17	Redwood	12
Douglas	14	Renville	12
Faribault	10	Rice	94
Fillmore	20	Rock	*
Freeborn	37	Roseau	*
Goodhue	65	Saint Louis	375
Grant	*	Scott	280
Hennepin	4,765	Sherburne	117
Houston	9	Sibley	17
Hubbard	*	Stearns	230
Isanti	61	Steele	33
Itasca	37	Stevens	*
Jackson	*	Swift	7
Kanabec	10	Todd	9
Kandiyohi	48	Traverse	*
Kittson	*	Wabasha	24
Koochiching	10	Wadena	6
Lac Qui Parle	*	Waseca	30
Lake	17	Washington	501
Lake of the Woods	*	Watonwan	10
Le Sueur	34	Wilkin	*
Lincoln	*	Winona	62
Lyon	22	Wright	170
McLeod	42	Yellow Medicine	*
Mahnomen	*		

\*Counts of 0 to 5 are indicated by an asterisk.

**Table 8**  
**Hispanic Origin of Woman, 2005**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
Non-Hispanic	12,500	11,461
Hispanic	747	729
Not Reported	118	116
	<hr/>	<hr/>
Total	13,365	12,306

**Table 9**  
**Race of Woman, 2005**

	<u>Occurring in Minnesota</u>	<u>Minnesota Residents</u>
White	8,530	7,584
Black	2,831	2,800
American Indian	308	279
Asian	972	943
Other	404	394
Not Reported	320	306
	<hr/>	<hr/>
Total	13,365	12,306



















































