

Infant Mortality and Fetal Deaths - Table 1
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY CAUSE
 MINNESOTA RESIDENTS, 2008

| Cause of Death | Infant Deaths | Neonatal Deaths | | | Post-Neonatal | |
|----------------------------------------------------------------------|---------------|-----------------|-------------|----------|---------------|-----------|
| | | Total | Under 1 Day | 1-6 Days | | 7-27 Days |
| Total - All Causes | 433 | 275 | 138 | 66 | 71 | 158 |
| Infective and Parasitic Diseases | 5 | 1 | 0 | 0 | 1 | 4 |
| Septicemia | 2 | 0 | 0 | 0 | 0 | 2 |
| Neoplasms | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant Neoplasms | 0 | 0 | 0 | 0 | 0 | 0 |
| Diseases of the Blood and Blood-Forming Organs and Immune Mechanisms | 2 | 2 | 0 | 0 | 2 | 0 |
| Endocrine, Nutritional and Metabolic Diseases | 7 | 1 | 1 | 0 | 0 | 6 |
| Diseases of the Nervous System | 4 | 0 | 0 | 0 | 0 | 4 |
| Diseases of the Ear and Mastoid Process | 0 | 0 | 0 | 0 | 0 | 0 |
| Diseases of the Circulatory System | 8 | 0 | 0 | 0 | 0 | 8 |
| Diseases of the Respiratory System | 17 | 0 | 0 | 0 | 0 | 17 |
| Pneumonia and Influenza | 6 | 0 | 0 | 0 | 0 | 6 |
| Diseases of the Digestive System | 6 | 1 | 0 | 0 | 1 | 5 |
| Diseases of the Genitourinary System | 3 | 2 | 0 | 2 | 0 | 1 |
| Certain Conditions Originating in the Perinatal Period | 196 | 186 | 98 | 43 | 45 | 10 |
| Maternal Conditions and Complications | 52 | 49 | 34 | 11 | 4 | 3 |
| Short Gestation and Low Birthweight | 53 | 52 | 46 | 6 | 0 | 1 |
| Birth Trauma | 0 | 0 | 0 | 0 | 0 | 0 |
| Intrauterine Hypoxia & Birth Asphyxia | 8 | 8 | 5 | 0 | 3 | 0 |
| Respiratory Distress of Newborn | 12 | 11 | 2 | 4 | 5 | 1 |
| Bacterial Sepsis of Newborn | 4 | 4 | 0 | 2 | 2 | 0 |
| Omphalitis of Newborn | 0 | 0 | 0 | 0 | 0 | 0 |
| Fetal & Neonatal Hemorrhage | 10 | 10 | 2 | 6 | 2 | 0 |
| Congenital Anomalies | 107 | 76 | 39 | 20 | 17 | 31 |
| Hydrocephalus & Spina Bifida | 0 | 0 | 0 | 0 | 0 | 0 |
| Of Heart | 26 | 14 | 6 | 1 | 7 | 12 |
| Chromosomal Anomalies | 25 | 19 | 10 | 6 | 3 | 6 |
| Symptoms, Signs, and Abnormal Clinical Findings | 47 | 5 | 0 | 1 | 4 | 42 |
| Sudden Infant Death Syndrome | 41 | 3 | 0 | 0 | 3 | 38 |
| All Other Diseases | 1 | 0 | 0 | 0 | 0 | 1 |
| External Causes | 30 | 1 | 0 | 0 | 1 | 29 |
| Transport Accidents | 3 | 0 | 0 | 0 | 0 | 3 |
| Accidental Drowning & Submersion | 1 | 0 | 0 | 0 | 0 | 1 |
| Other Accidental Threats to Breathing | 25 | 1 | 0 | 0 | 1 | 24 |
| Assault | 1 | 0 | 0 | 0 | 0 | 1 |

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2008

| | State Total | Aitkin | Anoka | Becker | Beltrami | Benton | Big Stone | Blue Earth |
|-----------------------------------------|----------------|--------|-------|--------|----------|--------|--------------|---------------|
| Infant Deaths (Race of Child) | | | | | | | | |
| Total | 433 | 0 | 26 | 2 | 4 | 3 | 0 | 1 |
| White | 266 | 0 | 20 | 1 | 2 | 3 | 0 | 1 |
| African American | 94 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 18 | 0 | 0 | 1 | 2 | 0 | 0 | 0 |
| Asian/Pacific Islander | 25 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 30 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 41 | 0 | 2 | 0 | 0 | 0 | 0 | 1 |
| Neonatal Deaths (Race of Child) | | | | | | | | |
| Total | 275 | 0 | 20 | 1 | 1 | 1 | 0 | 0 |
| White | 175 | 0 | 14 | 1 | 1 | 1 | 0 | 0 |
| African American | 62 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 16 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 18 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 22 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| First Day Deaths (Race of Child) | | | | | | | | |
| Total | 138 | 0 | 11 | 1 | 0 | 0 | 0 | 0 |
| White | 80 | 0 | 8 | 1 | 0 | 0 | 0 | 0 |
| African American | 36 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 10 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 9 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-6 Day Deaths (Race of Child) | | | | | | | | |
| Total | 66 | 0 | 4 | 0 | 1 | 0 | 0 | 0 |
| White | 45 | 0 | 3 | 0 | 1 | 0 | 0 | 0 |
| African American | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 5 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-27 Day Deaths (Race of Child) | | | | | | | | |
| Total | 71 | 0 | 5 | 0 | 0 | 1 | 0 | 0 |
| White | 50 | 0 | 3 | 0 | 0 | 1 | 0 | 0 |
| African American | 15 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Fetal Deaths (Race of Mother) | | | | | | | | |
| Total | 375 | 3 | 20 | 1 | 6 | 3 | 0 | 7 |
| White | 246 | 3 | 15 | 1 | 4 | 3 | 0 | 6 |
| African American | 62 | 0 | 4 | 0 | 0 | 0 | 0 | 1 |
| American Indian | 17 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| Asian/Pacific Islander | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 28 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 25 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2008

| | State Total | Brown | Carlton | Carver | Cass | Chippewa | Chisago | Clay |
|-----------------------------------------|----------------|-------|---------|--------|------|----------|---------|------|
| Infant Deaths (Race of Child) | | | | | | | | |
| Total | 433 | 3 | 5 | 5 | 4 | 0 | 2 | 9 |
| White | 266 | 3 | 5 | 5 | 0 | 0 | 1 | 8 |
| African American | 94 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 18 | 0 | 0 | 0 | 4 | 0 | 0 | 0 |
| Asian/Pacific Islander | 25 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Other/Unknown | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| *Hispanic | 41 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Neonatal Deaths (Race of Child) | | | | | | | | |
| Total | 275 | 1 | 1 | 5 | 2 | 0 | 1 | 7 |
| White | 175 | 1 | 1 | 5 | 0 | 0 | 1 | 6 |
| African American | 62 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 4 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| Asian/Pacific Islander | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| *Hispanic | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| First Day Deaths (Race of Child) | | | | | | | | |
| Total | 138 | 0 | 0 | 4 | 1 | 0 | 1 | 5 |
| White | 80 | 0 | 0 | 4 | 0 | 0 | 1 | 5 |
| African American | 36 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Asian/Pacific Islander | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-6 Day Deaths (Race of Child) | | | | | | | | |
| Total | 66 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| White | 45 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| African American | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| *Hispanic | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 7-27 Day Deaths (Race of Child) | | | | | | | | |
| Total | 71 | 1 | 1 | 1 | 1 | 0 | 0 | 1 |
| White | 50 | 1 | 1 | 1 | 0 | 0 | 0 | 1 |
| African American | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Asian/Pacific Islander | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fetal Deaths (Race of Mother) | | | | | | | | |
| Total | 375 | 1 | 1 | 5 | 5 | 0 | 3 | 0 |
| White | 246 | 1 | 1 | 4 | 0 | 0 | 3 | 0 |
| African American | 62 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 17 | 0 | 0 | 0 | 5 | 0 | 0 | 0 |
| Asian/Pacific Islander | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 28 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| *Hispanic | 25 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2008

| | State Total | Clear- water | Cook | Cotton- wood | Crow Wing | Dakota | Dodge | Douglas |
|-----------------------------------------|----------------|-----------------|------|-----------------|--------------|--------|-------|---------|
| Infant Deaths (Race of Child) | | | | | | | | |
| Total | 433 | 1 | 2 | 2 | 4 | 24 | 3 | 2 |
| White | 266 | 0 | 2 | 2 | 4 | 15 | 3 | 2 |
| African American | 94 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |
| American Indian | 18 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 25 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |
| Other/Unknown | 30 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| *Hispanic | 41 | 0 | 0 | 0 | 0 | 3 | 0 | 0 |
| Neonatal Deaths (Race of Child) | | | | | | | | |
| Total | 275 | 0 | 1 | 2 | 2 | 17 | 1 | 1 |
| White | 175 | 0 | 1 | 2 | 2 | 10 | 1 | 1 |
| African American | 62 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |
| American Indian | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 16 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| Other/Unknown | 18 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| *Hispanic | 22 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| First Day Deaths (Race of Child) | | | | | | | | |
| Total | 138 | 0 | 0 | 1 | 2 | 11 | 1 | 0 |
| White | 80 | 0 | 0 | 1 | 2 | 6 | 1 | 0 |
| African American | 36 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| American Indian | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 10 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| Other/Unknown | 9 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| *Hispanic | 13 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| 1-6 Day Deaths (Race of Child) | | | | | | | | |
| Total | 66 | 0 | 0 | 1 | 0 | 3 | 0 | 0 |
| White | 45 | 0 | 0 | 1 | 0 | 2 | 0 | 0 |
| African American | 11 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-27 Day Deaths (Race of Child) | | | | | | | | |
| Total | 71 | 0 | 1 | 0 | 0 | 3 | 0 | 1 |
| White | 50 | 0 | 1 | 0 | 0 | 2 | 0 | 1 |
| African American | 15 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| American Indian | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fetal Deaths (Race of Mother) | | | | | | | | |
| Total | 375 | 0 | 0 | 0 | 8 | 23 | 0 | 1 |
| White | 246 | 0 | 0 | 0 | 8 | 17 | 0 | 1 |
| African American | 62 | 0 | 0 | 0 | 0 | 4 | 0 | 0 |
| American Indian | 17 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| Asian/Pacific Islander | 22 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| Other/Unknown | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2008

| | State Total | Faribault | Fillmore | Freeborn | Goodhue | Grant | Hennepin | Minn- neapolis |
|-----------------------------------------|----------------|-----------|----------|----------|---------|-------|----------|-------------------|
| Infant Deaths (Race of Child) | | | | | | | | |
| Total | 433 | 0 | 1 | 0 | 2 | 0 | 120 | 58 |
| White | 266 | 0 | 1 | 0 | 2 | 0 | 40 | 14 |
| African American | 94 | 0 | 0 | 0 | 0 | 0 | 53 | 28 |
| American Indian | 18 | 0 | 0 | 0 | 0 | 0 | 6 | 5 |
| Asian/Pacific Islander | 25 | 0 | 0 | 0 | 0 | 0 | 8 | 1 |
| Other/Unknown | 30 | 0 | 0 | 0 | 0 | 0 | 13 | 10 |
| *Hispanic | 41 | 0 | 0 | 0 | 0 | 0 | 14 | 11 |
| Neonatal Deaths (Race of Child) | | | | | | | | |
| Total | 275 | 0 | 1 | 0 | 2 | 0 | 79 | 35 |
| White | 175 | 0 | 1 | 0 | 2 | 0 | 27 | 9 |
| African American | 62 | 0 | 0 | 0 | 0 | 0 | 35 | 16 |
| American Indian | 4 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| Asian/Pacific Islander | 16 | 0 | 0 | 0 | 0 | 0 | 6 | 0 |
| Other/Unknown | 18 | 0 | 0 | 0 | 0 | 0 | 9 | 8 |
| *Hispanic | 22 | 0 | 0 | 0 | 0 | 0 | 9 | 8 |
| First Day Deaths (Race of Child) | | | | | | | | |
| Total | 138 | 0 | 1 | 0 | 1 | 0 | 41 | 15 |
| White | 80 | 0 | 1 | 0 | 1 | 0 | 11 | 3 |
| African American | 36 | 0 | 0 | 0 | 0 | 0 | 19 | 6 |
| American Indian | 3 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| Asian/Pacific Islander | 10 | 0 | 0 | 0 | 0 | 0 | 4 | 0 |
| Other/Unknown | 9 | 0 | 0 | 0 | 0 | 0 | 5 | 4 |
| *Hispanic | 13 | 0 | 0 | 0 | 0 | 0 | 5 | 4 |
| 1-6 Day Deaths (Race of Child) | | | | | | | | |
| Total | 66 | 0 | 0 | 0 | 0 | 0 | 22 | 10 |
| White | 45 | 0 | 0 | 0 | 0 | 0 | 9 | 4 |
| African American | 11 | 0 | 0 | 0 | 0 | 0 | 9 | 4 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 5 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| Other/Unknown | 5 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| *Hispanic | 5 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| 7-27 Day Deaths (Race of Child) | | | | | | | | |
| Total | 71 | 0 | 0 | 0 | 1 | 0 | 16 | 10 |
| White | 50 | 0 | 0 | 0 | 1 | 0 | 7 | 2 |
| African American | 15 | 0 | 0 | 0 | 0 | 0 | 7 | 6 |
| American Indian | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 4 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| *Hispanic | 4 | 0 | 0 | 0 | 0 | 0 | 2 | 2 |
| Fetal Deaths (Race of Mother) | | | | | | | | |
| Total | 375 | 2 | 2 | 1 | 4 | 0 | 100 | 47 |
| White | 246 | 2 | 2 | 1 | 4 | 0 | 49 | 17 |
| African American | 62 | 0 | 0 | 0 | 0 | 0 | 30 | 20 |
| American Indian | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 22 | 0 | 0 | 0 | 0 | 0 | 7 | 3 |
| Other/Unknown | 28 | 0 | 0 | 0 | 0 | 0 | 14 | 7 |
| *Hispanic | 25 | 0 | 0 | 0 | 0 | 0 | 12 | 7 |

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2008

| | State | | | | | | | |
|-----------------------------------------|-------|---------|---------|--------|--------|---------|---------|-----------|
| | Total | Houston | Hubbard | Isanti | Itasca | Jackson | Kanabec | Kandiyohi |
| Infant Deaths (Race of Child) | | | | | | | | |
| Total | 433 | 0 | 2 | 3 | 3 | 1 | 0 | 4 |
| White | 266 | 0 | 2 | 3 | 2 | 1 | 0 | 4 |
| African American | 94 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 18 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Asian/Pacific Islander | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 41 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Neonatal Deaths (Race of Child) | | | | | | | | |
| Total | 275 | 0 | 0 | 3 | 0 | 0 | 0 | 3 |
| White | 175 | 0 | 0 | 3 | 0 | 0 | 0 | 3 |
| African American | 62 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| First Day Deaths (Race of Child) | | | | | | | | |
| Total | 138 | 0 | 0 | 3 | 0 | 0 | 0 | 1 |
| White | 80 | 0 | 0 | 3 | 0 | 0 | 0 | 1 |
| African American | 36 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-6 Day Deaths (Race of Child) | | | | | | | | |
| Total | 66 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White | 45 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| African American | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-27 Day Deaths (Race of Child) | | | | | | | | |
| Total | 71 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| White | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| African American | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fetal Deaths (Race of Mother) | | | | | | | | |
| Total | 375 | 0 | 0 | 6 | 3 | 0 | 0 | 1 |
| White | 246 | 0 | 0 | 5 | 3 | 0 | 0 | 1 |
| African American | 62 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 22 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Other/Unknown | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2008

| | State Total | Kittson | Kooch iching | Lac Qui Parle | Lake Lake | Lake of the Woods | Le Sueur | Lincoln |
|-----------------------------------------|----------------|---------|-----------------|------------------|--------------|----------------------|----------|---------|
| Infant Deaths (Race of Child) | | | | | | | | |
| Total | 433 | 0 | 1 | 0 | 1 | 1 | 1 | 0 |
| White | 266 | 0 | 1 | 0 | 1 | 1 | 1 | 0 |
| African American | 94 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 41 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Neonatal Deaths (Race of Child) | | | | | | | | |
| Total | 275 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| White | 175 | 0 | 0 | 0 | 1 | 0 | 1 | 0 |
| African American | 62 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 22 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| First Day Deaths (Race of Child) | | | | | | | | |
| Total | 138 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| White | 80 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| African American | 36 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 13 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 1-6 Day Deaths (Race of Child) | | | | | | | | |
| Total | 66 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| White | 45 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| African American | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-27 Day Deaths (Race of Child) | | | | | | | | |
| Total | 71 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White | 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| African American | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fetal Deaths (Race of Mother) | | | | | | | | |
| Total | 375 | 0 | 1 | 0 | 1 | 1 | 2 | 0 |
| White | 246 | 0 | 1 | 0 | 1 | 1 | 2 | 0 |
| African American | 62 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2008

| | State Total | Lyon | McLeod | Mahnomen | Marshall | Martin | Meeker | Mille Lacs |
|-----------------------------------------|----------------|------|--------|----------|----------|--------|--------|---------------|
| Infant Deaths (Race of Child) | | | | | | | | |
| Total | 433 | 2 | 1 | 1 | 3 | 0 | 3 | 2 |
| White | 266 | 0 | 1 | 1 | 2 | 0 | 3 | 2 |
| African American | 94 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 25 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 30 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| *Hispanic | 41 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Neonatal Deaths (Race of Child) | | | | | | | | |
| Total | 275 | 2 | 1 | 1 | 0 | 0 | 2 | 2 |
| White | 175 | 0 | 1 | 1 | 0 | 0 | 2 | 2 |
| African American | 62 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 16 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| First Day Deaths (Race of Child) | | | | | | | | |
| Total | 138 | 1 | 0 | 1 | 0 | 0 | 1 | 0 |
| White | 80 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| African American | 36 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-6 Day Deaths (Race of Child) | | | | | | | | |
| Total | 66 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| White | 45 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| African American | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-27 Day Deaths (Race of Child) | | | | | | | | |
| Total | 71 | 1 | 0 | 0 | 0 | 0 | 1 | 1 |
| White | 50 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| African American | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fetal Deaths (Race of Mother) | | | | | | | | |
| Total | 375 | 3 | 2 | 0 | 0 | 1 | 2 | 2 |
| White | 246 | 3 | 2 | 0 | 0 | 1 | 2 | 0 |
| African American | 62 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Asian/Pacific Islander | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2008

| | State Total | Morrison | Mower | Murray | Nicollet | Nobles | Norman | Olmsted |
|-----------------------------------------|----------------|----------|-------|--------|----------|--------|--------|---------|
| Infant Deaths (Race of Child) | | | | | | | | |
| Total | 433 | 8 | 2 | 1 | 2 | 1 | 0 | 15 |
| White | 266 | 6 | 2 | 1 | 2 | 1 | 0 | 11 |
| African American | 94 | 1 | 0 | 0 | 0 | 0 | 0 | 4 |
| American Indian | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 30 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 41 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| Neonatal Deaths (Race of Child) | | | | | | | | |
| Total | 275 | 5 | 1 | 1 | 2 | 1 | 0 | 9 |
| White | 175 | 5 | 1 | 1 | 2 | 1 | 0 | 7 |
| African American | 62 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| American Indian | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| First Day Deaths (Race of Child) | | | | | | | | |
| Total | 138 | 2 | 1 | 1 | 0 | 0 | 0 | 5 |
| White | 80 | 2 | 1 | 1 | 0 | 0 | 0 | 3 |
| African American | 36 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| American Indian | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 1-6 Day Deaths (Race of Child) | | | | | | | | |
| Total | 66 | 3 | 0 | 0 | 0 | 1 | 0 | 3 |
| White | 45 | 3 | 0 | 0 | 0 | 1 | 0 | 3 |
| African American | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-27 Day Deaths (Race of Child) | | | | | | | | |
| Total | 71 | 0 | 0 | 0 | 2 | 0 | 0 | 1 |
| White | 50 | 0 | 0 | 0 | 2 | 0 | 0 | 1 |
| African American | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fetal Deaths (Race of Mother) | | | | | | | | |
| Total | 375 | 3 | 4 | 0 | 0 | 0 | 0 | 10 |
| White | 246 | 3 | 3 | 0 | 0 | 0 | 0 | 7 |
| African American | 62 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| American Indian | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Other/Unknown | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| *Hispanic | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2008

| | State Total | Otter Tail | Penn- ington | Pine | Pipe- stone | Polk | Pope |
|-----------------------------------------|----------------|---------------|-----------------|------|----------------|------|------|
| Infant Deaths (Race of Child) | | | | | | | |
| Total | 433 | 1 | 0 | 3 | 1 | 1 | 1 |
| White | 266 | 1 | 0 | 2 | 1 | 1 | 1 |
| African American | 94 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 18 | 0 | 0 | 1 | 0 | 0 | 0 |
| Asian/Pacific Islander | 25 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 30 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 41 | 0 | 0 | 0 | 0 | 0 | 0 |
| Neonatal Deaths (Race of Child) | | | | | | | |
| Total | 275 | 0 | 0 | 2 | 1 | 1 | 1 |
| White | 175 | 0 | 0 | 2 | 1 | 1 | 1 |
| African American | 62 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 16 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 18 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 22 | 0 | 0 | 0 | 0 | 0 | 0 |
| First Day Deaths (Race of Child) | | | | | | | |
| Total | 138 | 0 | 0 | 1 | 0 | 1 | 0 |
| White | 80 | 0 | 0 | 1 | 0 | 1 | 0 |
| African American | 36 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 10 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 9 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 13 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-6 Day Deaths (Race of Child) | | | | | | | |
| Total | 66 | 0 | 0 | 0 | 0 | 0 | 0 |
| White | 45 | 0 | 0 | 0 | 0 | 0 | 0 |
| African American | 11 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 5 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 5 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-27 Day Deaths (Race of Child) | | | | | | | |
| Total | 71 | 0 | 0 | 1 | 1 | 0 | 1 |
| White | 50 | 0 | 0 | 1 | 1 | 0 | 1 |
| African American | 15 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 4 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fetal Deaths (Race of Mother) | | | | | | | |
| Total | 375 | 4 | 0 | 2 | 0 | 1 | 0 |
| White | 246 | 3 | 0 | 2 | 0 | 1 | 0 |
| African American | 62 | 1 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 17 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 22 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 28 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 25 | 0 | 0 | 0 | 0 | 0 | 0 |

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2008

| | State Total | Ramsey | St. Paul | Red Lake | Redwood | Renville | Rice | Rock |
|-----------------------------------------|----------------|--------|----------|----------|---------|----------|------|------|
| Infant Deaths (Race of Child) | | | | | | | | |
| Total | 433 | 54 | 41 | 0 | 0 | 3 | 4 | 1 |
| White | 266 | 16 | 8 | 0 | 0 | 2 | 3 | 1 |
| African American | 94 | 23 | 19 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 25 | 9 | 9 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 30 | 6 | 5 | 0 | 0 | 1 | 1 | 0 |
| *Hispanic | 41 | 9 | 6 | 0 | 0 | 1 | 2 | 0 |
| Neonatal Deaths (Race of Child) | | | | | | | | |
| Total | 275 | 34 | 25 | 0 | 0 | 1 | 2 | 1 |
| White | 175 | 11 | 5 | 0 | 0 | 1 | 2 | 1 |
| African American | 62 | 15 | 12 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 16 | 5 | 5 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 18 | 3 | 3 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 22 | 5 | 3 | 0 | 0 | 0 | 0 | 0 |
| First Day Deaths (Race of Child) | | | | | | | | |
| Total | 138 | 18 | 13 | 0 | 0 | 0 | 0 | 0 |
| White | 80 | 5 | 2 | 0 | 0 | 0 | 0 | 0 |
| African American | 36 | 9 | 7 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 10 | 3 | 3 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 9 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 13 | 3 | 1 | 0 | 0 | 0 | 0 | 0 |
| 1-6 Day Deaths (Race of Child) | | | | | | | | |
| Total | 66 | 6 | 6 | 0 | 0 | 0 | 0 | 0 |
| White | 45 | 2 | 2 | 0 | 0 | 0 | 0 | 0 |
| African American | 11 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 5 | 2 | 2 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 5 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 5 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| 7-27 Day Deaths (Race of Child) | | | | | | | | |
| Total | 71 | 10 | 6 | 0 | 0 | 1 | 2 | 1 |
| White | 50 | 4 | 1 | 0 | 0 | 1 | 2 | 1 |
| African American | 15 | 5 | 4 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 4 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| Fetal Deaths (Race of Mother) | | | | | | | | |
| Total | 375 | 49 | 38 | 0 | 1 | 0 | 4 | 0 |
| White | 246 | 18 | 12 | 0 | 0 | 0 | 2 | 0 |
| African American | 62 | 13 | 11 | 0 | 0 | 0 | 1 | 0 |
| American Indian | 17 | 3 | 3 | 0 | 1 | 0 | 0 | 0 |
| Asian/Pacific Islander | 22 | 9 | 8 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 28 | 6 | 4 | 0 | 0 | 0 | 1 | 0 |
| *Hispanic | 25 | 5 | 3 | 0 | 0 | 0 | 1 | 0 |

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2008

| | State Total | Roseau | St. Louis | Duluth | Scott | Sherburne | Sibley | Stearns |
|-----------------------------------------|----------------|--------|-----------|--------|-------|-----------|--------|---------|
| Infant Deaths (Race of Child) | | | | | | | | |
| Total | 433 | 1 | 9 | 4 | 12 | 8 | 1 | 8 |
| White | 266 | 1 | 6 | 2 | 9 | 8 | 1 | 7 |
| African American | 94 | 0 | 2 | 2 | 2 | 0 | 0 | 1 |
| American Indian | 18 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 25 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Other/Unknown | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 41 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Neonatal Deaths (Race of Child) | | | | | | | | |
| Total | 275 | 0 | 4 | 1 | 8 | 6 | 0 | 6 |
| White | 175 | 0 | 4 | 1 | 5 | 6 | 0 | 6 |
| African American | 62 | 0 | 0 | 0 | 2 | 0 | 0 | 0 |
| American Indian | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 16 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Other/Unknown | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| First Day Deaths (Race of Child) | | | | | | | | |
| Total | 138 | 0 | 0 | 0 | 5 | 5 | 0 | 2 |
| White | 80 | 0 | 0 | 0 | 4 | 5 | 0 | 2 |
| African American | 36 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| American Indian | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-6 Day Deaths (Race of Child) | | | | | | | | |
| Total | 66 | 0 | 3 | 0 | 1 | 0 | 0 | 3 |
| White | 45 | 0 | 3 | 0 | 0 | 0 | 0 | 3 |
| African American | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 5 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Other/Unknown | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-27 Day Deaths (Race of Child) | | | | | | | | |
| Total | 71 | 0 | 1 | 1 | 2 | 1 | 0 | 1 |
| White | 50 | 0 | 1 | 1 | 1 | 1 | 0 | 1 |
| African American | 15 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| American Indian | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fetal Deaths (Race of Mother) | | | | | | | | |
| Total | 375 | 2 | 10 | 3 | 7 | 8 | 1 | 10 |
| White | 246 | 2 | 7 | 1 | 3 | 7 | 1 | 9 |
| African American | 62 | 0 | 0 | 0 | 2 | 1 | 0 | 1 |
| American Indian | 17 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 22 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Other/Unknown | 28 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| *Hispanic | 25 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2008

| | State Total | Steele | Stevens | Swift | Todd | Traverse | Wabasha | Wadena |
|-----------------------------------------|----------------|--------|---------|-------|------|----------|---------|--------|
| Infant Deaths (Race of Child) | | | | | | | | |
| Total | 433 | 2 | 0 | 0 | 1 | 1 | 3 | 1 |
| White | 266 | 2 | 0 | 0 | 1 | 0 | 3 | 1 |
| African American | 94 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 18 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| Asian/Pacific Islander | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 30 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 41 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Neonatal Deaths (Race of Child) | | | | | | | | |
| Total | 275 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| White | 175 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| African American | 62 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 22 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| First Day Deaths (Race of Child) | | | | | | | | |
| Total | 138 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| White | 80 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| African American | 36 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-6 Day Deaths (Race of Child) | | | | | | | | |
| Total | 66 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| White | 45 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| African American | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7-27 Day Deaths (Race of Child) | | | | | | | | |
| Total | 71 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| White | 50 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| African American | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fetal Deaths (Race of Mother) | | | | | | | | |
| Total | 375 | 4 | 2 | 1 | 2 | 0 | 1 | 1 |
| White | 246 | 2 | 2 | 1 | 2 | 0 | 1 | 1 |
| African American | 62 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 17 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 22 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 28 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 25 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2008

| | State Total | Waseca | Wash- ington | Watowan | Wilkin | Winona | Wright | Yellow Medicine |
|-----------------------------------------|----------------|--------|-----------------|---------|--------|--------|--------|--------------------|
| Infant Deaths (Race of Child) | | | | | | | | |
| Total | 433 | 3 | 17 | 3 | 0 | 3 | 7 | 1 |
| White | 266 | 3 | 15 | 3 | 0 | 3 | 6 | 1 |
| African American | 94 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 30 | 0 | 1 | 0 | 0 | 0 | 1 | 0 |
| *Hispanic | 41 | 0 | 1 | 2 | 0 | 0 | 1 | 0 |
| Neonatal Deaths (Race of Child) | | | | | | | | |
| Total | 275 | 3 | 11 | 3 | 0 | 3 | 5 | 0 |
| White | 175 | 3 | 9 | 3 | 0 | 3 | 5 | 0 |
| African American | 62 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 18 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 22 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| First Day Deaths (Race of Child) | | | | | | | | |
| Total | 138 | 1 | 5 | 1 | 0 | 0 | 1 | 0 |
| White | 80 | 1 | 3 | 1 | 0 | 0 | 1 | 0 |
| African American | 36 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 9 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 13 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 1-6 Day Deaths (Race of Child) | | | | | | | | |
| Total | 66 | 1 | 4 | 2 | 0 | 0 | 3 | 0 |
| White | 45 | 1 | 4 | 2 | 0 | 0 | 3 | 0 |
| African American | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 5 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 7-27 Day Deaths (Race of Child) | | | | | | | | |
| Total | 71 | 1 | 2 | 0 | 0 | 3 | 1 | 0 |
| White | 50 | 1 | 2 | 0 | 0 | 3 | 1 | 0 |
| African American | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *Hispanic | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Fetal Deaths (Race of Mother) | | | | | | | | |
| Total | 375 | 3 | 16 | 0 | 0 | 2 | 6 | 0 |
| White | 246 | 3 | 13 | 0 | 0 | 2 | 4 | 0 |
| African American | 62 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| American Indian | 17 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Asian/Pacific Islander | 22 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Other/Unknown | 28 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| *Hispanic | 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.