

Section C: Mortality

Tables

Table 1: Leading Causes of Death

Table 2: Years of Potential Life Lost

Table 3a: Unintentional Injuries, Suicides and Homicides

Table 3b: Falls, Motor Vehicle and Pedestrian Deaths

Table 4: Number of Cases of Cancer Deaths by Major Site & Sex

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

State of Minnesota - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	1	24	25	3	0	53
Alzheimer's Disease	0	0	0	0	13	51	1,234	1,298
Atherosclerosis	0	0	0	0	10	8	55	73
Cancer	13	13	19	272	2,236	2,131	4,381	9,065
Cirrhosis	0	0	1	37	159	62	64	323
Congenital Anomalies	114	7	11	12	33	3	9	189
Chronic Lower Respiratory Disease	0	1	2	7	165	356	1,239	1,770
Diabetes	0	2	2	35	206	230	678	1,153
Heart Disease	7	4	16	176	1,016	867	5,420	7,506
Homicide	10	2	44	45	22	1	3	127
Hypertension	0	0	1	6	40	72	345	464
Nephritis	2	0	1	5	60	71	555	694
Perinatal Conditions	163	0	1	0	1	0	0	165
Pneumonia and Influenza	5	0	1	6	38	44	535	629
Septicemia	2	0	1	13	51	36	159	262
SIDS	39	0	0	0	0	0	0	39
Stroke	4	0	7	32	201	230	1,741	2,215
Suicide	0	5	83	208	183	32	39	550
Unintentional Injury	37	34	219	368	415	119	722	1,914
Other	48	20	44	269	1,043	868	6,182	8,474
Total	444	88	454	1,515	5,917	5,184	23,361	36,963

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	2	3
Atherosclerosis	0	0	0	0	1	0	0	1
Cancer	0	0	0	0	8	19	22	49
Cirrhosis	0	0	0	1	0	1	0	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	8	10
Diabetes	0	0	0	0	1	3	3	7
Heart Disease	0	0	0	1	5	7	28	41
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	10	12
Suicide	0	0	0	3	1	0	2	6
Unintentional Injury	0	0	0	0	1	0	1	2
Other	0	0	0	2	4	6	33	45
Total	0	0	0	7	25	40	113	185

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Anoka County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	3	0	0	0	3
Alzheimer's Disease	0	0	0	0	0	2	25	27
Atherosclerosis	0	0	0	0	0	1	1	2
Cancer	0	1	1	18	134	115	147	416
Cirrhosis	0	0	0	3	9	5	4	21
Congenital Anomalies	7	0	1	2	1	0	1	12
Chronic Lower Respiratory Disease	0	0	0	1	6	13	42	62
Diabetes	0	0	0	4	11	11	21	47
Heart Disease	1	1	0	16	44	28	136	226
Homicide	1	1	2	2	1	0	0	7
Hypertension	0	0	0	0	4	8	9	21
Nephritis	0	0	0	0	0	6	19	25
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	2	0	0	1	0	2	6	11
Septicemia	0	0	0	1	1	4	6	12
SIDS	3	0	0	0	0	0	0	3
Stroke	0	0	1	3	10	8	42	64
Suicide	0	1	9	14	11	0	1	36
Unintentional Injury	0	2	12	17	22	5	31	89
Other	3	3	0	13	60	41	189	309
Total	23	9	26	98	314	249	680	1,399

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	10	11
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	1	1	11	16	32	61
Cirrhosis	0	0	0	1	1	1	0	3
Congenital Anomalies	2	0	1	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	3	4	9	16
Diabetes	0	0	0	0	2	0	11	13
Heart Disease	0	0	0	1	12	8	42	63
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	1	0	1	2	4	8
Septicemia	0	0	0	0	2	1	1	4
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	1	1	4	1	15	22
Suicide	0	0	0	3	1	0	0	4
Unintentional Injury	1	0	2	4	1	0	7	15
Other	1	0	0	3	10	6	57	77
Total	6	0	6	14	49	40	197	312

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Beltrami County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	28	28
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	26	12	37	75
Cirrhosis	0	0	0	0	3	0	0	3
Congenital Anomalies	2	0	0	1	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	3	6	11	20
Diabetes	0	0	0	0	1	3	6	10
Heart Disease	0	0	0	1	16	7	42	66
Homicide	0	0	2	0	0	0	0	2
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	2	4	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	4	5
Septicemia	0	0	0	0	0	0	1	1
SIDS	4	0	0	0	0	0	0	4
Stroke	0	0	0	0	1	3	18	22
Suicide	0	0	1	4	2	2	2	11
Unintentional Injury	2	0	5	10	5	1	3	26
Other	0	1	0	1	13	11	46	72
Total	8	1	8	18	71	48	204	358

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	2	9	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	17	16	43	77
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	6	10	16
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	1	5	9	54	69
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	1	0	0	1	2
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	0	1	6	7
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	3	26	29
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	0	1	3	1	0	4	9
Other	0	0	1	2	5	5	42	55
Total	4	0	3	8	30	44	205	294

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Big Stone County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	3	7	14
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	0	1
Diabetes	0	0	0	0	1	2	0	3
Heart Disease	0	0	0	0	0	1	16	17
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	6	6
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	2	3	0	2	8
Other	0	0	0	0	1	1	6	8
Total	0	0	1	2	9	9	44	65

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	21	21
Atherosclerosis	0	0	0	0	1	0	1	2
Cancer	0	1	0	6	8	28	46	89
Cirrhosis	0	0	0	0	2	1	0	3
Congenital Anomalies	1	0	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	3	4	19	26
Diabetes	0	0	0	0	2	4	12	18
Heart Disease	1	0	0	2	8	5	69	85
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	1	0	5	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	5	26	34
Suicide	0	0	0	5	2	0	0	7
Unintentional Injury	0	0	0	2	5	0	6	13
Other	2	0	0	1	11	6	98	118
Total	5	1	0	16	47	53	312	434

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Brown County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	10	15	33	59
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	14	15
Diabetes	0	0	0	0	1	1	7	9
Heart Disease	0	0	0	1	8	5	59	73
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	7	9
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	18	19
Suicide	0	0	0	3	0	0	0	3
Unintentional Injury	0	0	2	2	1	2	3	10
Other	0	0	0	1	4	3	61	69
Total	0	0	2	8	28	28	218	284

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	5	6
Atherosclerosis	0	0	0	0	1	0	3	4
Cancer	0	0	0	2	27	19	43	91
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	0	4	10	15
Diabetes	0	0	0	0	5	2	4	11
Heart Disease	0	0	0	2	10	10	68	90
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	2	2	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	6	18	26
Suicide	0	0	0	3	1	0	0	4
Unintentional Injury	0	0	2	5	3	0	4	14
Other	0	0	1	3	8	11	51	74
Total	0	0	3	16	60	56	216	351

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Carver County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	1	0	1
Alzheimer's Disease	0	0	0	0	0	1	4	5
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	3	27	26	38	94
Cirrhosis	0	0	0	0	1	1	3	5
Congenital Anomalies	1	0	0	0	2	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	2	2	17	21
Diabetes	0	0	0	2	4	3	11	20
Heart Disease	0	0	0	1	11	5	46	63
Homicide	0	0	0	1	1	0	0	2
Hypertension	0	0	0	0	0	4	3	7
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	2	4	17	24
Suicide	0	0	1	1	3	0	0	5
Unintentional Injury	3	0	3	2	5	2	5	20
Other	1	0	0	9	14	11	45	80
Total	9	0	4	20	72	60	204	369

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	2	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	20	28	37	87
Cirrhosis	0	0	0	1	2	0	0	3
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	3	5	9
Diabetes	0	0	0	0	1	2	4	7
Heart Disease	0	0	0	1	10	9	31	51
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	1	0	0	1	2
Nephritis	0	0	0	0	0	2	3	5
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	1	4	7	13
Suicide	0	0	3	1	1	0	0	5
Unintentional Injury	0	0	4	4	4	2	5	19
Other	0	0	0	1	2	7	44	54
Total	3	0	8	12	43	58	143	267

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Chippewa County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	6	16	25
Cirrhosis	0	0	0	0	0	1	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	7	9
Diabetes	0	0	0	0	0	1	0	1
Heart Disease	0	0	0	0	3	1	29	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	2	1	2	0	5	10
Other	0	1	0	2	2	0	30	35
Total	0	1	2	3	11	10	105	132

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	9	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	0	0	4	19	23	33	80
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	4	0	0	0	0	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	1	7	9	17
Diabetes	0	0	0	0	3	2	6	11
Heart Disease	0	0	0	2	7	11	44	64
Homicide	1	0	1	1	0	0	0	3
Hypertension	0	0	0	0	2	0	2	4
Nephritis	0	0	0	0	2	1	2	5
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	1	0	1	5	7
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	12	13
Suicide	0	0	0	0	3	1	0	4
Unintentional Injury	0	1	3	5	7	2	8	26
Other	1	0	2	1	9	5	33	51
Total	10	1	6	14	56	55	163	305

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Clay County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	13	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	2	0	0	1	20	19	50	92
Cirrhosis	0	0	0	0	1	2	1	4
Congenital Anomalies	2	1	0	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	2	1	12	15
Diabetes	0	0	0	0	0	3	4	7
Heart Disease	0	0	0	1	13	11	78	103
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	4	5
Nephritis	0	0	0	0	0	1	0	1
Perinatal Conditions	7	0	0	0	0	0	0	7
Pneumonia and Influenza	0	0	0	0	2	1	12	15
Septicemia	0	0	0	0	1	0	3	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	3	17	20
Suicide	0	0	2	3	0	0	0	5
Unintentional Injury	0	0	3	8	3	0	7	21
Other	1	0	2	4	7	11	64	89
Total	12	1	7	17	51	52	265	405

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	4	5	7	17
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	5	6
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	1	1	14	16
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	0	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	6	7
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	0	1	0	0	3	4
Other	0	0	0	0	4	2	10	16
Total	1	0	1	2	9	13	50	76

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Cook County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	1	3	6
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	2	5	4	11
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	2	2
Suicide	0	0	0	0	0	1	0	1
Unintentional Injury	0	0	0	0	0	0	0	0
Other	0	0	0	0	2	6	10	18
Total	0	0	0	0	6	14	26	46

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	9	8	14	32
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	4	5
Diabetes	0	0	0	0	2	1	3	6
Heart Disease	0	0	0	1	1	0	42	44
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	10	11
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	1	1	0	2	1	1	3	9
Other	0	0	0	1	1	2	30	34
Total	1	1	0	5	15	14	122	158

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Crow Wing County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	15	15
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	2	22	39	66	129
Cirrhosis	0	0	0	0	1	2	1	4
Congenital Anomalies	4	0	0	0	0	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	0	5	16	21
Diabetes	0	0	0	0	3	3	7	13
Heart Disease	0	0	0	0	11	10	94	115
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	2	3	2	7
Nephritis	0	0	0	0	1	1	5	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	7	8
Septicemia	0	0	0	2	0	2	4	8
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	3	2	28	33
Suicide	0	0	1	5	3	1	0	10
Unintentional Injury	0	0	4	4	9	0	16	33
Other	1	0	0	7	18	16	90	132
Total	6	0	5	20	73	85	352	541

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	2	2	0	0	4
Alzheimer's Disease	0	0	0	0	0	2	48	50
Atherosclerosis	0	0	0	0	1	0	1	2
Cancer	2	1	5	26	154	117	222	527
Cirrhosis	0	0	0	4	9	2	7	22
Congenital Anomalies	9	0	2	3	2	0	0	16
Chronic Lower Respiratory Disease	0	0	0	1	9	20	66	96
Diabetes	0	0	1	3	16	16	34	70
Heart Disease	1	1	0	13	49	46	222	332
Homicide	0	0	1	2	1	0	0	4
Hypertension	0	0	0	0	2	7	25	34
Nephritis	0	0	0	0	5	0	29	34
Perinatal Conditions	8	0	1	0	0	0	0	9
Pneumonia and Influenza	0	0	0	1	1	1	15	18
Septicemia	1	0	0	0	5	1	10	17
SIDS	3	0	0	0	0	0	0	3
Stroke	0	0	0	4	18	11	95	128
Suicide	0	0	5	10	12	0	3	30
Unintentional Injury	2	2	5	12	18	7	36	82
Other	3	1	4	10	80	59	274	431
Total	29	5	24	91	384	289	1,087	1,909

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Dodge County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	4	8	14	27
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	4	5
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	4	3	3	23	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	6	6
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	3	2	2	0	4	11
Other	0	0	0	1	1	4	17	23
Total	0	0	3	9	12	18	80	122

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	12	12
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	1	15	19	31	67
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	5	12	18
Diabetes	0	0	0	0	1	0	8	9
Heart Disease	0	0	1	2	4	9	71	87
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	11	11
Septicemia	0	0	0	0	0	1	2	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	2	21	23
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	4	2	1	1	6	14
Other	0	0	1	2	5	7	48	63
Total	2	0	7	8	28	45	229	319

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Faribault County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	5	6
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	0	10	10	19	39
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	13	15
Diabetes	0	0	0	0	1	1	5	7
Heart Disease	0	0	1	0	6	6	44	57
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	8	9
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	1	0	2	18	21
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	1	3	0	0	5
Other	0	0	0	0	0	6	23	29
Total	2	0	2	2	24	28	144	202

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	14	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	2	8	13	39	63
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	10	11
Diabetes	0	0	0	2	1	1	8	12
Heart Disease	0	0	0	1	1	3	47	52
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	7	7
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	13	13
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	0	2	0	2	0	13	17
Other	1	0	0	3	1	3	38	46
Total	1	0	3	9	16	22	196	247

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Freeborn County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	10
Atherosclerosis	0	0	0	0	0	0	2	1
Cancer	0	0	0	3	16	23	44	86
Cirrhosis	0	0	0	0	0	0	2	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	6	14	21
Diabetes	0	0	0	0	3	2	8	13
Heart Disease	0	0	0	0	7	9	60	76
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	1	0	0	0	1	2
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	6	7
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	20	20
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	2	2	1	1	3	9
Other	1	0	0	1	9	5	65	81
Total	3	0	3	6	39	49	241	341

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	14	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	22	21	55	99
Cirrhosis	0	0	0	1	0	0	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	2	8	12
Diabetes	0	0	0	1	2	3	7	13
Heart Disease	0	0	2	2	7	9	61	81
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	6	6
Nephritis	0	0	0	0	1	2	2	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	9	9
Septicemia	0	0	0	1	0	1	1	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	6	15	23
Suicide	0	0	1	3	3	0	1	8
Unintentional Injury	1	1	2	3	10	4	7	28
Other	0	0	0	2	10	6	58	76
Total	2	1	6	14	59	54	245	381

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Grant County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	1	2	3
Cancer	0	0	0	0	3	7	13	23
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	2	2	4	12	20
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	0	3	0	0	0	3
Other	0	0	0	0	1	0	17	18
Total	0	0	1	5	7	12	62	87

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	1	11	11	0	0	23
Alzheimer's Disease	0	0	0	0	1	11	233	245
Atherosclerosis	0	0	0	0	1	1	6	8
Cancer	2	4	5	57	483	398	909	1,858
Cirrhosis	0	0	1	5	33	8	11	58
Congenital Anomalies	20	0	3	1	4	0	2	30
Chronic Lower Respiratory Disease	0	0	1	3	32	61	240	337
Diabetes	0	0	0	8	65	48	105	226
Heart Disease	2	1	6	42	204	123	815	1,193
Homicide	3	0	28	22	5	1	0	59
Hypertension	0	0	1	3	17	25	79	125
Nephritis	0	0	0	4	15	16	114	149
Perinatal Conditions	37	0	0	0	0	0	0	37
Pneumonia and Influenza	2	0	0	0	13	5	93	113
Septicemia	0	0	1	4	14	4	36	59
SIDS	4	0	0	0	0	0	0	4
Stroke	2	0	1	6	49	53	308	419
Suicide	0	1	9	58	33	9	12	122
Unintentional Injury	10	4	23	65	80	18	202	402
Other	15	2	10	67	274	170	1,439	1,977
Total	97	12	90	356	1,334	951	4,604	7,444

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Houston County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	1	14	10	15	41
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	5	6
Diabetes	0	0	0	0	1	1	1	4
Heart Disease	0	0	0	1	5	5	30	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	2	3
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	10	10
Septicemia	0	0	0	1	0	1	0	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	14	17
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	0	0	2	1	5	8
Other	0	0	0	1	2	2	35	40
Total	1	1	0	5	27	25	127	186

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	9	11	30	51
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	3	2	5	10
Diabetes	0	0	0	0	1	1	3	5
Heart Disease	0	0	0	0	6	8	27	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	9	12
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	1	2	2	6
Other	0	0	0	2	0	3	23	28
Total	0	0	1	3	23	29	112	168

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Isanti County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	13	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	10	10	22	42
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	8	5	15
Diabetes	0	0	0	0	1	0	4	5
Heart Disease	0	0	0	2	14	5	47	68
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	2	1	6	9
Perinatal Conditions	5	0	0	0	0	0	0	5
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	2	1	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	0	11	12
Suicide	0	0	1	2	1	0	0	4
Unintentional Injury	0	0	5	4	2	0	5	16
Other	0	0	0	1	3	6	42	52
Total	7	0	6	9	36	33	161	252

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	27	27
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	23	25	69	119
Cirrhosis	0	0	0	1	4	1	0	6
Congenital Anomalies	3	0	0	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	2	6	17	25
Diabetes	0	0	0	0	2	1	7	10
Heart Disease	0	0	0	2	21	8	83	114
Homicide	0	0	1	1	0	0	0	2
Hypertension	0	0	0	1	0	0	4	5
Nephritis	0	0	0	0	0	2	7	9
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	12	13
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	2	29	33
Suicide	0	0	0	1	0	1	0	2
Unintentional Injury	0	0	1	5	8	1	11	26
Other	1	0	2	2	7	5	59	76
Total	4	0	4	15	71	52	325	471

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Jackson County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	6	10	21
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	3	3
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	1	1	29	31
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	1	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	0	0	4	4
Other	1	0	0	0	1	2	14	18
Total	1	0	0	0	9	9	70	89

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	9	5	14	29
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	7	9
Diabetes	0	0	0	0	1	0	1	2
Heart Disease	0	0	0	0	3	3	18	24
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	4	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	2	2	0	1	5
Other	0	0	0	0	5	3	18	26
Total	0	0	0	3	22	15	73	113

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Kandiyohi County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	7
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	2	18	18	32	70
Cirrhosis	0	0	0	0	2	2	0	4
Congenital Anomalies	1	0	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	4	1	14	19
Diabetes	0	0	0	0	3	0	4	7
Heart Disease	0	0	0	0	10	7	54	71
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	2	10	12
Septicemia	0	0	0	0	0	1	3	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	2	0	36	39
Suicide	0	0	1	1	3	1	0	6
Unintentional Injury	1	0	4	6	5	2	13	31
Other	0	0	0	1	8	8	53	70
Total	3	0	5	11	57	42	234	352

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	2	7	13
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	1	1	4	18	24
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	1	0	0	0	0	1	2
Other	0	0	0	0	0	2	15	17
Total	0	1	0	2	5	8	54	70

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Koochiching County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	10	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	8	12	23	43
Cirrhosis	0	0	0	1	2	0	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	5	7
Diabetes	0	0	0	0	1	0	1	2
Heart Disease	0	0	0	0	5	12	17	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	1	4	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	2	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	9	9
Suicide	0	0	0	0	0	1	0	1
Unintentional Injury	0	0	1	1	3	1	3	9
Other	0	0	0	2	4	4	18	28
Total	0	0	1	4	26	34	92	157

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	1	1	2	20	24
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	0	0	2	3	25	30
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	0	3	3
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	2	0	3	6
Other	0	0	0	0	1	0	14	15
Total	3	0	1	1	6	7	76	94

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Lake County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	18
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	8	12	24
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	3	7	11
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	0	5	2	19	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	9	11
Suicide	0	0	0	0	4	0	0	4
Unintentional Injury	0	0	3	0	2	2	2	9
Other	0	0	1	1	6	2	36	46
Total	2	0	4	1	24	20	109	160

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	2	8	15
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	0
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	2	3	11	16
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	1	1
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	1	0	1	2
Other	0	0	0	0	0	1	5	6
Total	0	0	0	0	9	6	29	44

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Le Sueur County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	3	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	11	13	26	51
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	0	8	8
Heart Disease	0	0	0	0	5	6	27	38
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	1	2
Nephritis	0	0	0	0	0	2	3	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	10	13
Suicide	0	0	1	2	1	0	1	5
Unintentional Injury	0	0	0	2	1	1	6	10
Other	0	0	0	1	3	5	29	38
Total	2	0	1	6	24	30	122	185

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	0	4	11	16
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	1	1	3	5
Heart Disease	0	0	0	0	2	4	14	20
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	7	8
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	4	4
Other	0	0	0	0	1	0	8	9
Total	0	0	0	1	4	11	58	74

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Lyon County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	8	30	47
Cirrhosis	0	0	0	0	0	0	2	2
Congenital Anomalies	2	0	0	0	0	0	1	3
Chronic Lower Respiratory Disease	0	0	0	0	0	1	11	12
Diabetes	0	0	0	0	0	2	4	6
Heart Disease	0	0	1	1	4	6	32	44
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	0	4	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	10	11
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	1	9	1	1	0	3	15
Other	2	0	0	2	4	4	32	44
Total	5	1	10	4	22	21	140	203

Source: Minnesota Department of Health, Center for Health Statistics

McLeod County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	20	12	32	65
Cirrhosis	0	0	0	0	0	2	1	3
Congenital Anomalies	0	1	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	3	9	14
Diabetes	0	0	0	1	2	1	8	12
Heart Disease	0	0	0	0	8	8	54	70
Homicide	0	0	0	0	0	0	1	1
Hypertension	0	0	0	0	0	1	5	6
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	3	0	15	19
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	2	7	5	3	10	27
Other	1	2	0	1	4	5	46	59
Total	1	3	2	11	46	35	203	301

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Mahnomen County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	2	0	4
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	1	2	5
Diabetes	0	0	0	0	0	2	4	6
Heart Disease	0	0	0	0	2	2	12	16
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	1	0	1	0	2	4
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	1	1	1	2	0	0	5
Other	0	0	0	0	1	3	4	8
Total	0	1	3	1	11	8	33	57

Source: Minnesota Department of Health, Center for Health Statistics

Marshall County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	0	5	4	11	20
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	5	6
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	3	9	14	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	6	7
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	1	0	0	1	2
Other	0	0	0	0	2	2	13	17
Total	0	0	0	1	13	17	59	90

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Martin County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	11	12
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	8	14	36	59
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	5	8	14
Diabetes	0	0	0	0	2	3	2	7
Heart Disease	0	0	0	1	4	8	63	76
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	8	9
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	1	3	2	1	3	10
Other	0	0	0	1	8	3	26	38
Total	1	0	1	7	27	37	165	238

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	15	13	19	49
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	4	1	10	15
Diabetes	0	0	0	0	0	0	5	5
Heart Disease	0	0	0	0	5	5	45	55
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	3	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	24	26
Suicide	0	0	3	2	3	0	0	8
Unintentional Injury	0	0	0	2	0	1	5	8
Other	1	0	0	2	2	2	35	42
Total	1	0	3	8	33	24	157	226

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Mille Lacs County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	16	12	26	54
Cirrhosis	0	0	0	0	2	1	0	3
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	3	7	11
Diabetes	0	0	0	0	0	3	9	12
Heart Disease	0	0	0	0	4	7	39	50
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	3	1	13	18
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	1	3	5	3	0	7	19
Other	0	0	0	3	6	9	55	73
Total	4	1	4	9	36	37	169	260

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	13	14
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	1	0	0	9	21	34	65
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	9	16	26
Diabetes	0	0	0	1	0	1	9	11
Heart Disease	0	0	0	3	8	4	50	65
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	1	3	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	1	0	0	0	1	1	2	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	1	0	0	0	17	18
Suicide	0	0	2	5	0	0	0	7
Unintentional Injury	1	0	4	3	2	0	4	14
Other	0	1	0	1	5	4	31	42
Total	2	2	7	14	28	42	186	281

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Mower County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	6
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	2	15	16	50	83
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	1	1	0	3
Chronic Lower Respiratory Disease	0	0	0	0	1	3	13	17
Diabetes	0	0	0	0	1	3	6	10
Heart Disease	0	0	0	2	7	12	64	85
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	7	9
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	8	8
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	1	14	18
Suicide	0	0	0	4	0	0	0	4
Unintentional Injury	0	0	1	1	0	2	15	19
Other	0	0	0	1	8	10	86	105
Total	3	0	1	10	37	52	274	377

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	3	13	22
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	1	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	2	1	21	24
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	2	3
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	3	0	1	0	0	4
Other	0	0	0	0	2	2	23	27
Total	1	0	4	0	12	8	67	92

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Nicollet County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	12	15	25	54
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	6	4	10
Diabetes	0	0	0	0	1	1	3	5
Heart Disease	0	0	0	1	10	2	29	42
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	0	10	11
Suicide	0	0	0	2	3	0	0	5
Unintentional Injury	0	0	3	2	3	0	3	11
Other	0	0	0	3	3	3	39	48
Total	2	0	3	10	33	28	130	206

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	5	13	21	40
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	4	7	11
Diabetes	0	0	0	0	0	2	2	4
Heart Disease	0	0	1	0	1	6	40	48
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	1	6	7
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	10	11
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	2	0	2	3	1	4	12
Other	0	0	0	0	3	5	33	41
Total	2	2	2	3	13	32	132	186

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Norman County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	3	16	28
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	1	2
Diabetes	0	0	0	0	0	2	1	3
Heart Disease	0	0	0	1	1	3	16	21
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	5	7
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	2	0	1	0	2	5
Other	0	0	0	0	4	4	20	28
Total	0	0	2	1	17	14	75	109

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	2	1	0	0	3
Alzheimer's Disease	0	0	0	0	0	1	19	20
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	0	0	9	52	47	88	197
Cirrhosis	0	0	0	0	4	2	2	8
Congenital Anomalies	2	0	0	0	0	1	0	3
Chronic Lower Respiratory Disease	0	0	0	0	3	10	30	43
Diabetes	0	1	0	0	2	2	7	12
Heart Disease	0	0	0	2	29	18	129	178
Homicide	0	0	0	1	1	0	0	2
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	0	0	0	0	0	1	9	10
Septicemia	0	0	0	0	1	0	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	1	0	0	0	2	3	38	44
Suicide	0	1	2	3	5	2	0	13
Unintentional Injury	0	2	6	14	12	1	19	54
Other	2	0	3	9	26	16	172	228
Total	12	4	11	40	138	104	525	834

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Otter Tail County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	2	32	34
Atherosclerosis	0	0	0	0	0	0	5	5
Cancer	0	0	0	2	33	42	58	135
Cirrhosis	0	0	0	1	2	0	0	3
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	3	5	23	31
Diabetes	0	0	0	0	0	3	12	15
Heart Disease	0	0	0	1	17	19	119	156
Homicide	1	0	0	0	1	0	0	2
Hypertension	0	0	0	0	0	0	6	6
Nephritis	0	0	0	0	0	1	9	10
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	14	15
Septicemia	0	0	0	0	1	1	2	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	3	32	37
Suicide	0	0	2	1	4	1	3	11
Unintentional Injury	0	2	2	1	5	2	9	21
Other	0	0	1	1	16	13	77	108
Total	1	2	5	8	85	93	401	595

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	2	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	5	20	31
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	0	2	2	4
Heart Disease	0	0	0	0	2	5	24	31
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	7	10
Suicide	0	0	0	2	2	0	0	4
Unintentional Injury	0	0	2	0	0	0	1	3
Other	0	0	0	1	2	2	29	34
Total	0	0	2	3	15	16	96	132

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Pine County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	3	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	8	23	24	34	90
Cirrhosis	0	0	0	1	1	1	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	8	7	16
Diabetes	0	0	0	1	0	1	8	10
Heart Disease	0	0	0	2	12	9	33	56
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	0	2	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	2	10	15
Suicide	0	0	1	0	3	0	2	6
Unintentional Injury	0	0	2	3	6	1	2	14
Other	0	1	0	1	2	7	31	42
Total	1	1	4	16	52	54	136	264

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	9	8	14	32
Cirrhosis	0	0	0	0	0	1	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	0	1	3	4
Heart Disease	0	0	0	1	2	1	10	14
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	1	6	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	9	9
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	1	1	2	1	6	11
Other	1	0	0	1	3	3	34	42
Total	1	0	1	4	16	16	98	136

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

ICD-10 Codes on Page C-45

Polk County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	24	24
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	11	17	33	61
Cirrhosis	0	0	0	1	0	0	1	2
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	3	4	8	15
Diabetes	0	0	0	0	4	3	9	16
Heart Disease	0	0	0	0	7	4	68	79
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	7	9
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	3	4
Septicemia	0	0	0	0	0	0	2	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	2	19	22
Suicide	0	1	0	2	0	0	3	6
Unintentional Injury	0	0	3	6	4	1	6	20
Other	0	0	1	3	7	8	54	73
Total	4	1	4	12	38	41	245	345

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	12	13
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	2	0	11	11	16	40
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	0	6	8
Diabetes	0	0	0	0	1	2	3	6
Heart Disease	0	0	0	0	4	6	23	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	2	0	2	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	1	0	1	4	7
Other	0	0	0	0	4	1	18	23
Total	0	0	3	1	25	23	98	150

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Ramsey County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	3	3	2	0	8
Alzheimer's Disease	0	0	0	0	1	4	136	141
Atherosclerosis	0	0	0	0	3	1	5	9
Cancer	0	2	0	39	234	172	466	913
Cirrhosis	0	0	0	3	22	6	9	40
Congenital Anomalies	12	2	0	0	5	1	1	21
Chronic Lower Respiratory Disease	0	1	0	0	23	26	117	167
Diabetes	0	0	0	2	17	20	49	88
Heart Disease	0	0	1	22	119	68	439	649
Homicide	1	0	4	6	5	0	0	16
Hypertension	0	0	0	1	2	4	32	39
Nephritis	0	0	0	0	14	10	66	90
Perinatal Conditions	25	0	0	0	1	0	0	26
Pneumonia and Influenza	0	0	0	2	4	8	56	70
Septicemia	0	0	0	2	6	4	25	37
SIDS	13	0	0	0	0	0	0	13
Stroke	1	0	1	5	24	35	165	231
Suicide	0	1	5	17	24	1	0	48
Unintentional Injury	5	2	17	30	40	7	50	151
Other	6	3	2	39	106	92	731	979
Total	63	11	30	171	653	461	2,347	3,736

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	0	6	8
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	0	1	1	3
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	3	2	7	12
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	0	6	7
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	1	0	2	1	0	1	5
Other	0	0	0	0	1	2	10	13
Total	0	1	0	5	7	5	37	55

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Redwood County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	7	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	7	26	42
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	8	11
Diabetes	0	0	0	0	2	4	7	13
Heart Disease	0	0	0	1	6	5	39	51
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	17	18
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	1	3	0	0	0	4
Other	0	0	0	1	4	3	29	37
Total	0	0	1	7	24	23	143	198

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	9	27	41
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	1	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	4	6
Diabetes	0	0	0	0	0	3	11	14
Heart Disease	0	0	0	1	1	6	32	40
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	9	12
Suicide	0	0	1	3	1	0	0	5
Unintentional Injury	0	0	0	0	2	2	3	7
Other	0	0	0	0	3	4	51	58
Total	0	1	1	5	15	27	151	200

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Rice County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	14	15
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	1	0	0	3	24	34	41	103
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	2	0	0	0	1	0	0	3
Chronic Lower Respiratory Disease	0	0	1	0	1	1	15	18
Diabetes	0	0	0	1	0	3	11	15
Heart Disease	0	0	0	0	7	11	70	88
Homicide	0	0	0	0	0	0	1	1
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	2	1	5	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	4	6
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	17	19
Suicide	0	0	1	1	2	1	0	5
Unintentional Injury	0	1	2	7	5	2	5	22
Other	0	0	1	4	7	8	77	97
Total	3	1	5	16	50	66	268	409

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	5	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	1	18	24
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	8	10
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	1	4	21	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	0	6	7
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	1	2	0	0	2	5
Other	0	0	0	0	4	2	15	21
Total	0	0	2	3	13	9	86	113

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Roseau County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	8	4	14	29
Cirrhosis	0	0	0	0	1	2	0	3
Congenital Anomalies	1	0	0	1	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	0	5	6
Diabetes	0	0	0	0	2	0	4	6
Heart Disease	0	0	0	2	5	1	26	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	7	8
Suicide	0	0	0	0	1	0	1	2
Unintentional Injury	0	0	0	0	2	0	2	4
Other	0	0	0	1	2	6	20	29
Total	1	0	0	7	23	14	87	132

Source: Minnesota Department of Health, Center for Health Statistics

St. Louis County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	2	2	89	93
Atherosclerosis	0	0	0	0	1	0	4	5
Cancer	0	0	0	7	113	110	271	501
Cirrhosis	0	0	0	6	19	4	3	32
Congenital Anomalies	7	0	1	0	1	0	1	10
Chronic Lower Respiratory Disease	0	0	0	0	8	15	74	97
Diabetes	0	0	0	3	11	15	46	75
Heart Disease	1	0	0	8	50	62	389	510
Homicide	0	0	0	2	1	0	0	3
Hypertension	0	0	0	0	1	1	21	23
Nephritis	0	0	0	0	2	6	38	46
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	0	0	0	0	0	2	32	34
Septicemia	0	0	0	1	3	2	8	14
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	1	1	15	12	80	109
Suicide	0	0	7	9	10	2	2	30
Unintentional Injury	2	4	8	21	28	8	32	103
Other	0	1	1	19	58	55	283	417
Total	17	5	18	78	323	296	1,373	2,110

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Scott County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	14	15
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	3	0	0	13	51	43	38	148
Cirrhosis	0	0	0	0	2	0	2	4
Congenital Anomalies	3	0	1	0	1	0	0	5
Chronic Lower Respiratory Disease	0	0	0	0	0	6	14	20
Diabetes	0	0	1	1	2	2	14	20
Heart Disease	1	0	0	4	17	10	50	82
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	1	3	5
Nephritis	0	0	0	0	2	2	7	11
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	2	1	1	21	25
Suicide	0	0	3	4	3	1	1	12
Unintentional Injury	2	0	5	8	10	1	6	32
Other	0	0	0	6	19	9	59	93
Total	13	0	10	38	111	77	235	484

Source: Minnesota Department of Health, Center for Health Statistics

Sherburne County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	13	14
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	0	0	6	27	24	32	89
Cirrhosis	0	0	0	0	2	1	1	4
Congenital Anomalies	3	0	0	0	1	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	1	3	15	19
Diabetes	0	0	0	0	1	0	6	7
Heart Disease	0	0	0	0	14	11	56	81
Homicide	0	0	0	1	0	0	1	2
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	0	0	0	0	1	1	0	2
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	1	2	0	18	21
Suicide	0	0	2	5	2	0	0	9
Unintentional Injury	1	0	6	6	7	1	4	25
Other	1	2	2	7	10	12	66	100
Total	8	2	10	26	68	56	228	398

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Sibley County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	7
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	0	8	7	16	31
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	6	7
Diabetes	0	1	0	0	1	1	3	6
Heart Disease	0	0	0	1	3	3	30	37
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	9	10
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	1	0	2	0	0	2	5
Other	0	0	0	0	5	1	22	28
Total	0	2	0	3	19	15	101	140

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	2	0	0	2
Alzheimer's Disease	0	0	0	0	0	0	26	26
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	7	44	59	101	211
Cirrhosis	0	0	0	1	2	1	2	6
Congenital Anomalies	3	1	0	0	0	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	2	6	28	36
Diabetes	0	0	0	2	3	5	15	25
Heart Disease	0	1	1	6	19	27	123	177
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	2	0	2	4
Nephritis	0	0	0	0	1	0	13	14
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	0	0	0	1	1	1	10	13
Septicemia	0	0	0	0	1	0	3	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	4	25	32
Suicide	0	0	2	6	3	2	1	14
Unintentional Injury	1	1	8	10	14	2	12	48
Other	1	1	0	5	14	19	100	140
Total	11	4	12	38	111	126	462	764

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Steele County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	17	12	32	62
Cirrhosis	0	0	0	0	1	0	2	3
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	6	7
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	1	8	7	51	67
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	5	7
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	16	20
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	6	3	1	1	4	15
Other	0	0	0	0	4	9	29	42
Total	0	0	6	5	35	34	160	240

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	4	15	22
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	2	2
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	1	1	0	10	12
Homicide	2	0	0	0	0	0	0	2
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	4	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	7	8
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	1	0	2	0	4	7
Other	0	0	0	0	2	1	18	21
Total	2	0	1	3	10	7	68	91

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Swift County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	3	6	12	23
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	2	2
Diabetes	0	0	0	0	1	2	7	10
Heart Disease	0	0	0	1	2	1	29	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	7	8
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	0	1	0	0	0	0	1
Other	0	0	1	0	2	2	18	23
Total	0	0	3	3	10	11	82	109

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	0	0	1	18	15	24	59
Cirrhosis	0	0	0	0	3	0	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	3	3	8	14
Diabetes	0	0	0	0	1	3	6	10
Heart Disease	0	0	0	1	3	7	34	45
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	2	1	3
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	2	6	8
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	6	7
Suicide	0	0	0	0	1	2	0	3
Unintentional Injury	0	1	2	4	3	2	3	15
Other	0	0	1	1	5	7	32	46
Total	1	1	3	7	38	44	132	226

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Traverse County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	1	1	8
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	0	0	1	2	13	16
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	2	4
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	1	0	1
Other	0	0	0	0	1	0	6	7
Total	0	0	0	0	4	7	43	54

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	10	24	18	53
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	2	4	8
Diabetes	0	0	0	0	2	0	5	7
Heart Disease	0	0	1	1	3	8	33	46
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	2	4
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	13	14
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	0	0	0	4	1	3	8
Other	0	0	1	0	5	4	21	31
Total	1	0	3	2	28	42	110	186

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Wadena County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	8	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	1	4	7	22	35
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	8	10
Diabetes	0	0	0	1	0	0	4	5
Heart Disease	0	0	0	0	9	4	38	51
Homicide	0	0	0	0	2	0	0	2
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	8	8
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	4	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	1	1	3	13	18
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	0	1	1	0	3	5
Other	0	0	0	0	8	4	32	44
Total	4	1	1	5	27	21	140	199

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	8	6	13	27
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	1	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	4	2	8
Diabetes	0	0	0	0	0	1	7	8
Heart Disease	0	0	0	1	5	2	26	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	11	12
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	2	2	1	3	9
Other	0	0	0	0	9	2	31	42
Total	1	0	2	4	26	17	106	156

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Washington County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	3	33	37
Atherosclerosis	0	0	0	0	1	0	0	1
Cancer	0	0	1	7	79	86	108	281
Cirrhosis	0	0	0	0	4	5	1	10
Congenital Anomalies	2	1	0	0	3	0	0	6
Chronic Lower Respiratory Disease	0	0	0	0	13	11	36	60
Diabetes	0	0	0	2	5	8	23	38
Heart Disease	0	0	1	5	35	37	123	201
Homicide	0	0	0	2	0	0	0	2
Hypertension	0	0	0	0	1	2	15	18
Nephritis	1	0	0	0	2	0	15	18
Perinatal Conditions	10	0	0	0	0	0	0	10
Pneumonia and Influenza	0	0	0	0	3	1	9	13
Septicemia	0	0	0	1	3	1	5	10
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	8	11	38	57
Suicide	0	0	3	8	3	3	1	18
Unintentional Injury	1	2	4	13	13	7	14	54
Other	0	0	2	5	36	41	145	229
Total	14	3	11	43	210	216	566	1,063

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	11	19	36
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	2	0	0	0	1	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	0	1	7	8
Diabetes	0	0	0	0	0	0	5	5
Heart Disease	0	0	0	1	3	6	19	29
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	1	2
Nephritis	0	0	0	0	1	0	4	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	6	6
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	0	4	5
Other	0	0	0	0	2	3	24	29
Total	2	0	0	1	15	21	94	133

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Wilkin County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	1	2	14	18
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	0	0	2
Heart Disease	0	0	0	0	2	0	16	18
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	4	6
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	0	3	0	3
Other	0	0	0	0	0	0	12	12
Total	0	0	0	1	5	9	51	66

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	17
Atherosclerosis	0	0	0	0	0	2	0	2
Cancer	0	0	0	3	28	16	43	90
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	3	0	0	1	0	0	1	5
Chronic Lower Respiratory Disease	0	0	0	0	0	4	17	21
Diabetes	0	0	0	0	3	1	1	5
Heart Disease	0	0	0	0	14	17	84	115
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	1	2	3
Nephritis	1	0	0	0	0	0	5	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	4	9	15
Suicide	0	0	2	0	6	0	1	9
Unintentional Injury	2	0	4	5	2	5	7	25
Other	0	0	0	0	6	10	93	109
Total	7	0	7	10	61	60	284	429

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Wright County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	2	0	0	2
Alzheimer's Disease	0	0	0	0	1	1	23	25
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	5	35	35	74	149
Cirrhosis	0	0	0	1	3	2	0	6
Congenital Anomalies	2	0	0	1	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	2	9	21	32
Diabetes	0	0	0	0	5	5	7	17
Heart Disease	0	0	0	1	21	14	82	118
Homicide	0	1	1	1	1	0	0	4
Hypertension	0	0	0	0	2	1	4	7
Nephritis	0	0	0	0	0	3	17	20
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	1	0	0	0	1	0	11	13
Septicemia	0	0	0	0	1	1	1	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	4	25	31
Suicide	0	0	2	4	3	0	0	9
Unintentional Injury	1	0	2	13	6	2	7	31
Other	1	1	2	2	17	11	93	127
Total	8	2	7	28	102	88	367	602

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	0	10	6	24	41
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	4	4
Diabetes	0	0	0	0	0	1	0	1
Heart Disease	0	0	0	0	0	1	24	25
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	3	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	11	12
Suicide	0	0	1	1	1	0	0	3
Unintentional Injury	0	0	2	0	0	2	2	6
Other	0	0	2	1	3	2	20	28
Total	0	1	5	2	15	13	101	137

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

ICD-10 Codes on Page C-45

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

**Mortality Table 1: Minnesota YPLL to Age 65 and 75
by State and County, 2006**

State of Minnesota - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	1,010.0	1,551.5
Alzheimer's Disease	115.0	532.0
Atherosclerosis	50.0	199.0
Cancer	28,572.5	67,099.5
Cirrhosis	2,565.0	4,974.5
Congenital Anomalies	8,680.0	10,555.0
Chronic Lower Respiratory Disease	1,515.0	5,310.5
Diabetes	2,955.0	6,792.5
Heart Disease	15,287.5	32,855.5
Homicide	4,360.0	5,657.0
Hypertension	455.0	1,344.5
Nephritis	825.0	1,929.5
Perinatal Conditions	10,247.5	11,980.0
Pneumonia and Influenza	847.5	1,614.5
Septicemia	880.0	1,781.5
SIDS	2,437.5	2,847.0
Stroke	3,120.0	6,947.0
Suicide	12,225.0	17,430.5
Unintentional Injury	29,532.5	41,453.5
Other	23,010.0	42,736.0
Total	148,690.0	265,591.0

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	5.0	15.5
Cancer	50.0	238.5
Cirrhosis	25.0	41.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	15.0	42.0
Heart Disease	70.0	171.5
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	110.0	152.0
Unintentional Injury	15.0	25.5
Other	70.0	166.0
Total	400.0	956.0

Source: Minnesota Department of Health, Center for Health Statistics

Anoka County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	85.0	116.5
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	5.5
Cancer	1,710.0	3,959.5
Cirrhosis	150.0	303.5
Congenital Anomalies	547.5	663.0
Chronic Lower Respiratory Disease	65.0	210.0
Diabetes	225.0	443.0
Heart Disease	917.5	1,722.5
Homicide	282.5	356.0
Hypertension	40.0	126.0
Nephritis	0.0	33.0
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	150.0	192.5
Septicemia	30.0	73.0
SIDS	187.5	219.0
Stroke	230.0	421.0
Suicide	995.0	1,362.5
Unintentional Injury	1,405.0	1,989.0
Other	1,217.5	2,272.5
Total	8,612.5	14,917.0

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	185.0	409.5
Cirrhosis	30.0	56.5
Congenital Anomalies	170.0	201.5
Chronic Lower Respiratory Disease	25.0	78.5
Diabetes	20.0	41.0
Heart Disease	135.0	315.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	50.0	82.0
Septicemia	10.0	36.5
SIDS	62.5	73.0
Stroke	110.0	178.5
Suicide	100.0	142.0
Unintentional Injury	287.5	371.5
Other	247.5	427.5
Total	1,510.0	2,517.5

Source: Minnesota Department of Health, Center for Health Statistics

Beltrami County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	210.0	549.0
Cirrhosis	35.0	66.5
Congenital Anomalies	160.0	191.5
Chronic Lower Respiratory Disease	15.0	79.5
Diabetes	5.0	32.0
Heart Disease	195.0	412.0
Homicide	90.0	111.0
Hypertension	0.0	5.5
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	250.0	292.0
Stroke	15.0	42.0
Suicide	185.0	269.5
Unintentional Injury	695.0	931.5
Other	195.0	413.0
Total	2,080.0	3,457.0

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	170.0	447.0
Cirrhosis	5.0	15.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	33.0
Diabetes	0.0	5.5
Heart Disease	70.0	182.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	25.0	35.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	16.5
Suicide	60.0	81.0
Unintentional Injury	135.0	187.5
Other	140.0	251.5
Total	855.0	1,569.5

Source: Minnesota Department of Health, Center for Health Statistics

Big Stone County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	88.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	26.5
Heart Disease	0.0	5.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	130.0	193.0
Other	5.0	21.0
Total	170.0	345.5

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	5.0	15.5
Cancer	295.0	606.5
Cirrhosis	20.0	46.5
Congenital Anomalies	67.5	88.5
Chronic Lower Respiratory Disease	25.0	78.5
Diabetes	10.0	53.0
Heart Disease	192.5	335.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	74.0
Suicide	185.0	258.5
Unintentional Injury	115.0	188.5
Other	245.0	425.0
Total	1,242.5	2,258.5

Source: Minnesota Department of Health, Center for Health Statistics

Brown County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	135.0	333.0
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	21.0
Heart Disease	115.0	237.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	95.0	126.5
Unintentional Injury	155.0	218.5
Other	65.0	134.0
Total	600.0	1,153.0

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	5.0	15.5
Cancer	245.0	654.0
Cirrhosis	10.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	25.0	57.5
Diabetes	45.0	108.5
Heart Disease	120.0	301.0
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	74.0
Suicide	100.0	142.0
Unintentional Injury	260.0	365.0
Other	210.0	396.5
Total	1,055.0	2,192.5

Source: Minnesota Department of Health, Center for Health Statistics

Carver County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	5.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	290.0	748.0
Cirrhosis	15.0	31.0
Congenital Anomalies	72.5	104.0
Chronic Lower Respiratory Disease	20.0	52.0
Diabetes	100.0	179.5
Heart Disease	160.0	313.5
Homicide	40.0	61.0
Hypertension	0.0	22.0
Nephritis	0.0	0.0
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	45.0	98.5
Suicide	125.0	177.5
Unintentional Injury	447.5	595.0
Other	457.5	770.0
Total	2,022.5	3,455.0

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	180.0	565.0
Cirrhosis	55.0	86.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	15.0	42.0
Diabetes	5.0	26.5
Heart Disease	85.0	250.0
Homicide	45.0	55.5
Hypertension	25.0	35.5
Nephritis	0.0	11.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	30.0	73.0
Suicide	185.0	237.5
Unintentional Injury	340.0	477.0
Other	45.0	115.0
Total	1,202.5	2,214.5

Source: Minnesota Department of Health, Center for Health Statistics

Chippewa County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	89.5
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	5.5
Heart Disease	25.0	62.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	135.0	187.5
Other	125.0	177.5
Total	315.0	548.5

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	347.5	726.0
Cirrhosis	5.0	15.5
Congenital Anomalies	250.0	292.0
Chronic Lower Respiratory Disease	5.0	54.0
Diabetes	25.0	67.5
Heart Disease	125.0	280.0
Homicide	142.5	174.0
Hypertension	10.0	31.0
Nephritis	20.0	46.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	25.0	41.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	35.0	72.0
Unintentional Injury	450.0	629.0
Other	292.5	456.5
Total	1,930.0	3,146.0

Source: Minnesota Department of Health, Center for Health Statistics

Clay County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	25.5
Atherosclerosis	0.0	0.0
Cancer	340.0	686.0
Cirrhosis	15.0	36.5
Congenital Anomalies	180.0	211.5
Chronic Lower Respiratory Disease	20.0	46.5
Diabetes	0.0	16.5
Heart Disease	160.0	367.5
Homicide	0.0	0.0
Hypertension	15.0	25.5
Nephritis	0.0	5.5
Perinatal Conditions	437.5	511.0
Pneumonia and Influenza	10.0	36.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	0.0	16.5
Suicide	185.0	237.5
Unintentional Injury	420.0	567.0
Other	357.5	565.0
Total	2,170.0	3,380.0

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	135.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	5.0	21.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	45.0	55.5
Unintentional Injury	25.0	35.5
Other	20.0	73.0
Total	212.5	420.5

Source: Minnesota Department of Health, Center for Health Statistics

Cook County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	20.0	46.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	20.0	68.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	5.5
Unintentional Injury	0.0	0.0
Other	10.0	64.0
Total	50.0	190.0

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	100.0	249.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	20.0	46.5
Heart Disease	40.0	61.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	0.0	0.0
Unintentional Injury	182.5	240.5
Other	50.0	82.0
Total	407.5	715.5

Source: Minnesota Department of Health, Center for Health Statistics

Crow Wing County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	260.0	726.5
Cirrhosis	5.0	26.5
Congenital Anomalies	250.0	292.0
Chronic Lower Respiratory Disease	0.0	27.5
Diabetes	15.0	63.0
Heart Disease	95.0	265.5
Homicide	0.0	0.0
Hypertension	20.0	57.5
Nephritis	5.0	21.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	50.0	82.0
SIDS	62.5	73.0
Stroke	35.0	77.5
Suicide	225.0	325.0
Unintentional Injury	415.0	593.5
Other	417.5	778.5
Total	1,855.0	3,414.5

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	80.0	122.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	5.0	15.5
Cancer	2,425.0	5,042.5
Cirrhosis	175.0	322.5
Congenital Anomalies	767.5	935.5
Chronic Lower Respiratory Disease	100.0	315.0
Diabetes	230.0	528.0
Heart Disease	857.5	1,782.5
Homicide	100.0	142.0
Hypertension	10.0	69.5
Nephritis	45.0	97.5
Perinatal Conditions	545.0	639.5
Pneumonia and Influenza	30.0	56.5
Septicemia	87.5	156.0
SIDS	187.5	219.0
Stroke	260.0	551.5
Suicide	625.0	908.5
Unintentional Injury	1,050.0	1,498.0
Other	1,452.5	2,806.0
Total	9,032.5	16,218.5

Source: Minnesota Department of Health, Center for Health Statistics

Dodge County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	151.5
Cirrhosis	5.0	21.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	125.0	215.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	25.0	35.5
Unintentional Injury	215.0	288.5
Other	40.0	83.0
Total	480.0	831.0

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	195.0	478.0
Cirrhosis	15.0	25.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	43.0
Diabetes	15.0	25.5
Heart Disease	135.0	258.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	0.0	11.0
Suicide	25.0	35.5
Unintentional Injury	255.0	334.0
Other	140.0	262.5
Total	910.0	1,630.0

Source: Minnesota Department of Health, Center for Health Statistics

Faribault County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	90.0	250.0
Cirrhosis	30.0	51.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	15.0	31.0
Heart Disease	95.0	201.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	25.0	46.5
Suicide	0.0	0.0
Unintentional Injury	115.0	167.5
Other	0.0	33.0
Total	505.0	974.0

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	165.0	352.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	65.0	102.0
Heart Disease	40.0	77.5
Homicide	25.0	35.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	30.0	51.0
Unintentional Injury	110.0	152.0
Other	142.5	211.5
Total	582.5	1,008.0

Source: Minnesota Department of Health, Center for Health Statistics

Freeborn County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	11.0
Cancer	205.0	531.0
Cirrhosis	0.0	0.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	5.0	48.5
Diabetes	35.0	77.5
Heart Disease	55.0	178.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	45.0	55.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	175.0	233.0
Other	192.5	335.5
Total	857.5	1,662.5

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	235.0	592.0
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	45.0	93.0
Heart Disease	195.0	360.0
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	15.0	36.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	25.0	41.0
SIDS	0.0	0.0
Stroke	20.0	74.0
Suicide	165.0	238.5
Unintentional Injury	442.5	643.0
Other	180.0	339.0
Total	1,465.0	2,623.0

Source: Minnesota Department of Health, Center for Health Statistics

Grant County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	15.0	85.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	70.0	134.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	45.0	55.5
Unintentional Injury	105.0	136.5
Other	15.0	25.5
Total	255.0	457.5

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	485.0	726.5
Alzheimer's Disease	5.0	76.0
Atherosclerosis	5.0	21.0
Cancer	6,380.0	14,354.5
Cirrhosis	505.0	958.5
Congenital Anomalies	1,460.0	1,754.0
Chronic Lower Respiratory Disease	330.0	1,043.5
Diabetes	795.0	1,825.5
Heart Disease	3,480.0	6,834.0
Homicide	2,202.5	2,817.0
Hypertension	215.0	573.0
Nephritis	255.0	542.5
Perinatal Conditions	2,312.5	2,701.0
Pneumonia and Influenza	270.0	455.0
Septicemia	265.0	486.5
SIDS	250.0	292.0
Stroke	745.0	1,645.5
Suicide	2,545.0	3,655.0
Unintentional Injury	4,675.0	6,685.0
Other	5,842.5	10,641.5
Total	33,022.5	58,087.5

Source: Minnesota Department of Health, Center for Health Statistics

Houston County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	210.0	433.0
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	15.0	31.0
Heart Disease	60.0	150.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	25.0	41.0
SIDS	0.0	0.0
Stroke	15.0	36.5
Suicide	30.0	51.0
Unintentional Injury	20.0	46.5
Other	55.0	97.5
Total	497.5	992.0

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	245.5
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	45.0	87.5
Diabetes	15.0	31.0
Heart Disease	60.0	167.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	10.0	36.5
Suicide	0.0	0.0
Unintentional Injury	50.0	82.0
Other	60.0	97.5
Total	325.0	768.0

Source: Minnesota Department of Health, Center for Health Statistics

Isanti County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	90.0	250.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	30.0	95.0
Diabetes	5.0	15.5
Heart Disease	190.0	385.5
Homicide	62.5	73.0
Hypertension	0.0	0.0
Nephritis	20.0	46.5
Perinatal Conditions	312.5	365.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	11.0
SIDS	62.5	73.0
Stroke	5.0	15.5
Suicide	100.0	142.0
Unintentional Injury	355.0	470.5
Other	70.0	145.0
Total	1,302.5	2,093.0

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	205.0	605.0
Cirrhosis	55.0	113.0
Congenital Anomalies	187.5	219.0
Chronic Lower Respiratory Disease	20.0	74.0
Diabetes	20.0	46.5
Heart Disease	245.0	530.5
Homicide	70.0	91.0
Hypertension	25.0	35.5
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	20.0	52.0
Suicide	25.0	41.0
Unintentional Injury	300.0	452.5
Other	277.5	431.0
Total	1,470.0	2,743.0

Source: Minnesota Department of Health, Center for Health Statistics

Jackson County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	110.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	5.0	21.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	5.0	15.5
Unintentional Injury	0.0	0.0
Other	67.5	99.5
Total	107.5	262.0

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	110.0	242.5
Cirrhosis	5.0	21.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	15.0	25.5
Heart Disease	45.0	93.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	70.0	112.0
Other	35.0	104.0
Total	285.0	630.0

Source: Minnesota Department of Health, Center for Health Statistics

Kandiyohi County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	190.0	499.0
Cirrhosis	10.0	42.0
Congenital Anomalies	77.5	98.5
Chronic Lower Respiratory Disease	20.0	67.5
Diabetes	15.0	46.5
Heart Disease	70.0	213.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	11.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	35.0	66.5
Suicide	115.0	173.0
Unintentional Injury	427.5	606.5
Other	85.0	223.5
Total	1,112.5	2,141.5

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	83.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	40.0	83.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	35.0	45.5
Unintentional Injury	55.0	65.5
Other	0.0	11.0
Total	160.0	288.0

Source: Minnesota Department of Health, Center for Health Statistics

Koochiching County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	90.0	240.0
Cirrhosis	45.0	76.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	5.0	15.5
Heart Disease	55.0	173.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	21.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	31.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	5.5
Unintentional Injury	95.0	153.0
Other	70.0	155.0
Total	385.0	897.5

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	72.0
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	30.0	67.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	65.0	96.5
Other	5.0	15.5
Total	327.5	481.5

Source: Minnesota Department of Health, Center for Health Statistics

Lake County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	98.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	10.0	47.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	15.0	25.5
Unintentional Injury	5.0	15.5
Other	0.0	5.5
Total	65.0	192.5

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	30.0	116.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	0.0	5.5
Heart Disease	25.0	88.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	41.0
Suicide	50.0	92.0
Unintentional Injury	165.0	228.5
Other	120.0	215.0
Total	540.0	975.5

Source: Minnesota Department of Health, Center for Health Statistics

Le Sueur County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	25.5
Atherosclerosis	0.0	0.0
Cancer	130.0	327.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	55.0	140.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	11.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	120.0	162.0
Unintentional Injury	75.0	112.0
Other	50.0	119.5
Total	580.0	1,091.5

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	57.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	15.0	31.0
Heart Disease	20.0	63.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	5.0	15.5
Total	65.0	178.0

Source: Minnesota Department of Health, Center for Health Statistics

Lyon County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	85.0	223.5
Cirrhosis	0.0	0.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	11.0
Heart Disease	100.0	196.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	30.0	51.0
Unintentional Injury	490.0	616.0
Other	225.0	331.0
Total	1,137.5	1,694.0

Source: Minnesota Department of Health, Center for Health Statistics

Mahnomen County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	20.0	41.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	36.5
Diabetes	0.0	11.0
Heart Disease	20.0	52.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	60.0	81.0
Suicide	45.0	55.5
Unintentional Injury	145.0	197.5
Other	5.0	32.0
Total	320.0	532.0

Source: Minnesota Department of Health, Center for Health Statistics

Marshall County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	109.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	35.0	116.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	15.0	25.5
Unintentional Injury	25.0	35.5
Other	10.0	42.0
Total	130.0	370.5

Source: Minnesota Department of Health, Center for Health Statistics

Martin County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	115.0	286.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	43.0
Diabetes	20.0	57.5
Heart Disease	55.0	151.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	50.0	71.0
Unintentional Injury	160.0	228.5
Other	115.0	226.0
Total	587.5	1,169.0

Source: Minnesota Department of Health, Center for Health Statistics

McLeod County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	195.0	481.5
Cirrhosis	0.0	11.0
Congenital Anomalies	55.0	65.5
Chronic Lower Respiratory Disease	10.0	47.5
Diabetes	45.0	82.0
Heart Disease	60.0	188.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	50.0	92.0
Suicide	5.0	15.5
Unintentional Injury	290.0	453.5
Other	227.5	339.0
Total	952.5	1,806.5

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	155.0	405.0
Cirrhosis	5.0	15.5
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	20.0	67.5
Diabetes	0.0	0.0
Heart Disease	55.0	135.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	220.0	304.0
Unintentional Injury	70.0	96.5
Other	152.5	216.0
Total	702.5	1,307.0

Source: Minnesota Department of Health, Center for Health Statistics

Mille Lacs County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	110.0	344.0
Cirrhosis	20.0	46.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	0.0	16.5
Heart Disease	40.0	120.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	50.0	97.5
Suicide	60.0	81.0
Unintentional Injury	360.0	486.0
Other	135.0	279.0
Total	1,030.0	1,800.5

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	130.0	350.5
Cirrhosis	25.0	35.5
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	15.0	75.0
Diabetes	25.0	41.0
Heart Disease	135.0	272.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	31.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	67.5	94.0
SIDS	0.0	0.0
Stroke	45.0	55.5
Suicide	235.0	308.5
Unintentional Injury	357.5	462.5
Other	145.0	240.5
Total	1,210.0	1,997.5

Source: Minnesota Department of Health, Center for Health Statistics

Mower County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	225.0	491.5
Cirrhosis	0.0	0.0
Congenital Anomalies	67.5	94.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	5.0	32.0
Heart Disease	95.0	255.5
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	15.0	25.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	35.0	72.0
Suicide	110.0	152.0
Unintentional Injury	80.0	112.0
Other	75.0	224.5
Total	837.5	1,659.0

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	119.5
Cirrhosis	5.0	15.5
Congenital Anomalies	107.5	128.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	10.0	36.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	140.0	182.0
Other	10.0	42.0
Total	312.5	535.0

Source: Minnesota Department of Health, Center for Health Statistics

Nicollet County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	130.0	359.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	33.0
Diabetes	15.0	31.0
Heart Disease	95.0	221.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	5.0	15.5
Suicide	75.0	127.5
Unintentional Injury	230.0	314.0
Other	110.0	189.5
Total	785.0	1,443.0

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	70.0	204.5
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	0.0	11.0
Heart Disease	50.0	104.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	0.0	0.0
Unintentional Injury	185.0	264.0
Other	15.0	74.0
Total	475.0	882.0

Source: Minnesota Department of Health, Center for Health Statistics

Norman County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	166.0
Cirrhosis	0.0	0.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	11.0
Heart Disease	30.0	67.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	0.0	0.0
Unintentional Injury	95.0	126.5
Other	40.0	104.0
Total	240.0	527.0

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	65.0	96.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	787.5	1,697.0
Cirrhosis	30.0	83.0
Congenital Anomalies	125.0	151.5
Chronic Lower Respiratory Disease	35.0	121.5
Diabetes	75.0	117.5
Heart Disease	335.0	759.5
Homicide	50.0	71.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	82.5	130.5
Suicide	305.0	431.5
Unintentional Injury	970.0	1,332.5
Other	765.0	1,273.0
Total	4,005.0	6,729.5

Source: Minnesota Department of Health, Center for Health Statistics

Otter Tail County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	355.0	953.5
Cirrhosis	55.0	86.5
Congenital Anomalies	25.0	35.5
Chronic Lower Respiratory Disease	15.0	74.0
Diabetes	0.0	16.5
Heart Disease	190.0	483.5
Homicide	77.5	98.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	20.0	57.5
Suicide	185.0	264.0
Unintentional Injury	290.0	406.0
Other	200.0	460.5
Total	1,432.5	3,004.5

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	30.0	120.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	11.0
Heart Disease	20.0	68.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	46.5
Suicide	70.0	112.0
Unintentional Injury	90.0	111.0
Other	35.0	77.5
Total	270.0	568.0

Source: Minnesota Department of Health, Center for Health Statistics

Pine County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	430.0	898.0
Cirrhosis	40.0	66.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	59.5
Diabetes	35.0	51.0
Heart Disease	160.0	356.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	35.0	77.5
Suicide	90.0	132.0
Unintentional Injury	235.0	356.0
Other	120.0	200.5
Total	1,227.5	2,301.5

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	100.0	249.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	45.0	82.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	100.0	147.5
Other	132.5	201.5
Total	377.5	696.5

Source: Minnesota Department of Health, Center for Health Statistics

Polk County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	105.0	314.0
Cirrhosis	25.0	35.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	25.0	78.5
Diabetes	20.0	78.5
Heart Disease	65.0	160.5
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	5.0	26.5
Suicide	115.0	146.5
Unintentional Injury	345.0	487.0
Other	205.0	364.5
Total	1,165.0	2,010.0

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	175.0	372.0
Cirrhosis	5.0	21.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	31.0
Diabetes	5.0	26.5
Heart Disease	30.0	105.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	10.0	31.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	70.0	96.5
Other	30.0	77.5
Total	335.0	766.0

Source: Minnesota Department of Health, Center for Health Statistics

Ramsey County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	120.0	194.0
Alzheimer's Disease	5.0	37.5
Atherosclerosis	15.0	52.0
Cancer	3,075.0	6,908.5
Cirrhosis	355.0	650.5
Congenital Anomalies	915.0	1,120.0
Chronic Lower Respiratory Disease	230.0	625.0
Diabetes	205.0	514.5
Heart Disease	1,710.0	3,575.0
Homicide	497.5	665.5
Hypertension	35.0	88.5
Nephritis	110.0	312.0
Perinatal Conditions	1,577.5	1,850.5
Pneumonia and Influenza	70.0	177.0
Septicemia	110.0	216.0
SIDS	812.5	949.0
Stroke	432.5	950.5
Suicide	1,035.0	1,534.0
Unintentional Injury	2,477.5	3,503.0
Other	2,735.0	4,879.0
Total	16,522.5	28,802.0

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	10.0	31.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	25.0	41.0
Diabetes	0.0	0.0
Heart Disease	25.0	67.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	35.0	45.5
Suicide	25.0	35.5
Unintentional Injury	120.0	162.0
Other	5.0	26.5
Total	245.0	409.0

Source: Minnesota Department of Health, Center for Health Statistics

Redwood County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	25.5
Atherosclerosis	0.0	0.0
Cancer	65.0	198.0
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	30.0	73.0
Heart Disease	65.0	166.0
Homicide	35.0	45.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	15.0	25.5
Unintentional Injury	140.0	182.0
Other	65.0	134.0
Total	460.0	922.5

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	137.0
Cirrhosis	5.0	15.5
Congenital Anomalies	55.0	65.5
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	16.5
Heart Disease	40.0	94.0
Homicide	25.0	35.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	10.0	36.5
Suicide	145.0	197.5
Unintentional Injury	20.0	52.0
Other	35.0	88.5
Total	370.0	749.5

Source: Minnesota Department of Health, Center for Health Statistics

Rice County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	327.5	808.5
Cirrhosis	0.0	5.5
Congenital Anomalies	130.0	161.5
Chronic Lower Respiratory Disease	50.0	76.5
Diabetes	25.0	52.0
Heart Disease	75.0	209.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	10.0	36.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	31.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	90.0	137.5
Unintentional Injury	425.0	593.5
Other	230.0	400.0
Total	1,377.5	2,528.0

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	25.0	83.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	0.0
Heart Disease	15.0	47.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	25.0	35.5
Suicide	45.0	55.5
Unintentional Injury	115.0	146.5
Other	20.0	73.0
Total	260.0	498.5

Source: Minnesota Department of Health, Center for Health Statistics

Roseau County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	145.0	282.5
Cirrhosis	15.0	36.5
Congenital Anomalies	87.5	108.5
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	10.0	31.0
Heart Disease	105.0	184.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	5.0	15.5
Unintentional Injury	30.0	51.0
Other	55.0	119.5
Total	472.5	875.0

Source: Minnesota Department of Health, Center for Health Statistics

Scott County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	25.5
Atherosclerosis	0.0	0.0
Cancer	977.5	1,917.5
Cirrhosis	30.0	51.0
Congenital Anomalies	237.5	290.0
Chronic Lower Respiratory Disease	0.0	33.0
Diabetes	100.0	153.0
Heart Disease	357.5	643.5
Homicide	0.0	0.0
Hypertension	5.0	21.0
Nephritis	20.0	52.0
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	65.0	102.0
Suicide	280.0	390.5
Unintentional Injury	700.0	968.0
Other	295.0	607.0
Total	3,337.5	5,567.0

Source: Minnesota Department of Health, Center for Health Statistics

Sherburne County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	375.0	853.5
Cirrhosis	20.0	46.5
Congenital Anomalies	202.5	244.5
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	15.0	25.5
Heart Disease	110.0	317.5
Homicide	35.0	45.5
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	15.0	31.0
SIDS	125.0	146.0
Stroke	45.0	76.5
Suicide	265.0	359.5
Unintentional Injury	587.5	803.0
Other	557.5	854.5
Total	2,420.0	3,925.0

Source: Minnesota Department of Health, Center for Health Statistics

Sibley County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	202.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	60.0	86.5
Heart Disease	60.0	118.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	0.0	0.0
Unintentional Injury	115.0	146.5
Other	55.0	113.0
Total	390.0	724.5

Source: Minnesota Department of Health, Center for Health Statistics

St. Louis County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	35.0	45.5
Alzheimer's Disease	20.0	52.0
Atherosclerosis	5.0	15.5
Cancer	1,110.0	2,975.0
Cirrhosis	345.0	629.5
Congenital Anomalies	487.5	582.0
Chronic Lower Respiratory Disease	50.0	216.5
Diabetes	180.0	409.5
Heart Disease	752.5	1,713.0
Homicide	75.0	106.5
Hypertension	5.0	21.0
Nephritis	10.0	64.0
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	0.0	11.0
Septicemia	50.0	103.0
SIDS	62.5	73.0
Stroke	165.0	409.5
Suicide	680.0	964.0
Unintentional Injury	1,570.0	2,275.5
Other	1,145.0	2,277.0
Total	7,122.5	13,381.0

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	20.0	41.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	575.0	1,435.0
Cirrhosis	45.0	82.0
Congenital Anomalies	242.5	284.5
Chronic Lower Respiratory Disease	20.0	74.0
Diabetes	75.0	155.0
Heart Disease	435.0	867.0
Homicide	45.0	55.5
Hypertension	20.0	41.0
Nephritis	5.0	15.5
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	40.0	66.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	15.0	68.5
Suicide	305.0	431.5
Unintentional Injury	947.5	1,315.5
Other	362.5	687.5
Total	3,542.5	6,083.5

Source: Minnesota Department of Health, Center for Health Statistics

Steele County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	150.0	405.0
Cirrhosis	5.0	15.5
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	115.0	248.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	32.0
Suicide	15.0	25.5
Unintentional Injury	370.0	480.5
Other	30.0	121.5
Total	700.0	1,370.0

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	78.5
Cirrhosis	0.0	5.5
Congenital Anomalies	35.0	45.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	30.0	51.0
Homicide	125.0	146.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	40.0	61.0
Unintentional Injury	65.0	96.5
Other	20.0	46.5
Total	345.0	551.5

Source: Minnesota Department of Health, Center for Health Statistics

Swift County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	75.0	160.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	26.5
Heart Disease	35.0	72.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	50.0	71.0
Unintentional Injury	45.0	55.5
Other	55.0	97.5
Total	280.0	508.5

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	247.5	540.0
Cirrhosis	35.0	66.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	25.0	73.0
Diabetes	15.0	42.0
Heart Disease	60.0	140.5
Homicide	15.0	25.5
Hypertension	0.0	11.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	11.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	15.0	36.5
Unintentional Injury	310.0	426.0
Other	115.0	227.0
Total	837.5	1,604.5

Source: Minnesota Department of Health, Center for Health Statistics

Traverse County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	5.0	21.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	15.0	36.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	0.0	0.0
Unintentional Injury	0.0	5.5
Other	5.0	15.5
Total	30.0	110.5

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	105.0	352.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	30.0	62.0
Diabetes	10.0	31.0
Heart Disease	105.0	201.5
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	60.0	81.0
Unintentional Injury	60.0	107.5
Other	80.0	165.0
Total	527.5	1,115.5

Source: Minnesota Department of Health, Center for Health Statistics

Wadena County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	120.0	221.5
Cirrhosis	5.0	15.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	25.0	35.5
Heart Disease	95.0	211.5
Homicide	20.0	41.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	40.0	77.5
Suicide	45.0	55.5
Unintentional Injury	40.0	61.0
Other	60.0	166.0
Total	730.0	1,244.5

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	70.0	187.0
Cirrhosis	25.0	35.5
Congenital Anomalies	45.0	55.5
Chronic Lower Respiratory Disease	10.0	53.0
Diabetes	0.0	5.5
Heart Disease	90.0	164.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	125.0	183.0
Other	95.0	200.5
Total	522.5	962.5

Source: Minnesota Department of Health, Center for Health Statistics

Washington County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	32.0
Atherosclerosis	5.0	15.5
Cancer	915.0	2,301.5
Cirrhosis	40.0	109.5
Congenital Anomalies	215.0	278.0
Chronic Lower Respiratory Disease	85.0	282.0
Diabetes	85.0	202.5
Heart Disease	495.0	1,129.0
Homicide	50.0	71.0
Hypertension	5.0	26.5
Nephritis	82.5	114.0
Perinatal Conditions	625.0	730.0
Pneumonia and Influenza	25.0	62.0
Septicemia	40.0	87.5
SIDS	0.0	0.0
Stroke	60.0	204.5
Suicide	420.0	583.5
Unintentional Injury	892.5	1,277.5
Other	515.0	1,192.0
Total	4,560.0	8,698.5

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	183.5
Cirrhosis	0.0	0.0
Congenital Anomalies	130.0	161.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	40.0	115.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	5.0	15.5
Other	10.0	47.5
Total	255.0	559.5

Source: Minnesota Department of Health, Center for Health Statistics

Wilkin County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	62.0
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	20.0	41.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	15.0	25.5
Unintentional Injury	0.0	16.5
Other	0.0	0.0
Total	80.0	192.5

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	11.0
Cancer	335.0	748.5
Cirrhosis	25.0	35.5
Congenital Anomalies	212.5	254.5
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	25.0	62.0
Heart Disease	110.0	350.5
Homicide	45.0	55.5
Hypertension	0.0	5.5
Nephritis	62.5	73.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	10.0	53.0
Suicide	150.0	234.0
Unintentional Injury	480.0	644.0
Other	60.0	178.0
Total	1,577.5	2,800.0

Source: Minnesota Department of Health, Center for Health Statistics

Wright County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	20.0	41.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	430.0	1,042.5
Cirrhosis	50.0	103.0
Congenital Anomalies	150.0	181.5
Chronic Lower Respiratory Disease	10.0	80.5
Diabetes	45.0	125.0
Heart Disease	210.0	518.0
Homicide	130.0	172.0
Hypertension	10.0	36.5
Nephritis	0.0	16.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	77.5	98.5
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	30.0	73.0
Suicide	245.0	339.5
Unintentional Injury	637.5	879.5
Other	422.5	724.5
Total	2,665.0	4,692.5

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	155.0	303.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	0.0	5.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	85.0	116.5
Unintentional Injury	90.0	122.0
Other	140.0	214.0
Total	485.0	798.0

Source: Minnesota Department of Health, Center for Health Statistics

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2006

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	168	1,746	1,914	30	97	127	38	512	550
Aitkin	0	2	2	0	1	1	0	6	6
Anoka	10	79	89	3	4	7	6	30	36
Becker	3	12	15	0	0	0	0	4	4
Beltrami	4	22	26	0	2	2	0	11	11
Benton	0	9	9	0	0	0	0	2	2
Big Stone	1	7	8	0	0	0	0	0	0
Blue Earth	0	13	13	0	0	0	0	7	7
Brown	0	10	10	0	0	0	0	3	3
Carlton	1	13	14	0	1	1	0	4	4
Carver	5	15	20	0	2	2	1	4	5
Cass	1	18	19	0	1	1	2	3	5
Chippewa	1	9	10	0	0	0	0	0	0
Chisago	3	23	26	2	1	3	0	4	4
Clay	1	20	21	0	0	0	2	3	5
Clearwater	0	4	4	0	0	0	0	1	1
Cook	0	0	0	0	0	0	0	1	1
Cottonwood	2	7	9	0	0	0	0	0	0
Crow Wing	1	32	33	0	0	0	0	10	10
Dakota	8	74	82	0	4	4	2	28	30
Dodge	2	9	11	0	0	0	0	1	1
Douglas	3	11	14	0	0	0	0	1	1
Faribault	0	5	5	0	0	0	0	0	0
Fillmore	1	16	17	0	1	1	0	2	2
Freeborn	1	8	9	0	0	0	0	1	1
Goodhue	2	26	28	0	1	1	0	8	8
Grant	0	3	3	0	0	0	0	1	1
Hennepin	24	378	402	17	42	59	4	118	122
Houston	0	8	8	0	0	0	0	2	2
Hubbard	0	6	6	0	0	0	0	0	0
Isanti	2	14	16	1	0	1	0	4	4
Itasca	0	26	26	1	1	2	0	2	2
Jackson	0	4	4	0	0	0	0	1	1
Kanabec	0	5	5	0	0	0	0	0	0
Kandiyohi	3	28	31	0	0	0	1	5	6
Kittson	1	1	2	0	0	0	0	1	1
Koochiching	1	8	9	0	0	0	0	1	1
Lac Qui Parle	0	6	6	0	0	0	0	0	0
Lake	1	8	9	0	0	0	0	4	4
Lake of the Woods	0	2	2	0	0	0	0	1	1
Le Sueur	0	10	10	0	0	0	1	4	5
Lincoln	0	4	4	0	0	0	0	0	0
Lyon	8	7	15	0	0	0	0	2	2
McLeod	1	26	27	0	1	1	0	1	1
Mahnomen	2	3	5	0	0	0	0	1	1
Marshall	0	2	2	0	0	0	0	1	1
Martin	0	10	10	0	0	0	0	2	2
Meeker	0	8	8	0	0	0	0	8	8
Mille Lacs	3	16	19	0	0	0	0	2	2
Morrison	4	10	14	0	0	0	1	6	7

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2006

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	168	1,746	1,914	30	97	127	38	512	550
Mower	1	18	19	0	0	0	0	4	4
Murray	2	2	4	0	0	0	0	0	0
Nicollet	1	10	11	0	0	0	0	5	5
Nobles	2	10	12	0	0	0	0	0	0
Norman	1	4	5	0	0	0	0	0	0
Olmsted	4	50	54	0	2	2	1	12	13
Otter Tail	2	19	21	1	1	2	1	10	11
Pennington	0	3	3	0	0	0	0	4	4
Pine	1	13	14	0	0	0	1	5	6
Pipestone	0	11	11	0	0	0	0	1	1
Polk	1	19	20	0	0	0	1	5	6
Pope	1	6	7	0	0	0	0	0	0
Ramsey	10	141	151	2	14	16	4	44	48
Red Lake	1	4	5	0	0	0	0	1	1
Redwood	1	3	4	0	1	1	0	1	1
Renville	0	7	7	0	1	1	0	5	5
Rice	1	21	22	0	1	1	0	5	5
Rock	1	4	5	0	0	0	1	0	1
Roseau	0	4	4	0	0	0	0	2	2
St. Louis	9	94	103	0	3	3	2	28	30
Scott	2	30	32	0	0	0	2	10	12
Sherburne	4	21	25	0	2	2	0	9	9
Sibley	1	4	5	0	0	0	0	0	0
Stearns	4	44	48	0	1	1	0	14	14
Steele	3	12	15	0	0	0	0	1	1
Stevens	0	7	7	2	0	2	0	2	2
Swift	0	1	1	0	0	0	0	2	2
Todd	1	14	15	0	1	1	0	3	3
Traverse	0	1	1	0	0	0	0	0	0
Wabasha	0	8	8	0	0	0	1	1	2
Wadena	0	5	5	0	2	2	0	1	1
Waseca	1	8	9	0	0	0	0	0	0
Washington	5	49	54	0	2	2	2	16	18
Watowan	0	5	5	0	0	0	0	0	0
Wilkin	0	3	3	0	0	0	0	1	1
Winona	3	22	25	0	1	1	0	9	9
Wright	3	28	31	1	3	4	1	8	9
Yellow Medicine	2	4	6	0	0	0	1	2	3

Source: Minnesota Department of Health, Center for Health Statistics

ICD-10 Codes:

Fatal Unintentional Injury: V01-X59, Y85-Y86

Homicide: X85-Y09, Y87.1

Suicide: X60-X84, Y87.0

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2006

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	4	588	592	90	473	563	6	38	44
Aitkin	0	1	1	0	0	0	0	0	0
Anoka	0	28	28	6	21	27	0	5	5
Becker	1	2	3	1	5	6	0	0	0
Beltrami	0	3	3	1	9	10	0	1	1
Benton	0	2	2	0	3	3	0	0	0
Big Stone	0	0	0	1	3	4	0	0	0
Blue Earth	0	2	2	0	6	6	0	0	0
Brown	0	1	1	0	8	8	0	0	0
Carlton	0	4	4	1	5	6	0	0	0
Carver	0	5	5	2	5	7	0	1	1
Cass	0	6	6	0	5	5	0	1	1
Chippewa	0	4	4	1	2	3	0	1	1
Chisago	0	7	7	1	12	13	0	0	0
Clay	0	7	7	0	7	7	0	2	2
Clearwater	0	2	2	0	1	1	0	0	0
Cook	0	0	0	0	0	0	0	0	0
Cottonwood	0	1	1	0	3	3	0	0	0
Crow Wing	0	10	10	0	6	6	0	0	0
Dakota	0	38	38	3	13	16	1	4	5
Dodge	0	2	2	1	4	5	0	0	0
Douglas	0	1	1	2	4	6	0	0	0
Faribault	0	1	1	0	4	4	0	0	0
Fillmore	0	9	9	1	4	5	0	0	0
Freeborn	0	2	2	1	3	4	0	0	0
Goodhue	0	9	9	0	13	13	0	1	1
Grant	0	0	0	0	3	3	0	0	0
Hennepin	1	196	197	7	39	46	2	5	7
Houston	0	4	4	0	2	2	0	0	0
Hubbard	0	1	1	0	2	2	0	0	0
Isanti	0	3	3	2	9	11	0	0	0
Itasca	0	7	7	0	7	7	0	0	0
Jackson	0	3	3	0	0	0	0	0	0
Kanabec	0	2	2	0	2	2	0	0	0
Kandiyohi	0	7	7	3	7	10	0	0	0
Kittson	0	0	0	0	0	0	0	0	0
Koochiching	0	1	1	1	4	5	0	0	0
Lac Qui Parle	0	0	0	0	5	5	0	0	0
Lake	0	3	3	1	4	5	0	0	0
Lake of the Woods	0	0	0	0	1	1	0	0	0
Le Sueur	0	3	3	0	2	2	0	0	0
Lincoln	0	2	2	0	0	0	0	0	0
Lyon	0	3	3	7	4	11	0	0	0
McLeod	0	10	10	1	6	7	0	0	0
Mahnomen	0	0	0	2	1	3	0	1	1
Marshall	0	1	1	0	1	1	0	0	0
Martin	0	5	5	0	2	2	0	0	0
Meeker	0	4	4	0	3	3	0	0	0
Mille Lacs	0	3	3	2	8	10	0	1	1
Morrison	0	2	2	3	4	7	0	0	0

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2006

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	4	588	592	90	473	563	6	38	44
Mower	0	9	9	1	2	3	0	1	1
Murray	0	0	0	2	0	2	0	0	0
Nicollet	0	3	3	1	3	4	0	0	0
Nobles	0	2	2	1	5	6	0	0	0
Norman	0	0	0	1	3	4	0	0	0
Olmsted	0	18	18	4	13	17	0	1	1
Otter Tail	0	4	4	2	7	9	0	0	0
Pennington	0	1	1	0	1	1	0	0	0
Pine	0	2	2	1	4	5	0	0	0
Pipestone	0	6	6	0	3	3	0	0	0
Polk	0	3	3	1	7	8	0	0	0
Pope	0	1	1	0	1	1	0	0	0
Ramsey	0	43	43	4	22	26	0	6	6
Red Lake	0	0	0	0	0	0	0	0	0
Redwood	0	0	0	1	1	2	0	1	1
Renville	0	2	2	0	4	4	0	0	0
Rice	0	3	3	1	9	10	0	0	0
Rock	0	2	2	1	0	1	0	0	0
Roseau	0	1	1	0	1	1	0	0	0
St. Louis	2	29	31	1	24	25	2	1	3
Scott	0	5	5	1	13	14	0	2	2
Sherburne	0	6	6	3	8	11	0	0	0
Sibley	0	1	1	0	2	2	0	0	0
Stearns	0	3	3	2	16	18	0	1	1
Steele	0	2	2	2	5	7	0	0	0
Stevens	0	2	2	0	2	2	0	0	0
Swift	0	0	0	0	0	0	0	0	0
Todd	0	2	2	0	8	8	0	0	0
Traverse	0	1	1	0	0	0	0	0	0
Wabasha	0	4	4	0	2	2	0	0	0
Wadena	0	1	1	0	1	1	0	0	0
Waseca	0	1	1	1	5	6	0	0	0
Washington	0	10	10	3	15	18	0	2	2
Watsonwan	0	1	1	0	1	1	0	0	0
Wilkin	0	1	1	0	1	1	0	0	0
Winona	0	4	4	2	8	10	0	0	0
Wright	0	8	8	2	10	12	0	0	0
Yellow Medicine	0	0	0	1	4	5	1	0	1

Source: Minnesota Department of Health Center for Health Statistics

ICD-10 Codes:

Motor Vehicle Injury (non-pedestrian): V02 – V04 (.0,.2-.8), V09 (.0,.1,.3-.8), V12 – V14, V19.0 – V19.2, V19.4 – V19.6, V20 – V79, V80.3 – V80.5, V81.0 – V81.1, V82.0 – V82.1, V83 – V86, V87.0 – V87.8, V88.0 – V88.8, V89.0, V89.2

Pedestrian: V02-V04 (.1,.9), V09.2

Falls: W00-W19

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2002-2004**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	11	0.1%	1,934	14.5%	1,295	9.2%	1,393	10.4%
Aitkin	0	0.0%	7	11.9%	6	8.0%	6	10.2%
Anoka	0	0.0%	107	16.9%	48	8.0%	55	8.7%
Becker	0	0.0%	9	10.1%	9	8.0%	9	10.1%
Beltrami	0	0.0%	5	5.1%	10	9.6%	14	14.1%
Benton	0	0.0%	16	17.8%	12	11.2%	5	5.6%
Big Stone	0	0.0%	3	10.0%	3	8.3%	2	6.7%
Blue Earth	0	0.0%	19	13.2%	11	8.1%	24	16.7%
Brown	0	0.0%	15	14.0%	14	12.3%	12	11.2%
Carlton	0	0.0%	16	13.9%	14	10.3%	5	4.3%
Carver	0	0.0%	24	21.6%	18	14.6%	15	13.5%
Cass	0	0.0%	11	11.6%	11	8.1%	14	14.7%
Chippewa	0	0.0%	7	15.6%	9	14.8%	5	11.1%
Chisago	1	0.8%	16	14.3%	10	8.0%	11	9.8%
Clay	0	0.0%	19	13.4%	11	8.2%	23	16.2%
Clearwater	0	0.0%	5	19.2%	3	6.8%	3	11.5%
Cook	0	0.0%	2	12.5%	2	11.1%	0	0.0%
Cottonwood	0	0.0%	8	18.2%	8	15.1%	6	13.6%
Crow Wing	0	0.0%	27	13.4%	13	6.0%	21	10.4%
Dakota	0	0.0%	116	16.0%	55	7.9%	73	10.1%
Dodge	0	0.0%	8	19.5%	2	6.5%	3	7.3%
Douglas	0	0.0%	14	12.8%	9	7.0%	14	12.8%
Faribault	0	0.0%	11	16.4%	9	14.5%	11	16.4%
Fillmore	0	0.0%	10	18.5%	14	13.6%	5	9.3%
Freeborn	0	0.0%	20	19.8%	13	9.7%	11	10.9%
Goodhue	0	0.0%	22	17.3%	7	5.0%	15	11.8%
Grant	0	0.0%	2	8.7%	3	10.7%	4	17.4%
Hennepin	3	0.1%	404	13.9%	234	8.4%	271	9.3%
Houston	0	0.0%	6	12.0%	10	14.9%	9	18.0%
Hubbard	0	0.0%	9	14.1%	8	10.7%	7	10.9%
Isanti	0	0.0%	11	14.1%	9	9.1%	9	11.5%
Itasca	0	0.0%	22	13.8%	22	10.6%	14	8.8%
Jackson	0	0.0%	2	5.6%	4	8.2%	5	13.9%
Kanabec	0	0.0%	7	15.2%	5	9.6%	6	13.0%
Kandiyohi	0	0.0%	26	19.8%	13	9.8%	15	11.5%
Kittson	0	0.0%	3	21.4%	4	15.4%	3	21.4%
Koochiching	1	1.5%	3	5.7%	6	8.8%	3	5.7%
Lac Qui Parle	0	0.0%	5	16.7%	5	11.9%	7	23.3%
Lake	0	0.0%	8	25.0%	5	9.4%	1	3.1%
Lake of the Woods	0	0.0%	1	6.7%	2	15.4%	4	26.7%
Le Sueur	0	0.0%	15	21.4%	6	6.9%	8	11.4%
Lincoln	0	0.0%	2	9.1%	4	8.5%	4	18.2%
Lyon	0	0.0%	13	20.3%	12	12.0%	9	14.1%
McLeod	0	0.0%	16	17.0%	11	10.9%	10	10.6%
Mahnomen	0	0.0%	4	25.0%	0	0.0%	0	0.0%
Marshall	0	0.0%	6	21.4%	4	11.4%	7	25.0%
Martin	0	0.0%	21	21.6%	9	10.6%	9	9.3%
Meeker	0	0.0%	8	11.3%	7	8.3%	9	12.7%
Mille Lacs	0	0.0%	8	10.7%	12	14.6%	8	10.7%
Morrison	0	0.0%	8	8.2%	13	10.2%	15	15.5%

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2002-2004**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Mower	0	0.0%	14	9.9%	14	8.9%	8	5.6%
Murray	0	0.0%	8	17.8%	8	13.6%	4	8.9%
Nicollet	0	0.0%	15	16.1%	7	9.6%	12	12.9%
Nobles	0	0.0%	12	16.2%	8	13.3%	8	10.8%
Norman	0	0.0%	8	22.9%	2	6.1%	3	8.6%
Olmsted	0	0.0%	49	16.0%	31	9.7%	32	10.5%
Otter Tail	0	0.0%	25	12.8%	33	14.2%	24	12.2%
Pennington	0	0.0%	7	15.2%	6	11.3%	6	13.0%
Pine	0	0.0%	12	14.5%	13	12.1%	12	14.5%
Pipestone	0	0.0%	3	10.3%	4	8.0%	2	6.9%
Polk	0	0.0%	19	16.4%	12	12.0%	12	10.3%
Pope	0	0.0%	3	6.7%	4	8.5%	6	13.3%
Ramsey	2	0.2%	191	13.2%	92	7.0%	140	9.7%
Red Lake	0	0.0%	1	7.7%	6	28.6%	1	7.7%
Redwood	0	0.0%	7	10.0%	5	6.4%	14	20.0%
Renville	0	0.0%	6	9.5%	9	11.4%	8	12.7%
Rice	0	0.0%	14	9.0%	22	12.2%	21	13.5%
Rock	0	0.0%	10	22.2%	2	5.7%	4	8.9%
Roseau	0	0.0%	6	20.0%	5	8.1%	2	6.7%
St. Louis	1	0.1%	104	14.3%	78	9.8%	71	9.8%
Scott	0	0.0%	32	18.4%	13	7.3%	11	6.3%
Sherburne	0	0.0%	20	13.7%	19	14.0%	12	8.2%
Sibley	0	0.0%	7	14.0%	8	15.4%	5	10.0%
Stearns	1	0.3%	32	11.0%	29	9.5%	40	13.7%
Steele	0	0.0%	16	14.2%	12	12.2%	9	8.0%
Stevens	0	0.0%	1	3.4%	3	8.3%	5	17.2%
Swift	0	0.0%	2	5.6%	5	9.6%	3	8.3%
Todd	1	1.0%	16	20.8%	7	6.7%	4	5.2%
Traverse	0	0.0%	6	27.3%	2	11.1%	2	9.1%
Wabasha	0	0.0%	9	11.7%	10	11.1%	11	14.3%
Wadena	0	0.0%	11	22.4%	7	10.4%	5	10.2%
Waseca	0	0.0%	13	24.1%	4	5.4%	3	5.6%
Washington	1	0.2%	62	15.3%	41	9.1%	41	10.1%
Watsonwan	0	0.0%	3	7.1%	4	13.8%	5	11.9%
Wilkin	0	0.0%	2	6.5%	2	11.8%	6	19.4%
Winona	0	0.0%	25	17.4%	14	9.0%	15	10.4%
Wright	0	0.0%	30	15.5%	21	9.4%	21	10.8%
Yellow Medicine	0	0.0%	6	13.3%	4	10.3%	6	13.3%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2002, 2003 and 2004.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Breast C50.0 - C50.6, C50.8 - C50.9
 Colon and Rectum C18 - C20, C26.0

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2002-2004**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	3,824	27.1%	3,143	23.5%	1,704	12.1%	0	0.0%
Aitkin	26	34.7%	13	22.0%	7	9.3%	0	0.0%
Anoka	181	30.3%	183	28.9%	52	8.7%	0	0.0%
Becker	34	30.4%	24	27.0%	10	8.9%	0	0.0%
Beltrami	25	24.0%	29	29.3%	13	12.5%	0	0.0%
Benton	31	29.0%	17	18.9%	14	13.1%	0	0.0%
Big Stone	13	36.1%	5	16.7%	1	2.8%	0	0.0%
Blue Earth	32	23.7%	19	13.2%	17	12.6%	0	0.0%
Brown	16	14.0%	23	21.5%	15	13.2%	0	0.0%
Carlton	40	29.4%	31	27.0%	15	11.0%	0	0.0%
Carver	21	17.1%	19	17.1%	16	13.0%	0	0.0%
Cass	56	41.5%	24	25.3%	12	8.9%	0	0.0%
Chippewa	17	27.9%	7	15.6%	9	14.8%	0	0.0%
Chisago	34	27.2%	35	31.3%	14	11.2%	0	0.0%
Clay	31	23.1%	21	14.8%	20	14.9%	0	0.0%
Clearwater	12	27.3%	4	15.4%	12	27.3%	0	0.0%
Cook	5	27.8%	6	37.5%	1	5.6%	0	0.0%
Cottonwood	11	20.8%	8	18.2%	14	26.4%	0	0.0%
Crow Wing	67	30.9%	48	23.8%	35	16.1%	0	0.0%
Dakota	174	25.1%	178	24.6%	76	11.0%	0	0.0%
Dodge	12	38.7%	9	22.0%	2	6.5%	0	0.0%
Douglas	39	30.2%	25	22.9%	10	7.8%	0	0.0%
Faribault	16	25.8%	18	26.9%	8	12.9%	0	0.0%
Fillmore	29	28.2%	7	13.0%	13	12.6%	0	0.0%
Freeborn	39	29.1%	14	13.9%	10	7.5%	0	0.0%
Goodhue	38	27.1%	19	15.0%	24	17.1%	0	0.0%
Grant	8	28.6%	5	21.7%	5	17.9%	0	0.0%
Hennepin	724	25.9%	740	25.5%	320	11.5%	0	0.0%
Houston	13	19.4%	10	20.0%	11	16.4%	0	0.0%
Hubbard	22	29.3%	17	26.6%	10	13.3%	0	0.0%
Isanti	25	25.3%	20	25.6%	14	14.1%	0	0.0%
Itasca	69	33.2%	37	23.3%	29	13.9%	0	0.0%
Jackson	10	20.4%	9	25.0%	7	14.3%	0	0.0%
Kanabec	19	36.5%	13	28.3%	10	19.2%	0	0.0%
Kandiyohi	39	29.3%	29	22.1%	12	9.0%	0	0.0%
Kittson	6	23.1%	2	14.3%	2	7.7%	0	0.0%
Koochiching	22	32.4%	17	32.1%	11	16.2%	0	0.0%
Lac Qui Parle	10	23.8%	1	3.3%	7	16.7%	0	0.0%
Lake	20	37.7%	8	25.0%	3	5.7%	0	0.0%
Lake of the Woods	6	46.2%	8	53.3%	1	7.7%	0	0.0%
Le Sueur	27	31.0%	18	25.7%	7	8.0%	0	0.0%
Lincoln	15	31.9%	5	22.7%	10	21.3%	0	0.0%
Lyon	20	20.0%	12	18.8%	22	22.0%	0	0.0%
McLeod	22	21.8%	9	9.6%	13	12.9%	0	0.0%
Mahnomen	6	26.1%	3	18.8%	3	13.0%	0	0.0%
Marshall	8	22.9%	6	21.4%	2	5.7%	0	0.0%
Martin	18	21.2%	19	19.6%	9	10.6%	0	0.0%
Meeker	22	26.2%	8	11.3%	13	15.5%	0	0.0%
Mille Lacs	28	34.1%	15	20.0%	13	15.9%	0	0.0%
Morrison	37	28.9%	16	16.5%	17	13.3%	0	0.0%

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2002-2004**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Mower	38	24.1%	32	22.5%	22	13.9%	0	0.0%
Murray	11	18.6%	6	13.3%	10	16.9%	0	0.0%
Nicollet	20	27.4%	18	19.4%	4	5.5%	0	0.0%
Nobles	17	28.3%	13	17.6%	10	16.7%	0	0.0%
Norman	5	15.2%	8	22.9%	8	24.2%	0	0.0%
Olmsted	87	27.1%	64	20.9%	24	7.5%	0	0.0%
Otter Tail	58	24.9%	30	15.3%	26	11.2%	0	0.0%
Pennington	11	20.8%	8	17.4%	7	13.2%	0	0.0%
Pine	32	29.9%	21	25.3%	9	8.4%	0	0.0%
Pipestone	11	22.0%	5	17.2%	8	16.0%	0	0.0%
Polk	23	23.0%	26	22.4%	10	10.0%	0	0.0%
Pope	9	19.1%	9	20.0%	6	12.8%	0	0.0%
Ramsey	401	30.4%	371	25.7%	150	11.4%	0	0.0%
Red Lake	3	14.3%	8	61.5%	1	4.8%	0	0.0%
Redwood	20	25.6%	14	20.0%	15	19.2%	0	0.0%
Renville	14	17.7%	14	22.2%	12	15.2%	0	0.0%
Rice	42	23.3%	38	24.4%	25	13.9%	0	0.0%
Rock	11	31.4%	7	15.6%	4	11.4%	0	0.0%
Roseau	10	16.1%	1	3.3%	18	29.0%	0	0.0%
St. Louis	228	28.6%	176	24.2%	112	14.0%	0	0.0%
Scott	48	27.1%	46	26.4%	25	14.1%	0	0.0%
Sherburne	37	27.2%	40	27.4%	10	7.4%	0	0.0%
Sibley	11	21.2%	12	24.0%	6	11.5%	0	0.0%
Stearns	83	27.1%	56	19.2%	42	13.7%	0	0.0%
Steele	26	26.5%	29	25.7%	13	13.3%	0	0.0%
Stevens	8	22.2%	3	10.3%	5	13.9%	0	0.0%
Swift	17	32.7%	5	13.9%	11	21.2%	0	0.0%
Todd	36	34.6%	19	24.7%	10	9.6%	0	0.0%
Traverse	2	11.1%	5	22.7%	4	22.2%	0	0.0%
Wabasha	26	28.9%	19	24.7%	11	12.2%	0	0.0%
Wadena	18	26.9%	10	20.4%	9	13.4%	0	0.0%
Waseca	17	23.0%	9	16.7%	8	10.8%	0	0.0%
Washington	120	26.7%	100	24.7%	39	8.7%	0	0.0%
Watonwan	10	34.5%	5	11.9%	6	20.7%	0	0.0%
Wilkin	4	23.5%	10	32.3%	4	23.5%	0	0.0%
Winona	49	31.4%	31	21.5%	17	10.9%	0	0.0%
Wright	60	26.9%	57	29.4%	23	10.3%	0	0.0%
Yellow Medicine	6	15.4%	5	11.1%	9	23.1%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2002, 2003 and 2004.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Lung C34.0 - C34.3, C34.8 - C34.9

Prostate C61

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2002-2004**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	7,255	51.5%	6,914	51.7%	14,089	100%	13,384	100%
Aitkin	36	48.0%	33	55.9%	75	100%	59	100%
Anoka	317	53.0%	288	45.5%	598	100%	633	100%
Becker	59	52.7%	47	52.8%	112	100%	89	100%
Beltrami	56	53.8%	51	51.5%	104	100%	99	100%
Benton	50	46.7%	52	57.8%	107	100%	90	100%
Big Stone	19	52.8%	20	66.7%	36	100%	30	100%
Blue Earth	75	55.6%	82	56.9%	135	100%	144	100%
Brown	69	60.5%	57	53.3%	114	100%	107	100%
Carlton	67	49.3%	63	54.8%	136	100%	115	100%
Carver	68	55.3%	53	47.7%	123	100%	111	100%
Cass	56	41.5%	46	48.4%	135	100%	95	100%
Chippewa	26	42.6%	26	57.8%	61	100%	45	100%
Chisago	66	52.8%	50	44.6%	125	100%	112	100%
Clay	72	53.7%	79	55.6%	134	100%	142	100%
Clearwater	17	38.6%	14	53.8%	44	100%	26	100%
Cook	10	55.6%	8	50.0%	18	100%	16	100%
Cottonwood	20	37.7%	22	50.0%	53	100%	44	100%
Crow Wing	102	47.0%	106	52.5%	217	100%	202	100%
Dakota	387	55.9%	357	49.3%	692	100%	724	100%
Dodge	15	48.4%	21	51.2%	31	100%	41	100%
Douglas	71	55.0%	56	51.4%	129	100%	109	100%
Faribault	29	46.8%	27	40.3%	62	100%	67	100%
Fillmore	47	45.6%	32	59.3%	103	100%	54	100%
Freeborn	72	53.7%	56	55.4%	134	100%	101	100%
Goodhue	71	50.7%	71	55.9%	140	100%	127	100%
Grant	12	42.9%	12	52.2%	28	100%	23	100%
Hennepin	1,512	54.1%	1,484	51.2%	2,793	100%	2,899	100%
Houston	33	49.3%	25	50.0%	67	100%	50	100%
Hubbard	35	46.7%	31	48.4%	75	100%	64	100%
Isanti	51	51.5%	38	48.7%	99	100%	78	100%
Itasca	88	42.3%	86	54.1%	208	100%	159	100%
Jackson	28	57.1%	20	55.6%	49	100%	36	100%
Kanabec	18	34.6%	20	43.5%	52	100%	46	100%
Kandiyohi	69	51.9%	61	46.6%	133	100%	131	100%
Kittson	14	53.8%	6	42.9%	26	100%	14	100%
Koochiching	28	41.2%	30	56.6%	68	100%	53	100%
Lac Qui Parle	20	47.6%	17	56.7%	42	100%	30	100%
Lake	25	47.2%	15	46.9%	53	100%	32	100%
Lake of the Woods	4	30.8%	2	13.3%	13	100%	15	100%
Le Sueur	47	54.0%	29	41.4%	87	100%	70	100%
Lincoln	18	38.3%	11	50.0%	47	100%	22	100%
Lyon	46	46.0%	30	46.9%	100	100%	64	100%
McLeod	55	54.5%	59	62.8%	101	100%	94	100%
Mahnomen	14	60.9%	9	56.3%	23	100%	16	100%
Marshall	21	60.0%	9	32.1%	35	100%	28	100%
Martin	49	57.6%	48	49.5%	85	100%	97	100%
Meeker	42	50.0%	46	64.8%	84	100%	71	100%
Mille Lacs	29	35.4%	44	58.7%	82	100%	75	100%
Morrison	61	47.7%	58	59.8%	128	100%	97	100%

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2002-2004**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
Mower	84	53.2%	88	62.0%	158	100%	142	100%
Murray	30	50.8%	27	60.0%	59	100%	45	100%
Nicollet	42	57.5%	48	51.6%	73	100%	93	100%
Nobles	25	41.7%	41	55.4%	60	100%	74	100%
Norman	18	54.5%	16	45.7%	33	100%	35	100%
Olmsted	179	55.8%	161	52.6%	321	100%	306	100%
Otter Tail	116	49.8%	117	59.7%	233	100%	196	100%
Pennington	29	54.7%	25	54.3%	53	100%	46	100%
Pine	53	49.5%	38	45.8%	107	100%	83	100%
Pipestone	27	54.0%	19	65.5%	50	100%	29	100%
Polk	55	55.0%	59	50.9%	100	100%	116	100%
Pope	28	59.6%	27	60.0%	47	100%	45	100%
Ramsey	675	51.1%	743	51.4%	1,320	100%	1,445	100%
Red Lake	11	52.4%	3	23.1%	21	100%	13	100%
Redwood	38	48.7%	35	50.0%	78	100%	70	100%
Renville	44	55.7%	35	55.6%	79	100%	63	100%
Rice	91	50.6%	83	53.2%	180	100%	156	100%
Rock	18	51.4%	24	53.3%	35	100%	45	100%
Roseau	29	46.8%	21	70.0%	62	100%	30	100%
St. Louis	379	47.5%	375	51.7%	798	100%	726	100%
Scott	91	51.4%	85	48.9%	177	100%	174	100%
Sherburne	70	51.5%	74	50.7%	136	100%	146	100%
Sibley	27	51.9%	26	52.0%	52	100%	50	100%
Stearns	151	49.3%	164	56.2%	306	100%	292	100%
Steele	47	48.0%	59	52.2%	98	100%	113	100%
Stevens	20	55.6%	20	69.0%	36	100%	29	100%
Swift	19	36.5%	26	72.2%	52	100%	36	100%
Todd	50	48.1%	38	49.4%	104	100%	77	100%
Traverse	10	55.6%	9	40.9%	18	100%	22	100%
Wabasha	43	47.8%	38	49.4%	90	100%	77	100%
Wadena	33	49.3%	23	46.9%	67	100%	49	100%
Waseca	45	60.8%	29	53.7%	74	100%	54	100%
Washington	249	55.3%	202	49.9%	450	100%	405	100%
Watonwan	9	31.0%	29	69.0%	29	100%	42	100%
Wilkin	7	41.2%	13	41.9%	17	100%	31	100%
Winona	76	48.7%	73	50.7%	156	100%	144	100%
Wright	119	53.4%	86	44.3%	223	100%	194	100%
Yellow Medicine	20	51.3%	28	62.2%	39	100%	45	100%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2002, 2003 and 2004.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Other All Other Cancers

Total All Cancers Listed as the Underlying Cause of Death