



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

April 21, 2025

Licensee

Precious Health Services LLC

1113 Suburban Avenue

Saint Paul, MN 55106

RE: Project Number(s) SL38745016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on March 26, 2025, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement.

Level 2: a fine of \$500 per violation, in addition to any enforcement mechanism authorized in § 144G.20 for widespread violations;

Level 3: a fine of \$3,000 per violation per incident, in addition to any enforcement mechanism authorized in § 144G.20.

Level 4: a fine of \$5,000 per incident, in addition to any enforcement mechanism authorized in

§ 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed pursuant to this survey:

St - 0 - 0780 - 144g.45 Subd. 2 (a) (1) - Fire Protection And Physical Environment - \$500.00

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is \$500.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

REQUESTING A HEARING

Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating factor.

To submit a hearing request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: <https://forms.office.com/g/Bm5uQEPhVa>. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Renee L. Anderson".

Renee L. Anderson, Supervisor

State Evaluation Team

Email: Renee.L.Anderson@state.mn.us

Telephone: 651-201-5871 Fax: 1-866-890-9290

HHH

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38745	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/26/2025
NAME OF PROVIDER OR SUPPLIER PRECIOUS HEALTH SERVICES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 1113 SUBURBAN AVENUE SAINT PAUL, MN 55106		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL#38745016-0 On March 24, 2025, through March 26, 2025, the Minnesota Department of Health conducted a survey at the above provider, and the following correction orders are issued. At the time of the survey, there were 3 residents, all of whom were receiving services under the provider's Assisted Living license.	0 000	Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living License Providers. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. The letter in the left column is used for tracking purposes and reflects the scope and level pursuant to 144G.31 Subd. 1, 2 and 3.		
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services (a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter	0 480			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38745	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/26/2025
NAME OF PROVIDER OR SUPPLIER PRECIOUS HEALTH SERVICES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 1113 SUBURBAN AVENUE SAINT PAUL, MN 55106		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 1 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38745	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/26/2025
NAME OF PROVIDER OR SUPPLIER PRECIOUS HEALTH SERVICES LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 1113 SUBURBAN AVENUE SAINT PAUL, MN 55106			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 2 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated March 24, 2025, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection. TIME PERIOD FOR CORRECTION: Please refer to the FBEIR for any compliance dates.	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38745	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/26/2025
NAME OF PROVIDER OR SUPPLIER PRECIOUS HEALTH SERVICES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 1113 SUBURBAN AVENUE SAINT PAUL, MN 55106		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 780	Continued From page 3	0 780			
0 780 SS=F	144G.45 Subd. 2 (a) (1) Fire protection and physical environment for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms; (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to provide smoke alarms outside or in the vicinity of all sleeping rooms. This had the potential to directly affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to	0 780			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38745	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/26/2025
NAME OF PROVIDER OR SUPPLIER PRECIOUS HEALTH SERVICES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 1113 SUBURBAN AVENUE SAINT PAUL, MN 55106		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 780	Continued From page 4 cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: On a facility tour on March 25, 2025, from 1:00 p.m. to 3:30 p.m., the surveyor toured the facility with owner (O)-A. During the tour, the surveyor observed the area outside of bedroom #1 there was not an interconnected smoke or carbon monoxide alarm. During a facility tour on March 25, 2025, at 2:30 p.m., O-A, verified the above listed observations while accompanying on the tour. TIME PERIOD FOR CORRECTION: Two (2) days	0 780			
0 810 SS=F	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation.	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38745	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/26/2025
NAME OF PROVIDER OR SUPPLIER PRECIOUS HEALTH SERVICES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 1113 SUBURBAN AVENUE SAINT PAUL, MN 55106		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 5 (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to provide required training and drills. This had the potential to directly affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: On March 25, 2025, owner (O)-A provided documents on the fire safety and evacuation plan (FSEP), fire safety training and evacuation drills,	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38745	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/26/2025
NAME OF PROVIDER OR SUPPLIER PRECIOUS HEALTH SERVICES LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 1113 SUBURBAN AVENUE SAINT PAUL, MN 55106			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 6 for the facility. TRAINING: The licensee failed to provide evacuation training to residents at least once per year. O-A lacked documentation showing any training was offered or training was scheduled for a future date for residents on the fire safety and evacuation plan. The licensee failed to provide training to employees on the FSEP upon hire and at least twice per year. The licensee's training records showed they were using evacuation drills as training. No other training documentation was provided. On March 25, 2025, at 2:30 p.m., O-A stated they understood the requirements for training residents and would implement a training program that was compliant with statute requirements. DRILLS: The licensee failed to conduct evacuation drills for employees twice per year, per shift with at least one evacuation drill every other month. Record review of licensee's evacuation drill log showed no scenario information, no times or shift information. On March 25, 2025, at 2:30 p.m., O-A stated there were no additional documented drills for the facility and would implement a training program that was compliant with statute requirements. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38745	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/26/2025
NAME OF PROVIDER OR SUPPLIER PRECIOUS HEALTH SERVICES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 1113 SUBURBAN AVENUE SAINT PAUL, MN 55106		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01620	Continued From page 7	01620			
01620 SS=F	144G.70 Subd. 2 (c-e) Initial reviews, assessments, and monitoring (c) Resident reassessment and monitoring must be conducted no more than 14 calendar days after initiation of services. Ongoing resident reassessment and monitoring must be conducted as needed based on changes in the needs of the resident and cannot exceed 90 calendar days from the last date of the assessment. (d) For residents only receiving assisted living services specified in section 144G.08, subdivision 9, clauses (1) to (5), the facility shall complete an individualized initial review of the resident's needs and preferences. The initial review must be completed within 30 calendar days of the start of services. Resident monitoring and review must be conducted as needed based on changes in the needs of the resident and cannot exceed 90 calendar days from the date of the last review. (e) A facility must inform the prospective resident of the availability of and contact information for long-term care consultation services under section 256B.0911, prior to the date on which a prospective resident executes a contract with a facility or the date on which a prospective resident moves in, whichever is earlier. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to ensure the registered nurse (RN) conducted resident reassessment and monitoring no more than 14 calendar days after initiation of services, and ongoing resident reassessment and monitoring not to exceed 90 calendar days from the last assessment date for three of three residents (R2, R3, R4). This practice resulted in a level two violation (a	01620			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38745	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/26/2025
NAME OF PROVIDER OR SUPPLIER PRECIOUS HEALTH SERVICES LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 1113 SUBURBAN AVENUE SAINT PAUL, MN 55106			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01620	Continued From page 8 violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: R2 R2's diagnoses included anxiety and diabetes. R2's current Service Plan, dated October 25, 2024, indicated R2 received services including assistance with dressing, grooming, housekeeping, laundry, and medication management. R2's record included an initial nursing assessment completed October 25, 2024, followed by a reassessment completed November 10, 2024, greater than 14 days (16 days) after the initiation of services. A subsequent assessment was completed February 17, 2025, greater than 90 days (99 days) after the previous assessment. R3 R3's diagnoses included anxiety. R3's current Service Plan, dated November 8, 2024, indicated R3 received services including assistance with bathing, housekeeping, laundry, and medication management. R3's record included a nursing assessment completed November 21, 2024. No reassessment had been completed by the date of R3's record review, during the survey, on March 26, 2025,	01620			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38745	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/26/2025
NAME OF PROVIDER OR SUPPLIER PRECIOUS HEALTH SERVICES LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 1113 SUBURBAN AVENUE SAINT PAUL, MN 55106			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01620	Continued From page 9 126 days after the previous assessment. R4 R4's diagnoses included depression. R4's current Service Plan, dated November 21, 2024, indicated R4 received services including assistance with bathing, dressing, grooming, housekeeping, laundry, and medication management. R4's record included a nursing assessment completed December 6, 2024. No reassessment had been completed by the date of R3's record review, during the survey, on March 26, 2025, 111 days after the previous assessment. On March 26, 2025, at 10:22 a.m., clinical nurse supervisor (CNS)-B stated she had been on vacation during some of the resident assessment period. CNS-B also explained that she had assessment reminders scheduled in RTasks (an electronic record keeping program), and she did not know why the assessments were not completed on schedule. The licensee's Assessments, Reviews and Monitoring policy, dated June 2021, directed ongoing resident assessments must be completed by an RN no more than 14 calendar days after initiation of services and cannot exceed 90 days from the last date of assessment thereafter. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	01620			



Minnesota Department of Health
Food Pools & Lodging Services
P.O. Box 64974
St Paul, MN 55164-0975
651 201 4500

Type: Full
Date: 03/24/25
Time: 14:05:59
Report: 8058251064

Food and Beverage Establishment Inspection Report

Page 1

Location:

Precious Health Services LLC
1113 Suburban Ave
St Paul, MN 55106
Ramsey County, 62

Establishment Info:

ID #: 0041579
Risk:
Announced Inspection: No

License Categories:

Expires on: 12/31/23

Operator:

Phone #:
ID #:

The violations listed in this report include any previously issued orders and deficiencies identified during this inspection. Compliance dates are shown for each item.

The following orders were issued during this inspection.

3-500C Microbial Control: date marking

3-501.17B

**** Priority 2 ****

MN Rule 4626.0400B Mark the refrigerated, ready-to-eat, TCS food prepared and packaged in a processing plant and opened and held for more than 24 hours in the food establishment using an effective method to indicate the date by which the food must be consumed on the premises, sold, or discarded. The date must not exceed the manufacturer's use-by-date.

HOT DOGS, CHEESE, OPENED ITEMS NOT MARKED WITH DATE - COS

Comply By: 03/24/25

Surface and Equipment Sanitizers

Hot Water: = at 175 Degrees Fahrenheit
Location: DISH WASHER
Violation Issued: No

Food and Equipment Temperatures

Process/Item: TOMATO
Temperature: 41 Degrees Fahrenheit - Location: COOLER
Violation Issued: No

Process/Item: HOT DOG
Temperature: 41 Degrees Fahrenheit - Location: COOLER
Violation Issued: No

Process/Item: BRAT
Temperature: 41 Degrees Fahrenheit - Location: COOLER
Violation Issued: No

Type: Full
Date: 03/24/25
Time: 14:05:59
Report: 8058251064
Precious Health Services LLC

Food and Beverage Establishment
Inspection Report

Total Orders	In This Report	Priority 1	Priority 2	Priority 3
		0	1	0

RESIDENTIAL HOME WITH NON COMMERCIAL APPLIANCES AND FINISHES

HRD INSPECTOR ROBYN WOOLLEY

NOTE: Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.


I acknowledge receipt of the Minnesota Department of Health inspection report number 8058251064 of 03/24/25.

Certified Food Protection Manager: JOSEPH MORHGAN

Certification Number: 121347 Expires: 02/01/27

Inspection report reviewed with person in charge and emailed.

Signed: _____
JOSEPH MORGAN
PIC

Signed:  _____
Aaron Gertz
Sanitarian 3
MDH Metro Office
651 201 4500
aaron.gertz@state.mn.us