

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL  
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: 4JRW

Facility ID: 00168

<p>1. MEDICARE/MEDICAID PROVIDER NO. (L1) <b>24E166</b></p> <p>2.STATE VENDOR OR MEDICAID NO. (L2) <b>458995500</b></p>	<p>3. NAME AND ADDRESS OF FACILITY (L3) <b>BIRCHWOOD CARE HOME</b> (L4) <b>715 WEST 31ST STREET</b> (L5) <b>MINNEAPOLIS, MN</b> (L6) <b>55408</b></p>	<p>4. TYPE OF ACTION: <u>7</u> (L8)</p> <table border="0"> <tr> <td>1. Initial</td> <td>2. Recertification</td> </tr> <tr> <td>3. Termination</td> <td>4. CHOW</td> </tr> <tr> <td>5. Validation</td> <td>6. Complaint</td> </tr> <tr> <td>7. On-Site Visit</td> <td>9. Other</td> </tr> <tr> <td colspan="2">8. Full Survey After Complaint</td> </tr> </table> <p>FISCAL YEAR ENDING DATE: (L35) <b>09/30</b></p>	1. Initial	2. Recertification	3. Termination	4. CHOW	5. Validation	6. Complaint	7. On-Site Visit	9. Other	8. Full Survey After Complaint											
1. Initial	2. Recertification																					
3. Termination	4. CHOW																					
5. Validation	6. Complaint																					
7. On-Site Visit	9. Other																					
8. Full Survey After Complaint																						
<p>5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)</p> <p>6. DATE OF SURVEY <b>09/04/2013</b> (L34)</p> <p>8. ACCREDITATION STATUS: (L10) 0 Unaccredited 1 TJC 2 AOA 3 Other</p>	<p>7. PROVIDER/SUPPLIER CATEGORY <u>10</u> (L7)</p> <table border="0"> <tr> <td>01 Hospital</td> <td>05 HHA</td> <td>09 ESRD</td> <td>13 PTIP</td> <td>22 CLIA</td> </tr> <tr> <td>02 SNF/NF/Dual</td> <td>06 PRTF</td> <td>10 NF</td> <td>14 CORF</td> <td></td> </tr> <tr> <td>03 SNF/NF/Distinct</td> <td>07 X-Ray</td> <td>11 ICF/IID</td> <td>15 ASC</td> <td></td> </tr> <tr> <td>04 SNF</td> <td>08 OPT/SP</td> <td>12 RHC</td> <td>16 HOSPICE</td> <td></td> </tr> </table>	01 Hospital	05 HHA	09 ESRD	13 PTIP	22 CLIA	02 SNF/NF/Dual	06 PRTF	10 NF	14 CORF		03 SNF/NF/Distinct	07 X-Ray	11 ICF/IID	15 ASC		04 SNF	08 OPT/SP	12 RHC	16 HOSPICE		
01 Hospital	05 HHA	09 ESRD	13 PTIP	22 CLIA																		
02 SNF/NF/Dual	06 PRTF	10 NF	14 CORF																			
03 SNF/NF/Distinct	07 X-Ray	11 ICF/IID	15 ASC																			
04 SNF	08 OPT/SP	12 RHC	16 HOSPICE																			
<p>11. LTC PERIOD OF CERTIFICATION From (a) : To (b) :</p> <p>12.Total Facility Beds <b>60</b> (L18)</p> <p>13.Total Certified Beds <b>60</b> (L17)</p>	<p>10.THE FACILITY IS CERTIFIED AS:</p> <p>A. In Compliance With <u>And/Or Approved Waivers Of The Following Requirements:</u></p> <table border="0"> <tr> <td>Program Requirements Compliance Based On:</td> <td><u>2.</u> Technical Personnel</td> <td><u>6.</u> Scope of Services Limit</td> </tr> <tr> <td><u>1.</u> Acceptable POC</td> <td><u>3.</u> 24 Hour RN</td> <td><u>7.</u> Medical Director</td> </tr> <tr> <td></td> <td><u>4.</u> 7-Day RN (Rural SNF)</td> <td><u>8.</u> Patient Room Size</td> </tr> <tr> <td></td> <td><u>5.</u> Life Safety Code</td> <td><u>9.</u> Beds/Room</td> </tr> </table> <p>B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: <b>A</b> (L12)</p>		Program Requirements Compliance Based On:	<u>2.</u> Technical Personnel	<u>6.</u> Scope of Services Limit	<u>1.</u> Acceptable POC	<u>3.</u> 24 Hour RN	<u>7.</u> Medical Director		<u>4.</u> 7-Day RN (Rural SNF)	<u>8.</u> Patient Room Size		<u>5.</u> Life Safety Code	<u>9.</u> Beds/Room								
Program Requirements Compliance Based On:	<u>2.</u> Technical Personnel	<u>6.</u> Scope of Services Limit																				
<u>1.</u> Acceptable POC	<u>3.</u> 24 Hour RN	<u>7.</u> Medical Director																				
	<u>4.</u> 7-Day RN (Rural SNF)	<u>8.</u> Patient Room Size																				
	<u>5.</u> Life Safety Code	<u>9.</u> Beds/Room																				
<p>14. LTC CERTIFIED BED BREAKDOWN</p> <table border="0"> <tr> <td>18 SNF</td> <td>18/19 SNF</td> <td>19 SNF</td> <td>ICF</td> <td>IID</td> </tr> <tr> <td></td> <td></td> <td>60</td> <td></td> <td></td> </tr> <tr> <td>(L37)</td> <td>(L38)</td> <td>(L39)</td> <td>(L42)</td> <td>(L43)</td> </tr> </table>	18 SNF	18/19 SNF	19 SNF	ICF	IID			60			(L37)	(L38)	(L39)	(L42)	(L43)	<p>15. FACILITY MEETS</p> <p>1861 (e) (1) or 1861 (j) (1): (L15)</p>						
18 SNF	18/19 SNF	19 SNF	ICF	IID																		
		60																				
(L37)	(L38)	(L39)	(L42)	(L43)																		

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

See Attached Remarks

<p>17. SURVEYOR SIGNATURE</p> <p><u>Angela Richey, HFE NE II</u> Date : <u>09/26/2013</u> (L19)</p>	<p>18. STATE SURVEY AGENCY APPROVAL</p> <p><u>Shellae Dietrich, Program Specialist</u> Date: <u>12/20/2013</u> (L20)</p>
---	--

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

<p>19. DETERMINATION OF ELIGIBILITY</p> <p><input checked="" type="checkbox"/> 1. Facility is Eligible to Participate <input type="checkbox"/> 2. Facility is not Eligible (L21)</p>	<p>20. COMPLIANCE WITH CIVIL RIGHTS ACT:</p>	<p>21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : _____</p>
<p>22. ORIGINAL DATE OF PARTICIPATION <b>03/31/1974</b> (L24)</p>	<p>23. LTC AGREEMENT BEGINNING DATE (L41)</p>	<p>24. LTC AGREEMENT ENDING DATE (L25)</p>
<p>25. LTC EXTENSION DATE: (L27)</p>	<p>27. ALTERNATIVE SANCTIONS</p> <p>A. Suspension of Admissions: (L44)</p> <p>B. Rescind Suspension Date: (L45)</p>	
<p>28. TERMINATION DATE: (L28)</p>	<p>29. INTERMEDIARY/CARRIER NO. (L31)</p>	<p>30. REMARKS <b>Posted 12/31/2013 CO. 4JRW</b></p>
<p>31. RO RECEIPT OF CMS-1539 (L32)</p>	<p>32. DETERMINATION OF APPROVAL DATE <b>09/10/2013</b> (L33)</p>	
<p>DETERMINATION APPROVAL</p>		

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL  
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: 4JRW

Facility ID: 00168

C&amp;T REMARKS - CMS 1539 FORM

STATE AGENCY REMARKS

CCN# 24E166

At the time of the standard survey completed July 22, 2013, the facility was not in substantial compliance and the most serious deficiencies were found to be widespread deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level F) whereby corrections were required. The facility was given an opportunity to correct before remedies were imposed.

On September 4, 2013, the Minnesota Department of Health completed a Post Certification Revisit (PCR) and determined that the facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to the standard survey, completed on July 22, 2013 effective August 15, 2013, therefore the remedies outlined in our letter to you dated July 31, 2013, will not be imposed.

See the attached CMS-2567B form for the results of the September 5, 2013 revisit.



*Protecting, Maintaining and Improving the Health of Minnesotans*

CCN# 24E166

December 20, 2013

Mr. Randal Hagemeyer, Administrator  
Birchwood Care Home  
715 West 31st Street  
Minneapolis, Minnesota 55408

Dear Mr. Hagemeyer:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to the Minnesota Department of Human Services that your facility is recertified in the Medicaid program.

Effective August 15, 2013 the above facility is certified for:

60 Nursing Facility II Beds

Your facility's Medicare approved area consists of all 60 nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Please contact me if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads "Shellae Dietrich".

Shellae Dietrich, Program Specialist  
Program Assurance Unit  
Licensing and Certification Program  
Division of Compliance Monitoring  
Minnesota Department of Health  
P.O. Box 64900  
St. Paul, MN 55164-0900  
Telephone #: (651) 201-4106 Fax #: (651) 215-9697  
cc: Licensing and Certification File



*Protecting, Maintaining and Improving the Health of Minnesotans*

September 26, 2013

Mr. Randal Hagemeyer, Administrator  
Birchwood Care Home  
715 West 31st Street  
Minneapolis, Minnesota 55408

RE: Project Number SE166022

Dear Mr. Hagemeyer:

On July 31, 2013, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on July 22, 2013. This survey found the most serious deficiencies to be widespread deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level F) whereby corrections were required.

On September 4, 2013, the Minnesota Department of Health completed a Post Certification Revisit (PCR) to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on July 22, 2013. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of August 15, 2013. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on July 22, 2013, effective August 15, 2013 and therefore remedies outlined in our letter to you dated July 31, 2013, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Enclosed is a copy of the Post Certification Revisit Form, (CMS-2567B) from this visit.

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in black ink that reads "Shellae Dietrich". The signature is written in a cursive, slightly slanted style.

Shellae Dietrich, Program Specialist  
Licensing and Certification Program  
Division of Compliance Monitoring  
Telephone: (651) 201-4106 Fax: (651) 215-9697

Enclosure

cc: Licensing and Certification File

**Post-Certification Revisit Report**

Public reporting for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing the burden, to CMS, Office of Financial Management, P.O. Box 26684, Baltimore, MD 21207; and to the Office of Management and Budget, Paperwork Reduction Project (0938-0390), Washington, D.C. 20503.

<b>(Y1) Provider / Supplier / CLIA / Identification Number</b> 24E166	<b>(Y2) Multiple Construction</b> A. Building _____ B. Wing _____	<b>(Y3) Date of Revisit</b> 9/4/2013
<b>Name of Facility</b> BIRCHWOOD CARE HOME	<b>Street Address, City, State, Zip Code</b> 715 WEST 31ST STREET MINNEAPOLIS, MN 55408	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <b>F0371</b>	Correction Completed 08/15/2013	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # <b>483.35(i)</b>	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____

Reviewed By _____	Reviewed By GD/sd	Date: 09/26/13	Signature of Surveyor: 30239	Date: 09/04/13
Reviewed By _____	Reviewed By	Date:	Signature of Surveyor:	Date:
CMS RO				

Followup to Survey Completed on: 7/18/2013	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? <table style="float: right;"> <tr> <td>YES</td> <td>NO</td> </tr> </table>	YES	NO
YES	NO		

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL  
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: 4JRW  
Facility ID: 00168

1. MEDICARE/MEDICAID PROVIDER NO. (L1) <b>24E166</b>	3. NAME AND ADDRESS OF FACILITY (L3) <b>BIRCHWOOD CARE HOME</b> (L4) <b>715 WEST 31ST STREET</b> (L5) <b>MINNEAPOLIS, MN</b> (L6) <b>55408</b>	4. TYPE OF ACTION: <u>7</u> (L8)  1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other  8. Full Survey After Complaint
2.STATE VENDOR OR MEDICAID NO. (L2) <b>458995500</b>	7. PROVIDER/SUPPLIER CATEGORY <u>10</u> (L7) <b>01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA</b> <b>02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF</b> <b>03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC</b> <b>04 SNF 08 OPT/SP 12 RHC 16 HOSPICE</b>	FISCAL YEAR ENDING DATE: (L35) <b>09/30</b>
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)	6. DATE OF SURVEY <b>09/04/2013</b> (L34)	8. ACCREDITATION STATUS: (L10) 0 Unaccredited 1 TJC 2 AOA 3 Other
11. LTC PERIOD OF CERTIFICATION From (a) : To (b) :	10.THE FACILITY IS CERTIFIED AS: A. In Compliance With Program Requirements Compliance Based On: <u>1</u> . Acceptable POC B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: <b>A</b> (L12)	And/Or Approved Waivers Of The Following Requirements: <u>2</u> . Technical Personnel <u>3</u> . 24 Hour RN <u>4</u> . 7-Day RN (Rural SNF) <u>5</u> . Life Safety Code <u>6</u> . Scope of Services Limit <u>7</u> . Medical Director <u>8</u> . Patient Room Size <u>9</u> . Beds/Room
12.Total Facility Beds <b>60</b> (L18)	13.Total Certified Beds <b>60</b> (L17)	
14. LTC CERTIFIED BED BREAKDOWN  18 SNF 18/19 SNF 19 SNF ICF IID  (L37) (L38) (L39) (L42) (L43)	15. FACILITY MEETS  1861 (e) (1) or 1861 (j) (1): (L15)	

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

**See Attached Remarks**

17. SURVEYOR SIGNATURE  <u>Angela Richey, HFE NE II</u>	Date : <b>09/26/2013</b> (L19)	18. STATE SURVEY AGENCY APPROVAL  <u>Shellae Dietrich, Program Specialist</u>	Date: <b>12/20/2013</b> (L20)
---	-----------------------------------	---	----------------------------------

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY  <input checked="" type="checkbox"/> 1. Facility is Eligible to Participate <input type="checkbox"/> 2. Facility is not Eligible (L21)	20. COMPLIANCE WITH CIVIL RIGHTS ACT:	21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : _____
22. ORIGINAL DATE OF PARTICIPATION <b>03/31/1974</b> (L24)	23. LTC AGREEMENT BEGINNING DATE (L41)	24. LTC AGREEMENT ENDING DATE (L25)
25. LTC EXTENSION DATE: (L27)	27. ALTERNATIVE SANCTIONS A. Suspension of Admissions: (L44) B. Rescind Suspension Date: (L45)	26. TERMINATION ACTION: (L30) <b>VOLUNTARY</b> <u>00</u> <b>INVOLUNTARY</b> 01-Merger, Closure 05-Fail to Meet Health/Safety 02-Dissatisfaction W/ Reimbursement 06-Fail to Meet Agreement 03-Risk of Involuntary Termination <b>OTHER</b> 04-Other Reason for Withdrawal 07-Provider Status Change 00-Active
28. TERMINATION DATE: (L28)	29. INTERMEDIARY/CARRIER NO. (L31)	30. REMARKS <b>Posted 12/31/2013 CO.</b> <b>4JRW</b>
31. RO RECEIPT OF CMS-1539 (L32)	32. DETERMINATION OF APPROVAL DATE <b>09/10/2013</b> (L33)	DETERMINATION APPROVAL

C&amp;T REMARKS - CMS 1539 FORM

STATE AGENCY REMARKS

CCN# 24E166

At the time of the standard survey completed July 22, 2013, the facility was not in substantial compliance and the most serious deficiencies were found to be widespread deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level F) whereby corrections were required. The facility was given an opportunity to correct before remedies were imposed.

On September 4, 2013, the Minnesota Department of Health completed a Post Certification Revisit (PCR) and determined that the facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to the standard survey, completed on July 22, 2013 effective August 15, 2013, therefore the remedies outlined in our letter to you dated July 31, 2013, will not be imposed.

See the attached CMS-2567B form for the results of the September 5, 2013 revisit.



*Protecting, Maintaining and Improving the Health of Minnesotans*

CCN# 24E166

December 20, 2013

Mr. Randal Hagemeyer, Administrator  
Birchwood Care Home  
715 West 31st Street  
Minneapolis, Minnesota 55408

Dear Mr. Hagemeyer:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to the Minnesota Department of Human Services that your facility is recertified in the Medicaid program.

Effective August 15, 2013 the above facility is certified for:

60 Nursing Facility II Beds

Your facility's Medicare approved area consists of all 60 nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Please contact me if you have any questions.

Sincerely,

A handwritten signature in black ink that reads "Shellae Dietrich".

Shellae Dietrich, Program Specialist  
Program Assurance Unit  
Licensing and Certification Program  
Division of Compliance Monitoring  
Minnesota Department of Health  
P.O. Box 64900  
St. Paul, MN 55164-0900  
Telephone #: (651) 201-4106 Fax #: (651) 215-9697  
cc: Licensing and Certification File





*Protecting, Maintaining and Improving the Health of Minnesotans*

September 26, 2013

Mr. Randal Hagemeyer, Administrator  
Birchwood Care Home  
715 West 31st Street  
Minneapolis, Minnesota 55408

RE: Project Number SE166022

Dear Mr. Hagemeyer:

On July 31, 2013, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on July 22, 2013. This survey found the most serious deficiencies to be widespread deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level F) whereby corrections were required.

On September 4, 2013, the Minnesota Department of Health completed a Post Certification Revisit (PCR) to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on July 22, 2013. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of August 15, 2013. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on July 22, 2013, effective August 15, 2013 and therefore remedies outlined in our letter to you dated July 31, 2013, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Enclosed is a copy of the Post Certification Revisit Form, (CMS-2567B) from this visit.

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in black ink that reads "Shellae Dietrich". The signature is written in a cursive, slightly slanted style.

Shellae Dietrich, Program Specialist  
Licensing and Certification Program  
Division of Compliance Monitoring  
Telephone: (651) 201-4106 Fax: (651) 215-9697

Enclosure

cc: Licensing and Certification File

**Post-Certification Revisit Report**

Public reporting for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing the burden, to CMS, Office of Financial Management, P.O. Box 26684, Baltimore, MD 21207; and to the Office of Management and Budget, Paperwork Reduction Project (0938-0390), Washington, D.C. 20503.

<b>(Y1) Provider / Supplier / CLIA / Identification Number</b> 24E166	<b>(Y2) Multiple Construction</b> A. Building B. Wing	<b>(Y3) Date of Revisit</b> 9/4/2013
<b>Name of Facility</b> BIRCHWOOD CARE HOME	<b>Street Address, City, State, Zip Code</b> 715 WEST 31ST STREET MINNEAPOLIS, MN 55408	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <b>F0371</b>	Correction Completed 08/15/2013	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # <b>483.35(i)</b>		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	

Reviewed By _____	Reviewed By GD/sd	Date: 09/26/13	Signature of Surveyor: 30239	Date: 09/04/13
Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____

Followup to Survey Completed on: 7/18/2013	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? <table style="float: right;"> <tr> <td>YES</td> <td>NO</td> </tr> </table>	YES	NO
YES	NO		

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL

ID: 4JRW

PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY


Facility ID: 00168

1. MEDICARE/MEDICAID PROVIDER NO. (L1) <b>24E166</b> 2.STATE VENDOR OR MEDICAID NO. (L2) <b>458995500</b>		3. NAME AND ADDRESS OF FACILITY (L3) <b>BIRCHWOOD CARE HOME</b> (L4) <b>715 WEST 31ST STREET</b> (L5) <b>MINNEAPOLIS, MN</b> (L6) <b>55408</b>		4. TYPE OF ACTION: <u>2</u> (L8) 1. Initial                      2. Recertification 3. Termination              4. CHOW 5. Validation                 6. Complaint 7. On-Site Visit              9. Other 8. Full Survey After Complaint											
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)		7. PROVIDER/SUPPLIER CATEGORY <u>10</u> (L7) 01 Hospital            05 BHA            09 ESRD            13 PTIP            22 CLIA 02 SNE/NE/Dual       06 PRTF            10 NF               14 CORP 03 SNE/NE/Distinct   07 X-Ray           11 ICF/IID        15 ASC 04 SNF                   08 OPT/SP        12 RHC            16 HOSPICE		FISCAL YEAR ENDING DATE: (L35)  <b>09/30</b>											
6. DATE OF SURVEY <b>07/18/2013</b> (L34) 8. ACCREDITATION STATUS: (L10) 0 Unaccredited            1 TIC 2 AOA                        3 Other		10.THE FACILITY IS CERTIFIED AS: A. In Compliance With Program Requirements Compliance Based On: <input checked="" type="checkbox"/> 1. Acceptable POC And/Or Approved Waivers Of The Following Requirements: <input type="checkbox"/> 2. Technical Personnel <input type="checkbox"/> 6. Scope of Services Limit <input type="checkbox"/> 3. 24 Hour RN <input type="checkbox"/> 7. Medical Director <input type="checkbox"/> 4. 7-Day RN (Rural SNF) <input type="checkbox"/> 8. Patient Room Size <input type="checkbox"/> 5. Life Safety Code <input type="checkbox"/> 9. Beds/Room X B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: <b>B*</b> (L12)													
11. LTC PERIOD OF CERTIFICATION From (a): To (b): 12.Total Facility Beds <b>60</b> (L18) 13.Total Certified Beds <b>60</b> (L17)		14. LTC CERTIFIED BED BREAKDOWN <table border="0"> <tr> <td>18 SNF</td> <td>18/19 SNF</td> <td>19 SNF</td> <td>ICF</td> <td>IID</td> </tr> <tr> <td>(L37)</td> <td>(L38)</td> <td>60 (L39)</td> <td>(L42)</td> <td>(L43)</td> </tr> </table>		18 SNF	18/19 SNF	19 SNF	ICF	IID	(L37)	(L38)	60 (L39)	(L42)	(L43)	15. FACILITY MEETS 1861 (e) (1) or 1861 (j) (1): (L15)	
18 SNF	18/19 SNF	19 SNF	ICF	IID											
(L37)	(L38)	60 (L39)	(L42)	(L43)											

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):  
 See Attached Remarks

17. SURVEYOR SIGNATURE  <u>Rebecca Wong, HFE NE II</u> Date: <b>08/15/2013</b> (L19)	18. STATE SURVEY AGENCY APPROVAL  <u>Shellae Dietrich, Program Specialist</u> Date: <b>09/10/2013</b> (L20)
---	--

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY <input type="checkbox"/> 1. Facility is Eligible to Participate <input type="checkbox"/> 2. Facility is not Eligible (L21)		20. COMPLIANCE WITH CIVIL RIGHTS ACT:		21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above :	
22. ORIGINAL DATE OF PARTICIPATION <b>03/31/1974</b> (L24)		23. LTC AGREEMENT BEGINNING DATE (L41)		24. LTC AGREEMENT ENDING DATE (L25)	
25. LTC EXTENSION DATE: (L27)		27. ALTERNATIVE SANCTIONS A. Suspension of Admissions: (L44) B. Rescind Suspension Date: (L45)		26. TERMINATION ACTION: (L30) VOLUNTARY <u>00</u> INVOLUNTARY 01-Merger, Closure                      05-Fail to Meet Health/Safety 02-Dissatisfaction W/ Reimbursement    06-Fail to Meet Agreement 03-Risk of Involuntary Termination 04-Other Reason for Withdrawal OTHER 07-Provider Status Change 00-Active	
28. TERMINATION DATE: (L28)		29. INTERMEDIARY/CARRIER NO. (L31)		30. REMARKS  	
31. RO RECEIPT OF CMS-1539 (L32)		32. DETERMINATION OF APPROVAL DATE <b>09/10/13</b> (L33)			

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL  
 PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: 4JRW

Facility ID: 00168

1. MEDICARE/MEDICAID PROVIDER NO. (L1) <b>24E166</b>		3. NAME AND ADDRESS OF FACILITY (L3) <b>BIRCHWOOD CARE HOME</b> (L4) <b>715 WEST 31ST STREET</b> (L5) <b>MINNEAPOLIS, MN</b> (L6) <b>55408</b>		4. TYPE OF ACTION: <u>7</u> (L8)  1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other 8. Full Survey After Complaint	
2.STATE VENDOR OR MEDICAID NO. (L2) <b>458995500</b>				FISCAL YEAR ENDING DATE: (L35)  <b>09/30</b>	
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)		7. PROVIDER/SUPPLIER CATEGORY <u>10</u> (L7)  01 Hospital      05 HHA      09 ESRD      13 PTIP      22 CLIA 02 SNF/NF/Dual    06 PRTF      10 NF      14 CORF 03 SNF/NF/Distinct 07 X-Ray      11 ICF/IID    15 ASC 04 SNF              08 OPT/SP    12 RHC      16 HOSPICE			
6. DATE OF SURVEY <b>09/04/2013</b> (L34)					
8. ACCREDITATION STATUS: (L10) 0 Unaccredited      1 TJC 2 AOA                    3 Other					

11. LTC PERIOD OF CERTIFICATION  From (a) : To (b) :		10.THE FACILITY IS CERTIFIED AS:  A. In Compliance With <u>And/Or Approved Waivers Of The Following Requirements:</u> Program Requirements      _____ 2. Technical Personnel Compliance Based On:      _____ 3. 24 Hour RN      _____ 6. Scope of Services Limit _____ 1. Acceptable POC      _____ 4. 7-Day RN (Rural SNF)    _____ 7. Medical Director _____ 5. Life Safety Code      _____ 9. Beds/Room			
12.Total Facility Beds <b>60</b> (L18)		B. Not in Compliance with Program Requirements and/or Applied Waivers:    * Code: <b>A</b> (L12)			
13.Total Certified Beds <b>60</b> (L17)					

14. LTC CERTIFIED BED BREAKDOWN  18 SNF                  18/19 SNF                  19 SNF                  ICF                  IID  (L37)                  (L38)                  (L39)                  (L42)                  (L43)					15. FACILITY MEETS  1861 (e) (1) or 1861 (j) (1):      (L15)				
---	--	--	--	--	--	--	--	--	--

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):  
See Attached Remarks

17. SURVEYOR SIGNATURE  <u>Angela Richey, HFE NE II</u> (L19)		Date : <u>09/26/2013</u>	18. STATE SURVEY AGENCY APPROVAL  <u>Shellae Dietrich, Program Specialist</u> (L20)		Date: <u>12/20/2013</u>
--	--	--------------------------	--	--	-------------------------

**PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY**

19. DETERMINATION OF ELIGIBILITY  <input checked="" type="checkbox"/> 1. Facility is Eligible to Participate <input type="checkbox"/> 2. Facility is not Eligible (L21)		20. COMPLIANCE WITH CIVIL RIGHTS ACT:		21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : _____	
---	--	---------------------------------------	--	---	--

22. ORIGINAL DATE OF PARTICIPATION <b>03/31/1974</b> (L24)		23. LTC AGREEMENT BEGINNING DATE (L41)		24. LTC AGREEMENT ENDING DATE (L25)	
25. LTC EXTENSION DATE: (L27)		27. ALTERNATIVE SANCTIONS A. Suspension of Admissions: (L44) B. Rescind Suspension Date: (L45)			

26. TERMINATION ACTION: <b>VOLUNTARY</b> <b>00</b> (L30) 01-Merger, Closure 02-Dissatisfaction W/ Reimbursement 03-Risk of Involuntary Termination 04-Other Reason for Withdrawal		INVOLUNTARY 05-Fail to Meet Health/Safety 06-Fail to Meet Agreement OTHER 07-Provider Status Change 00-Active			
28. TERMINATION DATE: (L28)		29. INTERMEDIARY/CARRIER NO. (L31)		30. REMARKS <b>Posted 12/31/2013 CO.</b> <b>4JRW</b>	
31. RO RECEIPT OF CMS-1539 (L32)		32. DETERMINATION OF APPROVAL DATE <b>09/10/2013</b> (L33)		DETERMINATION APPROVAL	

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL  
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: 4JRW

Facility ID: 00168

C&amp;T REMARKS - CMS 1539 FORM

STATE AGENCY REMARKS

CCN# 24E166

At the time of the standard survey completed July 22, 2013, the facility was not in substantial compliance and the most serious deficiencies were found to be widespread deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level F) whereby corrections were required. The facility was given an opportunity to correct before remedies were imposed.

On September 4, 2013, the Minnesota Department of Health completed a Post Certification Revisit (PCR) and determined that the facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to the standard survey, completed on July 22, 2013 effective August 15, 2013, therefore the remedies outlined in our letter to you dated July 31, 2013, will not be imposed.

See the attached CMS-2567B form for the results of the September 5, 2013 revisit.



*Protecting, Maintaining and Improving the Health of Minnesotans*

CCN# 24E166

December 20, 2013

Mr. Randal Hagemeyer, Administrator  
Birchwood Care Home  
715 West 31st Street  
Minneapolis, Minnesota 55408

Dear Mr. Hagemeyer:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to the Minnesota Department of Human Services that your facility is recertified in the Medicaid program.

Effective August 15, 2013 the above facility is certified for:

60 Nursing Facility II Beds

Your facility's Medicare approved area consists of all 60 nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Please contact me if you have any questions.

Sincerely,

A handwritten signature in black ink that reads "Shellae Dietrich".

Shellae Dietrich, Program Specialist  
Program Assurance Unit  
Licensing and Certification Program  
Division of Compliance Monitoring  
Minnesota Department of Health  
P.O. Box 64900  
St. Paul, MN 55164-0900  
Telephone #: (651) 201-4106 Fax #: (651) 215-9697  
cc: Licensing and Certification File



*Protecting, Maintaining and Improving the Health of Minnesotans*

September 26, 2013

Mr. Randal Hagemeyer, Administrator  
Birchwood Care Home  
715 West 31st Street  
Minneapolis, Minnesota 55408

RE: Project Number SE166022

Dear Mr. Hagemeyer:

On July 31, 2013, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on July 22, 2013. This survey found the most serious deficiencies to be widespread deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level F) whereby corrections were required.

On September 4, 2013, the Minnesota Department of Health completed a Post Certification Revisit (PCR) to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on July 22, 2013. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of August 15, 2013. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on July 22, 2013, effective August 15, 2013 and therefore remedies outlined in our letter to you dated July 31, 2013, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Enclosed is a copy of the Post Certification Revisit Form, (CMS-2567B) from this visit.

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in black ink that reads "Shellae Dietrich".

Shellae Dietrich, Program Specialist  
Licensing and Certification Program  
Division of Compliance Monitoring  
Telephone: (651) 201-4106 Fax: (651) 215-9697

Enclosure

cc: Licensing and Certification File

**Post-Certification Revisit Report**

Public reporting for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing the burden, to CMS, Office of Financial Management, P.O. Box 26684, Baltimore, MD 21207; and to the Office of Management and Budget, Paperwork Reduction Project (0938-0390), Washington, D.C. 20503.

<b>(Y1) Provider / Supplier / CLIA / Identification Number</b> 24E166	<b>(Y2) Multiple Construction</b> A. Building B. Wing	<b>(Y3) Date of Revisit</b> 9/4/2013
<b>Name of Facility</b> BIRCHWOOD CARE HOME	<b>Street Address, City, State, Zip Code</b> 715 WEST 31ST STREET MINNEAPOLIS, MN 55408	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <b>F0371</b>	Correction Completed 08/15/2013	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # <b>483.35(i)</b>		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	

Reviewed By _____	Reviewed By GD/sd	Date: 09/26/13	Signature of Surveyor: 30239	Date: 09/04/13
Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____

Followup to Survey Completed on: 7/18/2013	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? <table style="float: right;"> <tr> <td>YES</td> <td>NO</td> </tr> </table>	YES	NO
YES	NO		



MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL  
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: 4JRW

Facility ID: 00168

C&amp;T REMARKS - CMS 1539 FORM

STATE AGENCY REMARKS

CCN# 24E166

At the time of the standard survey completed July 22, 2013, the facility was not in substantial compliance and the most serious deficiencies were found to be widespread deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level F) whereby corrections were required. The facility has been given an opportunity to correct before remedies are imposed. See attached CMS-2567 for survey results.  
Post Certification Revisit to follow.



*Protecting, Maintaining and Improving the Health of Minnesotans*

Certified Mail # 7011 2000 0002 5143 3885

July 31, 2013

Mr. Randal Hagemeyer, Administrator  
Birchwood Care Home  
715 West 31st Street  
Minneapolis, Minnesota 55408

RE: Project Number SE166022

Dear Mr. Hagemeyer:

On July 22, 2013, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

This survey found the most serious deficiencies in your facility to be widespread deficiencies that constitute no actual harm with potential for more than minimal harm that is not immediate jeopardy (Level F), as evidenced by the attached CMS-2567 whereby corrections are required. A copy of the Statement of Deficiencies (CMS-2567) is enclosed.

**Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.**

This letter provides important information regarding your response to these deficiencies and addresses the following issues:

**Opportunity to Correct - the facility is allowed an opportunity to correct identified deficiencies before remedies are imposed;**

**Plan of Correction - when a plan of correction will be due and the information to be contained in that document;**

**Remedies - the type of remedies that will be imposed with the authorization of the Centers for Medicare and Medicaid Services (CMS) if substantial compliance is not attained at the time of a revisit;**

**Potential Consequences - the consequences of not attaining substantial compliance 3 and 6 months after the survey date; and**

**Informal Dispute Resolution - your right to request an informal reconsideration to dispute the attached deficiencies.**

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

## **DEPARTMENT CONTACT**

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by a "F" tag), i.e., the plan of correction should be directed to:

Gloria Derfus  
Minnesota Department of Health  
P.O. Box 64900  
St. Paul, Minnesota 55164-0900

Telephone: (651) 201-3792

Fax: (651) 201-3790

## **OPPORTUNITY TO CORRECT - DATE OF CORRECTION - REMEDIES**

As of January 14, 2000, CMS policy requires that facilities will not be given an opportunity to correct before remedies will be imposed when actual harm was cited at the last standard or intervening survey and also cited at the current survey. Your facility does not meet this criterion. Therefore, if your facility has not achieved substantial compliance by August 27, 2013, the Department of Health will impose the following remedy:

- State Monitoring. (42 CFR 488.422)

In addition, the Department of Health is recommending to the CMS Region V Office that if your facility has not achieved substantial compliance by August 27, 2013 the following remedy will be imposed:

- Per instance civil money penalties. (42 CFR 488.430 through 488.444)

## **PLAN OF CORRECTION (PoC)**

A PoC for the deficiencies must be submitted within **ten calendar days** of your receipt of this letter. Your PoC must:

- Address how corrective action will be accomplished for those residents found to have been affected by the deficient practice;
- Address how the facility will identify other residents having the potential to be affected by the same deficient practice;
- Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur;
- Indicate how the facility plans to monitor its performance to make sure that solutions are sustained. The facility must develop a plan for ensuring that correction is achieved and sustained. This plan must be implemented, and the corrective action evaluated for its effectiveness. The plan of correction is integrated into the quality assurance system;
- Include dates when corrective action will be completed. The corrective action completion dates must be acceptable to the State. If the plan of correction is unacceptable for any reason, the State will notify the facility. If the plan of correction is acceptable, the State will notify the facility. Facilities should be cautioned that they are ultimately accountable for their own compliance, and that responsibility is not alleviated in cases where notification about the acceptability of their plan of correction is not made timely. The plan of correction will serve as the facility's allegation of compliance; and,
- Include signature of provider and date.

If an acceptable PoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Optional denial of payment for new Medicare and Medicaid admissions (42 CFR 488.417 (a));
- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable PoC could also result in the termination of your facility's Medicare and/or Medicaid agreement.

### **PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE**

The facility's PoC will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance. In order for your allegation of compliance to be acceptable to the Department, the PoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff, if your PoC for the respective deficiencies (if any) is acceptable.

### **VERIFICATION OF SUBSTANTIAL COMPLIANCE**

Upon receipt of an acceptable PoC, an onsite revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification. A Post Certification Revisit (PCR) will occur after the date you identified that compliance was achieved in your plan of correction.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved PoC, unless it is determined that either correction actually occurred between the latest correction date on the PoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the PoC.

### **Original deficiencies not corrected**

If your facility has not achieved substantial compliance, we will impose the remedies described above. If the level of noncompliance worsened to a point where a higher category of remedy may be imposed, we will recommend to the CMS Region V Office that those other remedies be imposed.

### **Original deficiencies not corrected and new deficiencies found during the revisit**

If new deficiencies are identified at the time of the revisit, those deficiencies may be disputed through the informal dispute resolution process. However, the remedies specified in this letter will be imposed for original deficiencies not corrected. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed.

### **Original deficiencies corrected but new deficiencies found during the revisit**

If new deficiencies are found at the revisit, the remedies specified in this letter will be imposed. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed. You will be provided the required notice before the imposition of a new remedy or informed if another date will be set for the imposition of these remedies.

### **FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY**

If substantial compliance with the regulations is not verified by October 18, 2013 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal regulations at 42 CFR Section 488.417(b). This mandatory denial of payments will be based on the failure to comply with deficiencies originally contained in the Statement of Deficiencies, upon the identification of new deficiencies at the time of the revisit, or if deficiencies have been issued as the result of a complaint visit or other survey conducted after the original statement of deficiencies was issued. This mandatory denial of payment is in addition to any remedies that may still be in effect as of this date.

We will also recommend to the CMS Region V Office and/or the Minnesota Department of Human Services that your provider agreement be terminated by January 18, 2014 (six months after the identification of noncompliance) if your facility does not achieve substantial compliance. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

## **INFORMAL DISPUTE RESOLUTION**

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process  
Minnesota Department of Health  
Division of Compliance Monitoring  
P.O. Box 64900  
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting a PoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: [http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc\\_idr.cfm](http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm)

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at: <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Questions regarding all documents submitted as a response to the Life Safety Code deficiencies (those preceded by a "K" tag), i.e., the plan of correction, request for waivers, should be directed to:

Mr. Patrick Sheehan, Supervisor  
Health Care Fire Inspections  
State Fire Marshal Division  
444 Cedar Street, Suite 145  
St. Paul, Minnesota 55101-5145

Telephone: (651) 201-7205

Fax: (651) 215-0541


Birchwood Care Home

July 31, 2013

Page 6

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in cursive script that reads "Shellae Dietrich".

Shellae Dietrich, Program Specialist  
Licensing and Certification Program  
Division of Compliance Monitoring  
Telephone: (651) 201-4106 Fax: (651) 215-9697

Enclosure

cc: Licensing and Certification File

E166s13.rtf

0001/001

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/01/2013  
FORM APPROVED  
OMB NO. 0938-0381

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(04) PROVIDER/CLIA IDENTIFICATION NUMBER:  242188	(05) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(07) DATE SURVEY COMPLETED  07/18/2013
--	---	--	--

NAME OF PROVIDER OR APPLICANT <b>BIRCHWOOD CARE HOME</b>	STREET ADDRESS, CITY, STATE, ZIP CODE <b>711 WEST 51ST STREET MINNEAPOLIS, MN 55408</b>
---	--

No. 1783	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	FOR COMPLETION DATE
F 000	INITIAL COMMENTS  The facility's plan of correction (POC) will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance.  Upon receipt of an acceptable POC an on-site review of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification.	F 000		
F 371 SBP	453.36(a) FOOD PROCURE, STORE/PREPARE/SERVE - SANITARY  The facility must - (1) Procure food from sources approved or considered satisfactory by Federal, State or local authorities; and (2) Store, prepare, distribute and serve food under sanitary conditions  This REQUIREMENT is not met as evidenced by: Based on observation, interview and document review the facility did not maintain clean equipment (1 of 1 ice machines) in the dining room. This had the potential to affect all 69 residents in the facility.  Findings include: The ice machines chute had not been cleaned per manufacturer's recommendations.	F 371		

*S. J. [Signature]*

**RECEIVED**  
**AUG 15 2013**

*[Handwritten signature]*

DATE OF COMPLETION OR PROVIDER/CLIA IDENTIFICATION NUMBER	TITLE
08/09/2013	Director of Quality Improvement

copying and/or posting with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting provided it be determined that it does not pose a risk to the patient. (See instructions) Except for written reports, the findings stated above are effective for 90 days from the date of survey unless otherwise specified. For survey reports, the date is the date of the survey. If a deficiency is not corrected, an appropriate plan of correction is required to be submitted to the state (these documents are made available to the facility). If deficiencies are closed, an appropriate plan of correction is required to be submitted to the state.

IDH L C S O P

851 201 3790


08/15/2013 09:35 FAX

No. 1783 P. 1



DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/31/2013  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  24E166	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____	(X3) DATE SURVEY COMPLETED  07/18/2013
NAME OF PROVIDER OR SUPPLIER  BIRCHWOOD CARE HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 715 WEST 31ST STREET MINNEAPOLIS, MN 55408	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 000	INITIAL COMMENTS  The facility's plan of correction (POC) will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance.  Upon receipt of an acceptable POC an on-site revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification.	F 000		
F 371 SS=F	483.35(i) FOOD PROCURE, STORE/PREPARE/SERVE - SANITARY  The facility must - (1) Procure food from sources approved or considered satisfactory by Federal, State or local authorities; and (2) Store, prepare, distribute and serve food under sanitary conditions  This REQUIREMENT is not met as evidenced by: Based on observation, interview and document review the facility did not maintain clean equipment (1 of 1 ice machine) in the dining room. This had the potential to affect all 59 residents in the facility.  Findings include: The ice machine chute had not been cleaned per manufacturer's recommendations.	F 371		

*Corrected AR*

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE \_\_\_\_\_ TITLE \_\_\_\_\_ (X6) DATE \_\_\_\_\_

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/31/2013  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>24E166</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>07/18/2013</b>
NAME OF PROVIDER OR SUPPLIER  <b>BIRCHWOOD CARE HOME</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>715 WEST 31ST STREET MINNEAPOLIS, MN 55408</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 371	<p>Continued From page 1</p> <p>On 7/16/15, at 4:15 p.m. the dining room ice machine was observed. The actual ice chute in which the ice passes through was observed to have black, white, and green build up.</p> <p>The dietary director was on vacation so the assistant dietary director, (ADD) who was in charge of the kitchen and dining room was interviewed. When interviewed on 7/17/13, at 12:58 p.m. the ADD confirmed the ice chute looked quite dirty with black and white flakes falling from the inside when he put his finger up into the ice chute. The ADD also said that the unit was supposed to be cleaned by maintenance.</p> <p>When interviewed on 7/17/13, at 1:20 p.m. the environmental services director (ESD) said that they clean the inside of the ice holding tank every month, however, they had never cleaned the inside of the actual ice chute. The ESD bent down to look up into the chute and verified it was very unclean. The machine manufacturer's directions for cleaning the unit were requested. The ESD tried to remove the ice chute, was unable to and then went to his office computer. The ESD printed off the cleaning and maintenance instructions for the Hoshizaki ice maker and returned with a tool. The ESD was able to remove the ice chute after reading the manufacturer's directions. The ice chute was brought to the dishwasher area to be cleaned. A copy of the manufacturer's directions were obtained and reviewed. The recommendations directed that the ice drop zone be cleaned and sanitized in addition to the ice holding tank and evaporator routinely.</p> <p>Cleaning documents were requested and the ESD and the ADD stated that they do not have a</p>	F 371			

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/31/2013  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>24E166</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>07/18/2013</b>
NAME OF PROVIDER OR SUPPLIER  <b>BIRCHWOOD CARE HOME</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>715 WEST 31ST STREET MINNEAPOLIS, MN 55408</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 371	Continued From page 2 log but they use a check-off list to cue them to routine maintenance needs. The facility check-off lists titled Daily and Weekly Cleaning Schedule, dated 6/16/13, through 6/22/13, was reviewed and the list did not include cleaning of the ice machine chute or ice drop zone.  The facility policy related to cleaning of food service equipment was requested on 7/18/13, at 9:45 a.m. and was not provided because the ADD said that the policy was not available because the dietary director was on vacation.	F 371			

**BIRCHWOOD CARE HOME**  
715 West 31<sup>st</sup> Street  
Minneapolis, Minnesota 55408

Response to Survey Deficiencies  
Survey Date of Completion June 14, 2006

**F 371 FOOD PROCURE,STORE/PREPARE/SERVE-SANITARY**

The facility must 1)Procure food from sources approved or considered satisfactory by Federal, State or local authorities: and 2)Store, prepare, distribute and serve food under satisfactory conditions.

The survey states that the ice machine chute had not been cleaned per manufacturer's recommendations.

In response to this, we have a copy of the manufacturer's recommendations that we have reviewed and have developed a policy that I have enclosed.  
I have also included a copy of our checklist, note that ice machine cleaning is included on this on a monthly basis.

The ice machine was cleaned according to policy immediately following our survey which ended on July 18,2013.

All Environmental Services and Dietary staff members have been trained on this policy/procedure.

Responsible staff will be Environmental Services Director along with Environmental Services assistant.

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/31/2013  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  24E166	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01  B. WING _____	(X3) DATE SURVEY COMPLETED  07/22/2013
NAME OF PROVIDER OR SUPPLIER  BIRCHWOOD CARE HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 715 WEST 31ST STREET MINNEAPOLIS, MN 55408	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety. At the time of this survey, Birchwood Care Home was found to be in compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>Birchwood Care Home is a 3-story building with a partial basement. The building was constructed at 2 different times. The original 3 story building was constructed in 1966 and was determined to be of Type II(222) construction. In 2000, a 1 story addition was constructed to the East that was determined to be of Type II(222) construction. Because the original building and the 1 addition are of the same type of construction, the facility was surveyed as one building.</p> <p>This building is fully fire sprinklered. The facility has a fire alarm system with smoke detection in the corridors and spaces open to the corridors that is monitored for automatic fire department notification. The facility has a capacity of 60 beds and had a census of 60 at the time of the survey.</p> <p>The requirement at 42 CFR, Subpart 483.70(a) is MET.</p>	K 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/31/2013  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>24E166</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING <b>01 - MAIN BUILDING 01</b>  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>07/22/2013</b>
NAME OF PROVIDER OR SUPPLIER  <b>BIRCHWOOD CARE HOME</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>715 WEST 31ST STREET MINNEAPOLIS, MN 55408</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety. At the time of this survey, Birchwood Care Home was found to be in compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>Birchwood Care Home is a 3-story building with a partial basement. The building was constructed at 2 different times. The original 3 story building was constructed in 1966 and was determined to be of Type II(222) construction. In 2000, a 1 story addition was constructed to the East that was determined to be of Type II(222) construction. Because the original building and the 1 addition are of the same type of construction, the facility was surveyed as one building.</p> <p>This building is fully fire sprinklered. The facility has a fire alarm system with smoke detection in the corridors and spaces open to the corridors that is monitored for automatic fire department notification. The facility has a capacity of 60 beds and had a census of 60 at the time of the survey.</p> <p>The requirement at 42 CFR, Subpart 483.70(a) is MET.</p>	K 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.