



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

October 16, 2024

Licensee

Holistic Home Care LLC

2325 Cascade Plaza South

Woodbury, MN 55125

RE: Project Number(s) SL34265015

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on September 18, 2024, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

In accordance with Minn. Stat. § 144G.31 Subd. 4, MDH may assess fines based on the level and scope of the violations; **however, no immediate fines are assessed for this survey of your facility.**

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsFor>

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEPhVa>**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,



Renee L. Anderson, Supervisor

State Evaluation Team

Email: Renee.L.Anderson@state.mn.us

Telephone: 651-201-5871 Fax: 1-866-890-9290

HHH

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34265	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/18/2024
NAME OF PROVIDER OR SUPPLIER HOLISTIC HOME CARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2325 CASCADE PLAZA SOUTH WOODBURY, MN 55125			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL #34265015-0 On September 16, 2024, through September 18, 2024, the Minnesota Department of Health conducted a survey at the above provider, and the following correction orders are issued. At the time of the survey, there were 2 residents, both of whom were receiving services under the provider's Assisted Living license.	0 000	Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living License Providers. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. The letter in the left column is used for tracking purposes and reflects the scope and level pursuant to 144G.31 Subd. 1, 2 and 3.		
0 680 SS=F	144G.42 Subd. 10 Disaster planning and emergency preparedness (a) The facility must meet the following requirements: (1) have a written emergency disaster plan that	0 680			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34265	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/18/2024
NAME OF PROVIDER OR SUPPLIER HOLISTIC HOME CARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2325 CASCADE PLAZA SOUTH WOODBURY, MN 55125			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 680	Continued From page 1 contains a plan for evacuation, addresses elements of sheltering in place, identifies temporary relocation sites, and details staff assignments in the event of a disaster or an emergency; (2) post an emergency disaster plan prominently; (3) provide building emergency exit diagrams to all residents; (4) post emergency exit diagrams on each floor; and (5) have a written policy and procedure regarding missing residents. (b) The facility must provide emergency and disaster training to all staff during the initial staff orientation and annually thereafter and must make emergency and disaster training annually available to all residents. Staff who have not received emergency and disaster training are allowed to work only when trained staff are also working on site. (c) The facility must meet any additional requirements adopted in rule. This MN Requirement is not met as evidenced by: Based on interview and record review the licensee failed to have a written emergency preparedness (EP) plan with all the required content. This had the potential to affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents).	0 680			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34265	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/18/2024
NAME OF PROVIDER OR SUPPLIER HOLISTIC HOME CARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2325 CASCADE PLAZA SOUTH WOODBURY, MN 55125			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 680	Continued From page 2 The findings include: The licensee's Assisted Living EP plan, last reviewed by the licensee October 1, 2023, lacked the following required content: -EP testing requirements including an annual full-scale exercise or individual facility-based functional exercise. On September 18, 2024, at 9:30 a.m., licensed assisted living director/registered nurse (LALD/RN)-A stated she thought the licensee had conducted the required drills, but she was unable to locate the documentation. The licensee's 9.01 Emergency Preparedness policy, dated August 1, 2021, indicated the licensee would conduct a full-scale community-wide exercise and a second full-scale community-wide exercise or a tabletop exercise at least annually. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 680			
0 780 SS=F	144G.45 Subd. 2 (a) (1) Fire protection and physical environment (a) Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: (1) for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes;	0 780			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34265	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/18/2024
NAME OF PROVIDER OR SUPPLIER HOLISTIC HOME CARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2325 CASCADE PLAZA SOUTH WOODBURY, MN 55125			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 780	Continued From page 3 (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms; (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to comply with the current Minnesota Fire Code provisions. This had the potential to directly affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: On a facility tour on September 16, 2024, from 11:30 a.m. to 12:30 p.m., with licensed assisted living director/ registered nurse (LALD/RN)-A, the surveyor made the following observations of	0 780			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34265	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/18/2024
NAME OF PROVIDER OR SUPPLIER HOLISTIC HOME CARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2325 CASCADE PLAZA SOUTH WOODBURY, MN 55125			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 780	Continued From page 4 non-compliance with current Minnesota Fire Code provisions: The patio door in the kitchen was marked as an exit with a sign and the evacuation floor plan directed occupants through the patio door as an exit. The exterior exit path from the patio door to the public way was provided with a gate utilizing a cable bicycle lock for security. All gates in the exterior exit path leading to the public way are required to be openable from the egress side in the direction of travel with the same operational hardware as the exit doors of the building in accordance with current Minnesota Fire Code. The required smoke alarms installed on the main floor level were installed 18 inches down from the ceiling. Smoke alarms are required to be installed between 4 and 12 inches from the ceiling in accordance with the product manufactures installation instructions and current Minnesota Fire Code. There was a hardwired smoke alarm missing in the main floor corridor. Smoke alarms are required to be maintained as hardwired (receiving power from the building electrical system) as installed at the time of construction in accordance with current Minnesota Fire Code. During the facility tour LALD/RN-A, verified the above listed observations while accompanying on the tour. TIME PERIOD FOR CORRECTION: Two (2) days	0 780			
0 800 SS=D	144G.45 Subd. 2 (a) (4) Fire protection and physical environment	0 800			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34265	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/18/2024
NAME OF PROVIDER OR SUPPLIER HOLISTIC HOME CARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2325 CASCADE PLAZA SOUTH WOODBURY, MN 55125			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 800	Continued From page 5 (4) keep the physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to maintain the facility's physical environment in a continuous state of good repair and operation regarding the health, safety, and well-being of the residents. This had the potential to affect a limited number of residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved, or the situation has occurred only occasionally). Findings include: On a facility tour on September 16, 2024, from 11:30 a.m. to 12:30 p.m., with licensed assisted living director/ registered nurse (LALD/RN)-A, the surveyor made the following observations of facility hazards and disrepair: It was observed that the electrical outlet was damaged and missing the weather protective cover on the back deck next to the patio door.	0 800			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34265	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/18/2024
NAME OF PROVIDER OR SUPPLIER HOLISTIC HOME CARE LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 2325 CASCADE PLAZA SOUTH WOODBURY, MN 55125		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 800	Continued From page 6 Electrical outlets are required to be maintained in good condition and provided with a cover to protect from exposure to the weather in accordance with current Minnesota Fire Code. During the facility tour LALD/RN-A, verified the above listed observations while accompanying on the tour. TIME PERIOD FOR CORRECTION: Seven (7) days	0 800			
0 820 SS=D	144G.45 Subd. 2 (g) Fire protection and physical environment (g) Existing construction or elements, including assisted living facilities that were registered as housing with services establishments under chapter 144D prior to August 1, 2021, shall be permitted to continue in use provided such use does not constitute a distinct hazard to life. Any existing elements that an authority having jurisdiction deems a distinct hazard to life must be corrected. The facility must document in the facility's records any actions taken to comply with a correction order, and must submit to the commissioner for review and approval prior to correction. This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to provide facilities that were not a distinct hazard to life. This had the potential to directly affect a limited number of residents and staff. This practice resulted in a level two violation (a violation that did not harm a resident's health or	0 820			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34265	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/18/2024
NAME OF PROVIDER OR SUPPLIER HOLISTIC HOME CARE LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 2325 CASCADE PLAZA SOUTH WOODBURY, MN 55125			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 820	Continued From page 7 safety but had the potential to have harmed a resident's health or safety) and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved, or the situation has occurred only occasionally). The findings include: On a facility tour on September 16, 2024, from 11:30 a.m. to 12:30 p.m., with licensed assisted living director/ registered nurse (LALD/RN)-A, the following hazards were observed: There was a steel bar gate device installed over the emergency escape and rescue opening in resident sleeping room 2. Emergency escape and rescue openings are required to be available at all times for immediate use to open from the inside without the use of keys, tools, or special knowledge in accordance with current Minnesota Fire Code. These deficient conditions were visually verified by LALD/RN-A, accompanying on the tour. TIME PERIOD FOR CORRECTION: Two (2) days	0 820			
01640 SS=D	144G.70 Subd. 4 (a-e) Service plan, implementation and revisions to (a) No later than 14 calendar days after the date that services are first provided, an assisted living facility shall finalize a current written service plan. (b) The service plan and any revisions must include a signature or other authentication by the facility and by the resident documenting agreement on the services to be provided. The	01640			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34265	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/18/2024
NAME OF PROVIDER OR SUPPLIER HOLISTIC HOME CARE LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 2325 CASCADE PLAZA SOUTH WOODBURY, MN 55125		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01640	Continued From page 8 service plan must be revised, if needed, based on resident reassessment under subdivision 2. The facility must provide information to the resident about changes to the facility's fee for services and how to contact the Office of Ombudsman for Long-Term Care and the Office of Ombudsman for Mental Health and Developmental Disabilities. (c) The facility must implement and provide all services required by the current service plan. (d) The service plan and the revised service plan must be entered into the resident record, including notice of a change in a resident's fees when applicable. (e) Staff providing services must be informed of the current written service plan. This MN Requirement is not met as evidenced by: Based on observation, interview and record review, the licensee failed to ensure a current written service plan included a signature or other authentication by the facility and the resident documenting agreement on the services to be provided for one of one resident (R2). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved, or the situation has occurred only occasionally). The findings include: R2 was admitted with diagnoses to include major depression and borderline personality disorder.	01640			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34265	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/18/2024
NAME OF PROVIDER OR SUPPLIER HOLISTIC HOME CARE LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 2325 CASCADE PLAZA SOUTH WOODBURY, MN 55125		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01640	Continued From page 9 On September 17, 2024, at 7:30 a.m., unlicensed personnel (ULP)-D was observed to assist R2 with medication management. R2's signed service plan, dated November 9, 2023, indicated R2 received services to include reminders with oral hygiene, hair care, grooming, bathing, housekeeping two times per week, laundry three to four times per week, and assistance with medication management. R2's current service plan, printed September 17, 2024, at the time of survey, indicated R2 received the following additional services: housekeeping daily, laundry three times per day, and behavior management. On September 18, 2024, at 11:00 a.m., licensed assisted living director/registered nurse (LALD/RN)-A stated R2's service plan dated November 9, 2023, was the most recent signed service plan. LALD-A further stated she had missed getting updated service plans signed and would change her process. The licensee's 6.08 Service Plan policy, dated August 1, 2021, indicated the service plan would include a description of the services to be provided, and any revisions would include a signature or other authentication by the resident, or resident's representative indicating agreement on the services to be provided. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	01640			

Type: Full
Date: 09/17/24
Time: 11:31:59
Report: 1036241194

Food and Beverage Establishment Inspection Report

Page 1

Location:

Holistic Home Care Llc
2325 Cascade Plaza South
Woodbury, MN55125
Washington County, 82

Establishment Info:

ID #: 0038049
Risk:
Announced Inspection: No

License Categories:

Expires on: / /

Operator:

Phone #: 6512839564
ID #:

The violations listed in this report include any previously issued orders and deficiencies identified during this inspection. Compliance dates are shown for each item.

No NEW orders were issued during this inspection.

Surface and Equipment Sanitizers

UTENSIL SURFACE TEMP: = at 160 Degrees Fahrenheit
Location: CASCADE 2 DISH MACHINE
Violation Issued: No

Food and Equipment Temperatures

Process/Item: Cold Hold/BUTTER
Temperature: 40 Degrees Fahrenheit - Location: CASCADE 2 FRIDGE
Violation Issued: No

Process/Item: Ambient Temp
Temperature: -2 Degrees Fahrenheit - Location: CASCADE 2 FREEZER
Violation Issued: No

Process/Item: Ambient Temp
Temperature: -5 Degrees Fahrenheit - Location: CASCADE 2 CHEST FREEZER
Violation Issued: No

Total Orders In This Report	Priority 1	Priority 2	Priority 3
	0	0	0

THIS INSPECTION WAS CONDUCTED IN CONJUNCTION WITH MDH HEALTH REGULATORY DIVISION (HRD) SURVEY. SURVEYOR FROM HRD WAS TAMMY CARLSON. INSPECTION CONDUCTED IN PRESENCE OF LYNDIA ABAGI AND IFEOMA EDOMARUSEH.

THIS FACILITY DOES NOT HAVE COMMERCIAL GRADE ANSI EQUIPMENT. ALL FOOD MUST BE SERVED THE SAME DAY IT IS PREPARED, AND LEFTOVERS CAN NEVER BE SAVED.

DISCUSSED ALL ORDERS ON SITE IN ADDITION TO THE FOLLOWING:

Type: Full
Date: 09/17/24
Time: 11:31:59
Report: 1036241194
Holistic Home Care Llc

Food and Beverage Establishment Inspection Report

Page 2

- EMPLOYEE ILLNESS LOG AND EXCLUSION POLICY.
- HAND WASHING POLICY AND REVIEW.
- GLOVE USAGE.
- THERMOMETER USE AND CALIBRATION.
- FOOD STORAGE.
- DATE MARKING.
- PEST CONTROL.
- FULLY COOKING FOOD FOR HIGH RISK POPULATIONS.
- ANSI 184 STANDARD FOR RESIDENTIAL DISH WASHER.

****IF ANY RESIDENT COMPLAINS OF ILLNESS, CONTACT THE MINNESOTA DEPARTMENT OF HEALTH AND PROVIDE THE FOODBORNE ILLNESS HOTLINE PHONE NUMBER TO THE CUSTOMER. THE FOODBORNE ILLNESS HOTLINE PHONE NUMBER IS 1-877-366-3455.**

NOTE: Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the inspection report number 1036241194 of 09/17/24.

Certified Food Protection Manager: IFEOMA V. EDOMARUSEH

Certification Number: 107203 Expires: 07/13/27

Inspection report reviewed with person in charge and emailed.

Signed: _____

LYNDA ABAGI
OPERATOR

Signed: _____

Jeff Johanson