

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL

ID: 5MJW

PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

Facility ID: 00498

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245534		3. NAME AND ADDRESS OF FACILITY (L3) CAPITOL VIEW TRANSITIONAL CARE CENTER			4. TYPE OF ACTION: <u>2</u> (L8)	
2.STATE VENDOR OR MEDICAID NO. (L2)		(L4) 640 JACKSON STREET			1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 8. Full Survey After Complaint 9. Other	
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)		(L5) SAINT PAUL, MN (L6) 55101			FISCAL YEAR ENDING DATE: (L35) 12/31	
6. DATE OF SURVEY 04/05/2018 (L34)		7. PROVIDER/SUPPLIER CATEGORY <u>04</u> (L7)				
8. ACCREDITATION STATUS: (L10)		01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA				
0 Unaccredited 1 TJC 2 AOA 3 Other		02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF				
		03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC				
		04 SNF 08 OPT/SP 12 RHC 16 HOSPICE				
11. LTC PERIOD OF CERTIFICATION		10. THE FACILITY IS CERTIFIED AS:				
From (a) : To (b) :		X A. In Compliance With <u>And/Or Approved Waivers Of The Following Requirements:</u>				
		Program Requirements Compliance Based On: <u>2</u> Technical Personnel <u>6</u> Scope of Services Limit				
		<u>3</u> 24 Hour RN <u>7</u> Medical Director				
		<u>4</u> 7-Day RN (Rural SNF) <u>8</u> Patient Room Size				
		<u>5</u> Life Safety Code <u>9</u> Beds/Room				
12.Total Facility Beds 32 (L18)		B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: A* (L12)				
13.Total Certified Beds 32 (L17)						
14. LTC CERTIFIED BED BREAKDOWN					15. FACILITY MEETS	
18 SNF 18/19 SNF 19 SNF ICF IID					1861 (e) (1) or 1861 (j) (1): (L15)	
32 (L37) (L38) (L39) (L42) (L43)						

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

17. SURVEYOR SIGNATURE		Date :	18. STATE SURVEY AGENCY APPROVAL		Date:
<u>Mary Heim, HPR Social Work Specialist</u>		04/05/2018	<u>Alison Helm, Enforcement Specialist</u>		05/03/2018
		(L19)			(L20)

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY		20. COMPLIANCE WITH CIVIL RIGHTS ACT:		21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above :	
<u>1</u> Facility is Eligible to Participate <u>2</u> Facility is not Eligible (L21)					
22. ORIGINAL DATE OF PARTICIPATION 04/01/1989 (L24)		23. LTC AGREEMENT BEGINNING DATE (L41)		24. LTC AGREEMENT ENDING DATE (L25)	
25. LTC EXTENSION DATE: (L27)		27. ALTERNATIVE SANCTIONS		26. TERMINATION ACTION: (L30)	
		A. Suspension of Admissions: (L44)		<u>VOLUNTARY</u> <u>00</u> <u>INVOLUNTARY</u>	
		B. Rescind Suspension Date: (L45)		01-Merger, Closure 05-Fail to Meet Health/Safety 02-Dissatisfaction W/ Reimbursement 06-Fail to Meet Agreement 03-Risk of Involuntary Termination <u>OTHER</u> 04-Other Reason for Withdrawal 07-Provider Status Change 00-Active	
28. TERMINATION DATE:		29. INTERMEDIARY/CARRIER NO. 03001 (L28) (L31)		30. REMARKS	
31. RO RECEIPT OF CMS-1539 (L32)		32. DETERMINATION OF APPROVAL DATE (L33)		DETERMINATION APPROVAL	



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically delivered
April 18, 2018

Ms. Michelle Mangan, Administrator
Capitol View Transitional Care Center
640 Jackson Street
Saint Paul, MN 55101

RE: Project Number S5534028

Dear Ms. Mangan:

On April 6, 2018, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

We are pleased to inform you that this survey resulted in no deficiencies being issued.

The Federal Form CMS-2567 is being electronically delivered.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in black ink, appearing to read 'Michaelyn Bruer'.

Michaelyn Bruer, Enforcement Specialist
Minnesota Department of Health
Health Regulation Division
Program Assurance Unit
phone 651-201-4117 fax 651-215-9697
email: michaelyn.bruer@state.mn.us

cc: Licensing and Certification File

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/03/2018
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245534	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 04/05/2018
NAME OF PROVIDER OR SUPPLIER CAPITOL VIEW TRANSITIONAL CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 640 JACKSON STREET SAINT PAUL, MN 55101		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments	E 000			
F 000	<p>A survey for compliance with CMS Appendix Z Emergency Preparedness Requirements, was conducted on 4/2/18 through 4/5/18, during a recertification survey. The facility is in compliance with the Appendix Z Emergency Preparedness Requirements.</p> <p>INITIAL COMMENTS</p> <p>On 4/2/18 through 4/5/18, a standard survey was completed at your facility by the Minnesota Department of Health to determine if your facility was in compliance with requirements of 42 CFR Part 483, Subpart B, and Requirements for Long Term Care Facilities. The facility was found in full compliance.</p> <p>The facility is enrolled in ePOC and therefore a signature is not required at the bottom of the first page of the CMS-2567 form. Although no plan of correction is required, it is required that you acknowledge receipt of the electronic documents.</p>	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

04/19/2018

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

F5534028

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245534	(X2) MULTIPLE CONSTRUCTION A. BUILDING 02 - CAPITAL VIEW TRANSITIONAL CARE UNIT B. WING _____		(X3) DATE SURVEY COMPLETED 04/06/2018
NAME OF PROVIDER OR SUPPLIER CAPITOL VIEW TRANSITIONAL CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 640 JACKSON STREET SAINT PAUL, MN 55101		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	<p>INITIAL COMMENTS</p> <p>A Life Safety Code survey was conducted by the Minnesota Department of Public Safety, State Fire Marshal Division on April 06, 2018. At the time of this survey, Capitol View Transitional Care Center, located on the 8th floor of Regions Hospital, was found to be in compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2012 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>This 10-story building was constructed in 1965, and was determined to be of Type I(332) construction. The building has a full basement and is fully fire sprinklered. The building has a fire alarm system, with smoke detection in spaces open to the corridor and in all resident rooms, that is monitored for automatic fire department notification. The facility has a capacity of 32 beds and had a census of 30 beds at the time of this survey.</p> <p>The requirement at 42 CFR, Subpart 483.70(a) is MET.</p>	K 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically delivered
April 18, 2018

Ms. Michelle Mangan, Administrator
Capitol View Transitional Care Center
640 Jackson Street
Saint Paul, MN 55101

Re: Project Number S5534028

Dear Ms. Mangan:

The above facility survey was completed on April 6, 2018 for the purpose of assessing compliance with Minnesota Department of Health Nursing Home Rules. At the time of the survey, the survey team from the Minnesota Department of Health, Health Regulation Division, noted no violations of these rules promulgated under Minnesota Stat. section 144.653 and/or Minnesota Stat. Section 144A.10.

Electronically posted is the Minnesota Department of Health order form stating that no violations were noted at the time of this survey. The Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Please disregard the heading of the fourth column which states, "Provider's Plan of Correction." This applies to Federal deficiencies only. There is no requirement to submit a Plan of Correction.

Please note it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Please feel free to call me with any questions.

Sincerely,

A handwritten signature in black ink, appearing to read 'Michaelyn Bruer'.

Michaelyn Bruer, Enforcement Specialist
Minnesota Department of Health
Health Regulation Division
Program Assurance Unit
phone 651-201-4117 fax 651-215-9697
email: michaelyn.bruer@state.mn.us

cc: Licensing and Certification File

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00498	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 04/05/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER CAPITOL VIEW TRANSITIONAL CARE CENTEF	STREET ADDRESS, CITY, STATE, ZIP CODE 640 JACKSON STREET SAINT PAUL, MN 55101
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------	--	---------------	---	--------------------

2 000	<p>Initial Comments</p> <p>*****ATTENTION*****</p> <p>NH LICENSING CORRECTION ORDER</p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p>INITIAL COMMENTS: On 4/2/18 through 4/5/18, a survey for compliance with licensing requirement was conducted during a recertification survey. The facility is in compliance with licensing requirements.</p> <p>The facility is enrolled in ePOC and therefore a</p>	2 000		
-------	--	-------	--	--

Minnesota Department of Health LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE Electronically Signed	TITLE	(X6) DATE 04/19/18
--	-------	---------------------------

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00498	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED C 04/05/2018
--	--	---	---

NAME OF PROVIDER OR SUPPLIER CAPITOL VIEW TRANSITIONAL CARE CENTE	STREET ADDRESS, CITY, STATE, ZIP CODE 640 JACKSON STREET SAINT PAUL, MN 55101
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	Continued From page 1 signature is not required at the bottom of the first page of the CMS-2567 form. Although no plan of correction is required, it is required that you acknowledge receipt of the electronic documents.	2 000		