DEPARTMENT OF HEALTH AND HUMAN SERVICES **CENTERS FOR MEDICARE & MEDICAID SERVICES**

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL

PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: 5VKG

Facility ID: 00727

1. MEDICARE/MEDICAID PROVIDER NO.
(L1) **245493**
2.STATE VENDOR OR MEDICAID NO.
(L2) **470843100**

3. NAME AND ADDRESS OF FACILITY
(L3) **AUGUSTANA CHAPEL VIEW CARE CENTER**
(L4) **615 MINNETONKA MILLS ROAD**
(L5) **HOPKINS, MN** (L6) **55343**

4. TYPE OF ACTION: **7** (L8)
1. Initial **2. Recertification**
3. Termination **4. CHOW**
5. Validation **6. Complaint**
7. On-Site Visit **9. Other**
8. Full Survey After Complaint

5. EFFECTIVE DATE CHANGE OF OWNERSHIP
(L9)

6. DATE OF SURVEY **11/25/2015** (L34)

8. ACCREDITATION STATUS: __ (L10)
0 Unaccredited 1 TJC
2 AOA 3 Other

7. PROVIDER/SUPPLIER CATEGORY 02 (L7)

01 Hospital	**05 HHA**	**09 ESRD**	**13 PTIP**	**22 CLIA**
02 SNF/NF/Dual	**06 PRTF**	**10 NF**	**14 CORF**	
03 SNF/NF/Distinct	**07 X-Ray**	**11 ICF/IID**	**15 ASC**	
04 SNF	**08 OPT/SP**	**12 RHC**	**16 HOSPICE**	

FISCAL YEAR ENDING DATE: (L35)
06/30

11. .LTC PERIOD OF CERTIFICATION
From (a) :
To (b) :

12.Total Facility Beds **108** (L18)

13.Total Certified Beds **108** (L17)

10.THE FACILITY IS CERTIFIED AS:

X A. In Compliance With Program Requirements
Compliance Based On:
___1. Acceptable POC

And/Or Approved Waivers Of The Following Requirements:
__ 2. Technical Personnel
__ 3. 24 Hour RN
__ 4. 7-Day RN (Rural SNF)
__ 5. Life Safety Code
__ 6. Scope of Services Limit
__ 7. Medical Director
__ 8. Patient Room Size
__ 9. Beds/Room

B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: **A*** (L12)

14. LTC CERTIFIED BED BREAKDOWN

18 SNF	18/19 SNF	19 SNF	ICF	IID
	108			
(L37)	(L38)	(L39)	(L42)	(L43)

15. FACILITY MEETS
1861 (e) (1) or 1861 (j) (1): (L15)

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

17. SURVEYOR SIGNATURE Date :
Gloria Derfus, Unit Supervisor 12/4/2015 (L19)

18. STATE SURVEY AGENCY APPROVAL Date:
Kamala Fiske-Downing, Enforcement Specialist 12/08/2015 (L20)

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY
____ 1. Facility is Eligible to Participate
____ 2. Facility is not Eligible
(L21)

20. COMPLIANCE WITH CIVIL RIGHTS ACT:

21. 1. Statement of Financial Solvency (HCFA-2572)
2. Ownership/Control Interest Disclosure Stmt (HCFA-1513)
3. Both of the Above :
_____

22. ORIGINAL DATE OF PARTICIPATION
08/01/1987
(L24)

23. LTC AGREEMENT BEGINNING DATE
(L41)

24. LTC AGREEMENT ENDING DATE
(L25)

25. LTC EXTENSION DATE:
(L27)

27. ALTERNATIVE SANCTIONS
A. Suspension of Admissions:
(L44)
B. Rescind Suspension Date:
(L45)

26. TERMINATION ACTION: (L30)
VOLUNTARY **00**
01-Merger, Closure
02-Dissatisfaction W/ Reimbursement
03-Risk of Involuntary Termination
04-Other Reason for Withdrawal
INVOLUNTARY
05-Fail to Meet Health/Safety
06-Fail to Meet Agreement
OTHER
07-Provider Status Change
00-Active

28. TERMINATION DATE:
(L28)

29. INTERMEDIARY/CARRIER NO.
03001
(L31)

30. REMARKS

31. RO RECEIPT OF CMS-1539
(L32)

32. DETERMINATION OF APPROVAL DATE
(L33)

DETERMINATION APPROVAL

MINNESOTA MDH DEPARTMENT OF HEALTH

Protecting, Maintaining and Improving the Health of Minnesotans

CMS Certification Number (CCN): 245493

December 8, 2015

Ms. Paula Sparling, Administrator
Augustana Chapel View Care Center
615 Minnetonka Mills Road
Hopkins, MN 55343

Dear Ms. Sparling:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective November 19, 2015 the above facility is certified for:

108 Skilled Nursing Facility/Nursing Facility Beds

Your facility's Medicare approved area consists of all 108 skilled nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Please contact me if you have any questions.

Sincerely,

Kamala Fiske-Downing

Kamala Fiske-Downing, Program Specialist
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health
Kamala.Fiske-Downing@state.mn.us
Telephone: (651) 201-4112 Fax: (651) 215-9697
cc: Licensing and Certification File

MINNESOTA
MDH
DEPARTMENT OF HEALTH

Protecting, Maintaining and Improving the Health of Minnesotans

Electronically delivered
December 4, 2015

Ms. Paula Sparling, Administrator
Augustana Chapel View Care Center
615 Minnetonka Mills Road
Hopkins, MN 55343

RE: Project Number S5493026

Dear Ms. Sparling:

On November 12, 2015, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on October 15, 2015. This survey found the most serious deficiencies to be a pattern of deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level E) whereby corrections were required.

On November 25, 2015, the Minnesota Department of Health completed a Post Certification Revisit (PCR) by review of your plan of correction to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on October 15, 2015. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of November 19, 2015. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on October 15, 2015, effective November 19, 2015 and therefore remedies outlined in our letter to you dated November 12, 2015, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions.

Sincerely,

Kamala Fiske-Downing

Kamala Fiske-Downing, Program Specialist
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health
Kamala.Fiske-Downing@state.mn.us
Telephone: (651) 201-4112
Fax: (651) 215-9697

Department of Health and Human Services
Centers for Medicare & Medicaid Services

Form Approved
OMB NO. 0938-0390

Post-Certification Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number	(Y2) Multiple Construction	(Y3) Date of Revisit
245493	A. Building B. Wing	11/25/2015

Name of Facility	Street Address, City, State, Zip Code
AUGUSTANA CHAPEL VIEW CARE CENTER	615 MINNETONKA MILLS ROAD HOPKINS, MN 55343

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date Correction Completed	(Y4) Item	(Y5) Date Correction Completed	(Y4) Item	(Y5) Date Correction Completed
ID Prefix **F0156** Reg. # **483.10(b)(5) - (10), 483.10(b** LSC	**11/19/2015**	ID Prefix **F0441** Reg. # **483.65** LSC	**11/19/2015**	ID Prefix Reg. # LSC	
ID Prefix Reg. # LSC		ID Prefix Reg. # LSC		ID Prefix Reg. # LSC	
ID Prefix Reg. # LSC		ID Prefix Reg. # LSC		ID Prefix Reg. # LSC	
ID Prefix Reg. # LSC		ID Prefix Reg. # LSC		ID Prefix Reg. # LSC	
ID Prefix Reg. # LSC		ID Prefix Reg. # LSC		ID Prefix Reg. # LSC	

Reviewed By State Agency	Reviewed By	Date:	Signature of Surveyor:	Date:
	GD/kfd	12/4/2015	18623	11/25/2015
Reviewed By CMS RO	**Reviewed By**	**Date:**	**Signature of Surveyor:**	**Date:**

Followup to Survey Completed on: 10/15/2015

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO

DEPARTMENT OF HEALTH AND HUMAN SERVICES
HEALTH CARE FINANCING ADMINSTRATION

FORM APPROVED
OMB No. 0938-0391

SURVEY TEAM COMPOSITION AND WORKLOAD REPORT

Provider/Supplier Number	Provider/Supplier Name
245493	AUGUSTANA CHAPEL VIEW CARE CTR

Type of Survey (select all that apply):

M					

A Complaint Investigation
B Dumping Investigation
C Federal Monitoring
D Follow-up Visit
E Initial Certification
F Inspection of Care
G Validation
H Life safety Code
I Recertification
J Sanction/Hearing
K State License
L Chow

Extent of Survey (Select all that apply):

A					

A Routine/Standard (all providers/suppliers)
B Extended Survey (HHA or long term care facility)
C Partial Extended Survey (HHA)
D Other Survey

SURVEY TEAM AND WORKLOAD DATA

Please enter the workload information for each surveyor. Use the surveyor's information number.

Surveyor Id Number (A)	First Date Arrived (B)	Last Date Departed (C)	Pre-Survey Preparation Hours (D)	On-Site Hours 12am-8am (E)	On-Site Hours 8am-6pm (F)	On-Site Hours 6pm-12am (G)	Travel Hours (H)	Off-Site Report Preparation Hours (I)
1. Team Leader 18623	11-25-15	11-25-15	0.25	0.00	0.00	0.00	0.00	0.25
2.								
3.								
4.								
5.								
6.								
7.								
8.								
9.								
10.								

Total Supervisory Review Hours 0.25

Total Clerical/Data Entry Hours..... 3.25

Was Statement of Deficiencies given to the provider on-site at completion of the survey? ..... N

DEPARTMENT OF HEALTH AND HUMAN SERVICES **CENTERS FOR MEDICARE & MEDICAID SERVICES**

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL

ID: 5VKG

PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

Facility ID: 00727

1. MEDICARE/MEDICAID PROVIDER NO.
(L1) **245493**
2.STATE VENDOR OR MEDICAID NO.
(L2) **470843100**

3. NAME AND ADDRESS OF FACILITY
(L3) **AUGUSTANA CHAPEL VIEW CARE CENTER**
(L4) **615 MINNETONKA MILLS ROAD**
(L5) **HOPKINS, MN** (L6) **55343**

4. TYPE OF ACTION: **2** (L8)
1. Initial **2. Recertification**
3. Termination **4. CHOW**
5. Validation **6. Complaint**
7. On-Site Visit **9. Other**
8. Full Survey After Complaint

5. EFFECTIVE DATE CHANGE OF OWNERSHIP
(L9)

6. DATE OF SURVEY **10/15/2015** (L34)

8. ACCREDITATION STATUS: __ (L10)
0 Unaccredited 1 TJC
2 AOA 3 Other

7. PROVIDER/SUPPLIER CATEGORY 02 (L7)

01 Hospital	**05 HHA**	**09 ESRD**	**13 PTIP**	**22 CLIA**
02 SNF/NF/Dual	**06 PRTF**	**10 NF**	**14 CORF**	
03 SNF/NF/Distinct	**07 X-Ray**	**11 ICF/IID**	**15 ASC**	
04 SNF	**08 OPT/SP**	**12 RHC**	**16 HOSPICE**	

FISCAL YEAR ENDING DATE: (L35)
06/30

11. .LTC PERIOD OF CERTIFICATION
From (a) :
To (b) :

12.Total Facility Beds **108** (L18)

13.Total Certified Beds **108** (L17)

10.THE FACILITY IS CERTIFIED AS:
A. In Compliance With Program Requirements
Compliance Based On:
___1. Acceptable POC

And/Or Approved Waivers Of The Following Requirements:
__ 2. Technical Personnel
__ 3. 24 Hour RN
__ 4. 7-Day RN (Rural SNF)
__ 5. Life Safety Code
__ 6. Scope of Services Limit
__ 7. Medical Director
__ 8. Patient Room Size
__ 9. Beds/Room

X B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: **B*** (L12)

14. LTC CERTIFIED BED BREAKDOWN

18 SNF	18/19 SNF	19 SNF	ICF	IID
	108			
(L37)	(L38)	(L39)	(L42)	(L43)

15. FACILITY MEETS
1861 (e) (1) or 1861 (j) (1): (L15)

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

17. SURVEYOR SIGNATURE Date :
Eva Loch, HFE NE II 11/25/2015 (L19)

18. STATE SURVEY AGENCY APPROVAL Date:
Kamala Fiske-Downing, Enforcement Specialist 11/30/2015 (L20)

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY
____ 1. Facility is Eligible to Participate
____ 2. Facility is not Eligible
(L21)

20. COMPLIANCE WITH CIVIL RIGHTS ACT:

21. 1. Statement of Financial Solvency (HCFA-2572)
2. Ownership/Control Interest Disclosure Stmt (HCFA-1513)
3. Both of the Above :
_____

22. ORIGINAL DATE OF PARTICIPATION
08/01/1987
(L24)

23. LTC AGREEMENT BEGINNING DATE
(L41)

24. LTC AGREEMENT ENDING DATE
(L25)

25. LTC EXTENSION DATE:
(L27)

27. ALTERNATIVE SANCTIONS
A. Suspension of Admissions:
(L44)
B. Rescind Suspension Date:
(L45)

26. TERMINATION ACTION: (L30)
VOLUNTARY **00**
01-Merger, Closure
02-Dissatisfaction W/ Reimbursement
03-Risk of Involuntary Termination
04-Other Reason for Withdrawal
INVOLUNTARY
05-Fail to Meet Health/Safety
06-Fail to Meet Agreement
OTHER
07-Provider Status Change
00-Active

28. TERMINATION DATE:
(L28)

29. INTERMEDIARY/CARRIER NO.
03001
(L31)

30. REMARKS

31. RO RECEIPT OF CMS-1539
(L32)

32. DETERMINATION OF APPROVAL DATE
(L33)

DETERMINATION APPROVAL

MINNESOTA MDH DEPARTMENT OF HEALTH

Protecting, Maintaining and Improving the Health of Minnesotans

Electronically delivered
November 12, 2015

Ms. Patricia Reller, Administrator
Augustana Chapel View Care Center
615 Minnetonka Mills Road
Hopkins, MN 55343

RE: Project Number S5493026

Dear Ms. Reller:

On October 15, 2015, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs. This survey found the most serious deficiencies in your facility to be a pattern of deficiencies that constitute no actual harm with potential for more than minimal harm that is not immediate jeopardy (Level E), as evidenced by the attached CMS-2567 whereby corrections are required. A copy of the Statement of Deficiencies (CMS-2567) is enclosed.

Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.

This letter provides important information regarding your response to these deficiencies and addresses the following issues:

Opportunity to Correct - the facility is allowed an opportunity to correct identified deficiencies before remedies are imposed;

Electronic Plan of Correction - when a plan of correction will be due and the information to be contained in that document;

Remedies - the type of remedies that will be imposed with the authorization of the Centers for Medicare and Medicaid Services (CMS) if substantial compliance is not attained at the time of a revisit;

Potential Consequences - the consequences of not attaining substantial compliance 3 and 6

months after the survey date; and

Informal Dispute Resolution - your right to request an informal reconsideration to dispute the attached deficiencies.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

DEPARTMENT CONTACT

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by a "F" tag), i.e., the plan of correction should be directed to:

Gloria Derfus, Unit Supervisor
Minnesota Department of Health
P.O. Box 64900
St. Paul, Minnesota 55164-0900
gloria.derfus@state.mn.us
Telephone: (651) 201-3792 Fax: (651) 215-9697

OPPORTUNITY TO CORRECT - DATE OF CORRECTION - REMEDIES

As of January 14, 2000, CMS policy requires that facilities will not be given an opportunity to correct before remedies will be imposed when actual harm was cited at the last standard or intervening survey and also cited at the current survey. Your facility does not meet this criterion. Therefore, if your facility has not achieved substantial compliance by November 24, 2015, the Department of Health will impose the following remedy:

- State Monitoring. (42 CFR 488.422)

ELECTRONIC PLAN OF CORRECTION (ePoC)

An ePoC for the deficiencies must be submitted within **ten calendar days** of your receipt of this letter. Your ePoC must:

- Address how corrective action will be accomplished for those residents found to have been affected by the deficient practice;

- Address how the facility will identify other residents having the potential to be affected by the same deficient practice;

- Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur;

- Indicate how the facility plans to monitor its performance to make sure that solutions are

sustained. The facility must develop a plan for ensuring that correction is achieved and sustained. This plan must be implemented, and the corrective action evaluated for its effectiveness. The plan of correction is integrated into the quality assurance system;

- Include dates when corrective action will be completed. The corrective action completion dates must be acceptable to the State. If the plan of correction is unacceptable for any reason, the State will notify the facility. If the plan of correction is acceptable, the State will notify the facility. Facilities should be cautioned that they are ultimately accountable for their own compliance, and that responsibility is not alleviated in cases where notification about the acceptability of their plan of correction is not made timely. The plan of correction will serve as the facility's allegation of compliance; and,

- Submit electronically to acknowledge your receipt of the electronic 2567, your review and your ePoC submission.

The state agency may, in lieu of a revisit, determine correction and compliance by accepting the facility's ePoC if the ePoC is reasonable, addresses the problem and provides evidence that the corrective action has occurred.

If an acceptable ePoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Optional denial of payment for new Medicare and Medicaid admissions (42 CFR 488.417 (a));

- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable ePoC could also result in the termination of your facility's Medicare and/or Medicaid agreement.

PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE

The facility's ePoC will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance. In order for your allegation of compliance to be acceptable to the Department, the ePoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff, if your ePoC for the respective deficiencies (if any) is acceptable.

VERIFICATION OF SUBSTANTIAL COMPLIANCE

Upon receipt of an acceptable ePoC, an onsite revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification. A Post Certification Revisit (PCR) will occur after the date you identified that compliance was achieved

in your plan of correction.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved ePoC, unless it is determined that either correction actually occurred between the latest correction date on the ePoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the ePoC.

Original deficiencies not corrected

If your facility has not achieved substantial compliance, we will impose the remedies described above. If the level of noncompliance worsened to a point where a higher category of remedy may be imposed, we will recommend to the CMS Region V Office that those other remedies be imposed.

Original deficiencies not corrected and new deficiencies found during the revisit

If new deficiencies are identified at the time of the revisit, those deficiencies may be disputed through the informal dispute resolution process. However, the remedies specified in this letter will be imposed for original deficiencies not corrected. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed.

Original deficiencies corrected but new deficiencies found during the revisit

If new deficiencies are found at the revisit, the remedies specified in this letter will be imposed. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed. You will be provided the required notice before the imposition of a new remedy or informed if another date will be set for the imposition of these remedies.

FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY

If substantial compliance with the regulations is not verified by January 15, 2016 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal regulations at 42 CFR Section 488.417(b). This mandatory denial of payments will be based on the failure to comply with deficiencies originally contained in the Statement of Deficiencies, upon the identification of new deficiencies at the time of the revisit, or if deficiencies have been issued as the result of a complaint visit or other survey conducted after the original statement of deficiencies was issued. This mandatory denial of payment is in addition to any remedies that may still be in effect as of this date.

We will also recommend to the CMS Region V Office and/or the Minnesota Department of Human Services that your provider agreement be terminated by April 15, 2016 (six months after the

identification of noncompliance) if your facility does not achieve substantial compliance. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

INFORMAL DISPUTE RESOLUTION

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process
Minnesota Department of Health
Health Regulation Division
P.O. Box 64900
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting an ePoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at: http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Feel free to contact me if you have questions.

Sincerely,

Kamala Fiske-Downing

Kamala Fiske-Downing, Program Specialist
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health
Kamala.Fiske-Downing@state.mn.us
Telephone: (651) 201-4112 Fax: (651) 215-9697

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	245493	A. BUILDING _____ B. WING _____	10/15/2015

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
AUGUSTANA CHAPEL VIEW CARE CENTER	**615 MINNETONKA MILLS ROAD HOPKINS, MN 55343**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 000	INITIAL COMMENTS The facility's plan of correction (POC) will serve as your allegation of compliance upon the Department's acceptance. Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form. Your electronic submission of the POC will be used as verification of compliance. Upon receipt of an acceptable electronic POC, an on-site revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification.	F 000		
F 156 SS=D	483.10(b)(5) - (10), 483.10(b)(1) NOTICE OF RIGHTS, RULES, SERVICES, CHARGES The facility must inform the resident both orally and in writing in a language that the resident understands of his or her rights and all rules and regulations governing resident conduct and responsibilities during the stay in the facility. The facility must also provide the resident with the notice (if any) of the State developed under §1919(e)(6) of the Act. Such notification must be made prior to or upon admission and during the resident's stay. Receipt of such information, and any amendments to it, must be acknowledged in writing. The facility must inform each resident who is entitled to Medicaid benefits, in writing, at the time of admission to the nursing facility or, when the resident becomes eligible for Medicaid of the items and services that are included in nursing facility services under the State plan and for which the resident may not be charged; those other items and services that the facility offers	F 156		11/19/15

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Electronically Signed | 11/19/2015

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	245493	A. BUILDING _____ B. WING _____	10/15/2015

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
AUGUSTANA CHAPEL VIEW CARE CENTER	**615 MINNETONKA MILLS ROAD HOPKINS, MN 55343**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 156	Continued From page 1	F 156		

and for which the resident may be charged, and the amount of charges for those services; and inform each resident when changes are made to the items and services specified in paragraphs (5)(i)(A) and (B) of this section.

The facility must inform each resident before, or at the time of admission, and periodically during the resident's stay, of services available in the facility and of charges for those services, including any charges for services not covered under Medicare or by the facility's per diem rate.

The facility must furnish a written description of legal rights which includes:
A description of the manner of protecting personal funds, under paragraph (c) of this section;

A description of the requirements and procedures for establishing eligibility for Medicaid, including the right to request an assessment under section 1924(c) which determines the extent of a couple's non-exempt resources at the time of institutionalization and attributes to the community spouse an equitable share of resources which cannot be considered available for payment toward the cost of the institutionalized spouse's medical care in his or her process of spending down to Medicaid eligibility levels.

A posting of names, addresses, and telephone numbers of all pertinent State client advocacy groups such as the State survey and certification agency, the State licensure office, the State ombudsman program, the protection and advocacy network, and the Medicaid fraud control unit; and a statement that the resident may file a complaint with the State survey and certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	245493	A. BUILDING _____ B. WING _____	10/15/2015

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
AUGUSTANA CHAPEL VIEW CARE CENTER	615 MINNETONKA MILLS ROAD HOPKINS, MN 55343

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 156	Continued From page 2 agency concerning resident abuse, neglect, and misappropriation of resident property in the facility, and non-compliance with the advance directives requirements. The facility must inform each resident of the name, specialty, and way of contacting the physician responsible for his or her care. The facility must prominently display in the facility written information, and provide to residents and applicants for admission oral and written information about how to apply for and use Medicare and Medicaid benefits, and how to receive refunds for previous payments covered by such benefits. This REQUIREMENT is not met as evidenced by: Based on interview and document review, the facility failed to provide notification for determination of skilled rehabilitation services to 1 of 3 residents (R31) in the sample reviewed for liability notices and beneficiary appeal rights. Findings include: R31's Utilization Review (UR) Committee Determination of Continued Stay indicated the resident's skilled services ended on 8/24/15. The form was signed by R31 on 8/21/15. The required Notice of Medicare Non-Coverage form CMS 10123, however, was not given to given to R31. On 10/13/15, at 10:04 a.m. a registered nurse (RN)-A stated she only issued the UR Committee	F 156	F156 Notification for determination of skilled rehabilitation services is given to residents as required. Upon determining last covered day of skilled services, a Notice of Medicare Non-Coverage form CMS 10123 is issued. If the resident plans to remain in the facility beyond that date, a Determination of Skilled Stay is issued as well. R 31 remains in the facility under private pay status. Medicare Nurse has been re-educated to ensure all appropriate forms and documentation is provided timely as required.	

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	245493	A. BUILDING _____ B. WING _____	10/15/2015

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
AUGUSTANA CHAPEL VIEW CARE CENTER	615 MINNETONKA MILLS ROAD HOPKINS, MN 55343

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 156	Continued From page 3 Determination of Continued Stay notice to R31 and was unaware she should have also issued the CMS 10123 to R31. On 10/13/15, at 12:17 p.m. the director of nursing (DON) stated she was aware the CMS 10123 was required when a resident elected to stay in the facility when Medicare benefits ended along with the UR Committee Determination On Continued Stay notice. The DON explained that although the facility did not have a policy related to Medicare denials, they did utilize an algorithm that staff were expected to follow.	F 156	An audit was done back to October 1st to ensure all required documentation was complete. Audits will continue on all residents for 60 days and then randomly to ensure ongoing compliance. Report results to Quality Improvement/Performance Improvement Committee monthly. DON and Medicare Nurse responsible.	
F 441 SS=E	483.65 INFECTION CONTROL, PREVENT SPREAD, LINENS The facility must establish and maintain an Infection Control Program designed to provide a safe, sanitary and comfortable environment and to help prevent the development and transmission of disease and infection. (a) Infection Control Program The facility must establish an Infection Control Program under which it - (1) Investigates, controls, and prevents infections in the facility; (2) Decides what procedures, such as isolation, should be applied to an individual resident; and (3) Maintains a record of incidents and corrective actions related to infections. (b) Preventing Spread of Infection (1) When the Infection Control Program determines that a resident needs isolation to prevent the spread of infection, the facility must isolate the resident. (2) The facility must prohibit employees with a	F 441		11/19/15

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	245493	A. BUILDING _____ B. WING _____	10/15/2015

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
AUGUSTANA CHAPEL VIEW CARE CENTER	615 MINNETONKA MILLS ROAD HOPKINS, MN 55343

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 441	Continued From page 4 communicable disease or infected skin lesions from direct contact with residents or their food, if direct contact will transmit the disease. (3) The facility must require staff to wash their hands after each direct resident contact for which hand washing is indicated by accepted professional practice. (c) Linens Personnel must handle, store, process and transport linens so as to prevent the spread of infection. This REQUIREMENT is not met as evidenced by: Based on observation, interview and document review, the facility failed to disinfect an insulin pen prior to attaching the needle for 3 of 3 residents (R106, R56, R77) during insulin administration. This deficient practice also had the potential to affect three other residents (R83, R171, R223) who utilized insulin pens. In addition the facility staff failed to properly disinfect the skin prior insulin administration for 1 of 3 residents (R77) whose insulin administration was observed. Findings include: R106's blood glucose was checked on 10/14/15, at 7:15 a.m. by a registered nurse (RN)-C. RN-C cleansed hands and applied gloves and then wiped R106's finger with alcohol, let the area air dry, and administered the test to the resident's finger. RN-C then applied the needle without first wiping the rubber seal with alcohol. After the insulin was administered, RN-C left the room and wiped the glucometer with a Clorox Bleach	F 441	F441 The policy for insulin pen use was reviewed with all licensed staff inclusive of wiping the rubber seal of the insulin cartridge with an alcohol swab. Manufacturer recommendations were also posted in the medication room on both units. The policy for injection site cleaning including use of an alcohol swab was reviewed with the nurse in question with R77. Weekly audits of 5 administrations will be done per week inclusive of both cleaning the rubber seal and the injection site with an alcohol swab for 90 days to ensure proper cleaning of insulin cartridges. Random audits will be done moving forward to ensure ongoing compliance.	

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	245493	A. BUILDING _____ B. WING _____	10/15/2015

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
AUGUSTANA CHAPEL VIEW CARE CENTER	**615 MINNETONKA MILLS ROAD HOPKINS, MN 55343**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 441	Continued From page 5 Germicidal for one minute. RN-C was unsure what the manufacturer's recommendation was for cleaning the rubber seal, but said it should have been cleaned to an extent. Following the observation at 7:37 a.m. RN-B provided the manufacturer's guidelines for the insulin pen. RN-B said nurses were supposed to have cleaned the rubber seal prior to applying the needle to the insulin pen. R77's Lantus insulin (for diabetes) was administered on 10/14/15, at 7:40 a.m. by a licensed practical nurse (LPN)-A. LPN-A removed the insulin pen from the medication cart, removed the cap, and without cleaning the insulin pen's rubber seal with alcohol, attached the needle. LPN-A turned the dial to 18 units, washed hands, and applied gloves. Without first wiping R77's skin with alcohol, the insulin was administered into the resident's abdomen. Following the observation LPN-A explained the skin was not cleaned prior to administration, because she believed the practice "went away from that." Two minutes later, LPN-A stated she had consulted with the infection control nurse, and was in fact supposed to have disinfected the resident's skin prior to administering insulin. R56's insulin administration was observed on 10/14/15, at 7:56 a.m. by LPN-A. LPN-A removed R56's Lantus insulin pen from the cart, removed the cap, and without cleansing the pen's rubber seal with alcohol, administered the insulin to the resident. When interviewed following the observation, LPN-A explained she did not know whether she should have wiped the rubber seal prior to attaching the needle.	F 441	Report results to Quality Improvement/Performance Improvement Committee monthly. DON, Nurse Managers and Infection Control Nurse responsible. Date certain 11/24/2015.	

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	245493	A. BUILDING _____ B. WING _____	10/15/2015

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
AUGUSTANA CHAPEL VIEW CARE CENTER	**615 MINNETONKA MILLS ROAD HOPKINS, MN 55343**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
F 441	Continued From page 6 On 10/14/15, at 8:27 a.m. the facility's infection control nurse (LPN-B) was interviewed, and stated staff was expected to clean the injection site with alcohol prior insulin administration. LPN-B stated staff should have been following manufacturer's recommendations for the insulin pens which read, "Wipe the Rubber Seal with alcohol," then attach the needle. On 10/14/15, at 10:19 a.m. the director of nursing (DON) explained the facility policy was to follow manufacturer's recommendations which was to clean the rubber seal prior to attaching the needle. DON also stated staff was expected to clean the injection site with alcohol prior injection administration. The Injections: Insulin Administration policy dated 10/15, directed staff to "Select injection site and cleanse with alcohol wipe...See Manufacturer Guidelines for Insulin Pen use." A 2/15, Lantus SoloStar Instruction Leaflet directed users to "Wipe The Rubber Seal with alcohol" then attach the needle.	F 441		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

F5493024

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	245493	A. BUILDING **01 - MAIN BUILDING 01** B. WING _____	**11/02/2015**

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
AUGUSTANA CHAPEL VIEW CARE CENTER	**615 MINNETONKA MILLS ROAD HOPKINS, MN 55343**

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	INITIAL COMMENTS FIRE SAFETY A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety, Fire Marshal Division on November 02, 2015. At the time of this survey, Augustana Chapel View Care Center was found in compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care. This 2-story split level building was determined to be of Type II(000) construction. It has a partial basement and is fully fire sprinkler protected. The facility has a fire alarm system with smoke detection in the corridors and spaces open to the corridor that is monitored for automatic fire department notification. The facility has a capacity of 118 beds and had a census of 106 beds at the time of the survey.	K 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.