



---

C&T REMARKS - CMS 1539 FORM

STATE AGENCY REMARKS

---

CCN-245312

On 01/03/14, a Post Certification Revisit (PCR) was completed by the Minnesota Department of Public Safety. Based on the PCR, it has been determined that the facility had achieved substantial compliance pursuant to the 12/06/13 survey, effective 12/19/13. Refer to the CMS 2567B for both health and life safety code.

Effective 12/19/13, the facility is certified for 60 skilled nursing facility beds.



*Protecting, Maintaining and Improving the Health of Minnesotans*

CMS Certification Number (CCN): 24-5312

June 18, 2014

Mr. Jim Angell, Administrator  
Castle Ridge Care Center  
625 Prairie Center Drive  
Eden Prairie, Minnesota 55344

Dear Mr. Angell:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective December 19, 2014, the above facility is certified for:

60 - Skilled Nursing Facility/Nursing Facility Beds

Your facility's Medicare approved area consists of all 60 skilled nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status. Please note, it is your responsibility to share the information contained in this letter and the results of this PCR with the President of your facility's Governing Body.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination. Please contact me if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads "Anne Kleppe".

Anne Kleppe, Enforcement Specialist  
Licensing and Certification Program  
Division of Compliance Monitoring  
Minnesota Department of Health  
Telephone: (651) 201-4124 Fax: (651) 215-9697

cc: Licensing and Certification File



*Protecting, Maintaining and Improving the Health of Minnesotans*

March 5, 2014

Mr. Jim Angell, Administrator  
Castle Ridge Care Center  
625 Prairie Center Drive  
Eden Prairie, MN 55344

RE: Project Number F5312024

Dear Mr. Angell:

On December 11, 2013, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on December 6, 2013. This survey found the most serious deficiencies to be a pattern of deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level E) whereby corrections were required.

On January 3, 2014, the Minnesota Department of Public Safety completed a Post Certification Revisit (PCR) to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on December 6, 2013. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of December 19, 2013. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on December 6, 2013, effective December 19, 2013 and therefore remedies outlined in our letter to you dated December 11, 2013, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body. Enclosed is a copy of the Post Certification Revisit Form, (CMS-2567B) from this visit. Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in cursive script that reads "Anne Kleppe".

Anne Kleppe, Enforcement Specialist  
Licensing and Certification Program  
Division of Compliance Monitoring  
Minnesota Department of Health  
Telephone: (651) 201-4124  
Fax: (651) 215-9697

Enclosure

cc: Licensing and Certification File

**Post-Certification Revisit Report**

Public reporting for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing the burden, to CMS, Office of Financial Management, P.O. Box 26684, Baltimore, MD 21207; and to the Office of Management and Budget, Paperwork Reduction Project (0938-0390), Washington, D.C. 20503.

<b>(Y1) Provider / Supplier / CLIA / Identification Number</b> 245312	<b>(Y2) Multiple Construction</b> A. Building <b>01 - MAIN BUILDING 01</b> B. Wing	<b>(Y3) Date of Revisit</b> 1/3/2014
<b>Name of Facility</b> CASTLE RIDGE CARE CENTER	<b>Street Address, City, State, Zip Code</b> 625 PRAIRIE CENTER DRIVE EDEN PRAIRIE, MN 55344	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix _____ Reg. # <b>NFPA 101</b> LSC <b>K0144</b>	Correction Completed <b>12/19/2013</b>	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____ State Agency	Reviewed By GL/AK	Date: 03/05/2014	Signature of Surveyor:  28120	Date: 01/03/2014
Reviewed By _____ CMS RO	Reviewed By	Date:	Signature of Surveyor:	Date:

Followup to Survey Completed on: 12/5/2013	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? <table style="float: right;"> <tr> <td>YES</td> <td>NO</td> </tr> </table>	YES	NO
YES	NO		



---

**C&T REMARKS - CMS 1539 FORM****STATE AGENCY REMARKS**

---

CCN-245312

At the time of the standard survey completed December 6,2013, the facility was not in substantial compliance and the most serious deficiencies were found to be a pattern of deficiencies that constitute no actual harm with potential for more than minimal harm that is not immediate jeopardy (Level E), as evidenced by the attached CMS-2567 whereby corrections are required. The facility has been given an opportunity to correct before remedies are imposed. Post Certification Revisit to follow.



*Protecting, Maintaining and Improving the Health of Minnesotans*

Certified Mail # 7012 3050 0001 9094 6966

December 11, 2013

Mr. Jim Angell, Administrator  
Castle Ridge Care Center  
625 Prairie Center Drive  
Eden Prairie, Minnesota 55344

RE: Project Number S5312024

Dear Mr. Angell:

On December 6, 2013, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs. This survey found the most serious deficiencies in your facility to be a pattern of deficiencies that constitute no actual harm with potential for more than minimal harm that is not immediate jeopardy (Level E), as evidenced by the attached CMS-2567 whereby corrections are required. A copy of the Statement of Deficiencies (CMS-2567) is enclosed.

**Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.**

This letter provides important information regarding your response to these deficiencies and addresses the following issues:

**Opportunity to Correct - the facility is allowed an opportunity to correct identified deficiencies before remedies are imposed;**

**Plan of Correction - when a plan of correction will be due and the information to be contained in that document;**

**Remedies - the type of remedies that will be imposed with the authorization of the Centers for Medicare and Medicaid Services (CMS) if substantial compliance is not attained at the time of a revisit;**

**Potential Consequences - the consequences of not attaining substantial compliance 3 and 6 months after the survey date; and**



**Informal Dispute Resolution - your right to request an informal reconsideration to dispute the attached deficiencies.**

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

**DEPARTMENT CONTACT**

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by a "F" tag), i.e., the plan of correction should be directed to:

Gayle Lantto, Unit Supervisor  
Minnesota Department of Health  
P.O. Box 64900  
St. Paul, Minnesota 55164-0900

Telephone: (651) 201-3794  
Fax: (651) 201-3790

**OPPORTUNITY TO CORRECT - DATE OF CORRECTION - REMEDIES**

As of January 14, 2000, CMS policy requires that facilities will not be given an opportunity to correct before remedies will be imposed when actual harm was cited at the last standard or intervening survey and also cited at the current survey. Your facility does not meet this criterion. Therefore, if your facility has not achieved substantial compliance by January 15, 2014, the Department of Health will impose the following remedy:

- State Monitoring. (42 CFR 488.422)

**PLAN OF CORRECTION (PoC)**

A PoC for the deficiencies must be submitted within **ten calendar days** of your receipt of this letter. Your PoC must:

- Address how corrective action will be accomplished for those residents found to have been affected by the deficient practice;
- Address how the facility will identify other residents having the potential to be affected by the same deficient practice;
- Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur;
- Indicate how the facility plans to monitor its performance to make sure that solutions are sustained. The facility must develop a plan for ensuring that correction is achieved and

sustained. This plan must be implemented, and the corrective action evaluated for its effectiveness. The plan of correction is integrated into the quality assurance system;

- Include dates when corrective action will be completed. The corrective action completion dates must be acceptable to the State. If the plan of correction is unacceptable for any reason, the State will notify the facility. If the plan of correction is acceptable, the State will notify the facility. Facilities should be cautioned that they are ultimately accountable for their own compliance, and that responsibility is not alleviated in cases where notification about the acceptability of their plan of correction is not made timely. The plan of correction will serve as the facility's allegation of compliance; and,
- Include signature of provider and date.

The state agency may, in lieu of a revisit, determine correction and compliance by accepting the facility's PoC if the PoC is reasonable, addresses the problem and provides evidence that the corrective action has occurred.

If an acceptable PoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Optional denial of payment for new Medicare and Medicaid admissions (42 CFR 488.417 (a));
- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable PoC could also result in the termination of your facility's Medicare and/or Medicaid agreement.

### **PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE**

The facility's PoC will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance. In order for your allegation of compliance to be acceptable to the Department, the PoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff, if your PoC for the respective deficiencies (if any) is acceptable.

### **VERIFICATION OF SUBSTANTIAL COMPLIANCE**

Upon receipt of an acceptable PoC, an onsite revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification. A Post Certification Revisit (PCR) will occur after the date you identified that compliance was achieved in your plan of correction.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved PoC, unless it is determined that either correction actually occurred between the latest correction date on the PoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the PoC.

### **Original deficiencies not corrected**

If your facility has not achieved substantial compliance, we will impose the remedies described above. If the level of noncompliance worsened to a point where a higher category of remedy may be imposed, we will recommend to the CMS Region V Office that those other remedies be imposed.

### **Original deficiencies not corrected and new deficiencies found during the revisit**

If new deficiencies are identified at the time of the revisit, those deficiencies may be disputed through the informal dispute resolution process. However, the remedies specified in this letter will be imposed for original deficiencies not corrected. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed.

### **Original deficiencies corrected but new deficiencies found during the revisit**

If new deficiencies are found at the revisit, the remedies specified in this letter will be imposed. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed. You will be provided the required notice before the imposition of a new remedy or informed if another date will be set for the imposition of these remedies.

### **FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY**

If substantial compliance with the regulations is not verified by March 6, 2014 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal regulations at 42 CFR Section 488.417(b). This mandatory denial of payments will be based on the failure to comply with deficiencies originally contained in the Statement of Deficiencies, upon the identification of new deficiencies at the time of the revisit, or if deficiencies have been issued as the result of a complaint visit or other survey conducted after the original statement of deficiencies was issued. This mandatory denial of payment is in addition to any remedies that may still be in effect as of this date.

We will also recommend to the CMS Region V Office and/or the Minnesota Department of Human Services that your provider agreement be terminated by June 6, 2014 (six months after the identification of noncompliance) if your facility does not achieve substantial compliance. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

Castle Ridge Care Center

December 11, 2013

Page 5

## **INFORMAL DISPUTE RESOLUTION**

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process  
Minnesota Department of Health  
Division of Compliance Monitoring  
P.O. Box 64900  
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting a PoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: [http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc\\_idr.cfm](http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm)

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at: <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Questions regarding all documents submitted as a response to the Life Safety Code deficiencies (those preceded by a "K" tag), i.e., the plan of correction, request for waivers, should be directed to:

Mr. Patrick Sheehan, Supervisor  
Health Care Fire Inspections  
State Fire Marshal Division  
444 Cedar Street, Suite 145  
St. Paul, Minnesota 55101-5145

Telephone: (651) 201-7205  
Fax: (651) 215-0541

Castle Ridge Care Center

December 11, 2013

Page 6

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in cursive script that reads "Anne Kleppe".

Anne Kleppe, Enforcement Specialist  
Licensing and Certification Program  
Division of Compliance Monitoring  
Minnesota Department of Health  
Telephone: (651) 201-4124 Fax: (651) 215-9697

Enclosure

cc: Licensing and Certification File

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

*F5312024*

PRINTED: 12/11/2013  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  245312	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01  B. WING _____	(X3) DATE SURVEY COMPLETED  12/05/2013
NAME OF PROVIDER OR SUPPLIER  CASTLE RIDGE CARE CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 625 PRAIRIE CENTER DRIVE EDEN PRAIRIE, MN 55344	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)

*DC: 1-14-13*

*EXIT: 12573*

K 000 INITIAL COMMENTS K 000

**FIRE SAFETY**

THE FACILITY'S POC WILL SERVE AS YOUR ALLEGATION OF COMPLIANCE UPON THE DEPARTMENT'S ACCEPTANCE. YOUR SIGNATURE AT THE BOTTOM OF THE FIRST PAGE OF THE CMS-2567 FORM WILL BE USED AS VERIFICATION OF COMPLIANCE.

*POC ok  
FR 12-30-13*

UPON RECEIPT OF AN ACCEPTABLE POC, AN ONSITE REVISIT OF YOUR FACILITY MAY BE CONDUCTED TO VALIDATE THAT SUBSTANTIAL COMPLIANCE WITH THE REGULATIONS HAS BEEN ATTAINED IN ACCORDANCE WITH YOUR VERIFICATION.

A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety. At the time of this survey, Castle Ridge Care Center was found not in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.

PLEASE RETURN THE PLAN OF CORRECTION FOR THE FIRE SAFETY DEFICIENCIES TO:

Healthcare Fire Inspections  
State Fire Marshal Division  
445 Minnesota St., Suite 145  
St. Paul, MN 55101-5145, OR

By email to:



LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE <i>[Signature]</i>	TITLE <i>Administrative</i>	(X6) DATE <i>12/20/13</i>
---	--------------------------------	------------------------------

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See Instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/11/2013  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>245312</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING <b>01</b> - MAIN BUILDING <b>01</b>  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>12/05/2013</b>
NAME OF PROVIDER OR SUPPLIER  <b>CASTLE RIDGE CARE CENTER</b>		STREET ADDRESS, CITY, STATE, ZIP CODE <b>625 PRAIRIE CENTER DRIVE EDEN PRAIRIE, MN 55344</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	<p>Continued From page 1 Marian.Whitney@state.mn.us</p> <p>THE PLAN OF CORRECTION FOR EACH DEFICIENCY MUST INCLUDE ALL OF THE FOLLOWING INFORMATION:</p> <ol style="list-style-type: none"> <li>1. A description of what has been, or will be, done to correct the deficiency.</li> <li>2. The actual, or proposed, completion date.</li> <li>3. The name and/or title of the person responsible for correction and monitoring to prevent a reoccurrence of the deficiency.</li> </ol> <p>Castle Ridge Care Center is a 1-story building with no basement. The building was constructed at 3 different times. The original building was constructed in 1983 and was determined to be of Type V (111) construction. In 1987, an addition was constructed and was determined to be of Type V (111) construction. In 1997, an addition was constructed and was determined to be Type V (111) construction. Because the original building and the 2 additions meet the construction type allowed for existing buildings, the facility was surveyed as one building.</p> <p>The building is fully fire sprinklered throughout. The facility has a fire alarm system with smoke detection in the corridors and spaces open to the corridors that is monitored for automatic fire department notification. The facility has a capacity of 60 beds and had a census of 54 at time of the survey.</p> <p>The requirement at 42 CFR, Subpart 483.70(a) is NOT MET as evidenced by.</p>	K 000		

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/11/2013  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>245312</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01  B WING _____	(X3) DATE SURVEY COMPLETED  <b>12/05/2013</b>
NAME OF PROVIDER OR SUPPLIER  <b>CASTLE RIDGE CARE CENTER</b>		STREET ADDRESS, CITY, STATE, ZIP CODE <b>625 PRAIRIE CENTER DRIVE EDEN PRAIRIE, MN 55344</b>	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)  (X5) COMPLETION DATE
K 144 K 144 SS=E	<p>Continued From page 2</p> <p>NFPA 101 LIFE SAFETY CODE STANDARD</p> <p>Generators are inspected weekly and exercised under load for 30 minutes per month in accordance with NFPA 99. 3.4.4.1.</p> <p>This STANDARD is not met as evidenced by: Based on observations and interview, the facility's emergency generators do not comply with NFPA 99 Health Care Facilities (1999 edition) nor NFPA 110 Standard for Standby Power Systems (1998 edition). This deficient practice could affect all patients.</p> <p>Findings include:</p> <p>On facility tour between 10:00 AM and 11:45 AM on 12/05/2013, a record review revealed that there was no documentation of weekly generator during the weeks of 6/14/2013 and 6/21/2013.</p> <p>This deficient practice was verified by the maintenance director at the time of the inspection.</p>	K 144 K 144	<p>Castle Ridge Plan of Correction for; K 144 Citation on 12/05/13</p> <p>The generator will be inspected weekly and exercised under load for 30 minutes per month, in accordance with NFPA 99. 3.4.4.1. From 12/19/2013 and ongoing the Environmental Services Director will be responsible for monitoring and maintaining a log of required inspections and load tests. These logs will be reviewed by the safety committee to assure compliance.</p> <p>12-19-13</p>



DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/11/2013  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>245312</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>12/05/2013</b>
NAME OF PROVIDER OR SUPPLIER  <b>CASTLE RIDGE CARE CENTER</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>625 PRAIRIE CENTER DRIVE EDEN PRAIRIE, MN 55344</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS  NO VIOLATIONS	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.