

Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically delivered October 29, 2020

Administrator St. Elizabeth Medical Center 1200 Fifth Grant Boulevard West Wabasha, MN 55981

RE: CCN: 245487

Cycle Start Date: October 14, 2020

Dear Administrator:

On October 14, 2020, a survey was completed at your facility by the Minnesota Department of Health to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

We are pleased to inform you that this survey resulted in no deficiencies being issued.

The CMS-2567 is being electronically delivered.

Feel free to contact me if you have questions.

Sincerely,

Alison Helm, Enforcement Specialist Licensing and Certification Minnesota Department of Health

P.O. Box 64970

alison Helm

Saint Paul, Minnesota 55164-0970

Phone: 651-201-4206

Email: alison.helm@state.mn.us

## DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/29/2020 FORM APPROVED OMB NO. 0938-0391

NAME OF PROVIDER OR SUPPLIER  STELIZABETH MEDICAL CENTER  SIMMARY STATEMENT OF DEFICIENCES 1200 FIFTH GRANT BOULEVARD WEST WABASHA, MN 55981  PROFITE RESULATORY OR LSC IDENTIFYING INFORMATION)  E 000 Initial Comments  A COVID-19 Focused Infection Control survey was conducted on 10/14/20/20 at your facility by the Minnesota Department of Health to determine compliance with Emergency Preparedness regulations \$483.73(b)(6). The facility was NI full compliance.  Because you are enrolled in ePOC, your signature is not required at the bottom of the electronic documents.  F 000 INITIAL COMMENTS  A COVID-19 Focused Infection Control survey was conducted on 10/14/20/20 at your facility by the Minnesota Department of Health to determine compliance with Season of the electronic documents.  F 000 INITIAL COMMENTS  A COVID-19 Focused Infection Control survey was conducted on 10/14/20/20 at your facility by the Minnesota Department of Health to determine compliance with \$483.80 infection Control. The facility was NI full compliance.  Because you are enrolled in ePOC, your signature is not required, at the bottom of the first page of the CMS-2567 form.  Although no plan of correction is required, it is required that the facility acknowledge receipt of the electronic documents.  Although no plan of correction is required, it is required the facility acknowledge receipt of the electronic documents.	STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
STELIZABETH MEDICAL CENTER  STELIZABETH MEDICAL CENTER  SUMMARY STATEMENT OF DEFICIENCIES  (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSG IDENTIFYING INFORMATION)  REGULATORY OR LSG IDENTIFYING INFORMATION)  E 000  Initial Comments  A COVID-19 Focused Infection Control survey was conducted on 10/14/2020 at your facility by the Minnesota Department of Health to determine compliance with Emergency Preparedness regulations \$483,73(b)(6). The facility was IN full compliance Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form.  Although no plan of correction is required, it is required the facility asknowledge receipt of the electronic documents.  F 000  A COVID-19 Focused Infection Control survey was conducted on 10/14/2020 at your facility by the Minnesota Department of Health to determine compliance with \$483.80 infection Control. The facility was IN full compliance.  Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form.  Although no plan of correction is required, it is required the facility asknowledge receipt of the electronic documents.  Although no plan of correction is required, it is required the facility asknowledge receipt of the electronic documents.			245487	B. WING			10/14/2020	
FREFIX TAG  REGULATORY OR LSC IDENTIFYING INFORMATION)  A COVID-19 Focused Infection Control survey was conducted on 10/14/2020 at your facility by the Minnesota Department of Health to determine compliance with Emergency Preparedness regulations §483.73(b)(6). The facility was IN full compliance  Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form.  Although no plan of correction is required, it is required on 10/14/2020 at your facility by the Minnesota Department of Health to determine compliance with Emergency Preparedness.  F 000  A COVID-19 Focused Infection Control survey was conducted on 10/14/2020 at your facility by the Minnesota Department of Health to determine compliance with \$483.80 infection Control. The facility was IN full compliance.  Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form.  Although no plan of correction is required, it is required the facility acknowledge receipt of the electronic documents.					STREET ADDRESS, CITY, STATE, ZIP CODE  1200 FIFTH GRANT BOULEVARD WEST			
A COVID-19 Focused Infection Control survey was conducted on 10/14/2020 at your facility by the Minnesota Department of Health to determine compliance with Emergency Preparedness regulations §483.73(b)(6). The facility was IN full compliance Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form.  Although no plan of correction is required, it is required that the facility acknowledge receipt of the electronic documents.  F 000  INITIAL COMMENTS  F 000  A COVID-19 Focused Infection Control survey was conducted on 10/14/2020 at your facility by the Minnesota Department of Health to determine compliance with §483.80 Infection Control. The facility was IN full compliance.  Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form.  Although no plan of correction is required, it is required the facility acknowledge receipt of the electronic documents.	PRÉFIX	(EACH DEFICIENCY MUST BE PRECEDED BY FULL		PREFI		(EACH CORRECTIVE ACTION SHOULD CROSS-REFERENCED TO THE APPROP	BE	COMPLETION
was conducted on 10/14/2020 at your facility by the Minnesota Department of Health to determine compliance with Emergency Preparedness regulations §483.73(b)(6). The facility was IN full compliance  Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form.  Although no plan of correction is required, it is required that the facility acknowledge receipt of the electronic documents.  F 000  A COVID-19 Focused Infection Control survey was conducted on 10/14/2020 at your facility by the Minnesota Department of Health to determine compliance with §483.80 Infection Control. The facility was IN full compliance.  Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form.  Although no plan of correction is required, it is required the facility acknowledge receipt of the electronic documents.	E 000	Initial Comments		E 000				
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE TITLE (X6) DATE		A COVID-19 Focused Infection Control survey was conducted on 10/14/2020 at your facility by the Minnesota Department of Health to determine compliance with Emergency Preparedness regulations §483.73(b)(6). The facility was IN full compliance Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form.  Although no plan of correction is required, it is required that the facility acknowledge receipt of the electronic documents.  INITIAL COMMENTS  A COVID-19 Focused Infection Control survey was conducted on 10/14/2020 at your facility by the Minnesota Department of Health to determine compliance with §483.80 Infection Control. The facility was IN full compliance.  Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form.  Although no plan of correction is required, it is required the facility acknowledge receipt of the electronic documents.			000			AVG) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.