



Protecting, Maintaining and Improving the Health of Minnesotans

CMS Certification Number (CCN): 24-5451

Electronically Delivered: January 16, 2015

Mr. Rick Ash, Administrator
Northridge Residence
1075 Roy Street
Ortonville, Minnesota 56278

Dear Mr. Ash:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective December 12, 2014 the above facility is certified for:

64 - Skilled Nursing Facility/Nursing Facility Beds

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status. If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination. Please contact me if you have any questions about this electronic notice.

Sincerely,

A handwritten signature in cursive script that reads "Anne Kleppe".

Anne Kleppe, Enforcement Specialist
Licensing and Certification Program
Health Regulations Division
Minnesota Department of Health
Email: anne.kleppe@state.mn.us
Telephone: (651) 201-4124 Fax: (651) 215-9697
cc: Licensing and Certification File



Protecting, Maintaining and Improving the Health of Minnesotans

Electronically Delivered: January 9, 2015

Mr. Rick Ash, Administrator
Northridge Residence
1075 Roy Street
Ortonville, Minnesota 56278

RE: Project Number S5451025

Dear Mr. Ash:

On November 25, 2014, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on November 20, 2014. This survey found the most serious deficiencies to be isolated deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level D) whereby corrections were required.

On January 2, 2015, the Minnesota Department of Health completed a Post Certification Revisit (PCR) and on December 15, 2014 the Minnesota Department of Public Safety completed a PCR to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on November 20, 2014. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of December 12, 2014. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on November 20, 2014, effective December 12, 2014 and therefore remedies outlined in our letter to you dated November 25, 2014, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body. Please feel free to call me with any questions about this electronic notice.

Sincerely,

A handwritten signature in cursive script that reads "Anne Kleppe".

Anne Kleppe, Enforcement Specialist
Licensing and Certification Program
Health Regulations Division
Minnesota Department of Health
Email: anne.kleppe@state.mn.us
Telephone: (651) 201-4124 Fax: (651) 215-9697

Post-Certification Revisit Report

Public reporting for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing the burden, to CMS, Office of Financial Management, P.O. Box 26684, Baltimore, MD 21207; and to the Office of Management and Budget, Paperwork Reduction Project (0938-0390), Washington, D.C. 20503.

(Y1) Provider / Supplier / CLIA / Identification Number 245451	(Y2) Multiple Construction A. Building _____ B. Wing _____	(Y3) Date of Revisit 1/2/2015
Name of Facility NORTHRIDGE RESIDENCE	Street Address, City, State, Zip Code 1075 ROY STREET ORTONVILLE, MN 56278	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix F0272	Correction Completed 12/12/2014	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # 483.20(b)(1)	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____

Reviewed By _____	Reviewed By GA/AK	Date: 01/09/2015	Signature of Surveyor: 31256	Date: 01/02/2015
Reviewed By _____	Reviewed By	Date:	Signature of Surveyor:	Date:
CMS RO				

Followup to Survey Completed on: 11/20/2014	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? <table style="float: right;"> <tr> <td>YES</td> <td>NO</td> </tr> </table>	YES	NO
YES	NO		

Post-Certification Revisit Report

Public reporting for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing the burden, to CMS, Office of Financial Management, P.O. Box 26684, Baltimore, MD 21207; and to the Office of Management and Budget, Paperwork Reduction Project (0938-0390), Washington, D.C. 20503.

(Y1) Provider / Supplier / CLIA / Identification Number 245451	(Y2) Multiple Construction A. Building 01 - MAIN BUILDING 01 B. Wing	(Y3) Date of Revisit 12/15/2014
Name of Facility NORTHRIDGE RESIDENCE	Street Address, City, State, Zip Code 1075 ROY STREET ORTONVILLE, MN 56278	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix _____ Reg. # NFPA 101 LSC K0062	Correction Completed 12/15/2014	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____ State Agency	Reviewed By PS/AK	Date: 01/09/2015	Signature of Surveyor: 34764	Date: 12/15/2014
Reviewed By _____ CMS RO	Reviewed By	Date:	Signature of Surveyor:	Date:

Followup to Survey Completed on: 11/19/2014	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? <table style="float: right;"> <tr> <td>YES</td> <td>NO</td> </tr> </table>	YES	NO
YES	NO		



Protecting, Maintaining and Improving the Health of Minnesotans

Electronically Delivered: January 9, 2015

Mr. Rick Ash, Administrator
Northridge Residence
1075 Roy Street
Ortonville, Minnesota 56278

Re: Reinspection Results - Project Number S5451025

Dear Mr. Ash:

On January 2, 2015 survey staff of the Minnesota Department of Health, Licensing and Certification Program completed a reinspection of your facility, to determine correction of orders found on the survey completed on November 20, 2014. At this time these correction orders were found corrected and are listed on the accompanying Revisit Report Form submitted to you electronically.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Please feel free to call me with any questions about this electronic notice.

Sincerely,

A handwritten signature in cursive script that reads "Anne Kleppe".

Anne Kleppe, Enforcement Specialist
Licensing and Certification Program
Health Regulations Division
Minnesota Department of Health
Email: anne.kleppe@state.mn.us
Telephone: (651) 201-4124 Fax: (651) 215-9697

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number 00771	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 1/2/2015
---	---	---

Name of Facility NORTHRIDGE RESIDENCE	Street Address, City, State, Zip Code 1075 ROY STREET ORTONVILLE, MN 56278
---	---

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>20540</u> Reg. # <u>MN Rule 4658.0400 Subp.</u> LSC _____	Correction Completed <u>12/12/2014</u>	ID Prefix <u>21426</u> Reg. # <u>MN St. Statute 144A.04 Sul</u> LSC _____	Correction Completed <u>12/12/2014</u>
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____ State Agency	Reviewed By GA/AK	Date: 01/09/2015	Signature of Surveyor: 31256	Date: 01/02/2015
Reviewed By _____ CMS RO	Reviewed By	Date:	Signature of Surveyor:	Date:

Followup to Survey Completed on: 11/20/2014	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? YES NO
---	--

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: 6V8Y
Facility ID: 00771

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245451 2. STATE VENDOR OR MEDICAID NO. (L2) 545740800	3. NAME AND ADDRESS OF FACILITY (L3) NORTHBRIDGE RESIDENCE (L4) 1075 ROY STREET (L5) ORTONVILLE, MN (L6) 56278	4. TYPE OF ACTION: <u>2</u> (L8) 1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other 8. Full Survey After Complaint															
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9) 6. DATE OF SURVEY 11/20/2014 (L34) 8. ACCREDITATION STATUS: <u> </u> (L10) 0 Unaccredited 1 TJC 2 AOA 3 Other	7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7) 01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA 02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF 03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC 04 SNF 08 OPT/SP 12 RHC 16 HOSPICE	FISCAL YEAR ENDING DATE: (L35) 12/31															
11. LTC PERIOD OF CERTIFICATION From (a) : To (b) : 12. Total Facility Beds 64 (L18) 13. Total Certified Beds 64 (L17)	10. THE FACILITY IS CERTIFIED AS: A. In Compliance With Program Requirements Compliance Based On: <u> </u> 1. Acceptable POC X B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: B* (L12) And/Or Approved Waivers Of The Following Requirements: <u> </u> 2. Technical Personnel <u> </u> 6. Scope of Services Limit <u> </u> 3. 24 Hour RN <u> </u> 7. Medical Director <u> </u> 4. 7-Day RN (Rural SNF) <u> </u> 8. Patient Room Size <u> </u> 5. Life Safety Code <u> </u> 9. Beds/Room																
14. LTC CERTIFIED BED BREAKDOWN <table style="width:100%; border: none;"> <tr> <td style="text-align: center;">18 SNF</td> <td style="text-align: center;">18/19 SNF</td> <td style="text-align: center;">19 SNF</td> <td style="text-align: center;">ICF</td> <td style="text-align: center;">IID</td> </tr> <tr> <td></td> <td style="text-align: center;">64</td> <td></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">(L37)</td> <td style="text-align: center;">(L38)</td> <td style="text-align: center;">(L39)</td> <td style="text-align: center;">(L42)</td> <td style="text-align: center;">(L43)</td> </tr> </table>	18 SNF	18/19 SNF	19 SNF	ICF	IID		64				(L37)	(L38)	(L39)	(L42)	(L43)	15. FACILITY MEETS 1861 (e) (1) or 1861 (j) (1): (L15)	
18 SNF	18/19 SNF	19 SNF	ICF	IID													
	64																
(L37)	(L38)	(L39)	(L42)	(L43)													

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

17. SURVEYOR SIGNATURE Patricia Bernstetter, HFE NEII Date : 12/12/2014 (L19)	18. STATE SURVEY AGENCY APPROVAL <i>Mark Meath</i> Enforcement Specialist Date: 12/29/2014 (L20)
---	---

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY <u> </u> 1. Facility is Eligible to Participate <u> </u> 2. Facility is not Eligible (L21)	20. COMPLIANCE WITH CIVIL RIGHTS ACT: _____	21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : _____
22. ORIGINAL DATE OF PARTICIPATION 04/01/1987 (L24)	23. LTC AGREEMENT BEGINNING DATE (L41)	24. LTC AGREEMENT ENDING DATE (L25)
25. LTC EXTENSION DATE: (L27)	27. ALTERNATIVE SANCTIONS A. Suspension of Admissions: (L44) B. Rescind Suspension Date: (L45)	
28. TERMINATION DATE: (L28)	29. INTERMEDIARY/CARRIER NO. 03001 (L31)	26. TERMINATION ACTION: (L30) VOLUNTARY <u>00</u> 01-Merger, Closure 02-Dissatisfaction W/ Reimbursement 03-Risk of Involuntary Termination 04-Other Reason for Withdrawal INVOLUNTARY 05-Fail to Meet Health/Safety 06-Fail to Meet Agreement OTHER 07-Provider Status Change 00-Active
31. RO RECEIPT OF CMS-1539 (L32)	32. DETERMINATION OF APPROVAL DATE (L33)	30. REMARKS DETERMINATION APPROVAL



Protecting, Maintaining and Improving the Health of Minnesotans

Electronically delivered
November 25, 2014

Mr. Rick Ash, Administrator
Northridge Residence
1075 Roy Street
Ortonville, Minnesota 56278

RE: Project Number S5451025

Dear Mr. Ash:

On November 20, 2014, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

This survey found the most serious deficiencies in your facility to be widespread deficiencies that constitute no actual harm with potential for more than minimal harm that is not immediate jeopardy (Level F), as evidenced by the attached CMS-2567 whereby corrections are required. A copy of the Statement of Deficiencies (CMS-2567) is enclosed.

Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.

This letter provides important information regarding your response to these deficiencies and addresses the following issues:

Opportunity to Correct - the facility is allowed an opportunity to correct identified deficiencies before remedies are imposed;

Electronic Plan of Correction - when a plan of correction will be due and the information to be contained in that document;

Remedies - the type of remedies that will be imposed with the authorization of the Centers for Medicare and Medicaid Services (CMS) if substantial compliance is not attained at the time of a revisit;

Potential Consequences - the consequences of not attaining substantial compliance 3 and 6 months after the survey date; and

Informal Dispute Resolution - your right to request an informal reconsideration to dispute the attached deficiencies.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

DEPARTMENT CONTACT

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by a "F" tag), i.e., the plan of correction should be directed to:

**Gail Anderson, Supervisor
Fergus Falls Survey Team
Licensing and Certification Program
Division of Compliance Monitoring
Minnesota Department of Health**

Phone: (218) 332-5140

Fax: (218) 332-5196

OPPORTUNITY TO CORRECT - DATE OF CORRECTION - REMEDIES

As of January 14, 2000, CMS policy requires that facilities will not be given an opportunity to correct before remedies will be imposed when actual harm was cited at the last standard or intervening survey and also cited at the current survey. Your facility does not meet this criterion. Therefore, if your facility has not achieved substantial compliance by December 30, 2014, the Department of Health will impose the following remedy:

- State Monitoring. (42 CFR 488.422)

In addition, the Department of Health is recommending to the CMS Region V Office that if your facility has not achieved substantial compliance by December 30, 2014 the following remedy will be imposed:

- Per instance civil money penalties. (42 CFR 488.430 through 488.444)

ELECTRONIC PLAN OF CORRECTION (ePoC)

An ePoC for the deficiencies must be submitted within **ten calendar days** of your receipt of this letter. Your ePoC must:

- Address how corrective action will be accomplished for those residents found to have

been affected by the deficient practice;

- Address how the facility will identify other residents having the potential to be affected by the same deficient practice;
- Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur;
- Indicate how the facility plans to monitor its performance to make sure that solutions are sustained. The facility must develop a plan for ensuring that correction is achieved and sustained. This plan must be implemented, and the corrective action evaluated for its effectiveness. The plan of correction is integrated into the quality assurance system;
- Include dates when corrective action will be completed. The corrective action completion dates must be acceptable to the State. If the plan of correction is unacceptable for any reason, the State will notify the facility. If the plan of correction is acceptable, the State will notify the facility. Facilities should be cautioned that they are ultimately accountable for their own compliance, and that responsibility is not alleviated in cases where notification about the acceptability of their plan of correction is not made timely. The plan of correction will serve as the facility's allegation of compliance; and,
- Submit electronically to acknowledge your receipt of the electronic 2567, your review and your ePoC submission.

If an acceptable ePoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Optional denial of payment for new Medicare and Medicaid admissions (42 CFR 488.417 (a));
- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable ePoC could also result in the termination of your facility's Medicare and/or Medicaid agreement.

PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE

The facility's ePoC will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance. In order for your allegation of compliance to be acceptable to the Department, the ePoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff, if your ePoC for the respective deficiencies (if any) is acceptable.

VERIFICATION OF SUBSTANTIAL COMPLIANCE

Upon receipt of an acceptable ePoC, an onsite revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification. A Post Certification Revisit (PCR) will occur after the date you identified that compliance was achieved in your plan of correction.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved ePoC, unless it is determined that either correction actually occurred between the latest correction date on the ePoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the ePoC.

Original deficiencies not corrected

If your facility has not achieved substantial compliance, we will impose the remedies described above. If the level of noncompliance worsened to a point where a higher category of remedy may be imposed, we will recommend to the CMS Region V Office that those other remedies be imposed.

Original deficiencies not corrected and new deficiencies found during the revisit

If new deficiencies are identified at the time of the revisit, those deficiencies may be disputed through the informal dispute resolution process. However, the remedies specified in this letter will be imposed for original deficiencies not corrected. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed.

Original deficiencies corrected but new deficiencies found during the revisit

If new deficiencies are found at the revisit, the remedies specified in this letter will be imposed. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed. You will be provided the required notice before the imposition of a new remedy or informed if another date will be set for the imposition of these remedies.

FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY

If substantial compliance with the regulations is not verified by February 20, 2015 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal regulations at 42 CFR Section 488.417(b). This mandatory denial of payments will be based on the failure to comply with deficiencies originally contained in the Statement of Deficiencies, upon the identification of new deficiencies at the time of the revisit, or if deficiencies have been issued as the result of a complaint visit or other survey conducted after the original statement

of deficiencies was issued. This mandatory denial of payment is in addition to any remedies that may still be in effect as of this date.

We will also recommend to the CMS Region V Office and/or the Minnesota Department of Human Services that your provider agreement be terminated by May 20, 2015 (six months after the identification of noncompliance) if your facility does not achieve substantial compliance. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

INFORMAL DISPUTE RESOLUTION

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process
Minnesota Department of Health
Division of Compliance Monitoring
P.O. Box 64900
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting an ePoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable electronic plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at: <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Questions regarding all documents submitted as a response to the Life Safety Code deficiencies (those preceded by a "K" tag), i.e., the plan of correction, request for waivers, should be directed to:

Mr. Patrick Sheehan, Supervisor
Health Care Fire Inspections
State Fire Marshal Division
pat.sheehan@state.mn.us
Telephone: (651) 201-7205
Fax: (651) 215-0525


Northridge Residence

November 25, 2014

Page 6

Feel free to contact me if you have questions related to this eNotice.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath". The signature is written in a cursive style with a horizontal line through the middle of the letters.

Mark Meath, Enforcement Specialist

Program Assurance Unit

Licensing and Certification Program

Division of Compliance Monitoring

mark.meath@state.mn.us

Telephone: (651) 201-4118

Fax: (651) 215-9697

5451s15

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/15/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245451	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/20/2014
NAME OF PROVIDER OR SUPPLIER NORTHRIDGE RESIDENCE			STREET ADDRESS, CITY, STATE, ZIP CODE 1075 ROY STREET ORTONVILLE, MN 56278		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS The facility's plan of correction (POC) will serve as your allegation of compliance upon the Department's acceptance. Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form. Your electronic submission of the POC will be used as verification of compliance. Upon receipt of an acceptable electronic POC, an on-site revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification.	F 000			
F 272 SS=D	483.20(b)(1) COMPREHENSIVE ASSESSMENTS The facility must conduct initially and periodically a comprehensive, accurate, standardized reproducible assessment of each resident's functional capacity. A facility must make a comprehensive assessment of a resident's needs, using the resident assessment instrument (RAI) specified by the State. The assessment must include at least the following: Identification and demographic information; Customary routine; Cognitive patterns; Communication; Vision; Mood and behavior patterns; Psychosocial well-being; Physical functioning and structural problems; Continence; Disease diagnosis and health conditions; Dental and nutritional status;	F 272		12/12/14	

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

12/05/2014

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/15/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245451	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/20/2014
NAME OF PROVIDER OR SUPPLIER NORTHRIDGE RESIDENCE			STREET ADDRESS, CITY, STATE, ZIP CODE 1075 ROY STREET ORTONVILLE, MN 56278		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 272	<p>Continued From page 1</p> <p>Skin conditions; Activity pursuit; Medications; Special treatments and procedures; Discharge potential; Documentation of summary information regarding the additional assessment performed on the care areas triggered by the completion of the Minimum Data Set (MDS); and Documentation of participation in assessment.</p> <p>This REQUIREMENT is not met as evidenced by: Based on interview and document review the facility failed to complete a comprehensive assessment upon admission for 1 of 4 residents (R6) reviewed for nutrition.</p> <p>Findings Include:</p> <p>R6's admission Minimum Data Set (MDS) dated 6/12/14, identified R6 had moderate cognitive impairment, diagnoses of congestive heart failure (CHF), chronic obstructive pulmonary disease (COPD) and needed extensive assistance of facility staff with activities of daily living (ADL's.)</p> <p>R6's Care Area Assessment (CAA) dated 6/13/14, had not been completed. The CAA lacked documentation in the triggered areas of; cognitive loss/dementia, ADL functional/rehabilitation potential, urinary incontinence and indwelling catheter,</p>	F 272	<p>Resident R6 will have a comprehensive MDS assessment(with CAA's) completed on 12-11-14.</p> <p>All current residents that could be affected by this were reviewed of their last three months of assessments. All were completed with MDS and CAA's.</p> <p>An all professional nurse meeting was held on December 2,2014. At this meeting, the director of nursing reviewed the MDS policy. She explained the importance of a fully completed MDS. Education was given to explain what is a completed MDS. This completion includes CAA's to be done with required MDS's. A meeting was held on December 2,2014 for Activity Director, Social Services, and Dietary reviewing the same information that was given to the licensed</p>		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/15/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245451	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 11/20/2014
NAME OF PROVIDER OR SUPPLIER NORTHRIDGE RESIDENCE			STREET ADDRESS, CITY, STATE, ZIP CODE 1075 ROY STREET ORTONVILLE, MN 56278		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 272	<p>Continued From page 2</p> <p>psychosocial well-being, activities, falls, nutritional status, dehydration/fluid maintenance, pressure ulcer, pain and return to community referral.</p> <p>On 11/19/14, 11:58 a.m. registered nurse (RN)-A, verified R6's CAA's lacked summaries in the areas triggered. RN-A stated R6's MDS had been a combination of an admission, 5-day perspective payment system (PPS) and a discharge return anticipated assessment. She further stated since the MDS was an admission MDS, the CAA should have been completed. RN-A further stated R6 had been admitted to the facility and was discharged to the hospital one day later. RN-A stated she would have an admission MDS for R6 to have been done upon her return, 7 days later, and not combined the the 5-day PPS and discharge return anticipated MDS. RN-A stated the policy is to complete the CAA's as required.</p> <p>On 11/19/14, 12:07 p.m. the director of nursing (DON) confirmed R6's CAA had not been completed with the admission MDS. The DON stated she would have expected a CAA to be done as part of the comprehensive assessment at the time of an admission MDS.</p> <p>Review of the facilities policy titled, Minimum Data Set, revised 08/13, revealed the MDS was a comprehensive assessment which was to be completed on admission, quarterly, annually and upon a change of condition. The policy did not address completion of the CAA.</p>	F 272	<p>staff. A Performance Improvement audit has been developed to ensure MDS completion is done prior to submitting the MDS's. This audit will be done weekly on all MDS's that require CAA's to be done to complete the MDS. This Performance Improvement results will be reviewed at the monthly Performance Improvement meeting. This PI will be done for three months or until 100% compliant, then random audits will be completed. This PI will be monitored by the director of nursing and case manager.</p>		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES


F5451023

PRINTED: 12/11/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245451	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 11/19/2014
--	---	---	---

NAME OF PROVIDER OR SUPPLIER NORTHRIDGE RESIDENCE	STREET ADDRESS, CITY, STATE, ZIP CODE 1075 ROY STREET ORTONVILLE, MN 56278
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety, State Fire Marshal Division. At the time of this survey, Northridge Residence was found not in compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>FIRE SAFETY</p> <p>THE FACILITY'S POC WILL SERVE AS YOUR ALLEGATION OF COMPLIANCE UPON THE DEPARTMENT'S ACCEPTANCE. YOUR SIGNATURE AT THE BOTTOM OF THE FIRST PAGE OF THE FORM CMS-2567 WILL BE USED AS VERIFICATION OF COMPLIANCE.</p> <p>UPON RECEIPT OF AN ACCEPTABLE POC, AN ONSITE REVISIT OF YOUR FACILITY MAY BE CONDUCTED TO VALIDATE THAT SUBSTANTIAL COMPLIANCE WITH THE REGULATIONS HAS BEEN ATTAINED IN ACCORDANCE WITH YOUR VERIFICATION.</p> <p>PLEASE RETURN THE PLAN OF CORRECTION FOR THE FIRE SAFETY DEFICIENCIES (K TAGS) TO:</p> <p>Health Care Fire Inspections State Fire Marshal Division 445 Minnesota Street, Suite 145</p>	K 000		
-------	---	-------	--	--

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE Electronically Signed	TITLE	(X6) DATE 12/05/2014
--	-------	--------------------------------

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/11/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245451	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 11/19/2014
NAME OF PROVIDER OR SUPPLIER NORTHRIDGE RESIDENCE			STREET ADDRESS, CITY, STATE, ZIP CODE 1075 ROY STREET ORTONVILLE, MN 56278	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	<p>Continued From page 1 St. Paul, MN 55101-5145, or</p> <p>By eMail to: Marian.Whitney@state.mn.us</p> <p>THE PLAN OF CORRECTION FOR EACH DEFICIENCY MUST INCLUDE ALL OF THE FOLLOWING INFORMATION:</p> <ol style="list-style-type: none"> 1. A description of what has been, or will be, done to correct the deficiency. 2. The actual, or proposed, completion date. 3. The name and/or title of the person responsible for correction and monitoring to prevent a reoccurrence of the deficiency <p>The facility has a fire alarm system with smoke detection throughout the corridor system. The fire alarm system is monitored for automatic fire department notification. The facility has a capacity of 64 beds and had a census of 48 at time of survey.</p> <p>Northridge Residence was constructed in 1977, is a 1-story building with no basement and determined to be of Type V(111) construction. The building is fully sprinklered throughout. The facility has a fire alarm system with smoke detectors in the corridors that is monitored for automatic fire department notification. The facility has a capacity of 64 beds and had a census of 48 at the time of the survey.</p> <p>The requirement at 42 CFR, Subpart 483.70(a) is NOT MET as evidenced by:</p>	K 000		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/11/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245451	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 11/19/2014
NAME OF PROVIDER OR SUPPLIER NORTHRIDGE RESIDENCE			STREET ADDRESS, CITY, STATE, ZIP CODE 1075 ROY STREET ORTONVILLE, MN 56278	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 062 SS=F	<p>NFPA 101 LIFE SAFETY CODE STANDARD</p> <p>Required automatic sprinkler systems are continuously maintained in reliable operating condition and are inspected and tested periodically. 19.7.6, 4.6.12, NFPA 13, NFPA 25, 9.7.5</p> <p>This STANDARD is not met as evidenced by: Based on observation and staff interview, the facility failed to maintain the fire sprinkler system in accordance with the requirements of 2000 NFPA 101, Sections 19.3.4.1 and 9.6, as well as 1998 NFPA 25, section 2-2.1.1 and 2-2.2. This deficient practice could affect all 48 out 48 residents.</p> <p>Findings include:</p> <p>On facility tour between 10:00 am and 12:00pm on 11/19/2014, observation revealed that the following were found:</p> <ol style="list-style-type: none"> 1. Kitchen- Dishwashing area, the fire sprinkler heads located in this area were corroded. 2. Housekeeping closet and soiled utility rooms need to be replaced also due to corrosion. 	K 062	<p>Simplex Grinnell was called on November 25, 2010. This company will be at Northridge Residence on December 5, 2014 to service the sprinkler heads that need to be replaced as listed on the state fire marshal report. Simplex Grinnell will also do a walk-thru to determine if any other sprinkler heads need replacement in the building. A Performance Improvement has been developed to ensure sprinkler heads are not corroded. This Performance Improvement will be done monthly for 3 months or until 100% compliant, then random audits will be completed. This Performance Improvement results will be reviewed at the monthly Performance Improvement meeting. This will be monitored by the Maintenance Director.</p>	12/12/14



Protecting, Maintaining and Improving the Health of Minnesotans

Electronically submitted
November 25, 2014

Mr. Rick Ash, Administrator
Northridge Residence
1075 Roy Street
Ortonville, MN 56278

Re: Enclosed State Nursing Home Licensing Orders - Project Number S5451025

Dear Mr. Ash:

The above facility was surveyed on November 17, 2014 through November 20, 2014 for the purpose of assessing compliance with Minnesota Department of Health Nursing Home Rules. At the time of the survey, the survey team from the Minnesota Department of Health, Compliance Monitoring Division, noted one or more violations of these rules that are issued in accordance with Minnesota Stat. section 144.653 and/or Minnesota Stat. Section 144A.10. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a civil fine for each deficiency not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.

To assist in complying with the correction order(s), a "suggested method of correction" has been added. This provision is being suggested as one method that you can follow to correct the cited deficiency. Please remember that this provision is only a suggestion and you are not required to follow it. Failure to follow the suggested method will not result in the issuance of a penalty assessment. You are reminded, however, that regardless of the method used, correction of the deficiency within the established time frame is required. The "suggested method of correction" is for your information and assistance only.

You have agreed to participate in the electronic receipt of State licensure orders consistent with the Minnesota Department of Health Informational Bulletin 14-01, available at <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>. The State licensing orders are delineated on the attached Minnesota Department of Health orders being submitted to you electronically. The Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.

The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule number and the corresponding text of the state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order.

Northridge Residence

November 25, 2014

Page 2

This column also includes the findings that are in violation of the state statute after the statement, "This Rule is not met as evidenced by." Following the surveyors findings are the Suggested Method of Correction and the Time Period For Correction.

PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.

THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES/RULES.


Although no plan of correction is necessary for State Statutes/Rules, please enter the word "corrected" in the box available for text. You must then indicate in the electronic State licensure process, under the heading completion date, the date your orders will be corrected prior to electronically submitting to the Minnesota Department of Health. We urge you to review these orders carefully, item by item, and if you find that any of the orders are not in accordance with your understanding at the time of the exit conference following the survey, you should immediately contact Gail Anderson at (218) 332-5140, or email: gail.anderson@state.mn.us.

You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.

Please note it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions related to this eNotice.

Sincerely,



Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Division of Compliance Monitoring
mark.meath@state.mn.us

Telephone: (651) 201-4118

Fax: (651) 215-9697

Enclosure(s)

cc: Original - Facility
Licensing and Certification File

5451s15licltr

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00771	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 11/20/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER NORTHRIDGE RESIDENCE	STREET ADDRESS, CITY, STATE, ZIP CODE 1075 ROY STREET ORTONVILLE, MN 56278
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	<p>Initial Comments</p> <p>*****ATTENTION*****</p> <p>NH LICENSING CORRECTION ORDER</p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p>INITIAL COMMENTS: On November 17, 18, 19 and 20th, 2014, surveyors of this Department's staff, visited the above provider and the following correction orders are issued. When corrections are completed, please sign and date, make a copy of these orders and return the original to the Minnesota Department of Health, Division of</p>	2 000		

Minnesota Department of Health LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
Electronically Signed		12/05/14

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00771	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 11/20/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER NORTHRIDGE RESIDENCE	STREET ADDRESS, CITY, STATE, ZIP CODE 1075 ROY STREET ORTONVILLE, MN 56278
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	Continued From page 1 Compliance Monitoring, Licensing and Certification Program, P.O. Box 64900 St. Paul, MN 55164-0900 The facility has agreed to participate in the electronic receipt of State licensure orders consistent with the Minnesota Department of Health Informational Bulletin 14-01, available at http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm The State licensing orders are delineated on the attached Minnesota Department of Health orders being submitted electronically. Although no plan of correction is necessary for State Statutes/Rules, please enter the word "corrected" in the box available for text. Then indicate in the electronic State licensure process, under the heading completion date, the date your orders will be corrected prior to electronically submitting to the Minnesota Department of Health.	2 000		
2 540	MN Rule 4658.0400 Subp. 1 & 2 Comprehensive Resident Assessment Subpart 1. Assessment. A nursing home must conduct a comprehensive assessment of each resident's needs, which describes the resident's capability to perform daily life functions and significant impairments in functional capacity. A nursing assessment conducted according to Minnesota Statutes, section 148.171, subdivision 15, may be used as part of the comprehensive resident assessment. The results of the comprehensive resident assessment must be used to develop, review, and revise the resident's comprehensive plan of care as defined in part 4658.0405.	2 540		12/12/14

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00771	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 11/20/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER NORTHRIDGE RESIDENCE	STREET ADDRESS, CITY, STATE, ZIP CODE 1075 ROY STREET ORTONVILLE, MN 56278
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 540	<p>Continued From page 2</p> <p>Subp. 2. Information gathered. The comprehensive resident assessment must include at least the following information:</p> <ul style="list-style-type: none"> A. medically defined conditions and prior medical history; B. medical status measurement; C. physical and mental functional status; D. sensory and physical impairments; E. nutritional status and requirements; F. special treatments or procedures; G. mental and psychosocial status; H. discharge potential; I. dental condition; J. activities potential; K. rehabilitation potential; L. cognitive status; M. drug therapy; and N. resident preferences. <p>This MN Requirement is not met as evidenced by: Based on interview and document review the facility failed to complete a comprehensive assessment upon admission for 1 of 4 residents (R6) reviewed for nutrition.</p> <p>Findings Include:</p> <p>R6's admission Minimum Data Set (MDS) dated 6/12/14, identified R6 had moderate cognitive impairment, diagnoses of congestive heart failure (CHF), chronic obstructive pulmonary disease (COPD) and needed extensive assistance of facility staff with activities of daily living (ADL's.)</p> <p>R6's Care Area Assessment (CAA) dated 6/13/14, had not been completed. The CAA lacked documentation in the triggered areas of; cognitive loss/dementia, ADL functional/rehabilitation potential, urinary</p>	2 540	Completed	

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00771	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 11/20/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER NORTHRIDGE RESIDENCE	STREET ADDRESS, CITY, STATE, ZIP CODE 1075 ROY STREET ORTONVILLE, MN 56278
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 540	<p>Continued From page 3</p> <p>incontinence and indwelling catheter, psychosocial well-being, activities, falls, nutritional status, dehydration/fluid maintenance, pressure ulcer, pain and return to community referral.</p> <p>On 11/19/14, 11:58 a.m. registered nurse (RN)-A, verified R6's CAA's lacked summaries in the areas triggered. RN-A stated R6's MDS had been a combination of an admission, 5-day perspective payment system (PPS) and a discharge return anticipated assessment. She further stated since the MDS was an admission MDS, the CAA should have been completed. RN-A further stated R6 had been admitted to the facility and was discharged to the hospital one day later. RN-A stated she would have an admission MDS for R6 to have been done upon her return, 7 days later, and not combined the the 5-day PPS and discharge return anticipated MDS. RN-A stated the policy is to complete the CAA's as required.</p> <p>On 11/19/14, 12:07 p.m. the director of nursing (DON) confirmed R6's CAA had not been completed with the admission MDS. The DON stated she would have expected a CAA to be done as part of the comprehensive assessment at the time of an admission MDS.</p> <p>Review of the facilities policy titled, Minimum Data Set, revised 08/13, revealed the MDS was a comprehensive assessment which was to be completed on admission, quarterly, annually and upon a change of condition. The policy did not address completion of the CAA.</p> <p>SUGGESTED METHOD OF CORRECTION: The director of nursing (DON) or designee could</p>	2 540		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00771	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 11/20/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER NORTHRIDGE RESIDENCE	STREET ADDRESS, CITY, STATE, ZIP CODE 1075 ROY STREET ORTONVILLE, MN 56278
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21426	<p>Continued From page 5</p> <p>Skin Test (TST) had been completed for 2 of 5 residents (R36,R50) reviewed for the tuberculosis (TB) program.</p> <p>Findings include:</p> <p>R36 was admitted to the facility on 4/22/14. Review of the R36's immunization record revealed the first TST was administered on 4/22/14. However, the record lacked documentation of the date and interpretation of the results for the first TST.</p> <p>R50 was admitted to the facility on 2/16/13. Review of R50's immunization record revealed the TST was administered on 2/16/13 and was interpreted on 2/18/13 with documented interpretation as neg (negative), there was no documentation of induration.</p> <p>During interview on 11/19/14, at 11:38 a.m. the director of nursing (DON) confirmed the TST interpretation lacked required information. The DON stated staff were expected interpret and document the interpretation of the TST in millimeters (mm) of induration 48-72 hours following the TST.</p> <p>The facility's Resident Mantoux Policy-Administration dated 8/14, directed the documentation of the Mantoux (or TST) is essential, and the results were to be documented in mm induration.</p> <p>SUGGESTED METHOD OF CORRECTION: The infection control nurse or designee could review the TB policies and procedures to ensure required information is included. Appropriate staff could be educated regarding requirements.</p>	21426		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00771	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 11/20/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER NORTHRIDGE RESIDENCE	STREET ADDRESS, CITY, STATE, ZIP CODE 1075 ROY STREET ORTONVILLE, MN 56278
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21426	Continued From page 6 Audits could be could be conducted and the results reviewed at the quality committee meetings. TIME PERIOD FOR CORRECTION: Twenty-one (21) days.	21426		