

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: 7L54

Facility ID: 00968

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245281 2. STATE VENDOR OR MEDICAID NO. (L2) 198148100	3. NAME AND ADDRESS OF FACILITY (L3) CLAYCO CARE CENTER (L4) 600 FIFTH STREET SOUTHEAST, BOX 129 (L5) BARNESVILLE, MN (L6) 56514	4. TYPE OF ACTION: <u>2</u> (L8) 1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other 8. Full Survey After Complaint
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9) 08/01/2011 6. DATE OF SURVEY 02/19/2015 (L34) 8. ACCREDITATION STATUS: <u> </u> (L10) 0 Unaccredited 1 TJC 2 AOA 3 Other	7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7) 01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA 02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF 03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC 04 SNF 08 OPT/SP 12 RHC 16 HOSPICE	FISCAL YEAR ENDING DATE: (L35) 12/31

11. LTC PERIOD OF CERTIFICATION From (a) : To (b) : 12. Total Facility Beds 35 (L18) 13. Total Certified Beds 35 (L17)	10. THE FACILITY IS CERTIFIED AS: A. In Compliance With Program Requirements Compliance Based On: ___ 1. Acceptable POC X B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: B* (L12) And/Or Approved Waivers Of The Following Requirements: ___ 2. Technical Personnel ___ 6. Scope of Services Limit ___ 3. 24 Hour RN ___ 7. Medical Director ___ 4. 7-Day RN (Rural SNF) ___ 8. Patient Room Size ___ 5. Life Safety Code ___ 9. Beds/Room
--	--

14. LTC CERTIFIED BED BREAKDOWN <table border="1"> <tr> <td>18 SNF</td> <td>18/19 SNF</td> <td>19 SNF</td> <td>ICF</td> <td>IID</td> </tr> <tr> <td></td> <td>35</td> <td></td> <td></td> <td></td> </tr> <tr> <td>(L37)</td> <td>(L38)</td> <td>(L39)</td> <td>(L42)</td> <td>(L43)</td> </tr> </table>	18 SNF	18/19 SNF	19 SNF	ICF	IID		35				(L37)	(L38)	(L39)	(L42)	(L43)	15. FACILITY MEETS 1861 (e) (1) or 1861 (j) (1): (L15)
18 SNF	18/19 SNF	19 SNF	ICF	IID												
	35															
(L37)	(L38)	(L39)	(L42)	(L43)												

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

17. SURVEYOR SIGNATURE <u>Beth Nowling, HFE NEII</u> Date : 03/23/2015 (L19)	18. STATE SURVEY AGENCY APPROVAL <u>Mark Meath, Enforcement Specialist</u> Date: 03/25/2015 (L20)
--	---

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY ___ 1. Facility is Eligible to Participate ___ 2. Facility is not Eligible (L21)	20. COMPLIANCE WITH CIVIL RIGHTS ACT: ___	21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : ___
---	--	---

22. ORIGINAL DATE OF PARTICIPATION 07/01/1985 (L24)	23. LTC AGREEMENT BEGINNING DATE (L41)	24. LTC AGREEMENT ENDING DATE (L25)	26. TERMINATION ACTION: (L30) VOLUNTARY <u>00</u> 01-Merger, Closure INVOLUNTARY 02-Dissatisfaction W/ Reimbursement 05-Fail to Meet Health/Safety 03-Risk of Involuntary Termination 06-Fail to Meet Agreement 04-Other Reason for Withdrawal OTHER 07-Provider Status Change 00-Active
25. LTC EXTENSION DATE: (L27)	27. ALTERNATIVE SANCTIONS A. Suspension of Admissions: (L44) B. Rescind Suspension Date: (L45)		

28. TERMINATION DATE: (L28)	29. INTERMEDIARY/CARRIER NO. 00140 (L31)	30. REMARKS Posted 03/26/2015 Co.
------------------------------------	---	--

31. RO RECEIPT OF CMS-1539 (L32)	32. DETERMINATION OF APPROVAL DATE (L33)	DETERMINATION APPROVAL
---	---	------------------------



Protecting, Maintaining and Improving the Health of Minnesotans

Certified Mail # 7013 2250 0001 6357 0839

March 2, 2015

Mr. Mark Rustad, Administrator
Clayco Care Center
600 Fifth Street Southeast, Box 129
Barnesville, Minnesota 56514

RE: Project Number S5281025

Dear Mr. Rustad:

On February 19, 2015, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

This survey found the most serious deficiencies in your facility to be widespread deficiencies that constitute no actual harm with potential for more than minimal harm that is not immediate jeopardy (Level F), as evidenced by the attached CMS-2567 whereby corrections are required. A copy of the Statement of Deficiencies (CMS-2567) is enclosed.

Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.

This letter provides important information regarding your response to these deficiencies and addresses the following issues:

Opportunity to Correct - the facility is allowed an opportunity to correct identified deficiencies before remedies are imposed;

Electronic Plan of Correction - when a plan of correction will be due and the information to be contained in that document;

Remedies - the type of remedies that will be imposed with the authorization of the Centers for Medicare and Medicaid Services (CMS) if substantial compliance is not attained at the time of a revisit;

Potential Consequences - the consequences of not attaining substantial compliance 3 and 6 months after the survey date; and

Informal Dispute Resolution - your right to request an informal reconsideration to dispute the attached deficiencies.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

DEPARTMENT CONTACT

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by a "F" tag), i.e., the plan of correction should be directed to:

Pam Kerksen, RN, APM
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health
705 5th Street Northwest, Suite A
Bemidji, Minnesota 56601-2933
Email: pam.kerssen@state.mn.us

Telephone: (218) 308-2129

Fax: (218) 308-2122

OPPORTUNITY TO CORRECT - DATE OF CORRECTION - REMEDIES

As of January 14, 2000, CMS policy requires that facilities will not be given an opportunity to correct before remedies will be imposed when actual harm was cited at the last standard or intervening survey and also cited at the current survey. Your facility does not meet this criterion. Therefore, if your facility has not achieved substantial compliance by March 31, 2015, the Department of Health will impose the following remedy:

- State Monitoring. (42 CFR 488.422)

In addition, the Department of Health is recommending to the CMS Region V Office that if your facility has not achieved substantial compliance by March 31, 2015 the following remedy will be imposed:

- Per instance civil money penalties. (42 CFR 488.430 through 488.444)

ELECTRONIC PLAN OF CORRECTION (ePoC)

An ePoC for the deficiencies must be submitted within **ten calendar days** of your receipt of this letter. Your ePoC must:

- Address how corrective action will be accomplished for those residents found to have been affected by the deficient practice;
- Address how the facility will identify other residents having the potential to be affected by the same deficient practice;
- Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur;
- Indicate how the facility plans to monitor its performance to make sure that solutions are sustained. The facility must develop a plan for ensuring that correction is achieved and sustained. This plan must be implemented, and the corrective action evaluated for its effectiveness. The plan of correction is integrated into the quality assurance system;
- Include dates when corrective action will be completed. The corrective action completion dates must be acceptable to the State. If the plan of correction is unacceptable for any reason, the State will notify the facility. If the plan of correction is acceptable, the State will notify the facility. Facilities should be cautioned that they are ultimately accountable for their own compliance, and that responsibility is not alleviated in cases where notification about the acceptability of their plan of correction is not made timely. The plan of correction will serve as the facility's allegation of compliance; and,
- Submit electronically to acknowledge your receipt of the electronic 2567, your review and your ePoC submission.

If an acceptable ePoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Optional denial of payment for new Medicare and Medicaid admissions (42 CFR 488.417 (a));
- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable ePoC could also result in the termination of your facility's Medicare and/or Medicaid agreement.

PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE

The facility's ePoC will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance. In order for your allegation of compliance to be acceptable to the Department, the ePoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff, if your ePoC for the respective deficiencies (if any) is acceptable.

VERIFICATION OF SUBSTANTIAL COMPLIANCE

Upon receipt of an acceptable ePoC, an onsite revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification. A Post Certification Revisit (PCR) will occur after the date you identified that compliance was achieved in your plan of correction.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved ePoC, unless it is determined that either correction actually occurred between the latest correction date on the ePoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the ePoC.

Original deficiencies not corrected

If your facility has not achieved substantial compliance, we will impose the remedies described above. If the level of noncompliance worsened to a point where a higher category of remedy may be imposed, we will recommend to the CMS Region V Office that those other remedies be imposed.

Original deficiencies not corrected and new deficiencies found during the revisit

If new deficiencies are identified at the time of the revisit, those deficiencies may be disputed through the informal dispute resolution process. However, the remedies specified in this letter will be imposed for original deficiencies not corrected. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed.

Original deficiencies corrected but new deficiencies found during the revisit

If new deficiencies are found at the revisit, the remedies specified in this letter will be imposed. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed. You will be provided the required notice before the imposition of a new remedy or informed if another date will be set for the imposition of these remedies.

FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY

If substantial compliance with the regulations is not verified by May 19, 2015 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal regulations at 42 CFR Section 488.417(b). This mandatory denial of payments will be based on the failure to comply with deficiencies originally contained in the Statement of Deficiencies, upon the identification of new deficiencies at the time of the revisit, or if deficiencies have been issued as the result of a complaint visit or other survey conducted after the original statement of deficiencies was

issued. This mandatory denial of payment is in addition to any remedies that may still be in effect as of this date.

We will also recommend to the CMS Region V Office and/or the Minnesota Department of Human Services that your provider agreement be terminated by August 19, 2015 (six months after the identification of noncompliance) if your facility does not achieve substantial compliance. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

INFORMAL DISPUTE RESOLUTION

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process
Minnesota Department of Health
Health Regulation Division
P.O. Box 64900
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting an ePoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable electronic plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at: <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Questions regarding all documents submitted as a response to the Life Safety Code deficiencies (those preceded by a "K" tag), i.e., the plan of correction, request for waivers, should be directed to:

Mr. Patrick Sheehan, Supervisor
Health Care Fire Inspections
State Fire Marshal Division
pat.sheehan@state.mn.us

Telephone: (651) 201-7205
Fax: (651) 215-0525

Clayco Care Center

March 2, 2015

Page 6

Feel free to contact me if you have questions related to this Notice

Sincerely,

A handwritten signature in black ink that reads "Mark Meath". The signature is written in a cursive, slightly slanted style.

Mark Meath, Enforcement Specialist

Program Assurance Unit

Licensing and Certification Program

Health Regulation Division

Email: mark.meath@state.mn.us

Telephone: (651) 201-4118

Fax: (651) 215-9697

5281s15

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/23/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245281	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 02/19/2015
NAME OF PROVIDER OR SUPPLIER CLAYCO CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 600 FIFTH STREET SOUTHEAST, BOX 129 BARNESVILLE, MN 56514		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS The facility's plan of correction (POC) will serve as your allegation of compliance upon the Department's acceptance. Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form. Your electronic submission of the POC will be used as verification of compliance. Upon receipt of an acceptable electronic POC, an on-site revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification.	F 000			
F 431 SS=F	483.60(b), (d), (e) DRUG RECORDS, LABEL/STORE DRUGS & BIOLOGICALS The facility must employ or obtain the services of a licensed pharmacist who establishes a system of records of receipt and disposition of all controlled drugs in sufficient detail to enable an accurate reconciliation; and determines that drug records are in order and that an account of all controlled drugs is maintained and periodically reconciled. Drugs and biologicals used in the facility must be labeled in accordance with currently accepted professional principles, and include the appropriate accessory and cautionary instructions, and the expiration date when applicable. In accordance with State and Federal laws, the facility must store all drugs and biologicals in locked compartments under proper temperature controls, and permit only authorized personnel to have access to the keys.	F 431		2/20/15	

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

03/13/2015

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/23/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245281	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 02/19/2015
NAME OF PROVIDER OR SUPPLIER CLAYCO CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 600 FIFTH STREET SOUTHEAST, BOX 129 BARNESVILLE, MN 56514		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 431	<p>Continued From page 1</p> <p>The facility must provide separately locked, permanently affixed compartments for storage of controlled drugs listed in Schedule II of the Comprehensive Drug Abuse Prevention and Control Act of 1976 and other drugs subject to abuse, except when the facility uses single unit package drug distribution systems in which the quantity stored is minimal and a missing dose can be readily detected.</p> <p>This REQUIREMENT is not met as evidenced by: Based on observation, interview and document review the facility failed to provide safe and secure medication storage of controlled narcotics in 1 of 1 medication storage rooms. This had the potential to affect all residents who resided in the facility.</p> <p>Findings include:</p> <p>During the tour of the medication room on 2/18/15, at 2:00 p.m. two medication emergency kits were observed on a counter located behind a locked door. There was one large, plastic type tackle box with an intact plastic numbered lock which contained non-controlled narcotic medications; and one small, black fabric, double zippered bag with an intact plastic numbered lock which contained controlled narcotic medications (Defined by the U.S. Controlled Substance Act for medications that are height potential for abuse).</p>	F 431	<ol style="list-style-type: none"> 1. The black fabric, double zippered bag that contained controlled narcotic medications was replaced with a hard, plastic type tackle box. 2. DON or designee shall monitor to ensure that lock mechanism is in place and that box is in locked room weekly x4 weeks. Thereafter, audits will be completed quarterly. 3. Audit outcomes shall be shared with the QAA Committee for review and/or comments. 4. Date of correction: 02/20/2015 		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/23/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245281	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 02/19/2015
NAME OF PROVIDER OR SUPPLIER CLAYCO CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 600 FIFTH STREET SOUTHEAST, BOX 129 BARNESVILLE, MN 56514		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 431	<p>Continued From page 2</p> <p>Contents of the controlled narcotic emergency kit included: acetaminophen/codeine- (6 tabs) diazepam (10 ml)-1 bottle lorazepam 0.5 mg- (6 tabs) morphine 10 mg/ml-(4 vials)</p> <p>-At 2:15 p.m. the integrity of the controlled narcotic medication emergency kit was assessed. The surveyor was able to separate the two zippers while the plastic numbered lock was still intact, leaving an opening approximately three and a half inches, large enough to fit a hand through, or large enough to dump out all of the narcotic medications. The director of nursing (DON) witnessed the surveyor successfully access the narcotic medications, even with the plastic numbered lock intact. The DON confirmed the narcotic medications were not properly stored and locked, and stated the medications were not secured with a double lock as required. The DON reported he had not realized that the black fabric bag opened up like that. The DON stated the facility had always stored the emergency controlled narcotic medications in the black fabric bag with double zippers. The DON reported the facility contracted with a consulting pharmacist who visited the facility monthly and reviewed the facility medication storage practices and had not identified any irregularities.</p> <p>The facility's undated policy titled Controlled Substances, indicated that controlled drugs must be stored in the medication room in a locked container and the container must remain locked</p>	F 431			

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/23/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245281	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 02/19/2015
NAME OF PROVIDER OR SUPPLIER CLAYCO CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 600 FIFTH STREET SOUTHEAST, BOX 129 BARNESVILLE, MN 56514		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 431	Continued From page 3 at all times, except when it is accessed to obtain medications for residents.	F 431			

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

F5281023

PRINTED: 03/16/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245281	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 02/18/2015
NAME OF PROVIDER OR SUPPLIER CLAYCO CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 600 FIFTH STREET SOUTHEAST, BOX 129 BARNESVILLE, MN 56514		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety. At the time of this survey Clayco Care Center was found not in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>PLEASE RETURN THE PLAN OF CORRECTION FOR THE FIRE SAFETY DEFICIENCIES (K-TAGS) TO:</p> <p>Health Care Fire Inspections State Fire Marshal Division 445 Minnesota Street, Suite 145 St Paul, MN 55101</p> <p>Or by e-mail to: Marian.Whitney@state.mn.us or Angela.Kappenman@state.mn.us</p> <p>THE PLAN OF CORRECTION FOR EACH DEFICIENCY MUST INCLUDE ALL OF THE FOLLOWING INFORMATION:</p> <ol style="list-style-type: none"> 1. A description of what has been, or will be, done to correct the deficiency. 2. The actual, or proposed, completion date. 	K 000			

EPOC

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE
Electronically Signed

TITLE

(X6) DATE
03/13/2015

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245281	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 02/18/2015
NAME OF PROVIDER OR SUPPLIER CLAYCO CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 600 FIFTH STREET SOUTHEAST, BOX 129 BARNESVILLE, MN 56514		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	Continued From page 1 3. The name and/or title of the person responsible for correction and monitoring to prevent a reoccurrence of the deficiency. Clayco Care Center is a 1-story building with no basement. The building was constructed at 3 different times. The original building was constructed in 1963 and was determined to be of Type II(000) construction. In 1980, a Sun Room addition was added to the south of the Dining Room/Day Room that was determined to be of Type V(000) construction. In 1994 an addition to the main entrance, to the west was constructed and was determined to be of Type II(111) construction. The building is completely protected by an automatic fire sprinkler system installed and also has a fire alarm system with smoke detection in the corridors and areas open to the corridors that is monitored for automatic fire department notification. The facility has a capacity of 35 beds and a census of 31 at the time of the survey..	K 000			
K 056 SS=D	The requirement at 42 CFR, Subpart 483.70(a) is NOT MET as evidenced by: NFPA 101 LIFE SAFETY CODE STANDARD If there is an automatic sprinkler system, it is installed in accordance with NFPA 13, Standard for the Installation of Sprinkler Systems, to provide complete coverage for all portions of the building. The system is properly maintained in	K 056		4/10/15	

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/16/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245281	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 02/18/2015
NAME OF PROVIDER OR SUPPLIER CLAYCO CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 600 FIFTH STREET SOUTHEAST, BOX 129 BARNESVILLE, MN 56514		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 056	<p>Continued From page 2</p> <p>accordance with NFPA 25, Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems. It is fully supervised. There is a reliable, adequate water supply for the system. Required sprinkler systems are equipped with water flow and tamper switches, which are electrically connected to the building fire alarm system. 19.3.5</p> <p>This STANDARD is not met as evidenced by: Based on observations and staff interview, it was found that the automatic sprinkler system is not installed and maintained in accordance with NFPA 13 the Standard for the Installation of Sprinkler Systems (99). The failure to maintain the sprinkler system in compliance with NFPA 13 (99) could allow system being place out of service causing a decrease in the fire protection system capability in the event of an emergency that would affect the residents, visitors and staff of the facility.</p> <p>Findings include:</p> <p>On facility tour between 12:30 PM to 2:30 PM on 02/18/2015, observations have revealed that the are 6 sprinkler heads located in the kitchen that are heavily corroded which can affect the sprinkler heads ability to activate in the event of a fire emergency.</p> <p>This deficient practice was verified by the Maintenance Supervisor.</p>	K 056	<ol style="list-style-type: none"> 1. Contacted building sprinkler repair company for quote on replacing corroded sprinkler heads. 2. Estimated completion date; April 10, 2015. 3. Maintenance Manger will be responsible for correction and monitoring to prevent a recurrence. 		



Protecting, Maintaining and Improving the Health of Minnesotans

Certified Mail # 7013 2250 0001 6357 0839

March 2, 2015

Mr. Mark Rustad, Administrator
Clayco Care Center
600 Fifth Street Southeast, Box 129
Barnesville, Minnesota 56514

Re: Enclosed State Nursing Home Licensing Orders - Project Number S5281025

Dear Mr. Rustad:

The above facility was surveyed on February 17, 2015 through February 19, 2015 for the purpose of assessing compliance with Minnesota Department of Health Nursing Home Rules. At the time of the survey, the survey team from the Minnesota Department of Health, Compliance Monitoring Division, noted one or more violations of these rules that are issued in accordance with Minnesota Stat. section 144.653 and/or Minnesota Stat. Section 144A.10. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a civil fine for each deficiency not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.

To assist in complying with the correction order(s), a "suggested method of correction" has been added. This provision is being suggested as one method that you can follow to correct the cited deficiency. Please remember that this provision is only a suggestion and you are not required to follow it. Failure to follow the suggested method will not result in the issuance of a penalty assessment. You are reminded, however, that regardless of the method used, correction of the deficiency within the established time frame is required. The "suggested method of correction" is for your information and assistance only.

You have agreed to participate in the electronic receipt of State licensure orders consistent with the Minnesota Department of Health Informational Bulletin 14-01, available at <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>. The State licensing orders are delineated on the attached Minnesota Department of Health orders being submitted to you electronically. The Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.

The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule number and the corresponding text of the state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order.

Clayco Care Center

March 2, 2015

Page 2

This column also includes the findings that are in violation of the state statute after the statement, "This Rule is not met as evidenced by." Following the surveyors findings are the Suggested Method of Correction and the Time Period For Correction.

PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.

THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES/RULES.

Although no plan of correction is necessary for State Statutes/Rules, please enter the word "corrected" in the box available for text. You must then indicate in the electronic State licensure process, under the heading completion date, the date your orders will be corrected prior to electronically submitting to the Minnesota Department of Health. We urge you to review these orders carefully, item by item, and if you find that any of the orders are not in accordance with your understanding at the time of the exit conference following the survey, you should immediately contact Lyla Burkman at (218) 308-2104 or email: lyla.burkman@state.mn.us.

If you have not activated your ePOC user account within the required ten days from receipt of this letter, please return the signed first page of the State form POC to the following:

Pam Kerssen, RN, APM
Minnesota Department of Health
705 5th Street Northwest, Suite A
Bemidji, Minnesota 56601-2933
Email: pam.kerssen@state.mn.us

Telephone: (218) 308-2129
Fax: (218) 308-2122

You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.

Please note it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.


Clayco Care Center

March 2, 2015

Page 3

Feel free to contact me if you have questions related to this Notice.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath". The signature is written in a cursive style with a horizontal line underlining the first name.

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Email: mark.meath@state.mn.us

Telephone: (651) 201-4118

Fax: (651) 215-9697

5281s15lic

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00968	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/19/2015
--	--	---	---

NAME OF PROVIDER OR SUPPLIER CLAYCO CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 600 FIFTH STREET SOUTHEAST, BOX 129 BARNESVILLE, MN 56514
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	<p>Initial Comments</p> <p>*****ATTENTION*****</p> <p>NH LICENSING CORRECTION ORDER</p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p>INITIAL COMMENTS: You have agreed to participate in the electronic receipt of State licensure orders consistent with the Minnesota Department of Health Informational Bulletin 14-01, available at http://www.health.state.mn.us/divs/fpc/profinfo/infol.htm The State licensing orders are delineated on the attached Minnesota</p>	2 000	Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.	

Minnesota Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

Electronically Signed

TITLE

(X6) DATE
03/13/15

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00968	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/19/2015
--	--	---	---

NAME OF PROVIDER OR SUPPLIER CLAYCO CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 600 FIFTH STREET SOUTHEAST, BOX 129 BARNESVILLE, MN 56514
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	<p>Continued From page 1</p> <p>Department of Health orders being submitted to you electronically. Although no plan of correction is necessary for State Statutes/Rules, please enter the word "corrected" in the box available for text. You must then indicate in the electronic State licensure process, under the heading completion date, the date your orders will be corrected prior to electronically submitting to the Minnesota Department of Health.</p> <p>On February 17th, 18th and 19th 2015, surveyors of this Department's staff, visited the above provider and the following correction orders are issued. Please indicate in your electronic plan of correction that you have reviewed these orders, and identify the date when they will be completed.</p> <p>Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.</p> <p>The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order. This column also includes the findings which are in violation of the state statute after the statement, "This Rule is not met as evidence by." Following the surveyors findings are the Suggested Method of Correction and Time period for Correction.</p> <p>PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.</p>	2 000	<p>The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule number and the corresponding text of the state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order. This column also includes the findings which are in violation of the state statute after the statement, "This Rule is not met as evidenced by." Following the surveyors findings are the Suggested Method of Correction and the Time Period For Correction.</p> <p>PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.</p> <p>THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES/RULES.</p>	

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00968	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/19/2015
--	--	---	---

NAME OF PROVIDER OR SUPPLIER CLAYCO CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 600 FIFTH STREET SOUTHEAST, BOX 129 BARNESVILLE, MN 56514
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	Continued From page 2	2 000		
21426	<p>MN St. Statute 144A.04 Subd. 3 Tuberculosis Prevention And Control</p> <p>(a) A nursing home provider must establish and maintain a comprehensive tuberculosis infection control program according to the most current tuberculosis infection control guidelines issued by the United States Centers for Disease Control and Prevention (CDC), Division of Tuberculosis Elimination, as published in CDC's Morbidity and Mortality Weekly Report (MMWR). This program must include a tuberculosis infection control plan that covers all paid and unpaid employees, contractors, students, residents, and volunteers. The Department of Health shall provide technical assistance regarding implementation of the guidelines.</p> <p>(b) Written compliance with this subdivision must be maintained by the nursing home.</p> <p>This MN Requirement is not met as evidenced by: Based on interview and document review, the facility failed to ensure a comprehensive tuberculosis (TB) infection control program was implemented through two step tuberculin skin testing for 4 of 5 (E-1, E-2, E-3, E-4) newly hired employees reviewed.</p>	21426	Corrected	2/20/15

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00968	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/19/2015
--	--	---	---

NAME OF PROVIDER OR SUPPLIER CLAYCO CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 600 FIFTH STREET SOUTHEAST, BOX 129 BARNESVILLE, MN 56514
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21426	<p>Continued From page 3</p> <p>Findings include:</p> <p>E-1 was hired by the facility on 10/21/14. E-1's file contained documentation of tuberculin skin testing (TST) administered on 9/23/14, and interpreted as negative on 9/25/14. However, the file lacked evidence of a second step TST. In addition, E-1's file lacked evidence of baseline symptomology screening for TB.</p> <p>E-2 was hired by the facility on 11/3/14. E-2's file contained documentation of a TST administered on 2/11/15, and interpreted as negative on 2/14/15. However, the file lacked evidence of a second step TST.</p> <p>E-3 was hired by the facility on 12/20/14. E-3's file contained documentation of a TST administered on 2/11/15, and interpreted as negative on 2/13/15. However, the file lacked evidence of a second step TST.</p> <p>E-4 was hired by the facility on 2/9/15 . E-4's file contained documentation of a TST administered on 2/11/15, and interpreted as negative on 2/13/15. However the file lacked evidence of a second step TST.</p> <p>On 2/19/15, at 2:12 p.m. the facility administrator confirmed the documentation for newly hired employee TST testing. The facility administrator stated two step TST's had not been performed and the facility was in process to test all present employees with two step TST's. The administrator indicated supplies to perform TST's for E-1, E-2, E-3, and E-4 had been available at the time of hire.</p> <p>On 2/19/15, at 2:32 p.m., the DON confirmed that</p>	21426		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00968	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/19/2015
--	--	---	---

NAME OF PROVIDER OR SUPPLIER CLAYCO CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 600 FIFTH STREET SOUTHEAST, BOX 129 BARNESVILLE, MN 56514
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21426	Continued From page 4 two step TST's had not been administered for the four newly hired employees. The facility policy titled Tuberculosis control plan, dated 7/2013, directed TB screening for all facility staff was to include a two step TST.	21426		