

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: 9FNP
Facility ID: 00773

| | | | | | | |
|---|--|---|--|--|--|--|
| 1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245533 | | 3. NAME AND ADDRESS OF FACILITY (L3) LAKESIDE HEALTH CARE CENTER | | | 4. TYPE OF ACTION: <u>7</u> (L8) | |
| 2.STATE VENDOR OR MEDICAID NO. (L2) 314182000 | | (L4) 439 WILLIAM AVENUE EAST, PO BOX 383 | | | 1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other | |
| 5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9) | | 7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7) | | | 8. Full Survey After Complaint | |
| 6. DATE OF SURVEY 03/10/2016 (L34) | | 01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA | | | FISCAL YEAR ENDING DATE: (L35) | |
| 8. ACCREDITATION STATUS: (L10) | | 02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF | | | 09/30 | |
| 0 Unaccredited 1 TJC 2 AOA 3 Other | | 03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC | | | | |
| | | 04 SNF 08 OPT/SP 12 RHC 16 HOSPICE | | | | |
| 11. LTC PERIOD OF CERTIFICATION | | 10. THE FACILITY IS CERTIFIED AS: | | | | |
| From (a): To (b): | | <input checked="" type="checkbox"/> A. In Compliance With <u>And/Or Approved Waivers Of The Following Requirements:</u> Program Requirements _____ 2. Technical Personnel _____ 6. Scope of Services Limit Compliance Based On: _____ 3. 24 Hour RN _____ 7. Medical Director _____ 1. Acceptable POC _____ 4. 7-Day RN (Rural SNF) _____ 8. Patient Room Size _____ 5. Life Safety Code _____ 9. Beds/Room B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: A* (L12) | | | | |
| 12.Total Facility Beds 54 (L18) | | | | | | |
| 13.Total Certified Beds 54 (L17) | | | | | | |
| 14. LTC CERTIFIED BED BREAKDOWN | | | | | 15. FACILITY MEETS | |
| 18 SNF 18/19 SNF 19 SNF ICF IID | | | | | 1861 (e) (1) or 1861 (j) (1): (L15) | |
| 54 | | | | | | |
| (L37) (L38) (L39) (L42) (L43) | | | | | | |

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

| | | | | | |
|-------------------------------|--|------------|--|--|------------|
| 17. SURVEYOR SIGNATURE | | Date : | 18. STATE SURVEY AGENCY APPROVAL | | Date: |
| <u>Kimberly Swenson, DSFM</u> | | 03/23/2016 | <u>Kate JohnsTon, Program Specialist</u> | | 03/31/2016 |
| | | (L19) | | | (L20) |

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

| | | | | | |
|---|--|---|--|---|--|
| 19. DETERMINATION OF ELIGIBILITY | | 20. COMPLIANCE WITH CIVIL RIGHTS ACT: | | 21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : _____ | |
| ____ 1. Facility is Eligible to Participate ____ 2. Facility is not Eligible (L21) | | | | | |
| 22. ORIGINAL DATE OF PARTICIPATION 01/24/1989 (L24) | | 23. LTC AGREEMENT BEGINNING DATE (L41) | | 24. LTC AGREEMENT ENDING DATE (L25) | |
| 25. LTC EXTENSION DATE: (L27) | | 27. ALTERNATIVE SANCTIONS | | 26. TERMINATION ACTION: (L30) | |
| | | A. Suspension of Admissions: (L44) | | VOLUNTARY <u>00</u> INVOLUNTARY | |
| | | B. Rescind Suspension Date: (L45) | | 01-Merger, Closure 02-Dissatisfaction W/ Reimbursement 03-Risk of Involuntary Termination 04-Other Reason for Withdrawal | |
| | | | | 05-Fail to Meet Health/Safety 06-Fail to Meet Agreement OTHER 07-Provider Status Change 00-Active | |
| 28. TERMINATION DATE: | | 29. INTERMEDIARY/CARRIER NO. 03001 (L28) | | 30. REMARKS | |
| | | | | (L31) | |
| 31. RO RECEIPT OF CMS-1539 (L32) | | 32. DETERMINATION OF APPROVAL DATE (L33) | | Posted 04/22/2016 Co. | |
| | | | | DETERMINATION APPROVAL | |



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

CMS Certification Number (CCN): 245533
March 31, 2016

Ms. Brianne Wolters, Administrator
Lakeside Health Care Center
439 William Avenue East, P.O. Box 383
Dassel, Minnesota 55325

Dear Ms. Wolters:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective March 30, 2016 the above facility is certified for or recommended for:

54 Skilled Nursing Facility/Nursing Facility Beds

Your facility's Medicare approved area consists of all 54 skilled nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Please contact me if you have any questions.

Lakeside Health Care Center

March 31, 2016

Page 2

Sincerely,

A handwritten signature in black ink, appearing to read "Kate Johnston". The signature is fluid and cursive, with a long horizontal flourish extending to the right.

Kate JohnSTon, Program Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
85 East Seventh Place, Suite 220
P.O. Box 64900
St. Paul, Minnesota 55164-0900
kate.johnston@state.mn.us
Telephone: (651) 201-3992 Fax: (651) 215-9697

cc: Licensing and Certification File



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

Electronically delivered
March 31, 2016

Ms. Brianne Wolters, Administrator
Lakeside Health Care Center
439 William Avenue East, P.O. Box 383
Dassel, Minnesota 55325

RE: Project Number F5533025

Dear Ms. Wolters:

On March 21, 2016, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on March 10, 2016. This survey found the most serious deficiencies to be widespread deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level F) whereby corrections were required.

On March 31, 2016 the Minnesota Department of Public Safety completed a PCR to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on March 10, 2016. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of March 30, 2016. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on March 10, 2016, effective March 30, 2016 and therefore remedies outlined in our letter to you dated March 21, 2016, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions.

Lakeside Health Care Center

March 31, 2016

Page 2

Sincerely,

A handwritten signature in black ink, appearing to read "Kate Johnston". The signature is fluid and cursive, with a long horizontal flourish extending to the right.

Kate JohnsTon, Program Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
85 East Seventh Place, Suite 220
P.O. Box 64900
St. Paul, Minnesota 55164-0900
kate.johnston@state.mn.us
Telephone: (651) 201-3992 Fax: (651) 215-9697

Enclosure

cc: Licensing and Certification File

POST-CERTIFICATION REVISIT REPORT

| | | | | | |
|--|----|---|--|------------------------------|----|
| PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 245533 | Y1 | MULTIPLE CONSTRUCTION A. Building 01 - MAIN BUILDING 01 B. Wing | Y2 | DATE OF REVISIT 3/31/2016 | Y3 |
| NAME OF FACILITY LAKESIDE HEALTH CARE CENTER | | | STREET ADDRESS, CITY, STATE, ZIP CODE 439 WILLIAM AVENUE EAST, PO BOX 383 DASSEL, MN 55325 | | |

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

| ITEM Y4 | DATE Y5 | ITEM Y4 | DATE Y5 | ITEM Y4 | DATE Y5 |
|---|---------------------------------------|---|---------------------------------------|--|----------------------------------|
| ID Prefix _____ Reg. # NFPA 101 LSC K0050 | Correction Completed 03/30/2016 | ID Prefix _____ Reg. # NFPA 101 LSC K0144 | Correction Completed 03/30/2016 | ID Prefix _____ Reg. # _____ LSC _____ | Correction Completed _____ |
| ID Prefix _____ Reg. # _____ LSC _____ | Correction Completed _____ | ID Prefix _____ Reg. # _____ LSC _____ | Correction Completed _____ | ID Prefix _____ Reg. # _____ LSC _____ | Correction Completed _____ |
| ID Prefix _____ Reg. # _____ LSC _____ | Correction Completed _____ | ID Prefix _____ Reg. # _____ LSC _____ | Correction Completed _____ | ID Prefix _____ Reg. # _____ LSC _____ | Correction Completed _____ |
| ID Prefix _____ Reg. # _____ LSC _____ | Correction Completed _____ | ID Prefix _____ Reg. # _____ LSC _____ | Correction Completed _____ | ID Prefix _____ Reg. # _____ LSC _____ | Correction Completed _____ |
| ID Prefix _____ Reg. # _____ LSC _____ | Correction Completed _____ | ID Prefix _____ Reg. # _____ LSC _____ | Correction Completed _____ | ID Prefix _____ Reg. # _____ LSC _____ | Correction Completed _____ |

| | | | | |
|--|------------------------------|-----------------|-----------------------------|-----------------|
| REVIEWED BY STATE AGENCY <input checked="" type="checkbox"/> | REVIEWED BY (INITIALS) TL/KJ | DATE 03/31/2016 | SIGNATURE OF SURVEYOR 34764 | DATE 03/31/2016 |
| REVIEWED BY CMS RO <input type="checkbox"/> | REVIEWED BY (INITIALS) | DATE | TITLE | DATE |

| | | |
|--|---|--|
| FOLLOWUP TO SURVEY COMPLETED ON 3/9/2016 | <input type="checkbox"/> CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? | <input type="checkbox"/> YES <input type="checkbox"/> NO |
|--|---|--|

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: 9FNP
Facility ID: 00773

| | | | | | | |
|---|-----------|--|-------|-------|---|--|
| 1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245533 | | 3. NAME AND ADDRESS OF FACILITY (L3) LAKESIDE HEALTH CARE CENTER | | | 4. TYPE OF ACTION: <u>2</u> (L8) | |
| 2.STATE VENDOR OR MEDICAID NO. (L2) 314182000 | | (L4) 439 WILLIAM AVENUE EAST, PO BOX 383 | | | 1. Initial 3. Termination 5. Validation 7. On-Site Visit | |
| 5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9) | | (L5) DASSEL, MN (L6) 55325 | | | 2. Recertification 4. CHOW 6. Complaint 9. Other | |
| 6. DATE OF SURVEY 03/10/2016 (L34) | | 7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7) | | | 8. Full Survey After Complaint | |
| 8. ACCREDITATION STATUS: <u> </u> (L10) | | 01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA | | | FISCAL YEAR ENDING DATE: (L35) | |
| 0 Unaccredited 1 TJC 2 AOA 3 Other | | 02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF | | | 09/30 | |
| 11. LTC PERIOD OF CERTIFICATION From (a) : To (b) : | | 03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC | | | | |
| 12.Total Facility Beds 54 (L18) | | 04 SNF 08 OPT/SP 12 RHC 16 HOSPICE | | | | |
| 13.Total Certified Beds 54 (L17) | | 10.THE FACILITY IS CERTIFIED AS: | | | | |
| 14. LTC CERTIFIED BED BREAKDOWN | | A. In Compliance With | | | And/Or Approved Waivers Of The Following Requirements: _____ | |
| 18 SNF | 18/19 SNF | 19 SNF | ICF | IID | 2. Technical Personnel 6. Scope of Services Limit | |
| | 54 | | | | 3. 24 Hour RN 7. Medical Director | |
| (L37) | (L38) | (L39) | (L42) | (L43) | 4. 7-Day RN (Rural SNF) 8. Patient Room Size | |
| | | | | | 5. Life Safety Code 9. Beds/Room | |
| | | | | | * Code: B* (L12) | |
| | | | | | 15. FACILITY MEETS | |
| | | | | | 1861 (e) (1) or 1861 (j) (1): (L15) | |

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

| | | | |
|---|---------------------------------|--|--------------------------------|
| 17. SURVEYOR SIGNATURE Kimberly Swenson, DSFM | Date : 03/23/2016 | 18. STATE SURVEY AGENCY APPROVAL Kate JohnsTon, Program Specialist | Date: 03/30/2016 |
| | (L19) | | (L20) |

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

| | | | | | |
|--|--|---|--|---|--|
| 19. DETERMINATION OF ELIGIBILITY | | 20. COMPLIANCE WITH CIVIL RIGHTS ACT: | | 21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : _____ | |
| ____ 1. Facility is Eligible to Participate | | | | | |
| ____ 2. Facility is not Eligible (L21) | | | | | |
| 22. ORIGINAL DATE OF PARTICIPATION 01/24/1989 (L24) | | 23. LTC AGREEMENT BEGINNING DATE (L41) | | 24. LTC AGREEMENT ENDING DATE (L25) | |
| 25. LTC EXTENSION DATE: (L27) | | 27. ALTERNATIVE SANCTIONS | | 26. TERMINATION ACTION: (L30) | |
| | | A. Suspension of Admissions: (L44) | | VOLUNTARY <u>00</u> INVOLUNTARY | |
| | | B. Rescind Suspension Date: (L45) | | 01-Merger, Closure 02-Dissatisfaction W/ Reimbursement 03-Risk of Involuntary Termination 04-Other Reason for Withdrawal | |
| | | | | 05-Fail to Meet Health/Safety 06-Fail to Meet Agreement OTHER 07-Provider Status Change 00-Active | |
| 28. TERMINATION DATE: | | 29. INTERMEDIARY/CARRIER NO. 03001 (L28) | | 30. REMARKS | |
| | | | | (L31) | |
| 31. RO RECEIPT OF CMS-1539 (L32) | | 32. DETERMINATION OF APPROVAL DATE (L33) | | Posted 03/31/2016 Co. | |
| | | | | DETERMINATION APPROVAL | |



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

Electronically delivered
March 21, 2016

Ms. Brianne Wolters, Administrator
Lakeside Health Care Center
439 William Avenue East, P.O. Box 383
Dassel, Minnesota 55325

RE: Project Number S5533025

Dear Ms. Wolters:

On March 10, 2016, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

This survey found the most serious deficiencies in your facility to be widespread deficiencies that constitute no actual harm with potential for more than minimal harm that is not immediate jeopardy (Level F), as evidenced by the attached CMS-2567 whereby corrections are required. A copy of the Statement of Deficiencies (CMS-2567) is enclosed.

Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.

This letter provides important information regarding your response to these deficiencies and addresses the following issues:

Opportunity to Correct - the facility is allowed an opportunity to correct identified deficiencies before remedies are imposed;

Electronic Plan of Correction - when a plan of correction will be due and the information to be contained in that document;

Remedies - the type of remedies that will be imposed with the authorization of the Centers for Medicare and Medicaid Services (CMS) if substantial compliance is not attained at the time of a revisit;

Potential Consequences - the consequences of not attaining substantial compliance 3 and 6 months after the survey date; and

Informal Dispute Resolution - your right to request an informal reconsideration to dispute the attached deficiencies.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

DEPARTMENT CONTACT

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by a "F" tag), i.e., the plan of correction should be directed to:

Jessica Sellner, Unit Supervisor
Minnesota Department of Health
St. Cloud B Survey Team
Licensing & Certification
Health Regulation Division
Midtown Square
3333 West Division, #212
St. Cloud, Minnesota 56301
Telephone: (320)223-7343
Fax: (320)223-7348

OPPORTUNITY TO CORRECT - DATE OF CORRECTION - REMEDIES

As of January 14, 2000, CMS policy requires that facilities will not be given an opportunity to correct before remedies will be imposed when actual harm was cited at the last standard or intervening survey and also cited at the current survey. Your facility does not meet this criterion. Therefore, if your facility has not achieved substantial compliance by April 19, 2016, the Department of Health will impose the following remedy:

- State Monitoring. (42 CFR 488.422)

In addition, the Department of Health is recommending to the CMS Region V Office that if your facility has not achieved substantial compliance by April 19, 2016 the following remedy will be imposed:

- Per instance civil money penalty. (42 CFR 488.430 through 488.444)

ELECTRONIC PLAN OF CORRECTION (ePoC)

An ePoC for the deficiencies must be submitted within **ten calendar days** of your receipt of this letter. Your ePoC must:

- Address how corrective action will be accomplished for those residents found to have been affected by the deficient practice;
- Address how the facility will identify other residents having the potential to be affected by the same deficient practice;
- Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur;
- Indicate how the facility plans to monitor its performance to make sure that solutions are sustained. The facility must develop a plan for ensuring that correction is achieved and sustained. This plan must be implemented, and the corrective action evaluated for its effectiveness. The plan of correction is integrated into the quality assurance system;
- Include dates when corrective action will be completed. The corrective action completion dates must be acceptable to the State. If the plan of correction is unacceptable for any reason, the State will notify the facility. If the plan of correction is acceptable, the State will notify the facility. Facilities should be cautioned that they are ultimately accountable for their own compliance, and that responsibility is not alleviated in cases where notification about the acceptability of their plan of correction is not made timely. The plan of correction will serve as the facility's allegation of compliance; and,
- Submit electronically to acknowledge your receipt of the electronic 2567, your review and your ePoC submission.

If an acceptable ePoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Optional denial of payment for new Medicare and Medicaid admissions (42 CFR 488.417 (a));
- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable ePoC could also result in the termination of your facility's Medicare and/or Medicaid agreement.

PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE

The facility's ePoC will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance. In order for your allegation of compliance to be acceptable to the Department, the ePoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of

Public Safety, State Fire Marshal Division staff, if your ePoC for the respective deficiencies (if any) is acceptable.

VERIFICATION OF SUBSTANTIAL COMPLIANCE

Upon receipt of an acceptable ePoC, an onsite revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification. A Post Certification Revisit (PCR) will occur after the date you identified that compliance was achieved in your plan of correction.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved ePoC, unless it is determined that either correction actually occurred between the latest correction date on the ePoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the ePoC.

Original deficiencies not corrected

If your facility has not achieved substantial compliance, we will impose the remedies described above. If the level of noncompliance worsened to a point where a higher category of remedy may be imposed, we will recommend to the CMS Region V Office that those other remedies be imposed.

Original deficiencies not corrected and new deficiencies found during the revisit

If new deficiencies are identified at the time of the revisit, those deficiencies may be disputed through the informal dispute resolution process. However, the remedies specified in this letter will be imposed for original deficiencies not corrected. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed.

Original deficiencies corrected but new deficiencies found during the revisit

If new deficiencies are found at the revisit, the remedies specified in this letter will be imposed. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed. You will be provided the required notice before the imposition of a new remedy or informed if another date will be set for the imposition of these remedies.

FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY

If substantial compliance with the regulations is not verified by June 10, 2016 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal

regulations at 42 CFR Section 488.417(b). This mandatory denial of payments will be based on the failure to comply with deficiencies originally contained in the Statement of Deficiencies, upon the identification of new deficiencies at the time of the revisit, or if deficiencies have been issued as the result of a complaint visit or other survey conducted after the original statement of deficiencies was issued. This mandatory denial of payment is in addition to any remedies that may still be in effect as of this date.

We will also recommend to the CMS Region V Office and/or the Minnesota Department of Human Services that your provider agreement be terminated by September 10, 2016 (six months after the identification of noncompliance) if your facility does not achieve substantial compliance. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

INFORMAL DISPUTE RESOLUTION

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process
Minnesota Department of Health
Health Regulation Division
P.O. Box 64900
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting an ePoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable electronic plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at: <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Questions regarding all documents submitted as a response to the Life Safety Code deficiencies (those preceded by a "K" tag), i.e., the plan of correction, request for waivers, should be directed to:

Mr. Tom Linhoff, Supervisor
Health Care Fire Inspections
State Fire Marshal Division
Email: tom.linhoff@state.mn.us

Lakeside Health Care Center

March 21, 2016

Page 6

Telephone: (651) 201-7205

Fax: (651) 215-0525

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Kate Johnston". The signature is fluid and cursive, with a long horizontal flourish extending to the right.

Kate JohnsTon, Program Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division

85 East Seventh Place, Suite 220

P.O. Box 64900

St. Paul, Minnesota 55164-0900

kate.johnston@state.mn.us

Telephone: (651) 201-3992 Fax: (651) 215-9697

Enclosure

cc: Licensing and Certification File

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/21/2016
FORM APPROVED
OMB NO. 0938-0391

| | | | |
|--|---|--|---|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245533 | (X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____ | (X3) DATE SURVEY COMPLETED 03/10/2016 |
|--|---|--|---|

| | |
|--|--|
| NAME OF PROVIDER OR SUPPLIER LAKESIDE HEALTH CARE CENTER | STREET ADDRESS, CITY, STATE, ZIP CODE 439 WILLIAM AVENUE EAST, PO BOX 383 DASSEL, MN 55325 |
|--|--|

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
|--------------------|--|---------------|---|----------------------|
|--------------------|--|---------------|---|----------------------|

| | | | | |
|-------|--|-------|--|--|
| F 000 | <p>INITIAL COMMENTS</p> <p>The facility is enrolled in ePOC and therefore a signature is not required at the bottom of the first page of the CMS-2567 form. Although no plan of correction is required, it is required that you acknowledge receipt of the electronic documents.</p> | F 000 | | |
|-------|--|-------|--|--|

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE _____ TITLE _____ (X6) DATE _____

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES


F5533025

PRINTED: 03/24/2016
FORM APPROVED
OMB NO. 0938-0391

| | | | |
|--|---|---|---|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245533 | (X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____ | (X3) DATE SURVEY COMPLETED 03/09/2016 |
|--|---|---|---|

| | |
|--|--|
| NAME OF PROVIDER OR SUPPLIER LAKESIDE HEALTH CARE CENTER | STREET ADDRESS, CITY, STATE, ZIP CODE 439 WILLIAM AVENUE EAST, PO BOX 383 DASSEL, MN 55325 |
|--|--|

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
|--------------------|--|---------------|---|----------------------|
|--------------------|--|---------------|---|----------------------|

| | | | | |
|-------|---|-------|--|--|
| K 000 | <p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>THE FACILITY'S POC WILL SERVE AS YOUR ALLEGATION OF COMPLIANCE UPON THE DEPARTMENT'S ACCEPTANCE. YOUR SIGNATURE AT THE BOTTOM OF THE FIRST PAGE OF THE CMS-2567 FORM WILL BE USED AS VERIFICATION OF COMPLIANCE.</p> <p>UPON RECEIPT OF AN ACCEPTABLE POC, AN ONSITE REVISIT OF YOUR FACILITY MAY BE CONDUCTED TO VALIDATE THAT SUBSTANTIAL COMPLIANCE WITH THE REGULATIONS HAS BEEN ATTAINED IN ACCORDANCE WITH YOUR VERIFICATION.</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety, State Fire Marshal Division. At the time of this survey, Lakeside Health Care Center was found to be not in compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>PLEASE RETURN THE PLAN OF CORRECTION FOR THE FIRE SAFETY DEFICIENCIES (K-TAGS) TO:</p> <p>Health Care Fire Inspections State Fire Marshal Division 445 Minnesota St., Suite 145 St Paul, MN 55101-5145, or</p> | K 000 |  | |
|-------|---|-------|--|--|

| | | |
|---|-------|--------------------------------|
| LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE Electronically Signed | TITLE | (X6) DATE 03/22/2016 |
|---|-------|--------------------------------|

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/24/2016
FORM APPROVED
OMB NO. 0938-0391

| | | | | |
|--|--|--|---|---|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245533 | (X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____ | | (X3) DATE SURVEY COMPLETED 03/09/2016 |
| NAME OF PROVIDER OR SUPPLIER LAKESIDE HEALTH CARE CENTER | | STREET ADDRESS, CITY, STATE, ZIP CODE 439 WILLIAM AVENUE EAST, PO BOX 383 DASSEL, MN 55325 | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
| K 000 | <p>Continued From page 1</p> <p>By email to: Marian.Whitney@state.mn.us <mailto:Marian.Whitney@state.mn.us> and Angela.Kappenman@state.mn.us <mailto:Angela.Kappenman@state.mn.us></p> <p>THE PLAN OF CORRECTION FOR EACH DEFICIENCY MUST INCLUDE ALL OF THE FOLLOWING INFORMATION:</p> <ol style="list-style-type: none"> 1. A description of what has been, or will be, done to correct the deficiency. 2. The actual, or proposed, completion date. 3. The name and/or title of the person responsible for correction and monitoring to prevent a reoccurrence of the deficiency <p>Lakeside Health Care Center is a 1-story building with no basement. The building was constructed at 4 different times. The original building was constructed in 1963 and was determined to be of Type II(111) construction. In 1978, an addition was constructed and was determined to be of Type II(111) construction. In 1984, an addition was constructed and was determined to be of Type II(111) construction. The most recent addition was constructed in 1993 and was determined to be of Type II(111) construction. Because the original building and the 3 additions met the construction type allowed for existing buildings, the facility was surveyed as one building.</p> <p>The building is fully sprinklered. The facility has a fire alarm system with smoke detection in the corridors and spaces open to the corridors that is monitored for automatic fire department</p> | K 000 | | |

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/24/2016
FORM APPROVED
OMB NO. 0938-0391

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245533 | (X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____ | | (X3) DATE SURVEY COMPLETED 03/09/2016 |
|--|---|---|--|----------------------|---|
| NAME OF PROVIDER OR SUPPLIER LAKESIDE HEALTH CARE CENTER | | | STREET ADDRESS, CITY, STATE, ZIP CODE 439 WILLIAM AVENUE EAST, PO BOX 383 DASSEL, MN 55325 | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE | |
| K 000 | Continued From page 2 notification. The facility has a capacity of 54 beds and had a census of 40 at time of the survey. | K 000 | | | |
| K 050 SS=F | <p>The requirement at 42 CFR, Subpart 483.70(a) is NOT MET.</p> <p>NFPA 101 LIFE SAFETY CODE STANDARD</p> <p>Fire drills include the transmission of a fire alarm signal and simulation of emergency fire conditions. Fire drills are held at unexpected times under varying conditions, at least quarterly on each shift. The staff is familiar with procedures and is aware that drills are part of established routine. Responsibility for planning and conducting drills is assigned only to competent persons who are qualified to exercise leadership. Where drills are conducted between 9:00 PM and 6:00 AM a coded announcement may be used instead of audible alarms. 18.7.1.2, 19.7.1.2</p> <p>This STANDARD is not met as evidenced by: Fire drills include the transmission of a fire alarm signal and simulation of emergency fire conditions. Fire drills are held at unexpected times under varying conditions, at least quarterly on each shift. The staff is familiar with procedures and is aware that drills are part of established routine. Responsibility for planning and conducting drills is assigned only to competent persons who are qualified to exercise leadership. Where drills are conducted between 9:00 PM and 6:00 AM a coded announcement may be used instead of audible alarms. 18.7.1.2, 19.7.1.2</p> <p>Findings include:</p> <p>During the facility tour and documentation review on 03/09/2016 between 9:30 AM and 2:00 PM,</p> | K 050 | <p>K 0050 NFPA 101 LIFE SAFETY CODE STANDARD</p> <p>It is the practice of this facility to hold fire drills at unexpected times under varying conditions, at least quarterly on each shift. All residents have the potential to be effected; however, there was no actual harm to none. Maintenance Supervisor and or designee will be re-educated by Administrator on frequency of and varying times of fire drills. Times of fire drills will be monitored by Administrator or designee and taken to QA monthly for 6 months.</p> | 3/30/16 | |

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/24/2016
FORM APPROVED
OMB NO. 0938-0391

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245533 | (X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____ | (X3) DATE SURVEY COMPLETED 03/09/2016 |
|--|--|---|---|---|
| NAME OF PROVIDER OR SUPPLIER LAKESIDE HEALTH CARE CENTER | | | STREET ADDRESS, CITY, STATE, ZIP CODE 439 WILLIAM AVENUE EAST, PO BOX 383 DASSEL, MN 55325 | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
| K 050 | Continued From page 3 record review revealed the third shift of the first quarter, first shift second quarter and the third shift of the fourth quarter fire drills were not conducted. | K 050 | | |
| K 144 SS=C | <p>This deficient practice was confirmed by the Maintenance Supervisor.</p> <p>NFPA 101 LIFE SAFETY CODE STANDARD</p> <p>Generators inspected weekly and exercised under load for 30 minutes per month and shall be in accordance with NFPA 99 and NFPA 110. 3-4.4.1 and 8-4.2 (NFPA 99), Chapter 6 (NFPA 110)</p> <p>This STANDARD is not met as evidenced by: Generators inspected weekly and exercised under load for 30 minutes per month and shall be in accordance with NFPA 99 and NFPA 110. 3-4.4.1 and 8-4.2 (NFPA 99), Chapter 6 (NFPA 110)</p> <p>Findings include:</p> <p>During the facility tour and documentation review on 03/09/2016 between 9:30 AM and 2:00 PM, record review revealed the facility did not document the required cool down for the emergency generator.</p> <p>This deficient practice was confirmed by the Maintenance Supervisor.</p> | K 144 | <p>K0144- NFPA 101 Life Safety Code Standard</p> <p>It is the practice of this facility to inspect the generator on a weekly basis and exercise under load for 30 minutes per month. The Maintenance Supervisor or designee will document the cool down time for the emergency generator. All residents have the potential to be effected; however, there was no actual harm to none. Maintenance Supervisor will be re-educated on the frequency and documentation of the cool down cycle of the emergency generator by Administrator. Generator documentation will be monitored by Administrator or designee and taken to QA monthly for 6 months.</p> | 3/30/16 |



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

Electronically delivered
March 21, 2016

Ms. Brianne Wolters, Administrator
Lakeside Health Care Center
439 William Avenue East, P.O. Box 383
Dassel, Minnesota 55325

Re: Project Number S5533025

Dear Ms. Wolters:

The above facility survey was completed on March 10, 2016 for the purpose of assessing compliance with Minnesota Department of Health Nursing Home Rules. At the time of the survey, the survey team from the Minnesota Department of Health, Health Regulation Division, noted no violations of these rules promulgated under Minnesota Stat. section 144.653 and/or Minnesota Stat. Section 144A.10.

Electronically posted is the Minnesota Department of Health order form stating that no violations were noted at the time of this survey. The Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Please disregard the heading of the fourth column which states, "Provider's Plan of Correction." This applies to Federal deficiencies only. There is no requirement to submit a Plan of Correction.

Please note it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Please feel free to call me with any questions.

Sincerely,

A handwritten signature in black ink that reads "Kate Johnston". The signature is fluid and cursive, with a long horizontal flourish extending to the right.

Kate JohnsTon, Program Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
85 East Seventh Place, Suite 220
P.O. Box 64900
St. Paul, Minnesota 55164-0900
kate.johnston@state.mn.us
Telephone: (651) 201-3992 Fax: (651) 215-9697

Minnesota Department of Health

| | | | |
|--|--|---|---|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00773 | (X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____ | (X3) DATE SURVEY COMPLETED 03/10/2016 |
|--|--|---|---|

| | |
|--|--|
| NAME OF PROVIDER OR SUPPLIER LAKESIDE HEALTH CARE CENTER | STREET ADDRESS, CITY, STATE, ZIP CODE 439 WILLIAM AVENUE EAST, PO BOX 383 DASSEL, MN 55325 |
|--|--|

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETE DATE |
|--------------------|---|---------------|---|--------------------|
| 2 000 | <p>Initial Comments</p> <p>*****ATTENTION*****</p> <p>NH LICENSING CORRECTION ORDER</p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p>INITIAL COMMENTS: On March 7, 8, 9, and 10, 2016, surveyors of this Department's staff, visited the above provider and had no licensing violations.</p> | 2 000 | | |

| | | |
|---|-------|-----------|
| Minnesota Department of Health LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE | TITLE | (X6) DATE |
|---|-------|-----------|