

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: 9TQL
Facility ID: 00566

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245241 2. STATE VENDOR OR MEDICAID NO. (L2) 764840500	3. NAME AND ADDRESS OF FACILITY (L3) NORTHFIELD HOSPITAL LONG TERM CARE CENTER (L4) 2000 NORTH AVENUE (L5) NORTHFIELD, MN (L6) 55057	4. TYPE OF ACTION: <u>7</u> (L8) 1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other 8. Full Survey After Complaint															
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9) 6. DATE OF SURVEY 05/21/2015 (L34) 8. ACCREDITATION STATUS: <u> </u> (L10) 0 Unaccredited 1 TJC 2 AOA 3 Other	7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7) 01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA 02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF 03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC 04 SNF 08 OPT/SP 12 RHC 16 HOSPICE	FISCAL YEAR ENDING DATE: (L35) 12/31															
11. LTC PERIOD OF CERTIFICATION From (a) : To (b) : 12. Total Facility Beds 40 (L18) 13. Total Certified Beds 40 (L17)	10. THE FACILITY IS CERTIFIED AS: X A. In Compliance With <u>And/Or Approved Waivers Of The Following Requirements:</u> Program Requirements <u> </u> 2. Technical Personnel <u> </u> 6. Scope of Services Limit Compliance Based On: <u> </u> 3. 24 Hour RN <u> </u> 7. Medical Director <u> </u> 1. Acceptable POC <u> </u> 4. 7-Day RN (Rural SNF) <u> </u> 8. Patient Room Size <u> </u> 5. Life Safety Code <u> </u> 9. Beds/Room B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: A (L12)																
14. LTC CERTIFIED BED BREAKDOWN <table style="width:100%; border: none;"> <tr> <td style="text-align: center;">18 SNF</td> <td style="text-align: center;">18/19 SNF</td> <td style="text-align: center;">19 SNF</td> <td style="text-align: center;">ICF</td> <td style="text-align: center;">IID</td> </tr> <tr> <td></td> <td style="text-align: center;">40</td> <td></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">(L37)</td> <td style="text-align: center;">(L38)</td> <td style="text-align: center;">(L39)</td> <td style="text-align: center;">(L42)</td> <td style="text-align: center;">(L43)</td> </tr> </table>	18 SNF	18/19 SNF	19 SNF	ICF	IID		40				(L37)	(L38)	(L39)	(L42)	(L43)	15. FACILITY MEETS 1861 (e) (1) or 1861 (j) (1): (L15)	
18 SNF	18/19 SNF	19 SNF	ICF	IID													
	40																
(L37)	(L38)	(L39)	(L42)	(L43)													
16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):																	
17. SURVEYOR SIGNATURE <u>Gary Schroeder, DSFM</u>	Date : 05/26/2015 (L19)	18. STATE SURVEY AGENCY APPROVAL <u>Mark Meath, Enforcement Specialist</u>															
		Date: 05/26/2015 (L20)															

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY <input checked="" type="checkbox"/> 1. Facility is Eligible to Participate <input type="checkbox"/> 2. Facility is not Eligible (L21)	20. COMPLIANCE WITH CIVIL RIGHTS ACT: _____	21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : _____
22. ORIGINAL DATE OF PARTICIPATION 06/29/1981 (L24)	23. LTC AGREEMENT BEGINNING DATE (L41)	24. LTC AGREEMENT ENDING DATE (L25)
25. LTC EXTENSION DATE: (L27)	27. ALTERNATIVE SANCTIONS A. Suspension of Admissions: (L44) B. Rescind Suspension Date: (L45)	
26. TERMINATION ACTION: (L30) VOLUNTARY <u>00</u> 01-Merger, Closure 02-Dissatisfaction W/ Reimbursement 03-Risk of Involuntary Termination 04-Other Reason for Withdrawal INVOLUNTARY 05-Fail to Meet Health/Safety 06-Fail to Meet Agreement OTHER 07-Provider Status Change 00-Active		
28. TERMINATION DATE:	29. INTERMEDIARY/CARRIER NO. 03001	30. REMARKS Posted 06/05/2015 Co.
31. RO RECEIPT OF CMS-1539 (L32)	32. DETERMINATION OF APPROVAL DATE 05/22/2015 (L33)	
DETERMINATION APPROVAL		



Protecting, Maintaining and Improving the Health of Minnesotans

CMS Certification Number (CCN): 245241

May 26, 2015

Ms. Tammy Hayes, Administrator
Northfield Hospital Long Term Care Center
2000 North Avenue
Northfield, Minnesota 55057

Dear Ms. Hayes:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective May 15, 2015 the above facility is certified for:

40 Skilled Nursing Facility/Nursing Facility Beds

Your facility's Medicare approved area consists of all 40 skilled nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Feel free to contact me if you have questions related to this eNotice.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Email: mark.meath@state.mn.us
Telephone: (651) 201-4118 Fax: (651) 215-9697



Protecting, Maintaining and Improving the Health of Minnesotans

Electronically delivered
May 26, 2015

Ms. Tammy Hayes, Administrator
Northfield Hospital Long Term Care Center
2000 North Avenue
Northfield, Minnesota 55057

RE: Project Number F5241023

Dear Ms. Hayes:

On May 7, 2015, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on April 30, 2015. This survey found the most serious deficiencies to be widespread deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level F), whereby corrections were required.

On May 21, 2015, the Minnesota Department of Public Safety completed a PCR to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on April 30, 2015. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of May 15, 2015. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on April 30, 2015, effective May 15, 2015 and therefore remedies outlined in our letter to you dated May 7, 2015, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions related to this eNotice.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Email: mark.meath@state.mn.us
Telephone: (651) 201-4118 Fax: (651) 215-9697

Post-Certification Revisit Report

Public reporting for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing the burden, to CMS, Office of Financial Management, P.O. Box 26684, Baltimore, MD 21207; and to the Office of Management and Budget, Paperwork Reduction Project (0938-0390), Washington, D.C. 20503.

(Y1) Provider / Supplier / CLIA / Identification Number 245241	(Y2) Multiple Construction A. Building 01 - MAIN BUILDING 01 B. Wing	(Y3) Date of Revisit 5/21/2015
Name of Facility NORTHFIELD HOSPITAL LONG TERM CARE CENTER		Street Address, City, State, Zip Code 2000 NORTH AVENUE NORTHFIELD, MN 55057

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/ or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix _____ Reg. # NFPA 101 LSC K0025	Correction Completed 05/15/2015	ID Prefix _____ Reg. # NFPA 101 LSC K0067	Correction Completed 05/15/2015	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____ State Agency	Reviewed By PS/mm	Date: 05/26/2015	Signature of Surveyor: 25822	Date: 05/21/2015
Reviewed By _____ CMS RO	Reviewed By	Date:	Signature of Surveyor:	Date:

Followup to Survey Completed on: 4/29/2015	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? <table style="display: inline-table; vertical-align: middle;"> <tr> <td style="text-align: center;">YES</td> <td style="text-align: center;">NO</td> </tr> </table>	YES	NO
YES	NO		

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL

ID: 9TQL

PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

Facility ID: 00566

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245241		3. NAME AND ADDRESS OF FACILITY (L3) NORTHFIELD HOSPITAL LONG TERM CARE CENTER			4. TYPE OF ACTION: <u>2</u> (L8)	
2.STATE VENDOR OR MEDICAID NO. (L2) 764840500		(L4) 2000 NORTH AVENUE			1. Initial 3. Termination 5. Validation 7. On-Site Visit	
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)		(L5) NORTHFIELD, MN (L6) 55057			2. Recertification 4. CHOW 6. Complaint 9. Other	
6. DATE OF SURVEY 04/30/2015 (L34)		7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7)			8. Full Survey After Complaint	
8. ACCREDITATION STATUS: <u> </u> (L10)		01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA			FISCAL YEAR ENDING DATE: (L35)	
0 Unaccredited 1 TJC 2 AOA 3 Other		02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF			12/31	
11. LTC PERIOD OF CERTIFICATION		03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC				
From (a) :		04 SNF 08 OPT/SP 12 RHC 16 HOSPICE				
To (b) :		10.THE FACILITY IS CERTIFIED AS:				
12.Total Facility Beds 40 (L18)		A. In Compliance With			And/Or Approved Waivers Of The Following Requirements: <u> </u>	
13.Total Certified Beds 40 (L17)		Program Requirements			<u> </u> 2. Technical Personnel	
		Compliance Based On:			<u> </u> 6. Scope of Services Limit	
		<u> </u> 1. Acceptable POC			<u> </u> 3. 24 Hour RN	
		X B. Not in Compliance with Program			<u> </u> 4. 7-Day RN (Rural SNF)	
		Requirements and/or Applied Waivers:			<u> </u> 7. Medical Director	
		* Code: B* (L12)			<u> </u> 8. Patient Room Size	
					<u> </u> 9. Beds/Room	
14. LTC CERTIFIED BED BREAKDOWN				15. FACILITY MEETS		
18 SNF	18/19 SNF	19 SNF	ICF	1861 (e) (1) or 1861 (j) (1):		(L15)
	40					
(L37)	(L38)	(L39)	(L42)	(L43)		

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

17. SURVEYOR SIGNATURE		Date :	18. STATE SURVEY AGENCY APPROVAL		Date:
<u>Steven Douglas, HFE NEII</u>		05/18/2015	<u>Mark Meath, Enforcement Specialist</u>		05/21/2015
		(L19)			(L20)

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY		20. COMPLIANCE WITH CIVIL RIGHTS ACT:		21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above :	
<u> </u> 1. Facility is Eligible to Participate				<u> </u>	
<u> </u> 2. Facility is not Eligible					
		(L21)			
22. ORIGINAL DATE OF PARTICIPATION		23. LTC AGREEMENT BEGINNING DATE		26. TERMINATION ACTION: (L30)	
06/29/1981				<u>VOLUNTARY</u> <u>00</u> <u>INVOLUNTARY</u>	
(L24)		(L41)		01-Merger, Closure	
				02-Dissatisfaction W/ Reimbursement	
				03-Risk of Involuntary Termination	
				04-Other Reason for Withdrawal	
25. LTC EXTENSION DATE:		27. ALTERNATIVE SANCTIONS		<u>OTHER</u>	
(L27)		A. Suspension of Admissions:		05-Fail to Meet Health/Safety	
				06-Fail to Meet Agreement	
		B. Rescind Suspension Date:		07-Provider Status Change	
				00-Active	
		(L44)			
		(L45)			
28. TERMINATION DATE:		29. INTERMEDIARY/CARRIER NO.		30. REMARKS	
		03001			
		(L28)		(L31)	
31. RO RECEIPT OF CMS-1539		32. DETERMINATION OF APPROVAL DATE		Posted 05/22/2015 Co.	
(L32)		(L33)		DETERMINATION APPROVAL	



Protecting, Maintaining and Improving the Health of Minnesotans

Electronically Delivered: May 7, 2015

Ms. Tammy Hayes, Administrator
Northfield Hospital Long Term Care Center
2000 North Avenue
Northfield, Minnesota 55057

RE: Project Number S5241027

Dear Ms. Hayes:

On April 30, 2015, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

This survey found the most serious deficiencies in your facility to be widespread deficiencies that constitute no actual harm with potential for more than minimal harm that is not immediate jeopardy (Level F), as evidenced by the attached CMS-2567 whereby corrections are required. A copy of the Statement of Deficiencies (CMS-2567) is enclosed.

Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.

This letter provides important information regarding your response to these deficiencies and addresses the following issues:

Opportunity to Correct - the facility is allowed an opportunity to correct identified deficiencies before remedies are imposed;

Electronic Plan of Correction - when a plan of correction will be due and the information to be contained in that document;

Remedies - the type of remedies that will be imposed with the authorization of the Centers for Medicare and Medicaid Services (CMS) if substantial compliance is not attained at the time of a revisit;

Potential Consequences - the consequences of not attaining substantial compliance 3 and 6 months after the survey date; and

Informal Dispute Resolution - your right to request an informal reconsideration to dispute the attached deficiencies.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

DEPARTMENT CONTACT

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by a "F" tag), i.e., the plan of correction should be directed to:

Gayle Lantto, Unit Supervisor
Minnesota Department of Health
P.O. Box 64900
St. Paul, Minnesota 55164-0900

Email: gayle.lantto@state.mn.us
Telephone: (651) 201-3794
Fax: (651) 201-3790

OPPORTUNITY TO CORRECT - DATE OF CORRECTION - REMEDIES

As of January 14, 2000, CMS policy requires that facilities will not be given an opportunity to correct before remedies will be imposed when actual harm was cited at the last standard or intervening survey and also cited at the current survey. Your facility does not meet this criterion. Therefore, if your facility has not achieved substantial compliance by June 9, 2015, the Department of Health will impose the following remedy:

- State Monitoring. (42 CFR 488.422)

In addition, the Department of Health is recommending to the CMS Region V Office that if your facility has not achieved substantial compliance by June 9, 2015 the following remedy will be imposed:

- Per instance civil money penalties. (42 CFR 488.430 through 488.444)

ELECTRONIC PLAN OF CORRECTION (ePoC)

An ePoC for the deficiencies must be submitted within **ten calendar days** of your receipt of this letter. Your ePoC must:

- Address how corrective action will be accomplished for those residents found to have been affected by the deficient practice;

- Address how the facility will identify other residents having the potential to be affected by the same deficient practice;
- Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur;
- Indicate how the facility plans to monitor its performance to make sure that solutions are sustained. The facility must develop a plan for ensuring that correction is achieved and sustained. This plan must be implemented, and the corrective action evaluated for its effectiveness. The plan of correction is integrated into the quality assurance system;
- Include dates when corrective action will be completed. The corrective action completion dates must be acceptable to the State. If the plan of correction is unacceptable for any reason, the State will notify the facility. If the plan of correction is acceptable, the State will notify the facility. Facilities should be cautioned that they are ultimately accountable for their own compliance, and that responsibility is not alleviated in cases where notification about the acceptability of their plan of correction is not made timely. The plan of correction will serve as the facility's allegation of compliance; and,
- Submit electronically to acknowledge your receipt of the electronic 2567, your review and your ePoC submission.

If an acceptable ePoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Optional denial of payment for new Medicare and Medicaid admissions (42 CFR 488.417 (a));
- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable ePoC could also result in the termination of your facility's Medicare and/or Medicaid agreement.

PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE

The facility's ePoC will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance. In order for your allegation of compliance to be acceptable to the Department, the ePoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff, if your ePoC for the respective deficiencies (if any) is acceptable.

VERIFICATION OF SUBSTANTIAL COMPLIANCE

Upon receipt of an acceptable ePoC, an onsite revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification. A Post Certification Revisit (PCR) will occur after the date you identified that compliance was achieved in your plan of correction.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved ePoC, unless it is determined that either correction actually occurred between the latest correction date on the ePoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the ePoC.

Original deficiencies not corrected

If your facility has not achieved substantial compliance, we will impose the remedies described above. If the level of noncompliance worsened to a point where a higher category of remedy may be imposed, we will recommend to the CMS Region V Office that those other remedies be imposed.

Original deficiencies not corrected and new deficiencies found during the revisit

If new deficiencies are identified at the time of the revisit, those deficiencies may be disputed through the informal dispute resolution process. However, the remedies specified in this letter will be imposed for original deficiencies not corrected. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed.

Original deficiencies corrected but new deficiencies found during the revisit

If new deficiencies are found at the revisit, the remedies specified in this letter will be imposed. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed. You will be provided the required notice before the imposition of a new remedy or informed if another date will be set for the imposition of these remedies.

FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY

If substantial compliance with the regulations is not verified by July 30, 2015 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal regulations at 42 CFR Section 488.417(b). This mandatory denial of payments will be based on the failure to comply with deficiencies originally contained in the Statement of Deficiencies, upon the identification of new deficiencies at the time of the revisit, or if deficiencies have been issued as the result of a complaint visit or other survey conducted after the original statement of deficiencies was issued. This mandatory denial of payment is in addition to any remedies that may still be in effect as of this date.

We will also recommend to the CMS Region V Office and/or the Minnesota Department of Human Services that your provider agreement be terminated by October 30, 2015 (six months after the identification of noncompliance) if your facility does not achieve substantial compliance. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

INFORMAL DISPUTE RESOLUTION

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process
Minnesota Department of Health
Health Regulation Division
P.O. Box 64900
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting an ePoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable electronic plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at: <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Questions regarding all documents submitted as a response to the Life Safety Code deficiencies (those preceded by a "K" tag), i.e., the plan of correction, request for waivers, should be directed to:

Mr. Patrick Sheehan, Supervisor
Health Care Fire Inspections
State Fire Marshal Division

Email: pat.sheehan@state.mn.us
Telephone: (651) 201-7205
Fax: (651) 215-0525


Please contact me if you have any questions about this electronic notice.

Northfield Hospital Long Term Care Center

May 7, 2015

Page 6

Sincerely,

A handwritten signature in cursive script that reads "Anne Kleppe".

Anne Kleppe, Enforcement Specialist

Licensing and Certification Program

Health Regulation Division

Minnesota Department of Health

Email: anne.kleppe@state.mn.us

Telephone: (651) 201-4124 Fax: (651) 215-9697

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/14/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245241	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 04/30/2015
NAME OF PROVIDER OR SUPPLIER NORTHFIELD HOSPITAL LONG TERM CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 2000 NORTH AVENUE NORTHFIELD, MN 55057		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS Northfield Hospital Long Term has been found to be in compliance with the requirements of 42 CFR Part 483, Subpart B, and Requirements for Long Term Care Facilities.	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

05/11/2015

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES


F5241023

PRINTED: 05/20/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245241	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 04/29/2015
--	---	---	---

NAME OF PROVIDER OR SUPPLIER NORTHFIELD HOSPITAL LONG TERM CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 2000 NORTH AVENUE NORTHFIELD, MN 55057
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>THE FACILITY'S POC WILL SERVE AS YOUR ALLEGATION OF COMPLIANCE UPON THE DEPARTMENT'S ACCEPTANCE. YOUR SIGNATURE AT THE BOTTOM OF THE FIRST PAGE OF THE CMS-2567 WILL BE USED AS VERIFICATION OF COMPLIANCE.</p> <p>UPON RECEIPT OF AN ACCEPTABLE POC, AN ON-SITE REVISIT OF YOUR FACILITY MAY BE CONDUCTED TO VALIDATE THAT SUBSTANTIAL COMPLIANCE WITH THE REGULATIONS HAS BEEN ATTAINED IN ACCORDANCE WITH YOUR VERIFICATION.</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety - State Fire Marshal Division. At the time of this survey, Northfield Hospital & Long Term Care Center was found not in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>PLEASE RETURN THE PLAN OF CORRECTION FOR THE FIRE SAFETY DEFICIENCIES (K-TAGS) TO:</p> <p>Health Care Fire Inspections State Fire Marshal Division 445 Minnesota St., Suite 145 St Paul, MN 55101-5145, or</p>	K 000		
-------	---	-------	--	--

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE Electronically Signed	TITLE	(X6) DATE 05/15/2015
--	-------	--------------------------------

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/20/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245241	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 04/29/2015
NAME OF PROVIDER OR SUPPLIER NORTHFIELD HOSPITAL LONG TERM CARE CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 2000 NORTH AVENUE NORTHFIELD, MN 55057		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	<p>Continued From page 1</p> <p>By email to: Marian.Whitney@state.mn.us and Angela.Kappenman@state.mn.us</p> <p>THE PLAN OF CORRECTION FOR EACH DEFICIENCY MUST INCLUDE ALL OF THE FOLLOWING INFORMATION:</p> <ol style="list-style-type: none"> 1. A description of what has been, or will be, done to correct the deficiency. 2. The actual, or proposed, completion date. 3. The name and/or title of the person responsible for correction and monitoring to prevent a reoccurrence of the deficiency. <p>Northfield Hospital & Long Term Care Center is a 2-story building and is located on 1st floor. The facility was built in 2002 and was determined to be of Type 1(332) construction, with no basement.</p> <p>The facility is fully sprinklered. The facility has a fire alarm system with full corridor smoke detection and spaces open to the corridor that is monitored for automatic fire department notification.</p> <p>The facility has a capacity of 40 beds and had a census of 40 beds at the time of the survey.</p> <p>The requirement at 42 CFR, Subpart 483.70(a) is NOT MET as evidenced by:</p>	K 000		
K 025	NFPA 101 LIFE SAFETY CODE STANDARD	K 025		5/15/15

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/20/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245241	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 04/29/2015
NAME OF PROVIDER OR SUPPLIER NORTHFIELD HOSPITAL LONG TERM CARE CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 2000 NORTH AVENUE NORTHFIELD, MN 55057		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 025 SS=D	<p>Continued From page 2</p> <p>Smoke barriers are constructed to provide at least a one half hour fire resistance rating in accordance with 8.3. Smoke barriers may terminate at an atrium wall. Windows are protected by fire-rated glazing or by wired glass panels and steel frames. A minimum of two separate compartments are provided on each floor. Dampers are not required in duct penetrations of smoke barriers in fully ducted heating, ventilating, and air conditioning systems. 19.3.7.3, 19.3.7.5, 19.1.6.3, 19.1.6.4</p> <p>This STANDARD is not met as evidenced by: Based on observation and staff interview, the facility failed to maintain smoke barrier wall in accordance with the following requirements of 2000 NFPA 101, Section 19.3.7.3, 8.3.2 and 8.3.6. The deficient practice could affect 20 out of 40 residents.</p> <p>Findings include:</p> <p>On facility tour between 9:00 AM and 12 noon on 04/29/2015, observation revealed that the south smoke barrier on west wall in dinning room has an open penetration around the 2 inch sprinkler pipe.</p> <p>NOTE: All smoke barriers need to be checked from exterior wall to exterior wall.</p> <p>This deficient practice was confirmed by the Manager of Facilities Operations (SN) at the time</p>	K 025	<p>A facilities maintenance staff member closed the open penetration (using approved fire caulk) around the 2 inch sprinkler pipe on west wall of dining room. Correction complete 4/29/15. All smoke barrier walls within the Long Term Care Unit were inspected for additional penetrations. Any open penetrations were corrected at the time of the inspection. Completion date: 5/13/15. Scott Norman, Director of Facility Services is responsible for corrections and monitoring to prevent reoccurrence of this deficiency.</p>	

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/20/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245241	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 04/29/2015
NAME OF PROVIDER OR SUPPLIER NORTHFIELD HOSPITAL LONG TERM CARE CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 2000 NORTH AVENUE NORTHFIELD, MN 55057		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 025 K 067 SS=F	<p>Continued From page 3 of discovery.</p> <p>NFPA 101 LIFE SAFETY CODE STANDARD</p> <p>Heating, ventilating, and air conditioning comply with the provisions of section 9.2 and are installed in accordance with the manufacturer's specifications. 19.5.2.1, 9.2, NFPA 90A, 19.5.2.2</p> <p>This STANDARD is not met as evidenced by: Based on documentation review and staff interview, that the facility's general ventilating and air conditioning system (HVAC) was not maintained in accordance with the LSC, Section 19.5.2.1 and NFPA 90A, Section 3-4.7. A noncompliant HVAC system could affect all 40 residents.</p> <p>Findings include:</p> <p>On facility tour between 9:00 AM and 12 noon on 04/29/2015, documentation review for fire/smoke damper testing revealed, there was no documentation that the fire/smoke dampers have been tested with-in the last 4 years.</p> <p>This deficient practice was confirmed by the Manager of Facilities Operations (SN) at the time of discovery.</p> <p>*TEAM COMPOSITION* Gary Schroeder, Life Safety Code Spc.</p>	K 025 K 067	<p>Last inspection of Fire/Smoke dampers prior to the 4/29/15 MDH survey occurred 4/20/11. Since the survey of 4/29/15, all Fire/Smoke dampers have been inspected with no deficiencies. That inspection was complete on 5/8/15. The testing /inspection of fire/smoke dampers will become part of computerized maintenance management program to notify maintenance staff of next due date. Completion date: 5/13/15. Scott Norman, Director of Facility Services is responsible for corrections and monitoring to prevent reoccurrence of this deficiency.</p>	5/15/15

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/20/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245241	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 04/29/2015
NAME OF PROVIDER OR SUPPLIER NORTHFIELD HOSPITAL LONG TERM CARE CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 2000 NORTH AVENUE NORTHFIELD, MN 55057		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE