



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

April 15, 2026

Licensee
Holly Ridge Manor
500 Holly Ridge Drive
Starbuck, MN 56381

RE: Project Number(s) SL30766016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on April 3, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted no violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

The enclosed State Form documents no violations. MDH documents the state correction orders using federal software. Please disregard the heading of the fourth column that states, "Provider's Plan of Correction." A plan of correction is not required.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: <https://forms.office.com/g/Bm5uQEPhVa>. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in black ink that reads 'Kelly Thorson'.

Kelly Thorson , Supervisor
State Evaluation Team
Email: Kelly.Thorson@state.mn.us
Telephone: 320-223-7336 Fax: 1-866-890-9290

KKM

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 30766	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 04/03/2026
NAME OF PROVIDER OR SUPPLIER HOLLY RIDGE MANOR			STREET ADDRESS, CITY, STATE, ZIP CODE 500 HOLLY RIDGE DRIVE STARBUCK, MN 56381		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL30766016-0 On March 30, 2026, through March 31, 2026, the Minnesota Department of Health conducted a full survey at the above provider. At the time of the survey, there were twenty-six (26) residents; twenty-six (26) receiving services under the Assisted Living license. As a result of the survey, the licensee was found to be in substantial compliance with Assisted Living statutes 144G.08 through 144G.95.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living License Providers. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE



Fergus Falls District Office
Minnesota Department of Health
2312 College Way
Fergus Falls , MN 56537
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info	License Info	Inspection Info
HOLLY RIDGE MANOR 500 HOLLY RIDGE DRIVE Starbuck, MN 56381 Pope County Parcel: Phone:	License: HFID 30766 Risk: License: Expires on: CFPM: Brian Sutton CFPM #: 43589; Exp: 5/6/2026	Report Number: F7935261036 Inspection Type: Full - Single Date: 3/31/2026 Time: 10:28:57 AM Duration: minutes Announced Inspection: <u>Total Priority 1 Orders: 0</u> <u>Total Priority 2 Orders: 0</u> <u>Total Priority 3 Orders: 0</u> <u>Delivery:</u>

No orders were issued for this inspection report.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Fergus Falls District Office inspection report number F7935261036 from 3/31/2026

Rebecca Tonneson

Establishment Representative

Rebecca Tonneson, RS
Public Health Sanitarian Supervisor
218-332-5142
rebecca.tonneson@state.mn.us



Fergus Falls District Office
Minnesota Department of Health
2312 College Way
Fergus Falls , MN 56537

Temperature Observations/Recordings

Page: 1

Establishment Info	Inspection Info
HOLLY RIDGE MANOR	Report Number: F7935261036
Starbuck	Inspection Type: Full
County/Group: Pope County	Date: 3/31/2026
	Time: 10:28:57 AM

Equipment Temperature: **Product/Item/Unit:** Upright Cooler; **Temperature Process:** Cold-Holding

Location: Upright Cooler at 39 Degrees F.

Comment:

Violation Issued?: No

Equipment Temperature: **Product/Item/Unit:** Upright Cooler; **Temperature Process:** Cold-Holding

Location: Upright Cooler at 38 Degrees F.

Comment:

Violation Issued?: No



Fergus Falls District Office
Minnesota Department of Health
2312 College Way
Fergus Falls , MN 56537

Sanitizer Observations/Recordings

Page: 1

Establishment Info	Inspection Info
HOLLY RIDGE MANOR	Report Number: F7935261036
Starbuck	Inspection Type: Full
County/Group: Pope County	Date: 3/31/2026
	Time: 10:28:57 AM

Sanitizing Equipment: Product: Chlorine; **Sanitizing Process:** Dish Machine

Location: Dishwashing Area **Equal To** 100 Degrees F.

Comment:

Violation Issued?: No