



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

February 12, 2026

Licensee

Mission Group Home LLC
6730 Ewing Avenue North
Brooklyn Center, MN 55429

RE: Project Number(s) SL37055016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on January 22, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

In accordance with Minn. Stat. § 144G.31 Subd. 4, MDH may assess fines based on the level and scope of the violations; **however, no immediate fines are assessed for this survey of your facility.**

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEPhVa>**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,



Jess Schoenecker, Supervisor

State Evaluation Team

Email: Jess.Schoenecker@state.mn.us

Telephone: 651-201-3789 Fax: 1-866-890-9290

HHH

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37055	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/22/2026
NAME OF PROVIDER OR SUPPLIER MISSION GROUP HOME LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6730 EWING AVENUE NORTH BROOKLYN CENTER, MN 55429			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL37055016-0 On January 20, 2026, through January 22, 2026, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were three (3) residents; three receiving services under the Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services	0 480			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37055	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/22/2026
NAME OF PROVIDER OR SUPPLIER MISSION GROUP HOME LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6730 EWING AVENUE NORTH BROOKLYN CENTER, MN 55429		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 1 (a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37055	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/22/2026
NAME OF PROVIDER OR SUPPLIER MISSION GROUP HOME LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6730 EWING AVENUE NORTH BROOKLYN CENTER, MN 55429			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 2 allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated January 20, 2026, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection.	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37055	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/22/2026
NAME OF PROVIDER OR SUPPLIER MISSION GROUP HOME LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6730 EWING AVENUE NORTH BROOKLYN CENTER, MN 55429			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 3	0 480			
	TIME PERIOD FOR CORRECTION: Please refer to the FBEIR for any compliance dates.				
0 660 SS=D	144G.42 Subd. 9 Tuberculosis prevention and control (a) The facility must establish and maintain a comprehensive tuberculosis infection control program according to the most current tuberculosis infection control guidelines issued by the United States Centers for Disease Control and Prevention (CDC), Division of Tuberculosis Elimination, as published in the CDC's Morbidity and Mortality Weekly Report. The program must include a tuberculosis infection control plan that covers all paid and unpaid employees, contractors, students, and regularly scheduled volunteers. The commissioner shall provide technical assistance regarding implementation of the guidelines. (b) The facility must maintain written evidence of compliance with this subdivision. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to ensure employee tuberculosis (TB) testing with a two-step tuberculin skin test (TST) or blood test was completed and documented for one of two employees (registered nurse (RN)-A). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at an isolated scope (when one or a limited number of residents are affected or one or	0 660			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37055	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/22/2026
NAME OF PROVIDER OR SUPPLIER MISSION GROUP HOME LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6730 EWING AVENUE NORTH BROOKLYN CENTER, MN 55429		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 660	Continued From page 4 a limited number of staff are involved or the situation has occurred only occasionally). The findings include: The licensee's Facility TB Risk Assessment dated August 5, 2025, indicated the facility was low risk. RN-A was hired on March 15, 2022, and began providing assisted living services to the licensee's residents. RN-A's employee record included a one-step TST dated November 14, 2022, and TB history and symptom screening dated April 1, 2022. RN-A's record lacked evidence of testing for TB with either a two-step TST or serum blood test. On January 21, 2026, at 2:00 p.m., licensed assisted living director (LALD)-B acknowledged RN-A's record was missing a two-step TST or blood test as required. LALD-B stated that he was aware of the required TB testing with either a two-step TST or serum blood test and believed the RN-A had completed the blood test. However, no documentation for blood test was provided to the surveyor. The Minnesota Department of Health (MDH) guidelines Regulations for Tuberculosis Control in Minnesota Health Care Settings dated July 2013, and based on CDC guidelines, indicated a TB infection control program should include an annual facility TB risk assessment. The guidelines also indicated an employee may begin working with patients (residents) after a negative TB history and symptom screen (no symptoms of active TB disease) and a negative IGRA (serum blood test) or TST (first step) dated within 90	0 660			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37055	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/22/2026
NAME OF PROVIDER OR SUPPLIER MISSION GROUP HOME LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6730 EWING AVENUE NORTH BROOKLYN CENTER, MN 55429			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 660	Continued From page 5 days before hire. The second TST may be performed after the HCW (health care worker) starts working with patients. Baseline TB screening should be documented in the employee's record. The licensee's Tuberculosis Screening/Prevention policy dated August 1, 2021, indicated the baseline test may be either TST (2-step) or blood test. If the first-step TST is negative, the second-step TST will be administered 1-3 weeks after the first TST result was read. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 660			
0 780 SS=C	144G.45 Subd. 2 (a) (1) Fire protection and physical environment (a) Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: (1) for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms; (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in	0 780			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37055	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/22/2026
NAME OF PROVIDER OR SUPPLIER MISSION GROUP HOME LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6730 EWING AVENUE NORTH BROOKLYN CENTER, MN 55429			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 780	Continued From page 6 the individual dwelling unit or sleeping unit to operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level one violation (a violation that will cause only minimal impact on the resident and does not affect health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated 1/21/2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days.	0 780			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37055	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/22/2026
NAME OF PROVIDER OR SUPPLIER MISSION GROUP HOME LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6730 EWING AVENUE NORTH BROOKLYN CENTER, MN 55429			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 7	0 810			
0 810 SS=F	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on observation, interview, and record	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37055	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/22/2026
NAME OF PROVIDER OR SUPPLIER MISSION GROUP HOME LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6730 EWING AVENUE NORTH BROOKLYN CENTER, MN 55429			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 8 review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated 1/21/2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Twenty one (21) days.	0 810			
0 970 SS=C	144G.50 Subd. 5 Waivers of liability prohibited The contract must not include a waiver of facility liability for the health and safety or personal property of a resident. The contract must not include any provision that the facility knows or should know to be deceptive, unlawful, or unenforceable under state or federal law, nor include any provision that requires or implies a lesser standard of care or responsibility than is required by law. This MN Requirement is not met as evidenced	0 970			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37055	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/22/2026
NAME OF PROVIDER OR SUPPLIER MISSION GROUP HOME LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6730 EWING AVENUE NORTH BROOKLYN CENTER, MN 55429		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 970	Continued From page 9 by: Based on interview and record review, the licensee failed to ensure the assisted living contract did not include language waiving the licensee's liability for health, safety, or personal property of a resident. This had the potential to affect all residents. This practice resulted in a level one violation (a violation that has no potential to cause more than a minimal impact on the resident and does not affect health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: On January 20, 2026, at 11:30 a.m., licensed assisted living director (LALD)-B provided a blank Assisted Living Contract and indicated all residents agreed to the contents by signing the Assisted Living Contract. The licensee's Assisted Living Contract dated 2021, included a section titled Indemnification: "[Licensee] shall not be liable for any damage or injury to the resident... or to any property, occurring on the premises, or any part thereof, or in common areas thereof, and the resident agrees to hold [licensee] harmless from any claims or damages unless caused solely by negligence of [licensee]... Nothing contained herein is intended to create a liability for the health and safety or personal property of a resident." On January 21, 2026, at 1:00 p.m., LALD-B acknowledged the licensee's assisted living	0 970			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 37055	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 01/22/2026
NAME OF PROVIDER OR SUPPLIER MISSION GROUP HOME LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6730 EWING AVENUE NORTH BROOKLYN CENTER, MN 55429			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 970	Continued From page 10 contract indicated the licensee was not liable for any damage or injury to the resident, or to any property occurring on the premises. LALD-C stated they were not aware of the contract including language of waiver liability and they were working on removing the language. LALD-B further stated that the current assisted living contract was used for all residents. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 970			



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

MISSION GROUP HOME LLC
6730 Ewing Avenue North
Brooklyn Center, MN 55429
Hennepin County
Parcel:

Phone:

License Info

License: HFID 37055

Risk:
License:
Expires on:
CFPM: Mohamed Hassan
CFPM #: 342; Exp: 2/12/2027

Inspection Info

Report Number: F1013261005
Inspection Type: Full - Single
Date: 1/20/2026 Time: 12:50 pm
Duration: minutes
Announced Inspection:
Total Priority 1 Orders: 0
Total Priority 2 Orders: 1
Total Priority 3 Orders: 0
Delivery:

New Order: 3-500C Microbial Control: date marking

3-501.17B *Priority Level: Priority 2 CFP#: 23*

MN Rule 4626.0400B Mark the refrigerated, ready-to-eat, TCS food prepared and packaged in a processing plant and opened and held for more than 24 hours in the food establishment using an effective method to indicate the date by which the food must be consumed on the premises, sold, or discarded. The date must not exceed the manufacturer's use-by-date.

COMMENT: NUMEROUS OPEN CONTAINERS OF READY-TO-EAT COMMERCIALY PROCESSED DELI MEATS WERE STORED IN THE REFRIGERATOR WITHOUT DATE MARKS. PER STAFF THE FOOD CONTAINERS WERE OPENED DAYS PRIOR. COMPLY WITH RULE. DISCUSSED DATE MARKING PROCEDURES AND REQUESTED STAFF DATE MARK THE FOOD.

Comply By: 1/20/2026 Originally Issued On: 1/20/2026

Food & Beverage General Comment

The inspection was completed with the operator then reviewed with MDH Nurse Evaluator S. Hassan.

The establishment has a residential kitchen and serves food prepared on the same day. The kitchen has wood cabinets, wood floor, smooth painted walls, laminate counter top, and a smooth painted ceiling.

A two basin sink is located in the kitchen. One basin is designated for hand washing.

Residential dish machine is available to wash ware. The dish machine should be run on the sanitize/high temperature cycle.

Discussed hand washing, ware washing, staff illness policy, temperature control, final cook temperatures, cleaning, serving highly susceptible populations, food storage, and food handling procedures.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F1013261005 from 1/20/2026

Jerry Malloy

Mohamed Hassan
Operator

Jerry Malloy,
Public Health Sanitarian Supervisor
651-201-3998
jerry.malloy@state.mn.us



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Temperature Observations/Recordings

Page: 1

Establishment Info

MISSION GROUP HOME LLC
Brooklyn Center
County/Group: Hennepin County

Inspection Info

Report Number: F1013261005
Inspection Type: Full
Date: 1/20/2026
Time: 12:50 pm

Food Temperature: **Product/Item/Unit:** Deli meat; **Temperature Process:** Cold-Holding

Location: Refrigerator at 38 Degrees F.

Comment:

Violation Issued?: No

Food Temperature: **Product/Item/Unit:** Cottage cheese; **Temperature Process:** Cold-Holding

Location: Refrigerator at 38 Degrees F.

Comment:

Violation Issued?: No



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Sanitizer Observations/Recordings

Page: 1

Establishment Info

Inspection Info

MISSION GROUP HOME LLC
Brooklyn Center
County/Group: Hennepin County

Report Number: F1013261005
Inspection Type: Full
Date: 1/20/2026
Time: 12:50 pm

Sanitizing Equipment: Product: Hot Water; **Sanitizing Process:** Dish Machine
Location: Kitchen **Equal To** 160 Degrees F.
Comment:
Violation Issued?: No

Physical Environment Inspection Report

ENGINEERING | ASSISTED LIVING

Project No: SL37055016	Date: 1/21/2026
Facility Name: Mission Group Home LLC	
Facility Address: 6730 Ewing Ave N, Brooklyn Center MN 55429	

☒ **TAG IDENTIFICATION: 0780**

SCOPE/ SEVERITY: Level 1; Widespread

TIME PERIOD OF CORRECTION: Seven (7) days

1. Smoke alarms interconnected so that actuation of one alarm causes all alarms in the individual dwelling or sleeping unit to operate where more than one smoke alarm is required within an individual dwelling or sleeping unit. [Minn. Stat. 144G.45 subd.2]

Comments: The facility was equipped with two smoke alarms in all required locations. There were battery operated smoke alarms that only sounded locally and interconnected smoke alarms in all locations. Licensed assisted living director/unlicensed personnel (LADL/ULP)-B stated that they would remove the smoke alarms that only sounded locally.

☒ **TAG IDENTIFICATION: 0810**

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Twenty One (21) days

1. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that include employee actions to be taken in the event of a fire or similar emergency. [Minn. Stat. 144G.45 subd.2]

Comments: The FSEP included standard employee procedures but failed to provide specific employee actions to take in the event of a fire or similar emergency relative to the facility's building layout and environmental risks. The provided FSEP was from a third-party provider and had not been updated to the specific facility.

2. Each assisted living facility shall develop and maintain fire safety and evacuation plans that include fire protection procedures necessary for residents. [Minn. Stat. 144G.45 subd.2]

Comments: The FSEP did not identify specific fire protection actions for residents. There was no section in the policy that addressed the responsibilities or basic evacuation procedures that residents should follow in

case of a fire or similar emergency. In a separate document provided by LALD/ULP-B labeled "More on Fire Safety Plan:" under resident response stated, "If the fire is small and manageable, residents may stay in their rooms, keeping door closed". The building is not equipped with fire sprinklers, fire alarm, or built using fire resistive construction. Shelter in place is not a safe or acceptable resident action in buildings not equipped with fire sprinklers, fire alarms, and built using fire resistive construction.