



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

September 21, 2026

Licensee
Assured Care
9630 Upton Road
Bloomington, MN 55431

RE: Project Number(s) SL32366016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on August 20, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;

Level 2: a fine of \$500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;

Level 3: a fine of \$1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

Level 4: a fine of \$3,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

Level 5: a fine of \$5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed

pursuant to this survey:

0780 - 144g.45 Subd. 2 (a) (1) - Fire Protection And Physical Environment - \$500.00

0810 - 144g.45 Subd. 2 (b-F) - Fire Protection And Physical Environment - \$1,000.00

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is \$1,500.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

REQUESTING A HEARING

Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating factor.

To submit a hearing request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: <https://forms.office.com/g/Bm5uQEPhVa>. Your input is important to us and will enable MDH to improve its processes and communication with providers.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Renee L. Anderson".

Renee Anderson, Supervisor
State Evaluation Team
Email: Renee.L.Anderson@state.mn.us
Telephone: 651-201-5871 Fax: 1-866-890-9290

JMD

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 32366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/20/2026
NAME OF PROVIDER OR SUPPLIER ASSURED CARE		STREET ADDRESS, CITY, STATE, ZIP CODE 9630 UPTON ROAD BLOOMINGTON, MN 55431			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL32366016-0 On August 17, 2026, through August 20, 2026, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were two residents; two receiving services under the Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services	0 480			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 32366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/20/2026
NAME OF PROVIDER OR SUPPLIER ASSURED CARE		STREET ADDRESS, CITY, STATE, ZIP CODE 9630 UPTON ROAD BLOOMINGTON, MN 55431			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 1 (a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 32366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/20/2026
NAME OF PROVIDER OR SUPPLIER ASSURED CARE		STREET ADDRESS, CITY, STATE, ZIP CODE 9630 UPTON ROAD BLOOMINGTON, MN 55431			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 2 allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated August 21, 2026, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection.	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 32366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/20/2026
NAME OF PROVIDER OR SUPPLIER ASSURED CARE		STREET ADDRESS, CITY, STATE, ZIP CODE 9630 UPTON ROAD BLOOMINGTON, MN 55431			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 3	0 480			
0 780 SS=F	TIME PERIOD FOR CORRECTION: Please refer to the FBEIR for any compliance dates. 144G.45 Subd. 2 (a) (1) Fire protection and physical environment (a) Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: (1) for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms; (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical	0 780			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 32366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/20/2026
NAME OF PROVIDER OR SUPPLIER ASSURED CARE		STREET ADDRESS, CITY, STATE, ZIP CODE 9630 UPTON ROAD BLOOMINGTON, MN 55431			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
0 780	Continued From page 4 environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated August 18, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Two (2) days	0 780			
0 800 SS=F	144G.45 Subd. 2 (a) (4) Fire protection and physical environment (4) keep the physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program.	0 800			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 32366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/20/2026
NAME OF PROVIDER OR SUPPLIER ASSURED CARE		STREET ADDRESS, CITY, STATE, ZIP CODE 9630 UPTON ROAD BLOOMINGTON, MN 55431			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
0 800	Continued From page 5 This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated August 18, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days	0 800			
0 810 SS=I	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency;	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 32366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/20/2026
NAME OF PROVIDER OR SUPPLIER ASSURED CARE		STREET ADDRESS, CITY, STATE, ZIP CODE 9630 UPTON ROAD BLOOMINGTON, MN 55431			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 6 (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level three violation (a violation that harmed a resident's health or safety, or a violation that had the potential to cause more than minimal harm to the resident) and was issued at a widespread scope (when problems	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 32366	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 08/20/2026
NAME OF PROVIDER OR SUPPLIER ASSURED CARE		STREET ADDRESS, CITY, STATE, ZIP CODE 9630 UPTON ROAD BLOOMINGTON, MN 55431			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
0 810	Continued From page 7 are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated August 18, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 810			



, MN
Phone:

Food & Beverage Inspection Report

Page: 1

Establishment Info

ASSURED CARE
9630 UPTON ROAD
Bloomington, MN 55431
Hennepin County
Parcel:

Phone:

License Info

License: HFID 32366

Risk:
License:
Expires on:
CFPM: Tasheta Franceena Barnes
CFPM #: 26438; Exp: 12/2/2027

Inspection Info

Report Number: F1068261080
Inspection Type: Follow-up - Single
Date: 8/21/2026 Time: 1:25:40 PM
Duration: minutes
Announced Inspection: No
Total Priority 1 Orders: 0
Total Priority 2 Orders: 2
Total Priority 3 Orders: 1
Delivery: Emailed

Previous Order: 3-500C Microbial Control: date marking

3-501.17B Priority Level: Priority 2 CFP#: 23

MN Rule 4626.0400B Mark the refrigerated, ready-to-eat, TCS food prepared and packaged in a processing plant and opened and held for more than 24 hours in the food establishment using an effective method to indicate the date by which the food must be consumed on the premises, sold, or discarded. The date must not exceed the manufacturer's use-by-date.
COMMENT: MULTIPLE OPENED, COMMERCIALY PACKAGED PRODUCTS NOT DATE MARKED.

Comply By: 8/18/2026 Originally Issued On: 8/18/2026

Previous Order: 4-300 Equipment Numbers and Capacities

4-302.14 Priority Level: Priority 2 CFP#: 48

MN Rule 4626.0715 Provide an appropriate test kit to accurately measure sanitizing solutions.

COMMENT: ESTABLISHMENT USES CHLORINE SANITIZING SOLUTIONS TO CLEAN FOOD PREPARATION SURFACES, BUT DID NOT HAVE CHLORINE TEST STRIPS. PROVIDE.

Comply By: 8/18/2026 Originally Issued On: 8/18/2026

Previous Order: 4-500 Equipment Maintenance and Operation

4-501.11AB Priority Level: Priority 3 CFP#: 47

MN Rule 4626.0735AB All equipment and components must be in good repair and maintained and adjusted in accordance with manufacturer's specifications.

COMMENT: DISH MACHINE DOOR HANDLE BROKEN. REPAIR.

Comply By: 8/18/2026 Originally Issued On: 8/18/2026

Food & Beverage General Comment

FOLLOW-UP CONDUCTED TO ENSURE SAFE FOOD OPERATIONS.

NO ADDITIONAL FOLLOW-UP IS REQUIRED.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the inspection report number F1068261080 from 8/21/2026

Gabriel Stark

Patrice Davis
Person in charge

Gabe Stark,
Public Health Sanitarian 2
gabe.stark@state.mn.us



, MN

Sanitizer Observations/Recordings

Page: 1

Establishment Info

ASSURED CARE
Bloomington
County/Group: Hennepin County

Inspection Info

Report Number: F1068261080
Inspection Type: Follow-up
Date: 8/21/2026
Time: 1:25:40 PM

Sanitizing Equipment: Product: Hot Water; **Sanitizing Process:** Dish Machine
Location: Kitchen **Equal To** 165 Degrees F.
Comment:
Violation Issued?: No

Physical Environment Inspection Report

ENGINEERING | ASSISTED LIVING

Project No: SL32366016-0	Date: August 18, 2026
Facility Name: ASSURED CARE	
Facility Address: 9630 UPTON RD, Bloomington, MN, 55431	

☒ TAG IDENTIFICATION: 0780

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Two (2) days

1. Smoke Alarm power supply complies with MN State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated. [Minn. Stat. 144G.45 subd.2]

Comments: In the living room there was a staircase, at the top and bottom of the stairs were missing hard-wired alarms.

☒ TAG IDENTIFICATION: 0800

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Seven (7) days

1. The physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment are in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. [Minn. Stat. 144G.45 subd.2]

Comments: The wall near the resident room off the dining room had holes and scuff marks.

Resident bedroom doors for rooms two, three, and four were significantly damaged with holes and scuff marks.

On the exterior side of the facility there was damage to the wooden fascia.

In the living room, on the wall near the garage door, there was damage near the bottom of the wall.

☒ **TAG IDENTIFICATION: 0810**

SCOPE/ SEVERITY: Level 3; Widespread

TIME PERIOD OF CORRECTION: Twenty One (21) days

1. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that are readily available at all times within the facility. [Minn. Stat. 144G.45 subd.2]

Comments: Licensed assisted living director/owner (LALD/O)-B provided the surveyor with their FSEP. LALD/O-B verified that the plan was located in the emergency preparedness binder; a second plan from the office was then shown, but it was not being maintained in the facility emergency preparedness binder.

2. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that include employee actions to be taken in the event of a fire or similar emergency. [Minn. Stat. 144G.45 subd.2]

Comments: The surveyor observed the evacuation plans lacked accurate identification of resident rooms and layout. Exit plan diagrams must be correctly labeled and accurate to the layout of the facility to reduce confusion for emergency responders and potential obstructions for egress in a fire or similar emergency.

3. Each assisted living facility shall develop and maintain fire safety and evacuation plans that include fire protection procedures necessary for residents. [Minn. Stat. 144G.45 subd.2]

Comments: The FSEP did not identify specific fire protection actions for residents. There was no section in the plan that addressed the responsibilities or basic evacuation procedures that residents should follow in case of a fire or similar emergency.

4. Employees of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. [Minn. Stat. 144G.45 subd.2]

Comments: The licensed assisted living director/clinical nurse supervisor LALD/O-B lacked documentation that showed training was provided to employees on the FSEP upon hire and at least twice per year.

5. Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. [Minn. Stat. 144G.45 subd.2]

Comments: Licensed assisted living director LALD/O-B lacked documentation showing any training was offered or training was scheduled for a future date for residents on the fire safety and evacuation plan.

6. Evacuation drills are required for employees twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. [Minn. Stat. 144G.45 subd.2]

Comments: Surveyor requested all evacuation drill documentation from calendar years 2025 through 2026 from the LALD/O-B. Requested documentation was not readily available upon request, surveyor requested all documents be sent via e-mail by 3:00pm. The provided documentation lacked showing evacuation drills occurred twice per year, per shift, with at least one evacuation drill every other month. No other information or documentation was provided.