



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

May 27, 2026

Licensee
Amana Home Care
7010 Bloomington Avenue South
Richfield, MN 55423

RE: Project Number(s) SL36341016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on May 8, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

In accordance with Minn. Stat. § 144G.31 Subd. 4, MDH may assess fines based on the level and scope of the violations; **however, no immediate fines are assessed for this survey of your facility.**

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEpHV>**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Renee L. Anderson".

Renee L. Anderson, Supervisor

State Evaluation Team

Email: Renee.L.Anderson@state.mn.us

Telephone: 651-201-5871 Fax: 1-866-890-9290

HHH

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36341	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/08/2026
NAME OF PROVIDER OR SUPPLIER AMANA HOME CARE		STREET ADDRESS, CITY, STATE, ZIP CODE 7010 BLOOMINGTON AVENUE SOUTH RICHFIELD, MN 55423			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL36341016-0 On May 4, 2026, through May 8, 2026, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were 3 residents; 3 receiving services under the Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		
0 680 SS=F	144G.42 Subd. 10 Disaster planning and emergency preparedness	0 680			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36341	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/08/2026
NAME OF PROVIDER OR SUPPLIER AMANA HOME CARE			STREET ADDRESS, CITY, STATE, ZIP CODE 7010 BLOOMINGTON AVENUE SOUTH RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 680	Continued From page 1 (a) The facility must meet the following requirements: (1) have a written emergency disaster plan that contains a plan for evacuation, addresses elements of sheltering in place, identifies temporary relocation sites, and details staff assignments in the event of a disaster or an emergency; (2) post an emergency disaster plan prominently; (3) provide building emergency exit diagrams to all residents; (4) post emergency exit diagrams on each floor; and (5) have a written policy and procedure regarding missing residents. (b) The facility must provide emergency and disaster training to all staff during the initial staff orientation and annually thereafter and must make emergency and disaster training annually available to all residents. Staff who have not received emergency and disaster training are allowed to work only when trained staff are also working on site. (c) The facility must meet any additional requirements adopted in rule. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to have a written emergency preparedness (EP) plan with all the required content. This had the potential to affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems	0 680			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36341	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/08/2026
NAME OF PROVIDER OR SUPPLIER AMANA HOME CARE			STREET ADDRESS, CITY, STATE, ZIP CODE 7010 BLOOMINGTON AVENUE SOUTH RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 680	Continued From page 2 are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: The licensee's emergency disaster preparedness plan, dated February 2, 2024, lacked evidence of the following required content: - EP plan reviewed and updated annually; - emergency preparedness testing requirements. On May 4, 2026, at 2:00 p.m., owner/licensed assisted living director/registered nurse (O/LALD/RN)-A stated that she was not aware of all the requirements for Appendix Z and she thought that fire drills were enough for emergency preparedness exercises. The licensee's Emergency Preparedness policy, dated April 6, 2026, directed two disaster drills be conducted at least annually, and the emergency preparedness plan be reviewed at least annually. No further information was provided. TIME PERIOD FOR CORRECTION: Seven (7) days	0 680			
0 775 SS=F	144G.45 Subd. 2. (a) Fire protection and physical environment Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: This MN Requirement is not met as evidenced by: Based on observation, interview, and record	0 775			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36341	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/08/2026
NAME OF PROVIDER OR SUPPLIER AMANA HOME CARE			STREET ADDRESS, CITY, STATE, ZIP CODE 7010 BLOOMINGTON AVENUE SOUTH RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
0 775	Continued From page 3 review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated May 5, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Two (2) days	0 775			
0 780 SS=C	144G.45 Subd. 2 (a) (1) Fire protection and physical environment (a) Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: (1) for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms;	0 780			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36341	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/08/2026
NAME OF PROVIDER OR SUPPLIER AMANA HOME CARE			STREET ADDRESS, CITY, STATE, ZIP CODE 7010 BLOOMINGTON AVENUE SOUTH RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 780	Continued From page 4 (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level one violation (a violation that will cause only minimal impact on the resident and does not affect health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated May 5, 2026, for the specific violations related the	0 780			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36341	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/08/2026
NAME OF PROVIDER OR SUPPLIER AMANA HOME CARE			STREET ADDRESS, CITY, STATE, ZIP CODE 7010 BLOOMINGTON AVENUE SOUTH RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 780	Continued From page 5 physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Two (2) days	0 780			
0 800 SS=D	144G.45 Subd. 2 (a) (4) Fire protection and physical environment (4) keep the physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved, or the situation has occurred only occasionally). The findings include:	0 800			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36341	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/08/2026
NAME OF PROVIDER OR SUPPLIER AMANA HOME CARE			STREET ADDRESS, CITY, STATE, ZIP CODE 7010 BLOOMINGTON AVENUE SOUTH RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 800	Continued From page 6 Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated May 5, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Two (2) days	0 800			
0 810 SS=F	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36341	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/08/2026
NAME OF PROVIDER OR SUPPLIER AMANA HOME CARE			STREET ADDRESS, CITY, STATE, ZIP CODE 7010 BLOOMINGTON AVENUE SOUTH RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 7 per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated May 5, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 810			
01500 SS=D	144G.63 Subd. 5 Required annual training	01500			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36341	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/08/2026
NAME OF PROVIDER OR SUPPLIER AMANA HOME CARE			STREET ADDRESS, CITY, STATE, ZIP CODE 7010 BLOOMINGTON AVENUE SOUTH RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01500	Continued From page 8 (a) All staff that perform direct services must complete at least eight hours of annual training for each 12 months of employment. The training may be obtained from the facility or another source and must include topics relevant to the provision of assisted living services. The annual training must include: (1) training on reporting of maltreatment of vulnerable adults under section 626.557; (2) review of the assisted living bill of rights and staff responsibilities related to ensuring the exercise and protection of those rights; (3) review of infection control techniques used in the home and implementation of infection control standards including a review of hand washing techniques; the need for and use of protective gloves, gowns, and masks; appropriate disposal of contaminated materials and equipment, such as dressings, needles, syringes, and razor blades; disinfecting reusable equipment; disinfecting environmental surfaces; and reporting communicable diseases; (4) effective approaches to use to problem solve when working with a resident's challenging behaviors, and how to communicate with residents who have dementia, Alzheimer's disease, or related disorders; (5) review of the facility's policies and procedures relating to the provision of assisted living services and how to implement those policies and procedures; and (6) the principles of person-centered planning and service delivery and how they apply to direct support services provided by the staff person. (b) In addition to the topics in paragraph (a), annual training may also contain training on providing services to residents with hearing loss. Any training on hearing loss provided under this subdivision must be high quality and research	01500			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36341	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/08/2026
NAME OF PROVIDER OR SUPPLIER AMANA HOME CARE			STREET ADDRESS, CITY, STATE, ZIP CODE 7010 BLOOMINGTON AVENUE SOUTH RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01500	Continued From page 9 based, may include online training, and must include training on one or more of the following topics: (1) an explanation of age-related hearing loss and how it manifests itself, its prevalence, and challenges it poses to communication; (2) the health impacts related to untreated age-related hearing loss, such as increased incidence of dementia, falls, hospitalizations, isolation, and depression; or (3) information about strategies and technology that may enhance communication and involvement, including communication strategies, assistive listening devices, hearing aids, visual and tactile alerting devices, communication access in real time, and closed captions. This MN Requirement is not met as evidenced by: Based on observation, interview and record review, the licensee failed to ensure employees received at least eight hours of annual training for each 12 months of employment for one of two employees (owner/licensed assisted living director/registered nurse (O/LALD/RN)-A). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved or the situation has occurred only occasionally). The findings include: The licensee's Employee List, dated May 4, 2026, indicated O/LALD/RN-A was hired on August 20,	01500			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36341	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/08/2026
NAME OF PROVIDER OR SUPPLIER AMANA HOME CARE			STREET ADDRESS, CITY, STATE, ZIP CODE 7010 BLOOMINGTON AVENUE SOUTH RICHFIELD, MN 55423		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01500	Continued From page 10 2020. O/LALD/RN-A provided cares, services and management of staff to the licensee's residents. O/LALD/RN-A's employee record lacked documentation of eight hours of annual training completed within the last 12 months, including the following required topics: -training on reporting of maltreatment of vulnerable adults under section 626.557; -review of the assisted living bill of rights and staff responsibilities related to ensuring the exercise and protection of those rights; - review of infection control techniques used in the home and implementation of infection control standards including a review of hand washing techniques; the need for and use of protective gloves, gowns, and masks; appropriate disposal of contaminated materials and equipment, such as dressings, needles, syringes, and razor blades; disinfecting reusable equipment; disinfecting environmental surfaces; and reporting communicable diseases; -review of the facility's policies and procedures relating to the provision of assisted living services and how to implement those policies and procedures; -review of the facility's policies and procedures relating to the provision of assisted living services and how to implement those policies and procedures; and -the principles of person-centered planning and service delivery and how they apply to direct support services provided by the staff person. On May 5, 2026, at 12 p.m. O/LALD/RN-A stated that a contracted consultant directed her on what training to take and O/LALD/RN-A trusted that consultant's information was correct.	01500			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36341	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/08/2026
NAME OF PROVIDER OR SUPPLIER AMANA HOME CARE		STREET ADDRESS, CITY, STATE, ZIP CODE 7010 BLOOMINGTON AVENUE SOUTH RICHFIELD, MN 55423			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01500	Continued From page 11 The licensee's Staff Orientation and Education policy, dated August 1, 2021, indicated all staff providing assisted living services would complete at least eight hours of education for every twelve months of employment, to include the required elements of this training. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	01500			



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

AMANA HOME CARE LLC
7010 Bloomington Ave S
Richfield, MN 55423
Hennepin County
Parcel:

Phone:

License Info

License: HFID 36341

Risk:
License:
Expires on:
CFPM: Rowda M. Farah
CFPM #: FM108591; Exp: 09/27/2027

Inspection Info

Report Number: F1005261130
Inspection Type: Full - Single
Date: 5/5/2026 Time: 10:30 AM
Duration: minutes
Announced Inspection: No
Total Priority 1 Orders: 0
Total Priority 2 Orders: 0
Total Priority 3 Orders: 0
Delivery: Emailed

No orders were issued for this inspection report.

Food & Beverage General Comment

INSPECTION COMPLETED WITH OPERATOR AND REVIEWED WITH HRD NURSING EVALUATOR ROBYN WOOLLEY.

DISCUSSED DATE MARKING, GLOVE USE, COOKING TEMPERATURES, CROSS-CONTAMINATION, AND EMPLOYEE ILLNESS.

KITCHEN IS RESIDENTIAL AND FOOD IS PREPARED FOR SAME DAY SERVICE.

OPERATOR RAN A THERMOLABEL THROUGH THE DISHWASHER AND EMAILED A PICTURE TO INSPECTOR AFTER INSPECTION, SHOWING IT PROVIDED A UTENSIL SURFACE TEMPERATURE OF AT LEAST 160 DEGREES F.

FLOORING IS WOOD AND CABINETS ARE WOOD WITH HOLLOW BASE. ALL ARE FOUND TO BE IN GOOD CONDITION AND WILL BE MONITORED AT FUTURE INSPECTIONS. IF AT SUCH A TIME THEY ARE FOUND TO BE A CONCERN OR RISK OF CONTAMINATION, THEY WILL BE ORDERED TO BE REPLACED AND BROUGHT UP TO CODE.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F1005261130 from 5/5/2026

ROWDA FARAH
PIC

Jessica Davis, REHS
Public Health Sanitarian 3
651-201-3961
jessica.davis@state.mn.us



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Temperature Observations/Recordings

Page: 1

Establishment Info

AMANA HOME CARE LLC
Richfield
County/Group: Hennepin County

Inspection Info

Report Number: F1005261130
Inspection Type: Full
Date: 5/5/2026
Time: 10:30 AM

Food Temperature: **Product/Item/Unit:** MILK; **Temperature Process:** Cold-Holding

Location: KITCHEN REFRIGERATOR at 35 Degrees F.

Comment:

Violation Issued?: No

Food Temperature: **Product/Item/Unit:** TURKEY; **Temperature Process:** Cold-Holding

Location: KITCHEN REFRIGERATOR at 41 Degrees F.

Comment:

Violation Issued?: No



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Sanitizer Observations/Recordings

Page: 1

Establishment Info

AMANA HOME CARE LLC
Richfield
County/Group: Hennepin County

Inspection Info

Report Number: F1005261130
Inspection Type: Full
Date: 5/5/2026
Time: 10:30 AM

Sanitizing Equipment: Product: Hot Water; **Sanitizing Process:** DISHWASHER

Location: Equal To 160 Degrees F.

Comment: AT LEAST 160 DEGREES F PER THERMOLABEL

Violation Issued?: No

Physical Environment Inspection Report

ENGINEERING | ASSISTED LIVING

Project No: SL36341016-0	Date: May 5, 2026
Facility Name: Amana Home Care LLC	
Facility Address: 7010 Bloomington Ave, Richfield, MN 55423	

☒ **TAG IDENTIFICATION: 0775**

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Two (2) days

1. Each assisted living facility must comply with the provisions of the Minnesota State Fire Code (MSFC) in Minnesota Rules chapter 7511. [Minn. Stat. 144G.45 subd. 2]
2. Required egress window openings in rooms of care facilities licensed or registered by the state of Minnesota shall have a minimum net clear opening area of 4.5 square feet (648 square inches). Opening height and width dimensions shall not be less than 20 inches. The net clear opening dimensions shall be the result of normal operation of the opening. [Minn. Stat. 144G.45 subd. 2; MSFC 1104.26.2, 1104.26.6.1]

Comments: Both windows in unoccupied resident room 1 measured 27 inches wide and 21 inches high with a total net clear opening of 567 square inches. Owner/licensed assisted living director/registered nurse (O/LALD/RN)-A visually confirmed the measurements of both windows at time of discovery.

3. A means of egress shall be free from obstructions that would prevent its use, including the accumulation of snow and ice. Means of egress shall remain free of any material or matter where its presence would obstruct or render the means of egress hazardous. No combustible material storage is allowed in the corridors or exit stairs. [Minn. Stat. 144G.45 subd. 2; MSFC 1031.3]

Comments: There was a large dresser that was blocking approximately half of the egress window in resident room 2. O/LALD/RN-A was only able to open the window to be measured after moving the dresser.

☒ **TAG IDENTIFICATION: 0780**

SCOPE/ SEVERITY: Level 1; Widespread

TIME PERIOD OF CORRECTION: Two (2) days

1. Smoke alarms shall be interconnected so that actuation of one alarm causes all alarms in the individual dwelling or sleeping unit to operate where more than one smoke alarm is required within an individual dwelling or sleeping unit. [Minn. Stat. 144G.45 subd.2]

Comments: There were two smoke alarms installed in resident rooms 1 and 3. The surveyor requested O/LALD/RN-A to test the interconnected smoke alarms. It was discovered that in resident rooms 1 and 3 that one of the smoke alarms would not sound. O/LALD/RN-A stated that the second smoke alarms are no longer used and were not interconnected with the other smoke alarms in the facility.

☒ **TAG IDENTIFICATION: 0800**

SCOPE/ SEVERITY: Level 2; Isolated

TIME PERIOD OF CORRECTION: Two (2) days

-
1. The physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment are in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. [Minn. Stat. 144G.45 subd.2]

Comments: When the surveyor requested O/LALD/RN-A open the egress window in resident room 4, the resident insisted on opening the window. When resident attempted to open the window the handle of the casement window would spin, but the window would not move. O/LALD/RN-A stated that they were not aware of the window not opening.

☒ **TAG IDENTIFICATION: 0810**

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Twenty One (21) days

-
1. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that include employee actions to be taken in the event of a fire or similar emergency. [Minn. Stat. 144G.45 subd.2]

Comments: The FSEP failed to provide specific employee actions to take in the event of a fire or similar emergency relative to the facility's building layout and environmental risks. The provided FSEP was from a third-party provider and had not been updated to the specific facility.

2. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that include fire protection procedures necessary for residents. [Minn. Stat. 144G.45 subd.2]

Comments: The FSEP did not identify specific fire protection actions for residents. There was no section in the policy that addressed the responsibilities or basic evacuation procedures that residents should follow in case of a fire or similar emergency.