



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

September 15, 2026

Licensee
The Pines
2153 7th Avenue North
Anoka, MN 55303

RE: Project Number(s) SL20536016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on June 26, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;

Level 2: a fine of \$500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;

Level 3: a fine of \$1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

- Level 4: a fine of \$3,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;
- Level 5: a fine of \$5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed pursuant to this survey:

St - 0 - 0780 - 144g.45 Subd. 2 (a) (1) - Fire Protection And Physical Environment - \$500.00

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is \$500.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

REQUESTING A HEARING

Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating

factor.

To submit a hearing request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>


To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEpHVa>**. Your input is important to us and will enable MDH to improve its processes and communication with providers.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Kelly Thorson". The ink is dark and the signature is fluid.

Kelly Thorson, Supervisor
State Evaluation Team
Email: Kelly.Thorson@state.mn.us
Telephone: 320-223-7336 Fax: 1-866-890-9290

HHH

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 20536	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/26/2026
NAME OF PROVIDER OR SUPPLIER THE PINES			STREET ADDRESS, CITY, STATE, ZIP CODE 2153 7TH AVENUE NORTH ANOKA, MN 55303		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL20536016-0 On June 22, 2026, through June 24, 2026, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were eight (8) residents; eight (8) receiving services under the Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living License Providers. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		
0 780 SS=F	144G.45 Subd. 2 (a) (1) Fire protection and physical environment	0 780			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 20536	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/26/2026
NAME OF PROVIDER OR SUPPLIER THE PINES		STREET ADDRESS, CITY, STATE, ZIP CODE 2153 7TH AVENUE NORTH ANOKA, MN 55303			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 780	Continued From page 1 (a) Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: (1) for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms; (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a	0 780			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 20536	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/26/2026
NAME OF PROVIDER OR SUPPLIER THE PINES		STREET ADDRESS, CITY, STATE, ZIP CODE 2153 7TH AVENUE NORTH ANOKA, MN 55303			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 780	Continued From page 2 resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated June 24 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days.	0 780			
01060 SS=D	144G.52 Subd. 9 Emergency relocation (a) A facility may remove a resident from the facility in an emergency if necessary due to a resident's urgent medical needs or an imminent risk the resident poses to the health or safety of another facility resident or facility staff member. An emergency relocation is not a termination. (b) In the event of an emergency relocation, the facility must provide a written notice that contains, at a minimum: (1) the reason for the relocation; (2) the name and contact information for the location to which the resident has been relocated and any new service provider; (3) contact information for the Office of Ombudsman for Long-Term Care and the Office of Ombudsman for Mental Health and Developmental Disabilities; (4) if known and applicable, the approximate date or range of dates within which the resident is	01060			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 20536	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/26/2026
NAME OF PROVIDER OR SUPPLIER THE PINES			STREET ADDRESS, CITY, STATE, ZIP CODE 2153 7TH AVENUE NORTH ANOKA, MN 55303		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01060	Continued From page 3 expected to return to the facility, or a statement that a return date is not currently known; and (5) a statement that, if the facility refuses to provide housing or services after a relocation, the resident has the right to appeal under section 144G.54. The facility must provide contact information for the agency to which the resident may submit an appeal. (c) The notice required under paragraph (b) must be delivered as soon as practicable to: (1) the resident, legal representative, and designated representative; (2) for residents who receive home and community-based waiver services under chapter 256S and section 256B.49, the resident's case manager; and (3) the Office of Ombudsman for Long-Term Care if the resident has been relocated and has not returned to the facility within four days. (d) Following an emergency relocation, a facility's refusal to provide housing or services constitutes a termination and triggers the termination process in this section.currently known; and This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to provide a written notice with required content for an emergency relocation for one of one resident (R2). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved or the situation has occurred only occasionally).	01060			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 20536	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/26/2026
NAME OF PROVIDER OR SUPPLIER THE PINES		STREET ADDRESS, CITY, STATE, ZIP CODE 2153 7TH AVENUE NORTH ANOKA, MN 55303			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01060	Continued From page 4 The findings include: R2 was admitted to the licensee on October 28, 2021, to receive assisted living services. R2's nurse notes dated May 21, 2026, at 1:15 p.m. indicated R2 was transferred to the hospital via EMS due to increased shortness of breath and chest tightness. R2's nurse notes dated May 22, 2026, indicated R2 returned to the facility at 7:00 p.m. on May 21, 2026. R2's record lacked a written notice provided to R2 including: -the name and contact information for the location to which the resident has been relocated and any new service provider -if known and applicable, the approximate date or range of dates within which the resident is expected to return to the facility, or a statement that a return date is not currently known; and -a statement that, if the facility refuses to provide housing or services after a relocation, the resident has the right to appeal under section 144G.54. The facility must provide contact information for the agency to which the resident may submit an appeal. On June 23, 2026, at 4:31 p.m., licensed assisted living director in residence (LALDIR)-A stated "R2 was not hospitalized or gone for more than 24 hours so we do not have a relocation letter for the ED visit." The licensee's 1.13 Emergency Relocation policy dated June 6, 2022, read: "[Licensee name] may remove a resident from	01060			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 20536	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/26/2026
NAME OF PROVIDER OR SUPPLIER THE PINES		STREET ADDRESS, CITY, STATE, ZIP CODE 2153 7TH AVENUE NORTH ANOKA, MN 55303			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01060	Continued From page 5 the facility in an emergency if necessary due to a resident's urgent medical needs or an imminent risk the resident poses to the health or safety of another facility resident or facility staff member. In the event of an emergency relocation, [licensee name] will provide a written notice that contains, at a minimum: a. The reason for the relocation b. The name and contact information for the location to which the resident has been relocated and any new service provider c. Contact information for the Office of Ombudsman for Long-Term Care d. If known and applicable, the approximate date or range of dates within which the resident is expected to return to the facility, or a statement that a return date is not currently known, and e. A statement that, if the facility refuses to provide housing or services after a relocation, the resident has the right to appeal." No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	01060			
01890 SS=F	144G.71 Subd. 20 Prescription drugs A prescription drug, prior to being set up for immediate or later administration, must be kept in the original container in which it was dispensed by the pharmacy bearing the original prescription label with legible information including the expiration or beyond-use date of a time-dated drug. This MN Requirement is not met as evidenced by: Based on observation, interview, and record	01890			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 20536	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/26/2026
NAME OF PROVIDER OR SUPPLIER THE PINES		STREET ADDRESS, CITY, STATE, ZIP CODE 2153 7TH AVENUE NORTH ANOKA, MN 55303			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01890	Continued From page 6 review, the licensee failed to label time-sensitive medications with an opened-on date for one of one resident (R2). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: On June 22, 2026, at 11:18 a.m., the surveyor observed the licensee's medication fridge with registered nurse (RN)-B. RN-B stated R2's open and used insulin is stored in the licensee's medication fridge. Observed R2's Novolog Flexpen (insulin aspart) and Lantus (insulin glargine) that did not contain an open-on date nor expired on date documented on either insulin pen. On June 22, 2026, at 11:21 a.m., RN-B stated they were not aware that the insulin pens required an open on or an expired-on date and would correct and provide education to staff. On June 22, 2026, at 12:09 p.m. surveyor observed unlicensed personnel (ULP)-C assist with R2's insulin administration. The manufacturer's instructions for Novolog flex pen (insulin aspart) revised February 2023, indicated to store insulin pens at room temperature for up to 28 days after the first use.	01890			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 20536	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/26/2026
NAME OF PROVIDER OR SUPPLIER THE PINES		STREET ADDRESS, CITY, STATE, ZIP CODE 2153 7TH AVENUE NORTH ANOKA, MN 55303			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01890	Continued From page 7 The manufacturer's instructions for Lantus (insulin glargine) revised May 2025, indicated to store insulin pens at room temperature for up to 56 days after the first use. The licensee's 7.43 Medications and Treatment policy dated July 25, 2022, read "medications requiring date opened examples include but not limited to, insulin vials and pens, eye drops and ointments, ear drops, nasal sprays, multi dose injectable medications, liquid medications with limited stability after opening, topical creams, ointments, gels with a specific beyond use period." No further information was provided. TIME PERIOD FOR CORRECTION: Seven (7) days	01890			



St Cloud District Office
Minnesota Department of Health
4140 Thielman Lane, Suite 101
St Cloud, MN 56301
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

The Pines
2153 7TH AVENUE NORTH
Anoka, MN 55303
Anoka County
Parcel:

Phone:

License Info

License: HFID 20536

Risk:
License:
Expires on:
CFPM: Berinda Ann Stanley
CFPM #: 68059; Exp: 03/08/2029

Inspection Info

Report Number: F1051261161
Inspection Type: Full - Single
Date: 6/22/2026 Time: 10:50:00 AM
Duration: 30 minutes
Announced Inspection: No
Total Priority 1 Orders: 0
Total Priority 2 Orders: 0
Total Priority 3 Orders: 0
Delivery: Emailed

No orders were issued for this inspection report.

Food & Beverage General Comment

MET WITH THE NURSE EVALUATOR, JESSICA DETERS.

DISCUSSED THE FOLLOWING WITH THE PERSON IN CHARGE, BERINDA:

EMPLOYEE ILLNESS LOG
VOMIT CLEAN-UP PROCEDURES
HANDWASHING & GLOVE USE/DISPOSAL
NOROVIRUS
CERTIFIED FOOD PROTECTION MANAGER

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the St Cloud District Office inspection report number F1051261161 from 6/22/2026

Berinda Stanley

Kai Yang,
Public Health Sanitarian 1
320-640-3532
kai.yang@state.mn.us



St Cloud District Office
Minnesota Department of Health
4140 Thielman Lane, Suite 101
St Cloud, MN 56301

Temperature Observations/Recordings

Page: 1

Establishment Info

The Pines
Anoka
County/Group: Anoka County

Inspection Info

Report Number: F1051261161
Inspection Type: Full
Date: 6/22/2026
Time: 10:50:00 AM

Food Temperature: **Product/Item/Unit:** MILK; **Temperature Process:** Cold-Holding

Location: Upright Cooler at 40 Degrees F.

Comment:

Violation Issued?: No

Physical Environment Inspection Report

ENGINEERING | ASSISTED LIVING

Project No: SL20536016-0	Date: 6/24/2026
Facility Name: The Pines	
Facility Address: 2153 7 th Ave N, Anoka, Mn 55303	

☒ TAG IDENTIFICATION: 0780

SCOPE/ SEVERITY: Level 2; WidespreadTIME PERIOD OF CORRECTION: Seven (7) days

1. Smoke Alarm power supply complies with MN State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated. [Minn. Stat. 144G.45 subd.2]
- Comments: The existing hardwired smoke alarms were removed and replaced with battery powered smoke alarms. LALDIR-F and H-M acknowledge the missing hardwired smoke alarms.