Electronically Delivered

May 13, 2026

Licensee
Lakeview Senior Housing
651 US Highway 14 East
Balaton, MN 56115

RE: Project Number(s) SL35521016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on April 14, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;
Level 2: a fine of $500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;
Level 3: a fine of $1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

Level 4: a fine of $3,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;
Level 5: a fine of $5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed pursuant to this survey:

St - 0 - 0775 - 144g.45 Subd. 2. (a) - Fire Protection And Physical Environment - $500.00

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is $500.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY
In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS
In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

REQUESTING A HEARING
Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating

factor.

To submit a hearing request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **https://forms.office.com/g/Bm5uQEpHVa**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

Jodi Johnson, Supervisor
State Evaluation Team
Email: Jess.Schoenecker@state.mn.us
Telephone: 651-201-3789 Fax: 1-866-890-9290

HHH

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	35521	A. BUILDING: _____ B. WING _____	04/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LAKEVIEW SENIOR HOUSING	651 US HIGHWAY 14 EAST BALATON, MN 56115

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL35521016-0 On April 13, 2026, through April 14, 2026, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were 18 residents; 18 receiving services under the Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.	
0 660 SS=D	144G.42 Subd. 9 Tuberculosis prevention and control	0 660		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	35521	A. BUILDING: _____ B. WING _____	04/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LAKEVIEW SENIOR HOUSING	651 US HIGHWAY 14 EAST BALATON, MN 56115

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 660	Continued From page 1 (a) The facility must establish and maintain a comprehensive tuberculosis infection control program according to the most current tuberculosis infection control guidelines issued by the United States Centers for Disease Control and Prevention (CDC), Division of Tuberculosis Elimination, as published in the CDC's Morbidity and Mortality Weekly Report. The program must include a tuberculosis infection control plan that covers all paid and unpaid employees, contractors, students, and regularly scheduled volunteers. The commissioner shall provide technical assistance regarding implementation of the guidelines. (b) The facility must maintain written evidence of compliance with this subdivision. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to establish and maintain a tuberculosis (TB) prevention program, based on the most current guidelines issued by the Centers for Disease Control and Prevention (CDC) which included completion of a blood test for one of two employees (unlicensed personnel (ULP)-D). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved, or the situation has occurred only occasionally). The findings include: On April 14, 2026, at 7:37 a.m., the surveyor observed ULP-D administering medications to the	0 660		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	35521	A. BUILDING: _____ B. WING _____	04/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LAKEVIEW SENIOR HOUSING	651 US HIGHWAY 14 EAST BALATON, MN 56115

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 660	Continued From page 2 facility's residents. ULP-D began providing direct care services for the licensee on June 19, 2025. ULP-D's employee file included a TB symptom screening dated June 16, 2025, and a TB blood test dated September 17, 2024. The blood test was not completed within 90 days prior to hire or upon hire as required. On April 14, 2026, at 1:05 p.m., licensed assisted living director (LALD)-A stated the TB test should have been within the time frame of 90 days prior to hire. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 660		
0 775 SS=F	144G.45 Subd. 2. (a) Fire protection and physical environment Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a	0 775		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	35521	A. BUILDING: _____ B. WING _____	04/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
LAKEVIEW SENIOR HOUSING	651 US HIGHWAY 14 EAST BALATON, MN 56115

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 775	Continued From page 3 resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated April 14, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: SEVEN (7) days.	0 775		

Mankato District Office
Minnesota Department of Health
12 Civic Center Plaza, Suite 2105
Mankato, MN 56001
Phone: 651-201-4500

Food & Beverage Inspection Report

Establishment Info

Lakeview Senior Housing
651 US HIGHWAY 14 EAST
Balaton, MN 56115
Lyon County
Parcel:

Phone:

License Info

License: HFID 35521

Risk:
License:
Expires on:
CFPM: Donna Marie Miller
CFPM #: 12071; Exp: 12/10/2028

Inspection Info

Report Number: F7990261006
Inspection Type: Full - Single
Date: 4/14/2026 Time: 10:23:19 AM
Duration: minutes
Announced Inspection:
Total Priority 1 Orders: 0
Total Priority 2 Orders: 0
Total Priority 3 Orders: 0
Delivery:

No orders were issued for this inspection report.

Food & Beverage General Comment

WE DISCUSSED EMPLOYEE ILLNESS, COOLING, HANDWASHING, AND NOROVIRUS PREVENTION. AN EMPLOYEE ILLNESS LOG WAS ONSITE.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Mankato District Office inspection report number F7990261006 from 4/14/2026

Benjamin D. Ische

Donna Marie Miller
CFPM

Ben Ische,
Public Health Sanitarian Supervisor
507-344-2710
ben.ische@state.mn.us

Mankato District Office
Minnesota Department of Health
12 Civic Center Plaza, Suite 2105
Mankato, MN 56001

Temperature Observations/Recordings

Establishment Info

Lakeview Senior Housing
Balaton
County/Group: Lyon County

Inspection Info

Report Number: F7990261006
Inspection Type: Full
Date: 4/14/2026
Time: 10:23:19 AM

Equipment Temperature: Product/Item/Unit: Arctic Air Cooler in Kitchen**; Temperature Process:** Ambient Air
Location: Cooler at 40 Degrees F.
Comment:
Violation Issued?: No

Food Temperature: Product/Item/Unit: Potato- 2 Door Cooler in Storage Room**; Temperature Process:** Cold-Holding
Location: Cooler at 39 Degrees F.
Comment:
Violation Issued?: No

Mankato District Office
Minnesota Department of Health
12 Civic Center Plaza, Suite 2105
Mankato, MN 56001

Sanitizer Observations/Recordings

Establishment Info

Lakeview Senior Housing
Balaton
County/Group: Lyon County

Inspection Info

Report Number: F7990261006
Inspection Type: Full
Date: 4/14/2026
Time: 10:23:19 AM

Sanitizing Equipment: **Product:** Hot Water**; Sanitizing Process:** Dish Machine
Location: Dishwashing Area **Equal To** 169 Degrees F.
Comment:
Violation Issued?: No

Sanitizing Chemical: **Product:** Sink and Surface**; Sanitizing Process:** Spray Bottle
Location: Dishwashing Area **Equal To** 700 PPM
Comment:
Violation Issued?: No

Physical Environment Inspection Report

ENGINEERING | ASSISTED LIVING

Project No: SL35521016	**Date:** 4/14/2026
Facility Name: Lakeview Senior Housing	
Facility Address: 651 US HWY 14 E. Balaton, MN 56115	

☒ **TAG IDENTIFICATION: 0775**

SCOPE/ SEVERITY: Level 2; Widespread **TIME PERIOD OF CORRECTION:** Seven (7) days

1. Fire doors shall be maintained to be self-closing and latch as designed. Fire doors shall not be blocked, obstructed, or otherwise made inoperable. [Minn. Stat. 144G.45 subd. 2; MSFC 705]

   Comments: Labeled fire doors in the Laundry, Kitchen, Kitchen storage and resident rooms (111,115,119,122,127 and 128) were propped open with wedges.