



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

February 13, 2026

Licensee
Rhodium Healthcare Services
11323 74th Street Northeast
Albertville, MN 55301

RE: Project Number(s) SL34795016

Dear Licensee:

On January 27, 2026, the Minnesota Department of Health (MDH) completed a follow-up survey of your facility to determine correction of orders found on the survey completed on October 17, 2025. This follow-up survey determined your facility had not corrected all of the state correction orders issued pursuant to the October 17, 2025 survey.

The Department of Health concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

In accordance with Minn. Stat. § 144G.31 Subd. 4 (a), state correction orders issued pursuant to the last survey, completed on October 17, 2025, found not corrected at the time of the January 27, 2026, follow-up survey and/or subject to penalty assessment are as follows:

0810-Fire Protection And Physical Environment-144g.45 Subd. 2 (b-F) - \$500.00

The details of the violations noted at the time of this follow-up survey completed on January 27, 2026 (listed above), are on the attached State Form. Brackets around the ID Prefix Tag in the left hand column, e.g., {2 ----} will identify the uncorrected tags.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is \$500.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders outlined on the state form; however, plans of correction are not required to be submitted for approval.

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;

Level 2: a fine of \$500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;

Level 3: a fine of \$1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

Level 4: a fine of \$3,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

Level 5: a fine of \$5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

REQUESTING A HEARING

Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating factor.

To submit a hearing request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>


To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration or a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

We urge you to review these orders carefully. If you have questions, please contact Kelly Thorson at 320-223-733.

You are encouraged to retain this document for your records. It is your responsibility to share the

information contained in the letter and/or state form with your organization's Governing Body.

Sincerely,

A handwritten signature in cursive script that reads "Kelly Thorson". The ink is dark and the signature is fluid, with a long horizontal stroke extending from the end of the name.

Kelly Thorson, Supervisor
State Evaluation Team
Email: Kelly.Thorson@state.mn.us
Telephone: 320-223-7336 Fax: 1-866-890-9290

HHH

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34795	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 01/27/2026
NAME OF PROVIDER OR SUPPLIER RHODIUM HEALTHCARE SERVICES		STREET ADDRESS, CITY, STATE, ZIP CODE 11323 74TH STREET NE ALBERTVILLE, MN 55301			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{0 000}	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER FOLLOW UP SURVEY WITH RE-ISSUE OF ORDERS INITIAL COMMENTS SL34795016-1 On January 26, 2026, through February 6, 2026, the Minnesota Department of Health conducted a follow-up survey at the above provider to follow-up on orders issued pursuant to a survey completed on October 13, 2025. At the time of the survey, there were four (4) residents receiving services under the Assisted Living license. As a result of the follow-up survey, the following orders were reissued.	{0 000}	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living License Providers. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		
{0 800} SS=F	144G.45 Subd. 2 (a) (4) Fire protection and physical environment	{0 800}			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34795	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 01/27/2026
NAME OF PROVIDER OR SUPPLIER RHODIUM HEALTHCARE SERVICES			STREET ADDRESS, CITY, STATE, ZIP CODE 11323 74TH STREET NE ALBERTVILLE, MN 55301		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{0 800}	Continued From page 1 (4) keep the physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. This MN Requirement is not met as evidenced by:	{0 800}	Not reviewed during this survey		
{0 810} SS=F	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the	{0 810}			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34795	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 01/27/2026
NAME OF PROVIDER OR SUPPLIER RHODIUM HEALTHCARE SERVICES			STREET ADDRESS, CITY, STATE, ZIP CODE 11323 74TH STREET NE ALBERTVILLE, MN 55301		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
{0 810}	Continued From page 2 proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Citation Text for Tag 0810, Regulation EF5D Murphy, Corey Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). Emailed documentation was received on 01-30-25. The findings include: TRAINING:	{0 810}			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34795	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED R 01/27/2026
NAME OF PROVIDER OR SUPPLIER RHODIUM HEALTHCARE SERVICES			STREET ADDRESS, CITY, STATE, ZIP CODE 11323 74TH STREET NE ALBERTVILLE, MN 55301		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
{0 810}	Continued From page 3 The licensee failed to provide evacuation training to residents at least once per year. DIR-A lacked documentation showing any training was offered or training was scheduled for a future date for residents on the fire safety and evacuation plan. No documentation was provided in the emailed documentation on 1-30-26. The licensee failed to provide training to employees on the FSEP upon hire and at least twice per year. A single staff training document dated 12-20-25 was emailed on 1-30-26.	{0 810}			



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

November 4, 2025

Licensee
Rhodium Healthcare Services
11323 74th Street Northeast
Albertville, MN 55301

RE: Project Number(s) SL34795016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on October 17, 2025, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;

Level 2: a fine of \$500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;

Level 3: a fine of \$1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

Level 4: a fine of \$3,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

Level 5: a fine of \$5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed

pursuant to this survey:

St - 0 - 0810 - 144g.45 Subd. 2 (b-F) - Fire Protection And Physical Environment - \$1,000.00

St - 0 - 1290 - 144g.60 Subdivision 1 - Background Studies Required - \$1,000.00

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is \$2,000.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

REQUESTING A HEARING

Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating factor.

To submit a hearing request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you

may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: <https://forms.office.com/g/Bm5uQEPhVa>. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Kelly Thorson". The ink is dark and the signature is fluid.

Kelly Thorson, Supervisor

State Evaluation Team

Email: Kelly.Thorson@state.mn.us

Telephone: 320-223-7336 Fax: 1-866-890-9290

CLN

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34795	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 10/17/2025
NAME OF PROVIDER OR SUPPLIER RHODIUM HEALTHCARE SERVICES		STREET ADDRESS, CITY, STATE, ZIP CODE 11323 74TH STREET NE ALBERTVILLE, MN 55301			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL34795016-0 On October 13, 2025, through October 15, 2025, the Minnesota Department of Health conducted a survey at the above provider, and the following correction orders are issued. At the time of the survey, there were three (3) residents receiving services under the Assisted Living license. On October 14, 2025, the licensee took immediate action to mitigate risk to residents; however, the scope and level remains at I.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living License Providers. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		
0 800 SS=F	144G.45 Subd. 2 (a) (4) Fire protection and physical environment	0 800			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34795	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 10/17/2025
NAME OF PROVIDER OR SUPPLIER RHODIUM HEALTHCARE SERVICES		STREET ADDRESS, CITY, STATE, ZIP CODE 11323 74TH STREET NE ALBERTVILLE, MN 55301			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 800	Continued From page 1 (4) keep the physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to maintain the physical environment in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents. This deficient condition had the potential to affect all staff, residents, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: On October 14, 2025, at approximately 1:30 p.m., the surveyor toured the facility with licensed assisted living director (LALD)-A. The following was observed.	0 800			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34795	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 10/17/2025
NAME OF PROVIDER OR SUPPLIER RHODIUM HEALTHCARE SERVICES			STREET ADDRESS, CITY, STATE, ZIP CODE 11323 74TH STREET NE ALBERTVILLE, MN 55301		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 800	Continued From page 2 GENERAL MAINTENANCE: The ceiling tile in the basement hallway was stained and discolored. The staining was around a hardwired smoke alarm. This has the potential to cause electrical damage, and potential to harm residents and staff. On October 14, 2025, LALD-A verified the above listed observation while accompanying on the tour. TIME PERIOD FOR CORRECTION: Seven (7) days.	0 800			
0 810 SS=I	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34795	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 10/17/2025
NAME OF PROVIDER OR SUPPLIER RHODIUM HEALTHCARE SERVICES		STREET ADDRESS, CITY, STATE, ZIP CODE 11323 74TH STREET NE ALBERTVILLE, MN 55301			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 3 include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to develop the fire safety and evacuation plan with the required content and provide the required training. This had the potential to directly affect all residents, staff, and visitors. This practice resulted in a level three violation (a violation that harmed a resident's health or safety, or a violation that had the potential to cause more than minimal harm to the resident) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: On October 14, 2025, licensed assisted living director (LALD)-A provided documents on the fire safety and evacuation plan (FSEP), fire safety and evacuation training, and evacuation drills for the facility.	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34795	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 10/17/2025
NAME OF PROVIDER OR SUPPLIER RHODIUM HEALTHCARE SERVICES		STREET ADDRESS, CITY, STATE, ZIP CODE 11323 74TH STREET NE ALBERTVILLE, MN 55301			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 4 FIRE SAFETY AND EVACUATION PLAN: The licensee's FSEP failed to include the following: The FSEP included standard employee procedures but failed to provide specific employee actions to take in the event of a fire or similar emergency relative to the facility's building layout and environmental risks. The provided FSEP was from a third-party provider and had not been updated to the specific facility. The FSEP did not identify specific fire protection actions for residents. There was no section in the policy that addressed the responsibilities or basic evacuation procedures that residents should follow in case of a fire or similar emergency. On October 14, 2025, LALD-A stated they understood the areas of their policy that were incomplete and would work on bringing them into compliance. The policy reviewed was an unedited policy purchased from a third-party provider that was not specific to the facility. TRAINING: The licensee failed to provide evacuation training to residents at least once per year. LALD-A lacked documentation showing any training was offered or training was scheduled for a future date for residents on the fire safety and evacuation plan. LALD-A stated "this is all we have" referring to the FSEP. The licensee failed to provide training to employees on the FSEP upon hire and at least twice per year. No training documentation was provided. LALD-A stated "this is all we have" referring to the FSEP.	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34795	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 10/17/2025
NAME OF PROVIDER OR SUPPLIER RHODIUM HEALTHCARE SERVICES			STREET ADDRESS, CITY, STATE, ZIP CODE 11323 74TH STREET NE ALBERTVILLE, MN 55301		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 5 On October 14, 2025, LALD-A stated they understood the requirements for training residents and staff and would implement a training program that was compliant with statute requirements. TIME PERIOD FOR CORRECTION: Twenty-one (21) days.	0 810			
01290 SS=I	144G.60 Subdivision 1 Background studies required (a) Employees, contractors, and regularly scheduled volunteers of the facility are subject to the background study required by section 144.057 and may be disqualified under chapter 245C. Nothing in this subdivision shall be construed to prohibit the facility from requiring self-disclosure of criminal conviction information. (b) Data collected under this subdivision shall be classified as private data on individuals under section 13.02, subdivision 12. (c) Termination of a staff member in good faith reliance on information or records obtained under this section regarding a confirmed conviction does not subject the assisted living facility to civil liability or liability for unemployment benefits. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to ensure a background study was current and eligible on NETStudy 2.0 (web-based system for submitting background study requests to the Department of Human Services (DHS)) with the assisted living license for one of one employee (unlicensed personnel (ULP)-D) whose	01290			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34795	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 10/17/2025
NAME OF PROVIDER OR SUPPLIER RHODIUM HEALTHCARE SERVICES		STREET ADDRESS, CITY, STATE, ZIP CODE 11323 74TH STREET NE ALBERTVILLE, MN 55301			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01290	Continued From page 6 COVID-19 background study had expired. This had the potential to affect all residents residing in the facility. This resulted in an immediate correction order issued on October 14, 2025. This practice resulted in a level three violation (a violation that harmed a resident's health or safety, not including serious injury, impairment, or death, or a violation that has the potential to lead to serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: ULP-D was hired on June 1, 2020, to independently provide direct care services for the licensee's residents. On October 13, 2025, at 4:19 p.m., licensed assisted living director (LALD)-A and clinical nurse supervisor (CNS)-B provided the NETStudy 2.0 employee roster for health facility identification number (HFID) 34795 at the surveyor's request. ULP-D's background study dated August 1, 2021, was affiliated to HFID 34795, but indicated "Eligible - COVID-19 Study - Expired" with an expiration date of December 31, 2022, on the NETStudy 2.0 roster page. On October 14, 2025, at 11:41 a.m., LALD-A and CNS-B stated, "we have not conducted another background study. I didn't notice that her background study ended until you raise it." The Minnesota Department of Human Services website updated July 31, 2024, indicated the	01290			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 34795	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 10/17/2025
NAME OF PROVIDER OR SUPPLIER RHODIUM HEALTHCARE SERVICES		STREET ADDRESS, CITY, STATE, ZIP CODE 11323 74TH STREET NE ALBERTVILLE, MN 55301			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01290	Continued From page 7 following: Emergency studies completed during the COVID-19 pandemic were no longer valid and modifications ended January 1, 2023. Individuals who only had an emergency study must have a fully compliant, fingerprint-based background study. Roster maintenance - Individuals with a completed emergency study will remain on the entity's roster unless the entity removes the individual. Entities should remove individuals with emergency studies that are no longer affiliated. - All entities are responsible for maintaining their rosters regularly and removing study subjects from their roster when they are no longer affiliated; and - Entities are responsible for identifying who needs to submit a new background study. For help identifying which study subjects still have an emergency study and need a fully compliant study, entities should refer to the instructional guide, "Identifying Emergency Studies" in the help section of NETStudy 2.0. No further information was provided. TIME PERIOD FOR CORRECTION: Immediate	01290			



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

Rhodium Healthcare Services
11323 74th Street NE
Otsego, MN 55301
Wright County
Parcel:

Phone:

License Info

License: HFID 34795

Risk:
License:
Expires on:
CFPM: Dalier Newton
CFPM #: 117725; Exp: 7/8/2026

Inspection Info

Report Number: F1025251178
Inspection Type: Full - Single
Date: 10/13/2025 Time: 2:30 PM
Duration: minutes
Announced Inspection:
Total Priority 1 Orders: 0
Total Priority 2 Orders: 0
Total Priority 3 Orders: 0
Delivery:

No orders were issued for this inspection report.

Food & Beverage General Comment

Discussed cutting boards and food contact surfaces, utensil condition, TMD available but appears to read in deg C, button for switching to deg F was stuck, ensure staff know cook temperatures in Celsius or provide TMD which reads in deg F, date marking, sanitize cycle and testing for the dishwasher using available test strips, alternate sanitizing using chlorine and the available test kit, health and hygiene, exclusion of ill individuals from the kitchen, food source and recalls, pest control.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F1025251178 from 10/13/2025

Establishment Representative


Casey Kipping, MA RS
Public Health Sanitarian 3
651-201-4513
casey.kipping@state.mn.us



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Temperature Observations/Recordings

Page: 1

Establishment Info	Inspection Info
Rhodium Healthcare Services	Report Number: F1025251178
Otsego	Inspection Type: Full
County/Group: Wright County	Date: 10/13/2025
	Time: 2:30 PM

New Record: **Product/Item/Unit:** Deli meat; **Temperature Process:** Cold-Holding
Location: Refrigerator at 40 Degrees F.
Comment:
Violation Issued?: No