



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

October 2, 2026

Licensee

Vaimar Suites LLC

6050 68th Avenue North

Brooklyn Park, MN 55429

RE: Project Number(s) SL36789016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on September 10, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;

Level 2: a fine of \$500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;

Level 3: a fine of \$1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;

- Level 4: a fine of \$3,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;
- Level 5: a fine of \$5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed pursuant to this survey:

St - 0 - 0775 - 144g.45 Subd. 2. (a) - Fire Protection And Physical Environment - \$500.00

St - 0 - 0810 - 144g.45 Subd. 2 (b-F) - Fire Protection And Physical Environment - \$500.00

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is \$1,000.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

REQUESTING A HEARING

Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating

Vaimar Suites LLC

October 2, 2026

Page 3

factor.

To submit a hearing request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEPhVa>**. Your input is important to us and will enable MDH to improve its processes and communication with providers.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,



Jess Schoenecker, Supervisor

State Evaluation Team

Email: Jess.Schoenecker@state.mn.us

Telephone: 651-201-3789 Fax: 1-866-890-9290

CLN

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36789	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2026
NAME OF PROVIDER OR SUPPLIER VAIMAR SUITES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6050 68TH AVENUE NORTH BROOKLYN PARK, MN 55429		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL#36789016-0 On September 8, 2026, through September 10, 2026, the Minnesota Department of Health conducted a survey at the above provider, and the following correction orders are issued. At the time of the survey, there were five (5) residents; 5 receiving services under the Assisted Living license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living License Providers. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services	0 480			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36789	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2026
NAME OF PROVIDER OR SUPPLIER VAIMAR SUITES LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6050 68TH AVENUE NORTH BROOKLYN PARK, MN 55429			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 1 (a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36789	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2026
NAME OF PROVIDER OR SUPPLIER VAIMAR SUITES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6050 68TH AVENUE NORTH BROOKLYN PARK, MN 55429		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 2 allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled Food and Beverage Establishment Inspection Report (FBEIR) dated September 9, 2026, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee via email within 24 hours of the inspection.	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36789	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2026
NAME OF PROVIDER OR SUPPLIER VAIMAR SUITES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6050 68TH AVENUE NORTH BROOKLYN PARK, MN 55429		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 3	0 480			
0 650 SS=D	TIME PERIOD FOR CORRECTION: Please refer to the FBEIR for any compliance dates. 144G.42 Subd. 8 (a) Staff records (a) The facility must maintain current records of each paid staff member, each regularly scheduled volunteer providing services, and each individual contractor providing services. The records must include the following information: (1) evidence of current professional licensure, registration, or certification if licensure, registration, or certification is required by this chapter or rules; (2) records of orientation, required annual training and infection control training, and competency evaluations; (3) current job description, including qualifications, responsibilities, and identification of staff persons providing supervision; (4) documentation of annual performance reviews that identify areas of improvement needed and training needs; (5) for individuals providing assisted living services, verification that required health screenings under subdivision 9 have taken place and the dates of those screenings; and (6) documentation of the background study as required under section 144.057. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to ensure employee records included all required content for one of two employees (clinical nurse supervisor (CNS)-B). This practice resulted in a level two violation (a violation that did not harm a resident's health or	0 650			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36789	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2026
NAME OF PROVIDER OR SUPPLIER VAIMAR SUITES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6050 68TH AVENUE NORTH BROOKLYN PARK, MN 55429		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 650	Continued From page 4 safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved, or the situation has occurred only occasionally). The findings include: On September 8, 2026, at approximately 10:10 a.m., during the entrance conference, CNS-B stated they were responsible for all the licensee's annual training requirements for the licensee. CNS-B was hired on April 20, 2021. CNS-B's employee record lacked documentation of completed 2024 and 2025 annual training. On September 8, 2026, at approximately 1:15 p.m., CNS-B stated they completed the required 2024 and 2025 annual training, but they were unable to locate the documents. The licensee's 4.05 Employee Records policy dated November 28, 2023, indicated the licensee would include the required annual training documents in the employee's records. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 650			
0 775 SS=F	144G.45 Subd. 2. (a) Fire protection and physical environment Each assisted living facility must comply with the	0 775			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36789	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2026
NAME OF PROVIDER OR SUPPLIER VAIMAR SUITES LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6050 68TH AVENUE NORTH BROOKLYN PARK, MN 55429			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 775	Continued From page 5 State Fire Code in Minnesota Rules, chapter 7511, and: This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated September 8, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days.	0 775			
0 800 SS=C	144G.45 Subd. 2 (a) (4) Fire protection and physical environment (4) keep the physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment in a continuous state of good repair and operation with regard to the	0 800			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36789	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2026
NAME OF PROVIDER OR SUPPLIER VAIMAR SUITES LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6050 68TH AVENUE NORTH BROOKLYN PARK, MN 55429			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 800	Continued From page 6 health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level one violation (a violation that will cause only minimal impact on the resident and does not affect health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated September 8, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days.	0 800			
0 810 SS=F	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36789	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2026
NAME OF PROVIDER OR SUPPLIER VAIMAR SUITES LLC		STREET ADDRESS, CITY, STATE, ZIP CODE 6050 68TH AVENUE NORTH BROOKLYN PARK, MN 55429			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 7 plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G.	0 810			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36789	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2026
NAME OF PROVIDER OR SUPPLIER VAIMAR SUITES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6050 68TH AVENUE NORTH BROOKLYN PARK, MN 55429		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 810	Continued From page 8 This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated September 8, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Twenty one (21) days.	0 810			
01650 SS=F	144G.70 Subd. 4 (f) Service plan, implementation and revisions to (f) The service plan must include: (1) a description of the services to be provided, the fees for services, and the frequency of each service, according to the resident's current assessment and resident preferences; (2) the identification of staff or categories of staff who will provide the services; (3) the schedule and methods of monitoring assessments of the resident; (4) the schedule and methods of monitoring staff providing services; and (5) a contingency plan that includes: (i) the action to be taken if the scheduled service cannot be provided; (ii) information and a method to contact the	01650			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36789	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2026
NAME OF PROVIDER OR SUPPLIER VAIMAR SUITES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6050 68TH AVENUE NORTH BROOKLYN PARK, MN 55429		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01650	Continued From page 9 facility; (iii) the names and contact information of persons the resident wishes to have notified in an emergency or if there is a significant adverse change in the resident's condition, including identification of and information as to who has authority to sign for the resident in an emergency; and (iv) the circumstances in which emergency medical services are not to be summoned consistent with chapters 145B and 145C, and declarations made by the resident under those chapters. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to ensure the residents' service plan included all required content for five of five residents (R1, R2, R3, R4, R5). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: The licensee was licensed for a bed capacity of five (5) residents and had a current census of 5 residents. On September 8, 2026, at approximately 10:15 a.m., during the entrance conference, clinical nurse supervisor (CNS)-B stated they were	01650			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36789	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/10/2026
NAME OF PROVIDER OR SUPPLIER VAIMAR SUITES LLC			STREET ADDRESS, CITY, STATE, ZIP CODE 6050 68TH AVENUE NORTH BROOKLYN PARK, MN 55429		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
01650	Continued From page 10 responsible for developing and maintaining the residents' service plans. R1 was admitted on February 16, 2021. On September 8, 2026, at approximately 1:45 p.m., R1's service plan, dated January 12, 2026, was provided by CNS-B and indicated as R1's current service plan with services R1 was receiving. R1's service plan lacked the required content of fees for services. On September 8, 2026, at approximately 1:55 p.m., CNS-B confirmed R1's service plan lacked the fees for services content and stated the resident's initial service plan would have the fees for services content but subsequent service plans would not have the fees for services content. CNS-B also stated R2, R3, R4, and R5's current service plans would also not have the fees for services content and was unaware of this requirement. The licensee's 6.08 Service Plan policy dated November 28, 2023, indicated the resident's service plan would include fees for services. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	01650			



Rochester District Office
Minnesota Department of Health
3425 40th Ave NW, Suite 115
Rochester, MN 55901
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

Vaimar Suites
6050 68th Ave N
Brooklyn Park, MN 55429
Hennepin County
Parcel:

Phone:

License Info

License: HFID 36789

Risk:
License:
Expires on:
CFPM: Boyd Mumbuwa
CFPM #: 56909; Exp: 03/16/2028

Inspection Info

Report Number: F8044261335
Inspection Type: Full - Single
Date: 9/9/2026 Time: 10:03:01 AM
Duration: minutes
Announced Inspection: Yes
Total Priority 1 Orders: 1
Total Priority 2 Orders: 0
Total Priority 3 Orders: 1
Delivery: Emailed

New Order: 4-500 Equipment Maintenance and Operation

4-501.11AB *Priority Level: Priority 3 CFP#: 47*

MN Rule 4626.0735AB All equipment and components must be in good repair and maintained and adjusted in accordance with manufacturer's specifications.

COMMENT: Kitchen cabinets starting to fail.

Comply By: 9/9/2028 Originally Issued On: 9/9/2026

! New Order: 7-200 Toxic Supplies and Applications

7-204.11 *Priority Level: Priority 1 CFP#: 28*

MN Rule 4626.1620 Discontinue using chemical sanitizers, including chemical sanitizing solutions generated on site and other chemical antimicrobials on food-contact surfaces that do not meet the requirements specified in 40 CFR part 180, section 180.940, or part 180, subpart E, section 180.2020.

COMMENT: Lysol wipes used on counters are not approved for food contact surfaces.

Comply By: 9/9/2026 Originally Issued On: 9/9/2026

Food & Beverage General Comment

HRD inspection conducted with nurse evaluator Carl Samrock. Inspection report reviewed on site with Martin.

Domestic kitchen consists of tile flooring, walpapered walls, painted gypsum ceiling, wooden hollow base cabinets, laminate counters, and domestic equipment.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Rochester District Office inspection report number F8044261335 from 9/9/2026

Martin Mumbuwa
Director


Michael DeMars, RS
Public Health Sanitarian 3
michael.demars@state.mn.us



Rochester District Office
Minnesota Department of Health
3425 40th Ave NW, Suite 115
Rochester, MN 55901

Temperature Observations/Recordings

Page: 1

Establishment Info

Vaimar Suites
Brooklyn Park
County/Group: Hennepin County

Inspection Info

Report Number: F8044261335
Inspection Type: Full
Date: 9/9/2026
Time: 10:03:01 AM

Food Temperature: Product/Item/Unit: Milk; Temperature Process: Cold-Holding

Location: Refrigerator at 38.7 Degrees F.

Comment:

Violation Issued?: No

Equipment Temperature: Product/Item/Unit: ; Temperature Process: Cold-Holding

Location: Refrigerator at 39.0 Degrees F.

Comment:

Violation Issued?: No



Rochester District Office
Minnesota Department of Health
3425 40th Ave NW, Suite 115
Rochester, MN 55901

Sanitizer Observations/Recordings

Page: 1

Establishment Info

Inspection Info

Vaimar Suites
Brooklyn Park
County/Group: Hennepin County

Report Number: F8044261335
Inspection Type: Full
Date: 9/9/2026
Time: 10:03:01 AM

Sanitizing Chemical: Product: Hot Water; **Sanitizing Process:** Dish Machine
Location: Kitchen **Equal To** 160.0 PPM
Comment:
Violation Issued?: No

Physical Environment Inspection Report

ASSISTED LIVING | ASSISTED LIVING WITH DEMENTIA CARE

Project No: SL36789016-0	Date: September 8, 2026
Facility Name: VAIMAR SUITES LLC	
Facility Address: 6050 68th Ave N, Minneapolis, Minnesota 55429	

☒ TAG IDENTIFICATION: 0775

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Seven (7) days

1. Each assisted living facility must comply with the provisions of the Minnesota State Fire Code (MSFC) in Minnesota Rules chapter 7511. [Minn. Stat. 144G.45 subd. 2]
2. Listed single and multiple-station smoke alarms complying with UL 217 shall be installed. [Minn. Stat. 144G.45 subd. 2; MSFC 907.2.10]

Comments: All smoke alarms observed in the facility were not listed in accordance with UL 217 at the time of the survey.

☒ TAG IDENTIFICATION: 0800

SCOPE/ SEVERITY: Level 1; Widespread

TIME PERIOD OF CORRECTION: Seven (7) days

1. The physical environment, including walls, floors, ceiling, all furnishings, grounds, systems, and equipment are in a continuous state of good repair and operation with regard to the health, safety, comfort, and well-being of the residents in accordance with a maintenance and repair program. [Minn. Stat. 144G.45 subd.2]

Comments:

- Several chimney bricks exhibit visible deterioration. The bricks show surface flaking and material loss, particularly along the outer faces near the top and down the sides of the chimney.
- Evidence of water intrusion is present within the attached sunroom. The affected area is located directly beneath the skylights and includes visible signs of water damage.

☒ **TAG IDENTIFICATION: 0810**

SCOPE/ SEVERITY: Level 2; Widespread

TIME PERIOD OF CORRECTION: Twenty One (21) days

1. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that include fire protection procedures necessary for residents. [Minn. Stat. 144G.45 subd.2]

Comments: The FSEP failed to provide specific employee actions to take in the event of a fire or similar emergency relative to the facility's building layout and environmental risks. The plan included the acronym R.A.C.E. (Rescue, Alarm, Confine and Extinguish or Evacuate) but failed to include procedures for how staff are to complete each step.

2. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that include procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. [Minn. Stat. 144G.45 subd.2]

Comments: The FSEP did not identify specific fire protection actions for residents. There was no section in the policy that addressed the responsibilities or basic evacuation procedures that residents should follow in case of a fire or similar emergency.

3. Evacuation drills are required for employees twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. [Minn. Stat. 144G.45 subd.2]

Comments: The licensee failed to conduct evacuation drills for employees twice per year, per shift with at least one evacuation drill every other month. Record review of licensee's evacuation drill log showed that drills were conducted January 2026 and March 2026, not meeting the required frequency of every other month.