Electronically Delivered

April 21, 2026

Licensee
Eagan Behavioral Health Services
1901 Tamarack Lane
Burnsville, MN 55337

RE: Project Number(s) SL37267016

Dear Licensee:

On April 13, 2026, the Minnesota Department of Health completed a follow-up survey of your facility to determine correction of orders from the survey completed on January 13, 2026. This follow-up survey verified that the facility is in substantial compliance.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter with your organization's Governing Body.

Please feel free to call me with any questions.

Sincerely,

Jodi Johnson, Supervisor
State Evaluation Team
Email: Jodi.Johnson@state.mn.us
Telephone: 507-344-2730 Fax: 1-866-890-9290

CLN

Electronically Delivered

February 3, 2026

Licensee
Eagancare Behavioral Health Services LLP
1901 Tamarack Lane
Burnsville, MN 55337

RE: Project Number(s) SL37267016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on January 13, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;
Level 2: a fine of $500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;
Level 3: a fine of $1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;
Level 4: a fine of $3,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;
Level 5: a fine of $5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed

pursuant to this survey:

St - 0 - 1290 - 144g.60 Subdivision 1 - Background Studies Required - $1,000.00

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is $1,000.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY
In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS
In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

REQUESTING A HEARING
Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating factor.

To submit a hearing request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you

may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **https://forms.office.com/g/Bm5uQEpHVa**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

Jodi Johnson, Supervisor
State Evaluation Team
Email: Jodi.Johnson@state.mn.us
Telephone: 507-344-2730 Fax: 1-866-890-9290

HHH

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL37267016-0 On January 12, 2026, through January 13, 2026, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were two residents; two receiving services under the provisional Assisted Living Facility license. 1290: An immediate correction order was issued on January 13, 2026, at a level 3/Widespread (I). The licensee took immediate action; however, scope and level remain at I.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.	
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services	0 480		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 480	Continued From page 1 (a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are	0 480		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 480	Continued From page 2 allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated January 13, 2026, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection. TIME PERIOD FOR CORRECTION: Please refer	0 480		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 480	Continued From page 3 to the FBEIR for any compliance dates.	0 480		
0 660 SS=F	144G.42 Subd. 9 Tuberculosis prevention and control (a) The facility must establish and maintain a comprehensive tuberculosis infection control program according to the most current tuberculosis infection control guidelines issued by the United States Centers for Disease Control and Prevention (CDC), Division of Tuberculosis Elimination, as published in the CDC's Morbidity and Mortality Weekly Report. The program must include a tuberculosis infection control plan that covers all paid and unpaid employees, contractors, students, and regularly scheduled volunteers. The commissioner shall provide technical assistance regarding implementation of the guidelines. (b) The facility must maintain written evidence of compliance with this subdivision. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to ensure the provider established and maintained a tuberculosis (TB) prevention program based on the most current guidelines issued by the Centers for Disease Control and Prevention (CDC) which included completion of a facility risk assessment. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all	0 660		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 660	Continued From page 4 the residents). The findings include: During the entrance conference on January 12, 2026, at 9:45 a.m., the surveyor asked for the licensee's TB facility risk assessment, and it was later provided. On January 12, 2026, at 11:30 a.m., the TB facility risk assessment dated February 20, 2024, was provided. Licensed assisted living director (LALD)-A stated he thought regulation had changed and that it was no longer required annually. The licensee's Tuberculosis Screening/Prevention policy dated December 16, 2025, indicated the director is responsible for conducting the TB Risk Assessment annually using the MDH Risk assessment worksheet to determine the OSHA TB risk associated with the agency's population. The MN Department of Health Facility Tuberculosis Risk Assessment Instructions and Worksheet for Health Care Setting Licensed by MDH updated June 2023, indicated: Settings should perform a facility risk assessment on an annual basis. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-One (21) days	0 660		
0 780 SS=E	144G.45 Subd. 2 (a) (1) Fire protection and physical environment	0 780		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 780	Continued From page 5 (a) Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: (1) for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms; (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a	0 780		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 780	Continued From page 6 resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a pattern scope (when more than a limited number of residents are affected, more than a limited number of staff are involved, or the situation has occurred repeatedly; but is not found to be pervasive). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated January 13, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days.	0 780		
0 810 SS=F	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter.	0 810		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 7 (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated January 13, 2026, for the specific violations	0 810		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 8 related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Twenty-one (21) days.	0 810		
0 830 SS=F	144G.45 Subd. 3 Local laws apply Assisted living facilities shall comply with all applicable state and local governing laws, regulations, standards, ordinances, and codes for fire safety, building, and zoning requirements, except a facility with a licensed resident capacity of six or fewer is exempt from rental licensing regulations imposed by any town, municipality, or county. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to follow applicable state and local laws, regulations, standards, ordinances, and codes related to smoking indoors. This had the potential to affect all residents. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents).	0 830		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 830	Continued From page 9 The findings include: During the facility tour on January 12, 2026, at 10:30 a.m. with licensed assisted living director (LALD)-A, the surveyor observed a home with an attached garage that is accessed from the lower-level laundry room. Upon opening the door to the garage, there was a strong odor of cigarette smoke. The surveyor observed chairs and a space heater set up in a corner of the garage farthest away from the door to the laundry room, along with an ash tray containing many cigarette butts. The surveyor asked if residents used the garage to smoke. LALD-A stated he struggles with residents smoking, and have included case workers in helping with compliance. The licensee's Smoking Policy dated December 16, 2025, indicated there is no smoking in the garage or on a covered porch. Residents may only smoke in the designated area outdoors. The Minnesota Department of Health's Minnesota Clean Indoor Air Act (MCIAA) amendment effective on August 1, 2019, noted smoking was prohibited indoors of all public places to include health care facilities and clinics. MCIIA defined "Indoor Area" to be "a space between a floor and a ceiling that is at least half enclosed by walls, doorways or windows (open or closed) around the perimeter. A wall includes retractable dividers, garage doors, plastic sheeting or any other temporary or permanent physical barrier." State statute 144.414 Prohibitions; Subdivision 3 Health care facilities and clinics. (a) Smoking is prohibited in any area of a hospital, health care clinic, doctor's office, licensed residential facility for children, or other health care-related facility,	0 830		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 830	Continued From page 10 except that a patient or resident in a nursing home, boarding care facility, or licensed residential facility for adults may smoke in a designated separate, enclosed room maintained in accordance with applicable state and federal laws. No further information was provided. TIME PERIOD FOR CORRECTION: Two (2) days	0 830		
01290 SS=I	144G.60 Subdivision 1 Background studies required (a) Employees, contractors, and regularly scheduled volunteers of the facility are subject to the background study required by section 144.057 and may be disqualified under chapter 245C. Nothing in this subdivision shall be construed to prohibit the facility from requiring self-disclosure of criminal conviction information. (b) Data collected under this subdivision shall be classified as private data on individuals under section 13.02, subdivision 12. (c) Termination of a staff member in good faith reliance on information or records obtained under this section regarding a confirmed conviction does not subject the assisted living facility to civil liability or liability for unemployment benefits. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure a background study was submitted and affiliated with the assisted living license for one of one unlicensed personnel (ULP-D). This had the	01290		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01290	Continued From page 11 potential to affect all residents and resulted in an immediate correction order on January 13, 2026. This practice resulted in a level three violation (a violation that harmed a client/resident's health or safety, not including serious injury, impairment, or death, or a violation that has the potential to lead to serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all the residents). The findings include: ULP-D was hired on July 9, 2025, to provide direct care services to the licensee's residents. On January 13, 2026, at 9:00 a.m., the surveyor observed ULP-D administer morning medications independently to R2 and R3. ULP-D's employee record contained a background study submitted January 12, 2026, after the survey had started. The licensee's NETStudy roster report dated January 12, 2026, did not include ULP-D on the roster. On January 13, 2026, at 11:30 a.m., ULP-D stated he started working for the licensee on July 9, 2025, and worked alongside staff during his training for two weeks, and then began working independently for the licensee after that was completed. On January 13, 2026, at 12:00 p.m., licensed assisted living director (LALD)-A stated he was aware of the background study process and was	01290		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01290	Continued From page 12 not sure how this was overlooked. The licensee's recruitment and hiring policy dated December 16, 2025, indicated that the administrator or designees is responsible for initiating the criminal background study for new employees and the employee will be directed to locations established by the Minnesota Department of Human Services (DHS) to obtain finger print scans. No further information was provided. TIME PERIOD FOR CORRECTION: Immediate The licensee took immediate action to mitigate risk; however, the scope and level remain at l.	01290		
03090 SS=C	144.6502, Subd. 8 Notice to Visitors (a) A facility must post a sign at each facility entrance accessible to visitors that states: "Electronic monitoring devices, including security cameras and audio devices, may be present to record persons and activities." (b) The facility is responsible for installing and maintaining the signage required in this subdivision. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure signage was posted at the main entry way of the establishment to display statutory language to disclose electronic monitoring activity, potentially affecting all residents, staff, and visitors of the licensee. This practice resulted in a level one violation (a	03090		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37267	A. BUILDING: _____ B. WING _____	01/13/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
EAGAN BEHAVIORAL HEALTH SERVIC	1901 TAMARACK LANE BURNSVILLE, MN 55337

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
03090	Continued From page 13 violation that has no potential to cause more than a minimal impact on the resident and does not affect health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all the residents). The findings include: During the facility tour on January 12, 2026, at 10:30 a.m., the surveyor noted the electronic sign posted outside at the entrance failed to include the required language that reads: "Electronic monitoring devices, including security cameras and audio devices, may be present to record persons and activities." The licensed assisted living director (LALD)-A stated he was not aware of the required language. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	03090		

Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Establishment Info

EAGANCARE BEHAVIORAL HEALTH SERVICES
1901 TAMARACK LANE
Burnsville, MN 55337
Dakota County
Parcel:

Phone:

License Info

License: HFID 37267

Risk:
License:
Expires on:
CFPM: Judith M. Nogoge
CFPM #: FM121987; Exp: 02/08/2027

Inspection Info

Report Number: F1047261013
Inspection Type: Full - Single
Date: 1/13/2026 Time: 9:30 am
Duration: minutes
Announced Inspection:
Total Priority 1 Orders: 0
Total Priority 2 Orders: 2
Total Priority 3 Orders: 1
Delivery:

New Order: 4-200 Equipment Design and Construction
4-201.11GMN *Priority Level: Priority 3 CFP#: 47*
MN Rule 4626.0506G Discontinue serving TCS foods that are held for more than same-day service in an adult or child care center or boarding establishment or provide equipment that is certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program.
COMMENT: OPERATOR STATED THEY KEEP PREPARED FOODS FOR SEVERAL DAYS. DISCUSSED NEED TO DISCARD, AS FACILITY IS A RESIDENTIAL FACILITY AND SHOULD ONLY DO SAME DAY SERVICE.
Comply By: 1/13/2026 Originally Issued On: 1/13/2026

New Order: 4-300 Equipment Numbers and Capacities
4-302.12B *Priority Level: Priority 2 CFP#: 36*
MN Rule 4626.0705B Provide a readily accessible food temperature measuring device with a small diameter probe to measure the temperature in thin foods such as meat patties and fish fillets.
COMMENT: NO THIN PROBE THERMOMETER AVAILABLE ON SITE FOR THIN FOOD ITEMS
Comply By: 1/20/2026 Originally Issued On: 1/13/2026

New Order: 4-300 Equipment Numbers and Capacities
4-302.13B *Priority Level: Priority 2 CFP#: 48*
MN Rule 4626.0710B Provide a readily accessible, irreversible registering temperature indicator for measuring the utensil surface temperature in mechanical hot water warewashing operations.
COMMENT: NO METHOD AVAILABLE FOR MEASURING THE UTENSIL SURFACE PROVIDED BY THE KITCHEN DISHMACHINE. DISCUSSED OPTIONS FOR A THERMOMETER, TEMPERATURE DISK, OR THERMAL TEST STRIPS
Comply By: 1/20/2026 Originally Issued On: 1/13/2026

Food & Beverage General Comment

Inspection conducted with J. Ngoge and reviewed with MDH Nurse Evaluator T. Fearon.

The establishment has a residential kitchen and serves food that is prepared that day. The kitchen has composite/wood cabinets, linoleum floor, painted walls, solid counter top, and a painted ceiling.

A two basin sink is located in the kitchen. One sink basin is designated for hand washing. A residential dish machine is located in the kitchen. A test strip was provided to verify dishmachine is reaching the appropriate utensil surface temperatures.

Discussed hand washing, ware washing, staff illness policy, temperature control, final cook temperatures, cleaning, serving highly susceptible populations, and food handling procedures.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F1047261013 from 1/13/2026

Judith Ngoge
Operator

Holly Sievers,
Public Health Sanitarian 3
651-201-5946
holly.sievers@state.mn.us

Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Temperature Observations/Recordings

Establishment Info

EAGANCARE BEHAVIORAL HEALTH SERVICES
Burnsville
County/Group: Dakota County

Inspection Info

Report Number: F1047261013
Inspection Type: Full
Date: 1/13/2026
Time: 9:30 am

Food Temperature: Product/Item/Unit: Ham**; Temperature Process:** Cold-Holding
Location: Refrigerator at 35 Degrees F.
Comment:
Violation Issued?: No

Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Sanitizer Observations/Recordings

Establishment Info

EAGANCARE BEHAVIORAL HEALTH SERVICES
Burnsville
County/Group: Dakota County

Inspection Info

Report Number: F1047261013
Inspection Type: Full
Date: 1/13/2026
Time: 9:30 am

Sanitizing Equipment: **Product:** Hot Water**; Sanitizing Process:** Dish Machine
Location: Kitchen **Greater Than** 170 Degrees F.
Comment:
Violation Issued?: No

DEPARTMENT OF HEALTH

Physical Environment Inspection Report

ASSISTED LIVING | ASSISTED LIVING WITH DEMENTIA CARE

Project No: SL37267016-0	**Date:** 1/13/2026
Facility Name: Eagancare Behavioral Health	
Facility Address: 1901 Tamarack Lane, Burnsville, MN 55337	

☒ **TAG IDENTIFICATION: 0780**

SCOPE/ SEVERITY: Level 2; Pattern **TIME PERIOD OF CORRECTION:** Seven (7) days

1. Smoke alarms are provided in each room used for sleeping purposes. [Minn. Stat. 144G.45 subd.2]

   Comments: There was no smoke alarm in unoccupied bedroom one.

2. Smoke alarms interconnected so that actuation of one alarm causes all alarms in the individual dwelling or sleeping unit to operate where more than one smoke alarm is required within an individual dwelling or sleeping unit. [Minn. Stat. 144G.45 subd.2]

   Comments: The smoke alarm located outside the basement bedroom was not interconnected with any other alarm in the facility.

☒ **TAG IDENTIFICATION: 0810**

SCOPE/ SEVERITY: Level 2; Widespread **TIME PERIOD OF CORRECTION:** Twenty One (21) days

1. Employees of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. [Minn. Stat. 144G.45 subd.2]

   Comments: LALD-A stated staff are trained during drills. LALD-A stated they did not have documentation of staff training on the FSEP.

2. Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. [Minn. Stat. 144G.45 subd.2]

   Comments: LALD-A stated they did not have documentation of resident training, but residents participate in drills.