Electronically Delivered

June 11, 2026

Licensee
Divine Home Healthcare LLC
3400 83rd Avenue North
Brooklyn Park, MN 55443

RE: Project Number(s) SL39779016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on May 14, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;
Level 2: a fine of $500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;
Level 3: a fine of $1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;
Level 4: a fine of $3,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;
Level 5: a fine of $5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed

pursuant to this survey:

St - 0 - 0780 - 144g.45 Subd. 2 (a) (1) - Fire Protection And Physical Environment - $500.00
St - 0 - 0810 - 144g.45 Subd. 2 (b-F) - Fire Protection And Physical Environment - $1,500.00

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is $1,500.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY
In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS
In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

REQUESTING A HEARING
Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating factor.

To submit a hearing request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **https://forms.office.com/g/Bm5uQEpHVa**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

Renee L. Anderson

Renee Anderson, Supervisor
State Evaluation Team
Email: Renee.L.Anderson@state.mn.us
Telephone: 651-201-5871 Fax: 1-866-890-9290

KKM

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39779	A. BUILDING: _____ B. WING _____	05/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
DIVINE HOME HEALTHCARE LLC	3400 83RD AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL39779016-0 On May 11, 2026, through May 14, 2026, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were two residents; two receiving services under the Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.	
0 680 SS=F	144G.42 Subd. 10 Disaster planning and emergency preparedness	0 680		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39779	A. BUILDING: _____ B. WING _____	05/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
DIVINE HOME HEALTHCARE LLC	3400 83RD AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 680	Continued From page 1 (a) The facility must meet the following requirements: (1) have a written emergency disaster plan that contains a plan for evacuation, addresses elements of sheltering in place, identifies temporary relocation sites, and details staff assignments in the event of a disaster or an emergency; (2) post an emergency disaster plan prominently; (3) provide building emergency exit diagrams to all residents; (4) post emergency exit diagrams on each floor; and (5) have a written policy and procedure regarding missing residents. (b) The facility must provide emergency and disaster training to all staff during the initial staff orientation and annually thereafter and must make emergency and disaster training annually available to all residents. Staff who have not received emergency and disaster training are allowed to work only when trained staff are also working on site. (c) The facility must meet any additional requirements adopted in rule. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to have a written emergency preparedness (EP) plan with all the required content. This had the potential to affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems	0 680		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39779	A. BUILDING: _____ B. WING _____	05/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
DIVINE HOME HEALTHCARE LLC	3400 83RD AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 680	Continued From page 2 are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: The licensee's undated emergency disaster preparedness plan lacked evidence of the following required content: - EP plan reviewed and updated annually; - hazard vulnerability assessment; - emergency prep training program which includes maintain documentation of all EP training and EP training annually; and - emergency preparedness testing requirements. On May 12, 2026, at 10:45 a.m., owner (O)-A stated that he purchased an Appendix Z binder from a local company, completed some work in that binder, but was not aware of all the requirements for Appendix Z. The licensee's 9.01 Emergency Preparedness Plan-Appendix Z Compliance policy, dated August 1, 2021, directed the licensee's emergency preparedness plan would include all required elements of Appendix Z. No further information was provided. TIME PERIOD FOR CORRECTION: Seven (7) days	0 680		
0 730 SS=C	144G.43 Subd. 3 Contents of resident record Contents of a resident record include the following for each resident: (1) identifying information, including the resident's name, date of birth, address, and telephone	0 730		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39779	A. BUILDING: _____ B. WING _____	05/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
DIVINE HOME HEALTHCARE LLC	3400 83RD AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 730	Continued From page 3 number; (2) the name, address, and telephone number of the resident's emergency contact, legal representatives, and designated representative; (3) names, addresses, and telephone numbers of the resident's health and medical service providers, if known; (4) health information, including medical history, allergies, and when the provider is managing medications, treatments or therapies that require documentation, and other relevant health records; (5) the resident's advance directives, if any; (6) copies of any health care directives, guardianships, powers of attorney, or conservatorships; (7) the facility's current and previous assessments and service plans; (8) all records of communications pertinent to the resident's services; (9) documentation of significant changes in the resident's status and actions taken in response to the needs of the resident, including reporting to the appropriate supervisor or health care professional; (10) documentation of incidents involving the resident and actions taken in response to the needs of the resident, including reporting to the appropriate supervisor or health care professional; (11) documentation that services have been provided as identified in the service plan; (12) documentation that the resident has received and reviewed the assisted living bill of rights; (13) documentation of complaints received and any resolution; (14) a discharge summary, including service termination notice and related documentation, when applicable; and	0 730		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39779	A. BUILDING: _____ B. WING _____	05/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
DIVINE HOME HEALTHCARE LLC	3400 83RD AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 730	Continued From page 4 (15) other documentation required under this chapter and relevant to the resident's services or status. This MN Requirement is not met as evidenced by: Based on interview, and record review, the licensee failed to ensure the resident record included documentation of a written discharge summary for one of one resident (R1). This practice resulted in a level one violation (a violation that will cause only minimal impact on the resident and does not affect health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: R1 was admitted on January 14, 2025, and discharged on December 30, 2025. R1's diagnoses included antisocial personality disorder. R1's medical record lacked a completed written discharge summary, including a reconciliation of all prescribed and over-the-counter medications and documentation of disposition or medications sent with the resident. During an interview on May 12, 2026, at 12:00 p.m., clinical nurse supervisor (CNS)-C stated R1's record lacked a completed discharge summary that included a reconciliation of medication because CNS-C was out of the country when R1 was discharged. CNS-C further stated that she thought R1's medications were sent with the resident.	0 730		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39779	A. BUILDING: _____ B. WING _____	05/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
DIVINE HOME HEALTHCARE LLC	3400 83RD AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 730	Continued From page 5 No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 730		
0 780 SS=F	144G.45 Subd. 2 (a) (1) Fire protection and physical environment (a) Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: (1) for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms; (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced	0 780		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39779	A. BUILDING: _____ B. WING _____	05/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
DIVINE HOME HEALTHCARE LLC	3400 83RD AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 780	Continued From page 6 by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated May 12, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days	0 780		
0 810 SS=I	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for	0 810		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39779	A. BUILDING: _____ B. WING _____	05/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
DIVINE HOME HEALTHCARE LLC	3400 83RD AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 7 residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure the physical environment of the facility was maintained in compliance with the requirements of Minnesota Statute 144G. This practice resulted in a level three violation (a violation that harmed a resident's health or safety, or a violation that had the potential to cause more than minimal harm to the resident) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that	0 810		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39779	A. BUILDING: _____ B. WING _____	05/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
DIVINE HOME HEALTHCARE LLC	3400 83RD AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 8 has affected or has potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Physical Environment Inspection Report (PEIR) dated May 12, 2026, for the specific violations related the physical environment under Minnesota Statute 144G. TIME PERIOD FOR CORRECTION: Seven (7) days	0 810		
01500 SS=D	144G.63 Subd. 5 Required annual training (a) All staff that perform direct services must complete at least eight hours of annual training for each 12 months of employment. The training may be obtained from the facility or another source and must include topics relevant to the provision of assisted living services. The annual training must include: (1) training on reporting of maltreatment of vulnerable adults under section 626.557; (2) review of the assisted living bill of rights and staff responsibilities related to ensuring the exercise and protection of those rights; (3) review of infection control techniques used in the home and implementation of infection control standards including a review of hand washing techniques; the need for and use of protective gloves, gowns, and masks; appropriate disposal of contaminated materials and equipment, such as dressings, needles, syringes, and razor blades; disinfecting reusable equipment; disinfecting environmental surfaces; and reporting communicable diseases; (4) effective approaches to use to problem solve	01500		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39779	A. BUILDING: _____ B. WING _____	05/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
DIVINE HOME HEALTHCARE LLC	3400 83RD AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01500	Continued From page 9 when working with a resident's challenging behaviors, and how to communicate with residents who have dementia, Alzheimer's disease, or related disorders; (5) review of the facility's policies and procedures relating to the provision of assisted living services and how to implement those policies and procedures; and (6) the principles of person-centered planning and service delivery and how they apply to direct support services provided by the staff person. (b) In addition to the topics in paragraph (a), annual training may also contain training on providing services to residents with hearing loss. Any training on hearing loss provided under this subdivision must be high quality and research based, may include online training, and must include training on one or more of the following topics: (1) an explanation of age-related hearing loss and how it manifests itself, its prevalence, and challenges it poses to communication; (2) the health impacts related to untreated age-related hearing loss, such as increased incidence of dementia, falls, hospitalizations, isolation, and depression; or (3) information about strategies and technology that may enhance communication and involvement, including communication strategies, assistive listening devices, hearing aids, visual and tactile alerting devices, communication access in real time, and closed captions. This MN Requirement is not met as evidenced by: Based on observation, interview and record review, the licensee failed to ensure employees received at least eight hours of annual training for each 12 months of employment for one of two employees (clinical nurse supervisor (CNS)-C).	01500		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39779	A. BUILDING: _____ B. WING _____	05/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
DIVINE HOME HEALTHCARE LLC	3400 83RD AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01500	Continued From page 10 This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved or the situation has occurred only occasionally). The findings include: The licensee's Employee List, dated May 11, 2026, indicated CNS-C was hired on March 12, 2023. CNS-C provided cares, services and management of staff to the licensee's residents. CNS-C's employee record lacked documentation of eight hours of annual training completed within the last 12 months, including the following required topics: -review of the assisted living bill of rights and staff responsibilities related to ensuring the exercise and protection of those rights; -review of the facility's policies and procedures relating to the provision of assisted living services and how to implement those policies and procedures; and -the principles of person-centered planning and service delivery and how they apply to direct support services provided by the staff person. On May 12, 2026, at 12:15 p.m., CNS-C stated that she could not provide documentation of all the required annual training and she was not sure that an assisted living employee with a license needed to complete the annual training requirements.	01500		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39779	A. BUILDING: _____ B. WING _____	05/14/2026

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
DIVINE HOME HEALTHCARE LLC	3400 83RD AVENUE NORTH BROOKLYN PARK, MN 55443

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01500	Continued From page 11 The licensee's 5.06 Annual Required Staff Training policy, dated December 5, 2022, indicated all staff providing direct care services would complete at least eight hours of education for every twelve months of employment, to include the required elements of this training. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	01500		

Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Establishment Info

Divine Home Healthcare LLC
3400 83RD AVENUE NORTH
Brooklyn Park, MN 55443
Hennepin County
Parcel:

Phone:

License Info

License: HFID 39779

Risk:
License:
Expires on:
CFPM: Chikwado Akpunonu
CFPM #: 60600; Exp: 2/27/2029

Inspection Info

Report Number: F1063261116
Inspection Type: Full - Single
Date: 5/11/2026 Time: 2:00 PM
Duration: minutes
Announced Inspection:
Total Priority 1 Orders: 0
Total Priority 2 Orders: 0
Total Priority 3 Orders: 0
Delivery:

No orders were issued for this inspection report.

Food & Beverage General Comment

Inspection was completed with MDH Robyn Woolley as the lead Health Regulation Division Nurse Evaluator completing the site survey.

The facility has a residential kitchen. Food must be prepared for same day service only. The kitchen has tile flooring, smooth painted walls and ceilings, smooth countertops, and wooden cabinetry. All found to be in good condition.

Equipment includes a two-basin sink with one compartment designated for handwashing, and ANSI residential fridge/freezer & dish machine.

Discussed serving highly susceptible populations, glove use, same day food service, food storage & temperature control, ware washing, dish machine test, pest control, vomit cleanup procedures, and employee illness policy.

Contact Health Regulation Division for plan review approval if facility/kitchen undergoes remodeling, major equipment additions, or changes of equipment due to a menu change.

If any customer complains of illness, establishment is required to notify the Minnesota Department of Health and provide the foodborne illness hotline phone number to the customer: 1-877-366-3455

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F1063261116 from 5/11/2026

Chikwado Akpunonu
Operator

Laura Yang,
Public Health Sanitarian 1
651-201-3581
laura.yang@state.mn.us

Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Temperature Observations/Recordings

Establishment Info

Divine Home Healthcare LLC
Brooklyn Park
County/Group: Hennepin County

Inspection Info

Report Number: F1063261116
Inspection Type: Full
Date: 5/11/2026
Time: 2:00 PM

Food Temperature: Product/Item/Unit: Milk**; Temperature Process:** Cold-Holding
Location: Refrigerator at 38 Degrees F.
Comment:
Violation Issued?: No

Food Temperature: Product/Item/Unit: Tomato Sauce**; Temperature Process:** Cold-Holding
Location: Refrigerator at 41 Degrees F.
Comment:
Violation Issued?: No

Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Sanitizer Observations/Recordings

Establishment Info

Divine Home Healthcare LLC
Brooklyn Park
County/Group: Hennepin County

Inspection Info

Report Number: F1063261116
Inspection Type: Full
Date: 5/11/2026
Time: 2:00 PM

Sanitizing Equipment: **Product:** Hot Water**; Sanitizing Process:** Dish Machine
Location: Kitchen **Greater Than** 160 Degrees F.
Comment: Dish machine test record from 5/5/2026
Violation Issued?: No

DEPARTMENT OF HEALTH

Physical Environment Inspection Report

ASSISTED LIVING | ASSISTED LIVING WITH DEMENTIA CARE

Project No: SL39779016-0	**Date:** 5/12/2026
Facility Name: DIVINE HOME HEALTHCARE LLC	
Facility Address: 3400 83rd Ave N, Minneapolis, Minnesota 55443	

☒ **TAG IDENTIFICATION: 0780**

SCOPE/ SEVERITY: Level 2; Widespread **TIME PERIOD OF CORRECTION:** Seven (7) days

1. Smoke alarms shall be interconnected so that actuation of one alarm causes all alarms in the individual dwelling or sleeping unit to operate where more than one smoke alarm is required within an individual dwelling or sleeping unit. [Minn. Stat. 144G.45 subd.2]

   Comments: Licensed practical nurse (LPN)-B tested the smoke alarms for interconnection. Several of the alarms located throughout the facility failed to activate when tested.

☒ **TAG IDENTIFICATION: 0810**

SCOPE/ SEVERITY: Level 3; Widespread **TIME PERIOD OF CORRECTION:** Seven (7) days

1. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that are readily available at all times within the facility. [Minn. Stat. 144G.45 subd.2]

   Comments: The licensee failed to maintain the FSEP as readily available on site. The surveyor requested the FSEP for review at 11:53 a.m. and at 12:15 p.m. LPN-B stated the FSEP could not be located.

2. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that include employee actions to be taken in the event of a fire or similar emergency. [Minn. Stat. 144G.45 subd.2]

   Comments: The FSEP outlining employee actions to be taken in the event of a fire or similar emergency was not provided when requested by the surveyor.

3. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that include fire protection procedures necessary for residents. [Minn. Stat. 144G.45 subd.2]

Comments: The FSEP outlining fire protection procedures necessary for residents was not provided when requested by the surveyor.

4. Each assisted living facility shall develop and maintain fire safety and evacuation plans (FSEP) that include procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. [Minn. Stat. 144G.45 subd.2]

   Comments: The FSEP outlining resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation was not provided when requested by the surveyor.