DEPARTMENT OF HEALTH

Protecting, Maintaining and Improving the Health of All Minnesotans

NOTICE OF REMOVAL OF CONDITIONAL LICENSE

Electronic Delivery

January 22, 2025

Licensee
New Life Care LLC
10115 Grouse Street Northwest
Coon Rapids, MN 55433

RE: License Number 415019
Health Facility Identification Number (HFID) 37142
Project Number(s) SL37142015

Dear Licensee:

On January 6, 2025, The Minnesota Department of Health (MDH) completed a follow-up survey of your facility to determine correction of orders found on the survey completed March 30, 2024, and follow-up surveys completed June 12, 2024, and September 3, 2024. This follow-up survey found the facility to be in substantial compliance. Based on these findings, the condition(s) on the license were removed effective January 6, 2025.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and/or state form with your organization's Governing Body.

Sincerely,

Rick Michals

Rick Michals, J.D.
Executive Regional Operations Manager

Minnesota Department of Health
Health Regulation Division

JMD

Protecting, Maintaining and Improving the Health of All Minnesotans

NOTICE OF CONDITIONAL LICENSE

Electronically Delivered

October 10, 2024

Licensee
New Life Care LLC
10115 Grouse Street Northwest
Coon Rapids, MN 55433

RE: Conditional License Number 415019
Health Facility Identification Number (HFID) 37142
Project Number(s) SL37142015

Dear Licensee:

The Minnesota Department of Health (MDH) completed a follow-up survey on September 3, 2024, for the purpose of assessing compliance with state licensing statutes. Based on the follow-up survey results you were found not to be in substantial compliance with the laws pursuant to Minnesota Statutes, Chapter 144G.

As a result, pursuant to Minn. Stat. § 144G.20, MDH is issuing a 90-day conditional license due to expire on **January 8, 2024**.

STATE CORRECTION ORDERS
The enclosed State Form documents the state correction orders. MDH documents state correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

In accordance with Minn. Stat. § 144G.31 Subd. 4 (a), state correction orders issued pursuant to the survey completed on March 20, 2024, and follow-up survey completed on June 12, 2024, found not corrected at the time of the September 3, 2024, follow-up survey and/or subject to penalty assessment are as follows:

0820 - Fire Protection And Physical Environment - 144g.45 Subd. 2 (g)

The details of the violations noted at the time of this follow-up survey completed on September 3, 2024 (listed above), are on the attached State Form. Brackets around the ID Prefix Tag in the left hand column, e.g., {2 ----} will identify the uncorrected tags.

In accordance with Minn. Stat. § 144G.31 Subd. 4, MDH may assess fines based on the level and scope of the violations; **however, no immediate fines are assessed for this survey of your facility**.

DOCUMENTATION OF ACTION TO COMPLY
In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders and immediately correct any reissued orders outlined on the state form; however, plans

of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS
In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

CONDITIONAL LICENSE ISSUED:
MDH will issue New Life Care LLC a conditional assisted living facility license for 90 calendar days from the date of this notice. At an unannounced point in time, within the 90 calendar days, MDH will conduct a follow-up survey, as defined in Minn. Stat. § 144G.30, Subd. 6. Based on the results of the follow-up survey, MDH will determine if New Life Care LLC is in substantial compliance.

The following conditions apply on the conditional assisted living facility license:

a. **Health Facility Construction Permit:** New Life Care LLC, will contact The Minnesota Department of Labor and Industry (MNDLI) or City with delegated authority to review and inspect State Licensed Facilities in accordance with Minn. Stat. § 326B.103, Subd. 13 and obtain a construction permit for a health facility. Within 21-days from the date of this notice, New Life Care LLC, will provide MDH with a copy of the permit obtained from MNDLI or City with delegated authority.

b. **General Contractor:** New Life Care LLC, must provide the following to Bob Dehler (Robert.Dehler@state.mn.us) via email within 21-days of the date of this notice:
   i. Name
   ii. License Number
   iii. Contact Information

c. **Egress Window Requirements:** New Life Care LLC, will replace at least one window in unoccupied resident sleeping room #4 meeting the minimum size requirements.

   i. Must have a minimum openable width of no less than 20 inches
   ii. Must have a minimum openable height of no less than 20 inches
   iii. Must have a total openable area of no less than 648 square inches (4.5 square feet)

iv. Must have a windowsill height of no more than 48 inches from the floor to the clear opening
v. All measurements must be achieved under normal operation of opening window without the use of a key, tool or special knowledge

RESULTS OF FOLLOW-UP EVALUATION DURING THE CONDITIONAL LICENSE PERIOD:
MDH will determine if New Life Care LLC is in substantial compliance based on the results of the follow up survey. MDH will make this determination within the 90-day conditional license period. If MDH determines New Life Care LLC is in substantial compliance on the follow up survey, MDH will remove the conditions from New Life Care LLC's assisted living facility license, and New Life Care LLC will correct any outstanding violations identified during the survey. If New Life Care LLC is not in substantial compliance on the follow-up survey, MDH may take additional enforcement action, up to and including immediate temporary suspension and revocation, as authorized by Minn. Stat. § 144G.20.

REQUESTING A HEARING:
Pursuant to Minn. Stat. §144G.20, Subd. 18, the licensee may appeal an action against the license under this section. The licensee must request a hearing no later than 15 business days after licensee receives notice of the action. To submit a hearing request, please visit **https://forms.web.health.state.mn.us/form/HRD-Appeals-Form**.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact Kelly Thorson directly at: 320-223-7336.

Sincerely,

Rick Michals

Rick Michals, J.D.
Executive Regional Operations Manager
Minnesota Department of Health
Health Regulation Division

JMD

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 09/03/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 000}	Initial Comments ******ATTENTION****** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL#37142015-2 On September 03, 2024, the Minnesota Department of Health conducted a revisit at the above provider to follow-up on orders issued pursuant to a survey completed on June 12, 2024. At the time of the survey, there were 3 active residents; 3 receiving services under the Assisted Living license. As a result of the revisit, the following orders were reissued and/or issued.	{0 000}	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living License Providers. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.	
{0 110} SS=C	144G.10 Subdivision 1a Assisted living director license required	{0 110}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 09/03/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 110}	Continued From page 1 Each assisted living facility must employ an assisted living director licensed or permitted by the Board of Executives for Long Term Services and Supports. This MN Requirement is not met as evidenced by: No further action required.	{0 110}		
{0 480} SS=F	144G.41 Subd 1 (13) (i) (B) Minimum requirements (13) offer to provide or make available at least the following services to residents: (B) food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626; and This MN Requirement is not met as evidenced by: No further action required.	{0 480}		
{0 680} SS=F	144G.42 Subd. 10 Disaster planning and emergency preparedness (a) The facility must meet the following requirements: (1) have a written emergency disaster plan that contains a plan for evacuation, addresses elements of sheltering in place, identifies temporary relocation sites, and details staff assignments in the event of a disaster or an emergency; (2) post an emergency disaster plan prominently; (3) provide building emergency exit diagrams to all residents; (4) post emergency exit diagrams on each floor; and	{0 680}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 09/03/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 680}	Continued From page 2 (5) have a written policy and procedure regarding missing residents. (b) The facility must provide emergency and disaster training to all staff during the initial staff orientation and annually thereafter and must make emergency and disaster training annually available to all residents. Staff who have not received emergency and disaster training are allowed to work only when trained staff are also working on site. (c) The facility must meet any additional requirements adopted in rule. This MN Requirement is not met as evidenced by: No further action required.	{0 680}		
{0 780} SS=F	144G.45 Subd. 2 (a) (1) Fire protection and physical environment (a) Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: (1) for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms; (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to	{0 780}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 09/03/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 780}	Continued From page 3 operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: No further action required.	{0 780}		
{0 790} SS=F	144G.45 Subd. 2 (a) (2)-(3) Fire protection and physical environment (2) install and maintain portable fire extinguishers in accordance with the State Fire Code; (3) install portable fire extinguishers having a minimum 2-A:10-B:C rating within Group R-3 occupancies, as defined by the State Fire Code, located so that the travel distance to the nearest fire extinguisher does not exceed 75 feet, and maintained in accordance with the State Fire Code; and This MN Requirement is not met as evidenced by: No further action required.	{0 790}		
{0 810} SS=F	144G.45 Subd. 2 (b)-(f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping	{0 810}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 09/03/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 810}	Continued From page 4 rooms; (2) employee actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Employees of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for employees twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: No further action required.	{0 810}		
{0 820} SS=D	144G.45 Subd. 2 (g) Fire protection and physical environment (g) Existing construction or elements, including assisted living facilities that were registered as	{0 820}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 09/03/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 820}	Continued From page 5 housing with services establishments under chapter 144D prior to August 1, 2021, shall be permitted to continue in use provided such use does not constitute a distinct hazard to life. Any existing elements that an authority having jurisdiction deems a distinct hazard to life must be corrected. The facility must document in the facility's records any actions taken to comply with a correction order, and must submit to the commissioner for review and approval prior to correction. This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to ensure physical facility elements did not constitute a distinct hazard to life. The licensee failed to provide resident bedrooms with the minimum window opening meeting the minimum state standard for egress. This had the potential to affect some residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved or the situation has occurred only occasionally). The findings include: On September 3, 2024, surveyor conducted a revisit to follow-up on orders issued pursuant to a survey completed on June 12, 2024. On September 3, 2024, at 10:13 a.m., per phone conversation, licensed assisted living director	{0 820}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 09/03/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 820}	Continued From page 6 (LALD)-A stated BR4's window have not been replaced yet due to difficulty locating a window that fits the opening. LALD-A also stated was not aware of the window replacement due date and requests a couple of weeks more to fix BR4's window. On September 3, 2024, at 11:10 a.m. surveyor toured the facility with unlicensed personnel (ULP)-B. During the tour, survey staff asked ULP-B to open the windows in the resident bedroom #4 for measurement. The noncompliant measurement was as follows: Unoccupied Sleeping Bedroom #4 contained one window that measured approximately 20 inches width and approximately 47 inches height, but the hardware on the casement window moved the windowpane into the window opening and reduced the clear width to the point of not meeting the required minimum clear width for egress. The window openable area measured approximately 14 inches width and approximately 47 inches high. The window in bedroom #4 did not meet the minimum requirements for minimum clear width for egress. Egress windows in existing sleeping rooms must have a minimum openable width of 20 inches and minimum openable height of 20 inches with no less than 648 square inches total of openable area (4.5 square feet) for the window. Surveyor explained to ULP-B that at least one window in each bedroom in a state-licensed facility must meet the minimum state fire code standard for an egress window to be a complying bedroom for resident occupancy. ULP-B verbally	{0 820}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 09/03/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 820}	Continued From page 7 confirmed the findings. No Further information was provided.	{0 820}		
{01370} SS=F	144G.61 Subd. 2 (a) Training and evaluation of unlicensed personn (a) Training and competency evaluations for all unlicensed personnel must include the following: (1) documentation requirements for all services provided; (2) reports of changes in the resident's condition to the supervisor designated by the facility; (3) basic infection control, including blood-borne pathogens; (4) maintenance of a clean and safe environment; (5) appropriate and safe techniques in personal hygiene and grooming, including: (i) hair care and bathing; (ii) care of teeth, gums, and oral prosthetic devices; (iii) care and use of hearing aids; and (iv) dressing and assisting with toileting; (6) training on the prevention of falls; (7) standby assistance techniques and how to perform them; (8) medication, exercise, and treatment reminders; (9) basic nutrition, meal preparation, food safety, and assistance with eating; (10) preparation of modified diets as ordered by a licensed health professional; (11) communication skills that include preserving the dignity of the resident and showing respect for the resident and the resident's preferences, cultural background, and family; (12) awareness of confidentiality and privacy; (13) understanding appropriate boundaries	{01370}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 09/03/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{01370}	Continued From page 8 between staff and residents and the resident's family; (14) procedures to use in handling various emergency situations; and (15) awareness of commonly used health technology equipment and assistive devices. This MN Requirement is not met as evidenced by: No further action required.	{01370}		
{01440} SS=D	144G.62 Subd. 4 Supervision of staff providing delegated nurs (a) Staff who perform delegated nursing or therapy tasks must be supervised by an appropriate licensed health professional or a registered nurse according to the assisted living facility's policy where the services are being provided to verify that the work is being performed competently and to identify problems and solutions related to the staff person's ability to perform the tasks. Supervision of staff performing medication or treatment administration shall be provided by a registered nurse or appropriate licensed health professional and must include observation of the staff administering the medication or treatment and the interaction with the resident. (b) The direct supervision of staff performing delegated tasks must be provided within 30 calendar days after the date on which the individual begins working for the facility and first performs the delegated tasks for residents and thereafter as needed based on performance. This requirement also applies to staff who have not performed delegated tasks for one year or longer. This MN Requirement is not met as evidenced	{01440}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 09/03/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{01440}	Continued From page 9 by: No further action required.	{01440}		
{01470} SS=D	144G.63 Subd. 2 Content of required orientation (a) The orientation must contain the following topics: (1) an overview of this chapter; (2) an introduction and review of the facility's policies and procedures related to the provision of assisted living services by the individual staff person; (3) handling of emergencies and use of emergency services; (4) compliance with and reporting of the maltreatment of vulnerable adults under section 626.557 to the Minnesota Adult Abuse Reporting Center (MAARC); (5) the assisted living bill of rights and staff responsibilities related to ensuring the exercise and protection of those rights; (6) the principles of person-centered planning and service delivery and how they apply to direct support services provided by the staff person; (7) handling of residents' complaints, reporting of complaints, and where to report complaints, including information on the Office of Health Facility Complaints; (8) consumer advocacy services of the Office of Ombudsman for Long-Term Care, Office of Ombudsman for Mental Health and Developmental Disabilities, Managed Care Ombudsman at the Department of Human Services, county-managed care advocates, or other relevant advocacy services; and (9) a review of the types of assisted living services the employee will be providing and the facility's category of licensure. (b) In addition to the topics in paragraph (a),	{01470}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 09/03/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{01470}	Continued From page 10 orientation may also contain training on providing services to residents with hearing loss. Any training on hearing loss provided under this subdivision must be high quality and research based, may include online training, and must include training on one or more of the following topics: (1) an explanation of age-related hearing loss and how it manifests itself, its prevalence, and the challenges it poses to communication; (2) health impacts related to untreated age-related hearing loss, such as increased incidence of dementia, falls, hospitalizations, isolation, and depression; or (3) information about strategies and technology that may enhance communication and involvement, including communication strategies, assistive listening devices, hearing aids, visual and tactile alerting devices, communication access in real time, and closed captions. This MN Requirement is not met as evidenced by: No further action required.	{01470}		

Electronically Delivered

July 9, 2024

Licensee
New Life Care LLC
10115 Grouse Street Northwest
Coon Rapids, MN 55433

RE: Project Number(s) SL37142015

Dear Licensee:

On June 12, 2024, the Minnesota Department of Health (MDH) completed a follow-up survey of your facility to determine correction of orders found on the survey completed on March 20, 2024. This follow-up survey determined your facility had not corrected all of the state correction orders issued pursuant to the March 20, 2024 survey.

In accordance with Minn. Stat. § 144G.31 Subd. 4 (a), state correction orders issued pursuant to the last survey, completed on March 20, 2024, found not corrected at the time of the June 12, 2024, follow-up survey and/or subject to penalty assessment are as follows:

0820-Fire Protection And Physical Environment-144g.45 Subd. 2 (g)

The details of the violations noted at the time of this follow-up survey completed on June 12, 2024 (listed above), are on the attached State Form. Brackets around the ID Prefix Tag in the left hand column, e.g., {2 ----} will identify the uncorrected tags.

In accordance with Minn. Stat. § 144G.31 Subd. 4, MDH may assess fines based on the level and scope of the violations; **however, no immediate fines are assessed for this of your facility**.

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

A state correction order under Minn. Stat. § 144G.91, Subd. 8, Free from Maltreatment is associated with a maltreatment determination by the Office of Health Facility Complaints. If maltreatment is

substantiated, you will receive a separate letter with the reconsideration process under Minn. Stat. § 626.557.

To submit a reconsideration request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

We urge you to review these orders carefully. If you have questions, please contact Jess Schoenecker at 651-201-3789.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and/or state form with your organization's Governing Body.

Sincerely,

Jess Schoenecker, Supervisor
State Evaluation Team
Email: Jess.Schoenecker@state.mn.us
Telephone: 651-201-3789 Fax: 1-866-890-9290

HHH

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 06/12/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 000}	Initial Comments ******ATTENTION****** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL#37142015-1 On June 12, 2024, the Minnesota Department of Health conducted a revisit at the above provider to follow-up on orders issued pursuant to a survey completed on March 20, 2024. At the time of the survey, there were 3 residents; 3 receiving services under the Assisted Living license. As a result of the revisit, the following orders were reissued.	{0 000}	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living License Providers. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.	
{0 110} SS=C	144G.10 Subdivision 1a Assisted living director license required	{0 110}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 06/12/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 110}	Continued From page 1 Each assisted living facility must employ an assisted living director licensed or permitted by the Board of Executives for Long Term Services and Supports. This MN Requirement is not met as evidenced by: No further action required.	{0 110}		
{0 480} SS=F	144G.41 Subd 1 (13) (i) (B) Minimum requirements (13) offer to provide or make available at least the following services to residents: (B) food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626; and This MN Requirement is not met as evidenced by: No further action required.	{0 480}		
{0 680} SS=F	144G.42 Subd. 10 Disaster planning and emergency preparedness (a) The facility must meet the following requirements: (1) have a written emergency disaster plan that contains a plan for evacuation, addresses elements of sheltering in place, identifies temporary relocation sites, and details staff assignments in the event of a disaster or an emergency; (2) post an emergency disaster plan prominently; (3) provide building emergency exit diagrams to all residents; (4) post emergency exit diagrams on each floor; and	{0 680}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 06/12/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 680}	Continued From page 2 (5) have a written policy and procedure regarding missing residents. (b) The facility must provide emergency and disaster training to all staff during the initial staff orientation and annually thereafter and must make emergency and disaster training annually available to all residents. Staff who have not received emergency and disaster training are allowed to work only when trained staff are also working on site. (c) The facility must meet any additional requirements adopted in rule. This MN Requirement is not met as evidenced by: No further action required.	{0 680}		
{0 780} SS=F	144G.45 Subd. 2 (a) (1) Fire protection and physical environment (a) Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: (1) for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms; (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to	{0 780}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 06/12/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 780}	Continued From page 3 operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: No further action required.	{0 780}		
{0 790} SS=F	144G.45 Subd. 2 (a) (2)-(3) Fire protection and physical environment (2) install and maintain portable fire extinguishers in accordance with the State Fire Code; (3) install portable fire extinguishers having a minimum 2-A:10-B:C rating within Group R-3 occupancies, as defined by the State Fire Code, located so that the travel distance to the nearest fire extinguisher does not exceed 75 feet, and maintained in accordance with the State Fire Code; and This MN Requirement is not met as evidenced by: No further action required.	{0 790}		
{0 810} SS=F	144G.45 Subd. 2 (b)-(f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping	{0 810}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 06/12/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 810}	Continued From page 4 rooms; (2) employee actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Employees of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for employees twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: No further action required.	{0 810}		
{0 820} SS=D	144G.45 Subd. 2 (g) Fire protection and physical environment (g) Existing construction or elements, including assisted living facilities that were registered as	{0 820}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 06/12/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 820}	Continued From page 5 housing with services establishments under chapter 144D prior to August 1, 2021, shall be permitted to continue in use provided such use does not constitute a distinct hazard to life. Any existing elements that an authority having jurisdiction deems a distinct hazard to life must be corrected. The facility must document in the facility's records any actions taken to comply with a correction order, and must submit to the commissioner for review and approval prior to correction. This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to ensure physical facility elements did not constitute a distinct hazard to life. The licensee failed to provide resident bedrooms with the minimum window opening meeting the minimum state standard for egress. This had the potential to affect some residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved or the situation has occurred only occasionally). The findings include: On June 12, 2024, surveyor conducted a revisit to follow-up on orders issued pursuant to a survey completed on March 20, 2024. On June 12, 2024, at 12:20 p.m. surveyor toured the facility with licensed assisted living director	{0 820}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 06/12/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{0 820}	Continued From page 6 (LALD)-A. During the tour, survey staff asked LALD-A to open the windows in the resident bedrooms for measurement. The noncompliant measurement was as follows: Unoccupied Sleeping Bedroom #4 contained one window that measured approximately 20 inches width and approximately 47 inches height, but the hardware on the casement window moved the windowpane into the window opening and reduced the clear width to the point of not meeting the required minimum clear width for egress. The window openable area measured approximately 14 inches width and approximately 47 inches high. The window in bedroom #4 did not meet the minimum requirements for minimum clear width for egress. Egress windows in existing sleeping rooms must have a minimum openable width of 20 inches and minimum openable height of 20 inches with no less than 648 square inches total of openable area (4.5 square feet) for the window. On June 12, 2024 at 12:30 p.m. LALD-A stated the contractor thought the requirement for a window opening is 20" x 20" but didn't account for the window openable area and will have to fix the window to the right size opening. Surveyor explained to LALD-A that at least one window in each bedroom in a state-licensed facility must meet the minimum state fire code standard for an egress window to be a complying bedroom for resident occupancy. LALD-A verbally confirmed the findings. No Further information was provided.	{0 820}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 06/12/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{01370} SS=F	144G.61 Subd. 2 (a) Training and evaluation of unlicensed personn (a) Training and competency evaluations for all unlicensed personnel must include the following: (1) documentation requirements for all services provided; (2) reports of changes in the resident's condition to the supervisor designated by the facility; (3) basic infection control, including blood-borne pathogens; (4) maintenance of a clean and safe environment; (5) appropriate and safe techniques in personal hygiene and grooming, including: (i) hair care and bathing; (ii) care of teeth, gums, and oral prosthetic devices; (iii) care and use of hearing aids; and (iv) dressing and assisting with toileting; (6) training on the prevention of falls; (7) standby assistance techniques and how to perform them; (8) medication, exercise, and treatment reminders; (9) basic nutrition, meal preparation, food safety, and assistance with eating; (10) preparation of modified diets as ordered by a licensed health professional; (11) communication skills that include preserving the dignity of the resident and showing respect for the resident and the resident's preferences, cultural background, and family; (12) awareness of confidentiality and privacy; (13) understanding appropriate boundaries between staff and residents and the resident's family; (14) procedures to use in handling various emergency situations; and (15) awareness of commonly used health	{01370}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 06/12/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{01370}	Continued From page 8 technology equipment and assistive devices. This MN Requirement is not met as evidenced by: No further action required.	{01370}		
{01440} SS=D	144G.62 Subd. 4 Supervision of staff providing delegated nurs (a) Staff who perform delegated nursing or therapy tasks must be supervised by an appropriate licensed health professional or a registered nurse according to the assisted living facility's policy where the services are being provided to verify that the work is being performed competently and to identify problems and solutions related to the staff person's ability to perform the tasks. Supervision of staff performing medication or treatment administration shall be provided by a registered nurse or appropriate licensed health professional and must include observation of the staff administering the medication or treatment and the interaction with the resident. (b) The direct supervision of staff performing delegated tasks must be provided within 30 calendar days after the date on which the individual begins working for the facility and first performs the delegated tasks for residents and thereafter as needed based on performance. This requirement also applies to staff who have not performed delegated tasks for one year or longer. This MN Requirement is not met as evidenced by: No further action required.	{01440}		
{01470} SS=D	144G.63 Subd. 2 Content of required orientation	{01470}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 06/12/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{01470}	Continued From page 9 (a) The orientation must contain the following topics: (1) an overview of this chapter; (2) an introduction and review of the facility's policies and procedures related to the provision of assisted living services by the individual staff person; (3) handling of emergencies and use of emergency services; (4) compliance with and reporting of the maltreatment of vulnerable adults under section 626.557 to the Minnesota Adult Abuse Reporting Center (MAARC); (5) the assisted living bill of rights and staff responsibilities related to ensuring the exercise and protection of those rights; (6) the principles of person-centered planning and service delivery and how they apply to direct support services provided by the staff person; (7) handling of residents' complaints, reporting of complaints, and where to report complaints, including information on the Office of Health Facility Complaints; (8) consumer advocacy services of the Office of Ombudsman for Long-Term Care, Office of Ombudsman for Mental Health and Developmental Disabilities, Managed Care Ombudsman at the Department of Human Services, county-managed care advocates, or other relevant advocacy services; and (9) a review of the types of assisted living services the employee will be providing and the facility's category of licensure. (b) In addition to the topics in paragraph (a), orientation may also contain training on providing services to residents with hearing loss. Any training on hearing loss provided under this subdivision must be high quality and research based, may include online training, and must	{01470}		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	R 06/12/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{01470}	Continued From page 10 include training on one or more of the following topics: (1) an explanation of age-related hearing loss and how it manifests itself, its prevalence, and the challenges it poses to communication; (2) health impacts related to untreated age-related hearing loss, such as increased incidence of dementia, falls, hospitalizations, isolation, and depression; or (3) information about strategies and technology that may enhance communication and involvement, including communication strategies, assistive listening devices, hearing aids, visual and tactile alerting devices, communication access in real time, and closed captions. This MN Requirement is not met as evidenced by: No further action required.	{01470}		

Electronically Delivered

April 15, 2024

Licensee
New Life Care, LLC
10115 Grouse Street Northwest
Coon Rapids, MN 55433

RE: Project Number(s) SL37142015

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on March 20, 2024, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement.
Level 2: a fine of $500 per violation, in addition to any enforcement mechanism authorized in § 144G.20 for widespread violations;
Level 3: a fine of $3,000 per violation per incident, in addition to any enforcement mechanism authorized in § 144G.20.
Level 4: a fine of $5,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20.

In accordance with Minn. Stat. § 144G.31, Subd. 4(a)(5), MDH may impose fine amounts of either $1,000 or $5,000 to licensees who are found to be responsible for maltreatment. MDH may impose a fine of $1,000 for each substantiated maltreatment violation that consists of abuse, neglect, or financial exploitation according to Minn. Stat. § 626.5572, Subds. 2, 9, 17. MDH also may impose a fine of $5,000 for each substantiated maltreatment violation consisting of sexual assault, death, or

abuse resulting in serious injury.

In accordance with Minn. Stat. § 144G.31, Subd. 4(b), when a fine is assessed against a facility for substantiated maltreatment, the commissioner shall not also impose an immediate fine under this chapter for the same circumstance.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed pursuant to this survey:

St - 0 - 0820 - 144g.45 Subd. 2 (g) - Fire Protection And Physical Environment = $3,000.00

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is $3,000.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY
In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS
In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

REQUESTING A HEARING
Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating

factor. to submit a hearing request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **https://forms.office.com/g/Bm5uQEpHVa**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

Kelly Thorson

Kelly Thorson, Supervisor
State Evaluation Team
Email: kelly.thorson@state.mn.us
Telephone: 320-223-7336 Fax: 1-866-890-9290

PMB

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 000	Initial Comments ******ATTENTION****** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL37142015 On March 18, 2024, through March 20, 2024, the Minnesota Department of Health conducted a survey at the above provider, and the following correction orders are issued. At the time of the survey, there were three (3) residents receiving services under the Assisted Living license. An immediate correction order was identified on March 18, 2024, issued for SL37142015-0, tag identification 0820.	0 000	Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Home Care Providers. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the surveyors' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144A.474 SUBDIVISION 11 (b)(1)(2).	
0 110 SS=C	144G.10 Subdivision 1a Assisted living director license required	0 110		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 110	Continued From page 1 Each assisted living facility must employ an assisted living director licensed or permitted by the Board of Executives for Long Term Services and Supports. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to ensure licensed assisted living director (LALD)-A was listed as the Director of Record with the Board of Executives for Long Term Services and Supports (BELTSS). This had the potential to affect all the licensee's residents, staff, and visitors. This practice resulted in a level one violation (a violation that has no potential to cause more than a minimal impact on the resident and does not affect health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all the residents). The findings include: On March 18, 2024, at 10:31 a.m., the BELTSS website indicated LALD-A currently held a LALD license effective through October 31, 2024; however, LALD-A was not listed as the Director of Record for the licensee. On March 18, 2024, at 10:33 a.m., LALD-A stated they were unaware they needed to register as the Director of Record for the licensee. No further information was provided. TIME PERIOD FOR CORRECTION: Two (2)	0 110		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 110	Continued From page 2 days	0 110		
0 480 SS=F	144G.41 Subd 1 (13) (i) (B) Minimum requirements (13) offer to provide or make available at least the following services to residents: (B) food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626; and This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated March 18, 2024, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection. TIME PERIOD FOR CORRECTION: Please refer to the FBEIR for any compliance dates.	0 480		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 680	Continued From page 3	0 680		
0 680 SS=F	144G.42 Subd. 10 Disaster planning and emergency preparedness (a) The facility must meet the following requirements: (1) have a written emergency disaster plan that contains a plan for evacuation, addresses elements of sheltering in place, identifies temporary relocation sites, and details staff assignments in the event of a disaster or an emergency; (2) post an emergency disaster plan prominently; (3) provide building emergency exit diagrams to all residents; (4) post emergency exit diagrams on each floor; and (5) have a written policy and procedure regarding missing residents. (b) The facility must provide emergency and disaster training to all staff during the initial staff orientation and annually thereafter and must make emergency and disaster training annually available to all residents. Staff who have not received emergency and disaster training are allowed to work only when trained staff are also working on site. (c) The facility must meet any additional requirements adopted in rule. This MN Requirement is not met as evidenced by: Based on interview, and record review, the licensee failed to develop a written emergency preparedness plan (EPP) with all the required content. This had the potential to affect all residents, employees, and visitors to the facility. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a	0 680		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 680	Continued From page 4 resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all the residents). The findings include: On March 18, 2024, at 4:55 p.m., licensed assisted living director (LALD)-A provided a copy and indicated the contents were the licensee's EPP. The licensee's EPP lacked: -documentation of date and review of the updated plan - a completed hazard vulnerability assessment for the facility; -identification of at-risk population needs; -subsistence needs for staff and residents; -procedures for tracking of staff and patients; -written designation of a qualified person to act in the absence of the administrator; -policies and procedures for sheltering in place; -policies and procedures for medical documents; -arrangement with other facilities; -roles under a waver declared by the secretary; and -a policy to address the use of volunteers. On March 19, 2024, at 9:00 a.m., LALD-A stated they had oversight of the EPP and would work to get the plan updated with the required content. The licensee's Emergency Preparedness policy dated August 1, 2021, indicated the licensee's EPP will have identified a plan in place to assure the safety and well-being of residents and staff during periods of an emergency or disaster that disrupts services.	0 680		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 680	Continued From page 5 No further information provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 680		
0 780 SS=F	144G.45 Subd. 2 (a) (1) Fire protection and physical environment (a) Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: (1) for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms; (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to provide smoke alarms outside and in the	0 780		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 780	Continued From page 6 immediate vicinity of all sleeping rooms throughout the facility. This deficient condition had the ability to affect all staff and residents. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). Findings include: On March 18, 2024, at 10:30 a.m., survey staff toured the facility with licensed assisted living director (LALD)-A. Survey staff tested the smoke alarms throughout the home. It was observed that a smoke alarm was not installed in the hallway nor in the living room outside and in the immediate area of the two sleeping areas as required by statute. These deficient conditions were visually verified by LALD-A accompanying on the tour. During interview on March 20, 2024, at 2:00 p.m., LALD-A stated they understood the requirement for the smoke alarm and would get them installed. No further information was provided. TIME PERIOD FOR CORRECTION: Seven (7) days.	0 780		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 790	Continued From page 7	0 790		
0 790 SS=F	144G.45 Subd. 2 (a) (2)-(3) Fire protection and physical environment (2) install and maintain portable fire extinguishers in accordance with the State Fire Code; (3) install portable fire extinguishers having a minimum 2-A:10-B:C rating within Group R-3 occupancies, as defined by the State Fire Code, located so that the travel distance to the nearest fire extinguisher does not exceed 75 feet, and maintained in accordance with the State Fire Code; and This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to maintain the portable fire extinguishers. This deficient condition had the potential to affect all staff, residents, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: On March 18, 2024, at 10:30 a.m., survey staff toured the facility with the licensed assisted living director (LALD)-A. It was observed that the portable fire extinguishers throughout the facility lacked records to show the required annual	0 790		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 790	Continued From page 8 certification and monthly visual inspections were performed on the portable fire extinguishers. Documentation is required to demonstrate fire extinguishers have been inspected by facility personnel monthly, and annually replaced with a new extinguisher or serviced annually by a certified technician. During interview on March 18, 2024, at 2:00 p.m., survey staff explained to LALD-A that the portable fire extinguishers must be provided annual certification tags and also monthly visual inspection or "quick checks" of each extinguisher by their employees to ensure all portable extinguishers are readily available, fully charged, and operable at their designated location with no obvious physical damage or condition to the extinguisher that would prevent their operation when needed. LALD-A verified the findings and stated that they understood the requirements. TIME PERIOD FOR CORRECTION: Seven (7) days	0 790		
0 810 SS=F	144G.45 Subd. 2 (b)-(f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) employee actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar emergency including the identification of unique	0 810		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 9 or unusual resident needs for movement or evacuation. (c) Employees of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for employees twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to develop the fire safety and evacuation plan with the required content and provide the required training and drills. This had the potential to directly affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents).	0 810		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 10 The findings include: On March 18, 2024, licensed assisted living director (LALD)-A provided documents on the fire safety and evacuation plan (FSEP), fire safety and evacuation training, and evacuation drills for the facility. FIRE SAFETY AND EVACUATION PLAN The licensee's FSEP, titled "Fire Safety and Evacuation Policy and Procedure", undated, failed to include the following: The FSEP included standard employee procedures but failed to provide specific employee actions to take in the event of a fire or similar emergency relative to the facility's building layout and environmental risks. The plan included the acronym R.A.C.E. (Rescue, Alarm, Confine, and Extinguish or Evacuate) and P.A.S.S. (Pull, Aim, Squeeze, Sweep) but failed to include procedures for how staff are to complete each step. The FSEP did not identify specific fire protection actions for residents. There was no section in the policy that addressed the responsibilities or basic evacuation procedures that residents should follow in case of a fire or similar emergency. The FSEP included standard resident evacuation procedures but failed to provide specific procedures for resident movement and evacuation or relocation during a fire or similar emergency including individualized unique needs of residents. The plan included instructions to evacuate residents but did not include any procedures for assisting residents during evacuation nor did it include instructions for staff to follow in case of relocation.	0 810		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 11 TRAINING Record review indicated the licensee failed to provide evacuation training to residents at least once per year. LALD-A was unable to provide documentation showing any training offered or training scheduled for a future date for residents on the fire safety and evacuation plan. Record review indicated the licensee failed to provide training to employees on the FSEP upon hire and at least twice per year. LALD-A provided documentation showing staff received training in September 2023 but was unable to provide documentation showing any additional training provided or training scheduled for a future date for staff on the fire safety and evacuation plan. DRILLS Record review indicated the licensee failed to conduct evacuation drills for employees twice per year, per shift with at least one evacuation drill every other month. Provided documentation indicated evacuation drills were completed on October 18, 2023, and February 14, 2024. No further documentation was provided. LALD-A needed to reschedule the exit interview to March 21, 2024, at 11:30 a.m. but did not attend the meeting at the scheduled time. Survey staff emailed LALD-A with the results of the record review on the FSEP and did not receive a response. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	0 810		
0 820 SS=G	144G.45 Subd. 2 (g) Fire protection and physical environment	0 820		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 820	Continued From page 12 (g) Existing construction or elements, including assisted living facilities that were registered as housing with services establishments under chapter 144D prior to August 1, 2021, shall be permitted to continue in use provided such use does not constitute a distinct hazard to life. Any existing elements that an authority having jurisdiction deems a distinct hazard to life must be corrected. The facility must document in the facility's records any actions taken to comply with a correction order, and must submit to the commissioner for review and approval prior to correction. This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to ensure physical facility elements did not constitute a distinct hazard to life. The licensee failed to provide resident bedrooms with the minimum window opening meeting the minimum state standard for egress. This had the potential to affect some residents, staff, and visitors. This practice resulted in a level three violation (a violation that harmed a resident's health or safety, not including serious injury, impairment, or death, or a violation that has the potential to lead to serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: On March 18, 2024, at 10:00 a.m. survey staff toured the facility with licensed assisted living director (LALD)-A. During the tour, survey staff asked LALD-A to open the windows in the	0 820		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 820	Continued From page 13 resident bedrooms for measurement. The noncompliant measurements were as follows: Occupied Sleeping Rooms: Bedroom #1 occupied by R2: one window measuring 26 inches clear width, 14.5 inches clear height, and 377 square inches total open area. Bedroom #2 occupied by R1: one window measuring 24 inches clear width, 22.5 inches clear height, and 540 square inches total open area. Bedroom #3 occupied by R3: one window measuring 24 inches clear width, 21.5 inches clear height, and 516 square inches total open area. Unoccupied Sleeping Rooms: Bedroom #4: one window measuring 21 inches clear width, 22.5 inches clear height, and 472.5 square inches total open area. The window in bedroom #1 did not meet the minimum requirements for opening height and the windows in bedrooms #1, #2, #3, and #4 did not meet the minimum requirements for total openable area. Egress windows in existing sleeping rooms must have a minimum openable width of 20 inches and minimum openable height of 20 inches with no less than 648 square inches total of openable area (4.5 square feet) for the window. Survey staff explained to LALD-A that at least one window in each bedroom in a state-licensed facility must meet the minimum state fire code standard for an egress window to be a complying bedroom for resident occupancy. LALD-A verbally confirmed the findings.	0 820		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 820	Continued From page 14 On March 20, 2024, survey staff explained to LALD-A that an immediate correction order was issued for the above finding. LALD-A acknowledged the above finding. No Further information was provided. TIME PERIOD FOR CORRECTION: Immediate.	0 820		
01370 SS=F	144G.61 Subd. 2 (a) Training and evaluation of unlicensed personn (a) Training and competency evaluations for all unlicensed personnel must include the following: (1) documentation requirements for all services provided; (2) reports of changes in the resident's condition to the supervisor designated by the facility; (3) basic infection control, including blood-borne pathogens; (4) maintenance of a clean and safe environment; (5) appropriate and safe techniques in personal hygiene and grooming, including: (i) hair care and bathing; (ii) care of teeth, gums, and oral prosthetic devices; (iii) care and use of hearing aids; and (iv) dressing and assisting with toileting; (6) training on the prevention of falls; (7) standby assistance techniques and how to perform them; (8) medication, exercise, and treatment reminders; (9) basic nutrition, meal preparation, food safety, and assistance with eating; (10) preparation of modified diets as ordered by a licensed health professional;	01370		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01370	Continued From page 15 (11) communication skills that include preserving the dignity of the resident and showing respect for the resident and the resident's preferences, cultural background, and family; (12) awareness of confidentiality and privacy; (13) understanding appropriate boundaries between staff and residents and the resident's family; (14) procedures to use in handling various emergency situations; and (15) awareness of commonly used health technology equipment and assistive devices. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee failed to ensure training and competency evaluations were completed for all required skill areas, prior to providing services, for one of one unlicensed personnel (unlicensed personnel (ULP)-C). This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: ULP-C was hired on August 15, 2023, to provide direct care to residents. ULP-C's employee record included an Rtask transcript which indicated ULP-C completed their orientations and competency trainings on August	01370		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01370	Continued From page 16 23, 2023. ULP-C's employee record lacked the following competency training and evaluation (144G.61, Subd. 2): - documentation requirements for all services provided; - reports of changes in the resident's condition to the supervisor designated by the assisted living provider; - basic infection control, including blood-borne pathogens; - maintenance of a clean and safe environment; - appropriate and safe techniques in personal hygiene and grooming; - training on the prevention of falls for providers working with the elderly or individuals at risk of falls; - standby assistance techniques and how to perform them; - medication, exercise, and treatment reminders; - basic nutrition, meal preparation, food safety, and assistance with eating; - preparation of modified diets as ordered by a licensed health professional; - communication skills that include preserving the dignity of the resident and showing respect for the resident and the resident's preferences, cultural background, and family; - awareness of confidentiality and privacy; - understanding appropriate boundaries between staff and residents and the resident's family; - procedures to utilize in handling various emergency situations; - awareness of commonly used health technology equipment and assistive devices; - observation, reporting, and documenting of resident status; - basic knowledge of body functioning and changes in body functioning, injuries, or other	01370		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01370	Continued From page 17 observed changes that must be reported to appropriate personnel; - reading and recording temperature, pulse, and respirations of the resident; - recognizing physical, emotional, cognitive, and developmental needs of the resident; - safe transfer techniques and ambulation; - range of motioning and positioning; - administering medications or treatments as required; and - other RN/professionally delegated tasks. On March 28, 2024, at 8:17 a.m., licensed assisted living director (LALD)-A stated ULP-C record had lacked ULP-C orientation documentation from the previous nurse that trained ULP-C. LALD-A stated that LALD-A had oversight of the orientation process with a recent switch in computer training systems two (2) months ago from Rtask to Educare to provide an organized training system for all the licensee's employees to meet the requirements. The licensee's Agency Employee Orientation policy undated, indicated all employees of the licensee that provided direct care shall complete an orientation. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	01370		
01440 SS=D	144G.62 Subd. 4 Supervision of staff providing delegated nurs (a) Staff who perform delegated nursing or therapy tasks must be supervised by an appropriate licensed health professional or a	01440		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01440	Continued From page 18 registered nurse according to the assisted living facility's policy where the services are being provided to verify that the work is being performed competently and to identify problems and solutions related to the staff person's ability to perform the tasks. Supervision of staff performing medication or treatment administration shall be provided by a registered nurse or appropriate licensed health professional and must include observation of the staff administering the medication or treatment and the interaction with the resident. (b) The direct supervision of staff performing delegated tasks must be provided within 30 calendar days after the date on which the individual begins working for the facility and first performs the delegated tasks for residents and thereafter as needed based on performance. This requirement also applies to staff who have not performed delegated tasks for one year or longer. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure supervision was completed within 30 calendar days of beginning to provide delegated tasks for one of one unlicensed personnel (ULP)-C. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety) and was issued at an isolated scope (when one or a limited number of residents are affected, or one or a limited number of staff are involved, or the situation has occurred only occasionally). The findings include:	01440		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01440	Continued From page 19 ULP-C was hired on August 15, 2023, and was observed administering medications to R1 on March 19, 2024. ULP-C's employee file lacked documentation of direct supervision of delegated tasks within 30 days of hire or performing delegated tasks. On March 19, 2024, at 8:54 a.m., licensed assisted living director (LALD)-A acknowledged ULP-C's record lacked documentation of supervision for a delegated task within 30 days. LALD-A stated the previous nurse would have had oversight and lacked to provide documentation in ULP-C's record. The licensee's 6.17 Supervision of Staff - Delegated Services policy dated November 9, 2021, indicated registered nurse (RN) supervision would be completed within 30 calendar days from the day the task was first delegated and would be documented in the employee's record. No further information provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	01440		
01470 SS=D	144G.63 Subd. 2 Content of required orientation (a) The orientation must contain the following topics: (1) an overview of this chapter; (2) an introduction and review of the facility's policies and procedures related to the provision of assisted living services by the individual staff person; (3) handling of emergencies and use of emergency services;	01470		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01470	Continued From page 20 (4) compliance with and reporting of the maltreatment of vulnerable adults under section 626.557 to the Minnesota Adult Abuse Reporting Center (MAARC); (5) the assisted living bill of rights and staff responsibilities related to ensuring the exercise and protection of those rights; (6) the principles of person-centered planning and service delivery and how they apply to direct support services provided by the staff person; (7) handling of residents' complaints, reporting of complaints, and where to report complaints, including information on the Office of Health Facility Complaints; (8) consumer advocacy services of the Office of Ombudsman for Long-Term Care, Office of Ombudsman for Mental Health and Developmental Disabilities, Managed Care Ombudsman at the Department of Human Services, county-managed care advocates, or other relevant advocacy services; and (9) a review of the types of assisted living services the employee will be providing and the facility's category of licensure. (b) In addition to the topics in paragraph (a), orientation may also contain training on providing services to residents with hearing loss. Any training on hearing loss provided under this subdivision must be high quality and research based, may include online training, and must include training on one or more of the following topics: (1) an explanation of age-related hearing loss and how it manifests itself, its prevalence, and the challenges it poses to communication; (2) health impacts related to untreated age-related hearing loss, such as increased incidence of dementia, falls, hospitalizations, isolation, and depression; or	01470		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01470	Continued From page 21 (3) information about strategies and technology that may enhance communication and involvement, including communication strategies, assistive listening devices, hearing aids, visual and tactile alerting devices, communication access in real time, and closed captions. This MN Requirement is not met as evidenced by: Based on interview, and record review, the licensee failed to ensure one of one employee (unlicensed personnel (ULP)-C) received orientation to assisted living facility licensing requirements and regulations before providing services. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at an isolated scope (when one or a limited number of residents are affected or one or a limited number of staff are involved, or the situation has occurred only occasionally). The findings include: ULP-C was hired on August 15, 2023, to provide direct care to residents. ULP-Cs employee record did not include the following required orientation content (144G.63 Subd. 2): -Overview of Assisted Living statutes; -Review of provider's policies and procedures; -Handling emergencies and using emergency services; -Reporting maltreatment of vulnerable adults or minors;	01470		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	37142	A. BUILDING: _____ B. WING _____	03/20/2024

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
NEW LIFE CARE LLC	10115 GROUSE STREET NW COON RAPIDS, MN 55433

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
01470	Continued From page 22 -Assisted Living Bill of Rights; -Handing of resident complaints, reporting of complaints, where to report; -Consumer advocacy services; -Review of types of Assisted Living services the employee will provide and provider's scope of license; -Principles of person-centered planning/service delivery; and -Orientation to each specific resident and services provided (144G.63 Subd. 3). On March 19, 2024, at 8:21 a.m., licensed assisted living director (LALD)-A stated ULP-C had not completed all components of the required orientation training for assisted living facilities. LALD-A stated that LALD-A had oversight of the orientation process with a recent switch in computer training systems two (2) months ago from Rtask to Educare to provide an organized training system for all the licensee's employees to meet the requirements. The licensee's Agency Employee Orientation policy undated, indicated all licensee's employees shall complete an orientation. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-One (21) days.	01470		

Minnesota Department of Health
Food, Pools, & Lodging Services
P.O. Box 64975
Saint Paul, MN 55164-0975
651-201-4500

Type: Full
Date: *03/18/24*
Time: 12:40:04
Report: 1004241062

Food and Beverage Establishment Inspection Report

Location:
New Life Care Llc
10115 Grouse Street Nw
Coon Rapids, MN55433
Anoka County, 02

Establishment Info:
ID #: 0037484
Risk:
Announced Inspection: No

License Categories:

Expires on: / /

Operator:

Phone #: 7632577118
ID #:

The violations listed in this report include any previously issued orders and deficiencies identified during this inspection. Compliance dates are shown for each item.

The following orders were issued during this inspection.

4-300 Equipment Numbers and Capacities
4-302.12B ***** Priority 2 *****
MN Rule 4626.0705B Provide a readily accessible food temperature measuring device with a small diameter probe to measure the temperature in thin foods such as meat patties and fish fillets.
NO SMALL DIAMETER PROBE THERMOMETER ON SITE. PROVIDE AND USE FREQUENTLY.
Comply By: 03/18/24

4-300 Equipment Numbers and Capacities
4-302.13B ***** Priority 2 *****
MN Rule 4626.0710B Provide a readily accessible, irreversible registering temperature indicator for measuring the utensil surface temperature in mechanical hot water warewashing operations.
NO IRREVERISBLE TEMPERATURE INDICATORS FOR USE TO ENSURE UTENSIL SURFACE TEMPERATURE IN THE HIGH TEMPERATURE SANITIZING DISH MACHINE IS REACHING A MINIMUM OF 160*F. PROVIDE AND USE FREQUENTLY. DISCUSSED OPTIONS WITH OPERATOR.

Comply By: 03/18/24

5-200C Plumbing: Maintenance, fixture location
5-205.11AB ***** Priority 2 *****
MN Rule 4626.1110AB The handwashing sink must be accessible at all times for employee use, and must be used only for handwashing.
KITCHEN HAS A 2-BASIN SINK. THERE IS NO DESIGNATED SIDE FOR HANDWASHING ONLY. DESIGNATE A BASIN FOR HANDWASHING PURPOSES ONLY AND DO NOT USE FOR ANYTHING OTHER THAN HANDWASHING.
Comply By: 03/18/24

2-100 Supervision

2-102.12AMN

MN Rule 4626.0033A Employ a certified food protection manager (CFPM) for the establishment.

NO CURRENT CFPM EMPLOYED BY FACILITY. OPERATOR'S CERTIFICATION IS EXPIRED. OPERATOR IS WORKING ON RE-CERTIFICATION.

Comply By: 04/19/24

4-200 Equipment Design and Construction

4-201.11GMN

MN Rule 4626.0506G Discontinue serving TCS foods that are held for more than same-day service in an adult or child care center or boarding establishment or provide equipment that is certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program.

ESTABLISHMENT USES RESIDENTIAL EQUIPMENT. CURRENT FOOD SERVICE PRACTICES ARE NOT LIMITED TO SAME-DAY SERVICE. MODIFY FOOD SERVICES TO HAVE FOOD BE PREPARED AND CONSUMED WITHIN THE SAME DAY, OR PROVIDE COMMERCIAL, ANSI ACCREDITED EQUIPMENT.

Comply By: 03/18/24

6-300 Physical Facility Numbers and Capacities

6-301.14A

MN Rule 4626.1457 Provide a sign or poster at all handwashing sinks used by food employees that notifies them to wash their hands

NO SIGN OR POSTER LOCATED AT KITCHEN HANDWASHING SINK. PROVIDE AND MAINTAIN.

Comply By: 03/18/24

Surface and Equipment Sanitizers

Utensil Surface Temp.: > at 160 Degrees Fahrenheit
Location: DISH MACHINE
Violation Issued: No

Food and Equipment Temperatures

Process/Item: MAC AND CHEESE
Temperature: 38 Degrees Fahrenheit - Location: REFRIGERATOR
Violation Issued: No

Process/Item: AMBIENT TEMPERATURE
Temperature: 36 Degrees Fahrenheit - Location: REFRIGERATOR
Violation Issued: No

Total Orders In This Report	Priority 1	Priority 2	Priority 3
	0	3	3

INSPECTION WAS CONDUCTED BY MOLLY DOUGHERTY (FPLS) IN CONJUNCTION WITH A HEALTH REGULATIONS DIVISION (HRD) SURVEY CONDUCTED BY JESSICA DETERS.

DISCUSSED:
-EMPLOYEE ILLNESS POLICY AND LOG
-HANDWASHING
-SANITIZER USE AND TEST KITS
-CLEANING/SANITIZING FOOD CONTACT SURFACES AND UTENSILS
-HIGH TEMPERATURE SANITIZING DISH MACHINE TEMPERATURE VERIFICATION
-DATE MARKING PROCEDURES
-THERMOMETER USE AND CALIBRATION
-SERVING A HIGHLY SUSCEPTIBLE POPULATION (NO RAW/UNDERCOOKED ANIMAL FOODS, NO UNPASTEURIZED JUICE, MILK, ETC)
-VOMIT/FECAL INCIDENT CLEAN UP PROCEDURES
-FOOD SOURCE
-FOOD SERVICE PROCEDURES
-PEST CONTROL
-PHYSICAL FACILITIES AND MAINTENANCE

*REPORT WAS DISCUSSED WITH THE OPERATOR, ABDUSALAM, AND WITH THE NURSE EVALUATOR, JESSICA.

*FLOORS ARE GROUTED PORCELAIN TILE, WALLS ARE PAINTED DRYWALL, AND CEILING IS "POPCORN" TEXTURE. CABINETS ARE VARNISHED WOOD WITH HALLOW BASE. ALL ARE FOUND TO BE IN GOOD CONDITION AND WILL BE MONITORED AT FUTURE INSPECTIONS. IF AT SUCH A TIME THEY ARE FOUND TO BE A CONCERN OR RISK OF CONTAMINATION, THEY WILL BE ORDERED TO BE REPLACED AND BROUGHT UP TO CODE.

*IF ANY RESIDENT COMPLAINS OF ILLNESS, CONTACT THE MINNESOTA DEPARTMENT OF HEALTH AND PROVIDE THE FOODBORNE ILLNESS HOTLINE PHONE NUMBER TO THE RESIDENT. THE FOODBORNE ILLNESS HOTLINE PHONE NUMBER IS 1-877-366-3455.

NOTE: Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Minnesota Department of Health inspection report number 1004241062 of 03/18/24.

Certified Food Protection Manager:_____

Certification Number: _____ Expires: __/__/____

Inspection report reviewed with person in charge and emailed.

Signed:_____
ABDUSALAM HASSEN
OPERATOR

Signed: Molly Dougherty
Molly Dougherty
Public Health Sanitarian
Metro District Office
651-201-3978

Food and Beverage Establishment Inspection Report

Molly Dougherty

molly.dougherty@state.mn.us