Electronically Delivered

September 30, 2025

Licensee
Optimal Home of Maple Grove LLC
9261 Forestview Lane North
Maple Grove, MN 55369

RE: Project Number(s) SL39710016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on August 13, 2025, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

IMPOSITION OF FINES

In accordance with Minn. Stat. § 144G.31, Subd. 4, fines and enforcement actions may be imposed based on the level and scope of the violations and may be imposed immediately with no opportunity to correct the violation first as follows:

Level 1: no fines or enforcement;
Level 2: a fine of $500 per violation, in addition to any enforcement mechanism authorized in § 144G.20;
Level 3: a fine of $1,000 per incident, in addition to any enforcement mechanism authorized in § 144G.20;
Level 4: a fine of $3,000 per incident, in addition to any enforcement mechanism authorized in

§ 144G.20;
Level 5: a fine of $5,000 per violation, in addition to any enforcement mechanism authorized in § 144G.20.

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, the following fines are assessed pursuant to this survey:

St - 0 - 0780 - 144g.45 Subd. 2 (a) (1) - Fire Protection And Physical Environment - $500.00

Therefore, in accordance with Minn. Stat. §§ 144G.01 to 144G.9999, **the total amount you are assessed is $500.00**. You will be invoiced approximately 30 days after receipt of this notice, subject to appeal.

DOCUMENTATION OF ACTION TO COMPLY
In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS
In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

REQUESTING A HEARING
Alternatively, in accordance with Minn. Stat. § 144G.31, Subd. 5(d), an assisted living provider that has been assessed a fine under this subdivision has a right to a reconsideration or a hearing under this section and chapter 14. Pursuant to Minn. Stat. § 144G.20, Subd. 14 and Subd. 18, a request for a hearing must be in writing and received by the Department of Health within 15 business days of the correction order receipt date. The request must contain a brief and plain statement describing each matter or issue contested and any new information you believe constitutes a defense or mitigating factor.

To submit a hearing request, please visit:
https://forms.web.health.state.mn.us/form/HRDAppealsForm

To appeal fines via reconsideration, please follow the procedure outlined above. Please note that you may request a reconsideration **or** a hearing, but not both. If you wish to contest tags without fines in a reconsideration and tags with the fines at a hearing, please submit two separate appeals forms at the website listed above.

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **https://forms.office.com/g/Bm5uQEpHVa**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

Jess Schoenecker, Supervisor
State Evaluation Team
Email: Jess.Schoenecker@state.mn.us
Telephone: 651-201-3789 Fax: 1-866-890-9290

AH

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39710	A. BUILDING: _____ B. WING _____	08/13/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
OPTIMAL HOME OF MAPLE GROVE LLC	9261 FORESTVIEW LANE NORTH MAPLE GROVE, MN 55369

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL39710016-0 On August 11, 2025, through August 13, 2025, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were three (3) residents; 3 receiving services under the Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.	
0 780 SS=F	144G.45 Subd. 2 (a) (1) Fire protection and physical environment	0 780		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39710	A. BUILDING: _____ B. WING _____	08/13/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
OPTIMAL HOME OF MAPLE GROVE LLC	9261 FORESTVIEW LANE NORTH MAPLE GROVE, MN 55369

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 780	Continued From page 1 (a) Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: (1) for dwellings or sleeping units, as defined in the State Fire Code: (i) provide smoke alarms in each room used for sleeping purposes; (ii) provide smoke alarms outside each separate sleeping area in the immediate vicinity of bedrooms; (iii) provide smoke alarms on each story within a dwelling unit, including basements, but not including crawl spaces and unoccupied attics; (iv) where more than one smoke alarm is required within an individual dwelling unit or sleeping unit, interconnect all smoke alarms so that actuation of one alarm causes all alarms in the individual dwelling unit or sleeping unit to operate; and (v) ensure the power supply for existing smoke alarms complies with the State Fire Code, except that newly introduced smoke alarms in existing buildings may be battery operated; This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed provide interconnected smoke alarms in required locations. These deficient conditions had the ability to affect all staff and residents. This practice resulted in a level two violation (a violation that did not harm a resident's health or	0 780		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39710	A. BUILDING: _____ B. WING _____	08/13/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
OPTIMAL HOME OF MAPLE GROVE LLC	9261 FORESTVIEW LANE NORTH MAPLE GROVE, MN 55369

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 780	Continued From page 2 safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: On August 12, 2025, at approximately 1:00 p.m., survey staff toured the facility with administrator (ADM)-A. During the tour, the surveyor observed the smoke alarms were tested for interconnection by the licensee, in bedroom 4 the smoke alarm sounded locally but was not interconnected as required by state statute. On August 12, 2025, ADM-A acknowledged the observation while accompanying on the tour. TIME PERIOD FOR CORRECTION: Seven (7) days	0 780		
0 810 SS=F	144G.45 Subd. 2 (b-f) Fire protection and physical environment (b) Each assisted living facility shall develop and maintain fire safety and evacuation plans. The plans shall include but are not limited to: (1) location and number of resident sleeping rooms; (2) staff actions to be taken in the event of a fire or similar emergency; (3) fire protection procedures necessary for residents; and (4) procedures for resident movement, evacuation, or relocation during a fire or similar	0 810		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39710	A. BUILDING: _____ B. WING _____	08/13/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
OPTIMAL HOME OF MAPLE GROVE LLC	9261 FORESTVIEW LANE NORTH MAPLE GROVE, MN 55369

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 3 emergency including the identification of unique or unusual resident needs for movement or evacuation. (c) Staff of assisted living facilities shall receive training on the fire safety and evacuation plans upon hiring and at least twice per year thereafter. (d) Fire safety and evacuation plans shall be readily available at all times within the facility. (e) Residents who are capable of assisting in their own evacuation shall be trained on the proper actions to take in the event of a fire to include movement, evacuation, or relocation. The training shall be made available to residents at least once per year. (f) Evacuation drills are required for staff twice per year per shift with at least one evacuation drill every other month. Evacuation of the residents is not required. Fire alarm system activation is not required to initiate the evacuation drill. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to develop the fire safety and evacuation plan with the required content. This had the potential to directly affect all residents, staff, and visitors. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic	0 810		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39710	A. BUILDING: _____ B. WING _____	08/13/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
OPTIMAL HOME OF MAPLE GROVE LLC	9261 FORESTVIEW LANE NORTH MAPLE GROVE, MN 55369

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 4 failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: On August 12, 2025, at approximately 1:00 p.m., survey staff observed the room identification posted throughout the facility did not match the fire evacuation diagrams in the fire safety evacuation plan (FSEP). Exit plan diagrams must be correctly labeled to reduce confusion and potential obstructions to egress in a fire or similar emergency. On August 12, 2025, administrator (ADM)-A provided documents on the fire safety and evacuation plan (FSEP), fire safety and evacuation training, and evacuation drills for the facility. FIRE SAFETY AND EVACUATION PLAN: The licensee's FSEP failed to include the following: The FSEP included standard resident evacuation procedures but failed to provide specific procedures for resident movement and evacuation or relocation during a fire or similar emergency including individualized unique needs of residents. ADM-A stated they verbally train staff on the resident evacuation levels and needs, but a policy is not in place. The evacuation levels where not outlined in the FSEP. On August 12, 2025, ADM-A stated they understood the area of the policy that needed to be brought into compliance.	0 810		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION	(X3) DATE SURVEY COMPLETED
	39710	A. BUILDING: _____ B. WING _____	08/13/2025

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
OPTIMAL HOME OF MAPLE GROVE LLC	9261 FORESTVIEW LANE NORTH MAPLE GROVE, MN 55369

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 810	Continued From page 5 TIME PERIOD FOR CORRECTION: Twenty-one (21) days.	0 810		

Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Establishment Info

OPTIMAL HOME OF MAPLE GROVE LL
9261 FORESTVIEW LANE NORTH
Maple Grove, MN 55369
Hennepin County
Parcel:

Phone:

License Info

License: HFID 39710

Risk:
License:
Expires on:
CFPM: SUMAYO J. MOHAMUD
CFPM #: FM117754; Exp: 05/23/2026

Inspection Info

Report Number: F8087251073
Inspection Type: Full - Single
Date: 8/12/2025 Time: 9:00:00 AM
Duration: minutes
Announced Inspection: No
Total Priority 1 Orders: 0
Total Priority 2 Orders: 0
Total Priority 3 Orders: 0
Delivery: Emailed

No orders were issued for this inspection report.

Food & Beverage General Comment

THIS WAS AN UNANNOUNCED AND UNSCHEDULED FULL INSPECTION.

INSPECTION CONDUCTED IN THE PRESENCE OF HRD NURSE EVALUATOR.

THE FOLLOWING OBSERVATIONS WERE MADE:

CEILING: PAINTED, SMOOTH, APPEARS TO BE DURABLE - COMPLIANT
FLOORS: LAMINATE - NON COMPLIANT
COUNTERTOPS: LAMINATE - NON COMPLIANT
CABINETS: WOOD - NON COMPLIANT
REFRIGERATOR/FREEZER: WHIRLPOOL
DISHWASHER: KITCHEN AID
STOVE/RANGE: HOT POINT
HAND WASHING SINK: YES - RIGHT SIDE OF 2-BIN STAINLESS STEEL KITCHEN SINK

NON COMPLIANT COUNTERTOP, FLOOR AND CABINETS ARE FOUND TO BE IN GOOD CONDITION AND WILL BE MONITORED AT FUTURE INSPECTIONS. IF AT SUCH A TIME THEY ARE FOUND TO BE A CONCERN OR RISK OF CONTAMINATION, THEY WILL BE ORDERED TO BE REPLACED AND BROUGHT UP TO CODE.

DISHWASHER IS RESIDENTIAL BUT HAS SANITIZING RINSE CYCLE OPTION. TEMPERATURE TEST STRIP USED TO ENSURE UTENSIL SURFACE TEMPERATURES REACH 165.

HOT WATER TEMPERATURE AT THE KITCHEN SINK REACHED 121 DEGREES.

INSPECTION REPORT EMAILED TO FACILITY AND HRD NURSE SURVEYOR.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F8087251073 from 8/12/2025

John Boettcher

WILLY OMANDI
REGISTERED NURSE

John Boettcher,
Public Health Sanitarian 3
651-201-5076
john.boettcher@state.mn.us

Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Temperature Observations/Recordings

Establishment Info

OPTIMAL HOME OF MAPLE GROVE LL
Maple Grove
County/Group: Hennepin County

Inspection Info

Report Number: F8087251073
Inspection Type: Full
Date: 8/12/2025
Time: 9:00:00 AM

Equipment Temperature: Product/Item/Unit: AMBIENT AIR**; Temperature Process:** Ambient Air
Location: Upright Freezer at 7 Degrees F.
Comment:
Violation Issued?: No

Equipment Temperature: Product/Item/Unit: AMBIENT AIR**; Temperature Process:** Ambient Air
Location: Upright Cooler at 43 Degrees F.
Comment:
Violation Issued?: No

Food Temperature: Product/Item/Unit: MILK**; Temperature Process:** Cold-Holding
Location: Upright Cooler at 41 Degrees F.
Comment:
Violation Issued?: No

Food Temperature: Product/Item/Unit: CREAM CHEESE**; Temperature Process:** Cold-Holding
Location: Upright Cooler at 40 Degrees F.
Comment:
Violation Issued?: No