



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

January 8, 2026

Licensee
Caring Hearts Residential
4900 53rd Street East
Minneapolis, MN 55417

RE: Project Number(s) SL36890016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on December 10, 2025, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

In accordance with Minn. Stat. § 144G.31 Subd. 4, MDH may assess fines based on the level and scope of the violations; **however, no immediate fines are assessed for this survey of your facility.**

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEPhVa>**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,



Jess Schoenecker, Supervisor

State Evaluation Team

Email: Jess.Schoenecker@state.mn.us

Telephone: 651-201-3789 Fax: 1-866-890-9290

HHH

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36890	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 12/10/2025
--	--	---	---

NAME OF PROVIDER OR SUPPLIER CARING HEARTS RESIDENTIAL	STREET ADDRESS, CITY, STATE, ZIP CODE 4900 53RD STREET E MINNEAPOLIS, MN 55417
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------	--	---------------	---	--------------------

0 000	<p>Initial Comments</p> <p>*****ATTENTION*****</p> <p>ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S)</p> <p>In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey.</p> <p>Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance.</p> <p>INITIAL COMMENTS:</p> <p>SL36890016-0</p> <p>On December 8, 2025, through December 10, 2025, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were three (3) residents; 3 receiving services under the Assisted Living Facility license.</p>	0 000	<p>Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators' findings is the Time Period for Correction.</p> <p>PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.</p> <p>THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES.</p> <p>THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.</p>	
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services	0 480		

Minnesota Department of Health LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36890	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 12/10/2025
--	--	---	---

NAME OF PROVIDER OR SUPPLIER CARING HEARTS RESIDENTIAL	STREET ADDRESS, CITY, STATE, ZIP CODE 4900 53RD STREET E MINNEAPOLIS, MN 55417
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 480	<p>Continued From page 1</p> <p>(a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626.</p> <p>(b) For an assisted living facility with a licensed capacity of ten or fewer residents:</p> <p>(1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation;</p> <p>(2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570;</p> <p>(3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage;</p> <p>(4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink;</p> <p>(5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are</p>	0 480		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36890	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 12/10/2025
--	--	---	---

NAME OF PROVIDER OR SUPPLIER CARING HEARTS RESIDENTIAL	STREET ADDRESS, CITY, STATE, ZIP CODE 4900 53RD STREET E MINNEAPOLIS, MN 55417
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------	--	---------------	---	--------------------

0 480	<p>Continued From page 2</p> <p>allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door.</p> <p>This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code.</p> <p>This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents).</p> <p>The findings include:</p> <p>Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) December 8, 2025, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection.</p>	0 480		
-------	--	-------	--	--

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36890	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 12/10/2025
--	--	---	---

NAME OF PROVIDER OR SUPPLIER CARING HEARTS RESIDENTIAL	STREET ADDRESS, CITY, STATE, ZIP CODE 4900 53RD STREET E MINNEAPOLIS, MN 55417
--	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 480	Continued From page 3 TIME PERIOD FOR CORRECTION: Please refer to the FBEIR for any compliance dates.	0 480		



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

Caring Hearts Residential

4900 53rd Street E

Minneapolis

, MN 55417

Hennepin County

Parcel:

License Info

License: HFID 36890

Risk:

License:

Expires on:

CFPM: SAEED A. BARRE

CFPM #: 120128; Exp: 10/23/2026

Inspection Info

Report Number: F1029251294

Inspection Type: Full - Single

Date: 12/8/2025 Time: 11:00:37 aM

Duration: minutes

Announced Inspection:

Total Priority 1 Orders: 1

Total Priority 2 Orders: 1

Total Priority 3 Orders: 1

Delivery:

! New Order: 3-300B Protection from Contamination: cross-contamination, eggs

3-302.11A(1) *Priority Level: Priority 1 CFP#: 15*

MN Rule 4626.0235A(1) Separate raw animal foods during storage, preparation, holding, and display from ready-to-eat foods to prevent cross-contamination.

COMMENT: UNPASTEURIZED SHELL EGGS ABOVE READY TO EAT FOODS. OPERATOR INSTRUCTED TO MOVE LOWER AND/OR PLACE INTO CONTAINER WITH HIGH SIDEWALLS. CORRECTED DURING INSPECTION.

Comply By: 12/8/2025 Originally Issued On: 12/8/2025

New Order: 3-300C Protection from Contamination: equipment/utensils, consumers

3-304.14B *Priority Level: Priority 3 CFP#: 41*

MN Rule 4626.0285B Wiping cloths used for wiping counters and other equipment surfaces must be held in an approved sanitizing solution and laundered daily.

COMMENT: WIPING CLOTH NOT IN SANITIZER SOLUTION. OPERATOR INSTRUCTED TO KEEP WIPING CLOTHS IN SANITIZER SOLUTION WHEN NOT IN USE.

Comply By: 12/8/2025 Originally Issued On: 12/8/2025

New Order: 3-500C Microbial Control: date marking

3-501.17B *Priority Level: Priority 2 CFP#: 23*

MN Rule 4626.0400B Mark the refrigerated, ready-to-eat, TCS food prepared and packaged in a processing plant and opened and held for more than 24 hours in the food establishment using an effective method to indicate the date by which the food must be consumed on the premises, sold, or discarded. The date must not exceed the manufacturer's use-by-date.

COMMENT: OPENED DELI MEAT WITHOUT DATE MARK. ITEM KNOWN TO HAVE BEEN OPENED YESTERDAY. OPERATOR INSTRUCTED TO DATE MARK REQUIRED ITEMS. CORRECTED DURING INSPECTION.

Comply By: 12/8/2025 Originally Issued On: 12/8/2025

Food & Beverage General Comment

FOOD AND BEVERAGE INSPECTION CONDUCTED AS PART OF AN HRD SURVEY OF AN ALF. ESTABLISHMENT IS RESIDENTIAL IN NATURE AND HAS A SAME-DAY FOOD SERVICE – PERGO FLOORING, WOOD/MDF DRAWERS AND CABINETRY, STONE COUNTERS, TILE BACKSPLASH, SMOOTH PAINTED WALLS AND CEILING, BOSCH HIGH-HEAT SANITIZING DISHWASHER.

TOPICS REVIEWED – EMPLOYEE ILLNESS LOGGING AND EXCLUSION PROCEDURES, NOTIFICATION REQUIREMENTS, FOODBORNE ILLNESS PATHOGENS COMMON TO MINNESOTA, EMPLOYEE HYGIENE, TEMPERATURE CONTROL, CLEANING AND SANITIZING, DATE MARKING.

ALL IDENTIFIED ISSUES COMMUNICATED TO OPERATOR AND SUBSEQUENTLY TO MICHELLE WINTERS, MBA, BSN, RN, LALD - NURSE EVALUATOR III HEALTH REGULATION DIVISION.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F1029251294 from 12/8/2025

Trevor McCliment

SAEED BARRE
CFPM - PERSON IN CHARGE

Trevor McCliment,
Public Health Sanitarian 3
651-201-3957
trevor.mccliment@state.mn.us



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Temperature Observations/Recordings

Page: 1

Establishment Info	Inspection Info
Caring Hearts Residential	Report Number: F1029251294
Minneapolis	Inspection Type: Full
	Date: 12/8/2025
	Time: 11:00:37 aM

New Record: Product/Item/Unit: DELI MEAT; **Temperature Process:** Cold-Holding

Location: REFRIGERATOR at 37 Degrees F.

Comment:

Violation Issued?: No

New Record: Product/Item/Unit: MILK; **Temperature Process:** Cold-Holding

Location: REFRIGERATOR at 37 Degrees F.

Comment:

Violation Issued?: No



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Sanitizer Observations/Recordings

Page: 1

Establishment Info	Inspection Info
Caring Hearts Residential	Report Number: F1029251294
Minneapolis	Inspection Type: Full
	Date: 12/8/2025
	Time: 11:00:37 aM

Sanitizing Equipment: Product: Hot Water; **Sanitizing Process:** Dish Machine

Location: Equal To 160 Degrees F.

Comment:

Violation Issued?: No