



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

April 3, 2026

Licensee
Golden Heart Home 2
9524 Elliot Avenue South
Bloomington, MN 55420

RE: Project Number SL36814016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on March 11, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

In accordance with Minn. Stat. § 144G.31 Subd. 4, MDH may assess fines based on the level and scope of the violations; **however, no immediate fines are assessed for this survey of your facility.**

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:

<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEPhVa>**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Renee L. Anderson".

Renee L. Anderson, Supervisor

State Evaluation Team

Email: Renee.L.Anderson@state.mn.us

Telephone: 651-201-5871 Fax: 1-866-890-9290

HHH

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36814	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/11/2026
NAME OF PROVIDER OR SUPPLIER GOLDEN HEART HOME 2			STREET ADDRESS, CITY, STATE, ZIP CODE 9524 ELLIOT AVENUE SOUTH BLOOMINGTON, MN 55420		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL36814016-0 On March 9, 2026, through March 11, 2026, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were six residents; six receiving services under the Assisted Living Facility license. An immediate correction order was identified on March 11, 2026, issued for SL36814016-0, tag identification 0775.		0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.	
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services		0 480		

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36814	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/11/2026
NAME OF PROVIDER OR SUPPLIER GOLDEN HEART HOME 2			STREET ADDRESS, CITY, STATE, ZIP CODE 9524 ELLIOT AVENUE SOUTH BLOOMINGTON, MN 55420		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 1 (a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36814	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/11/2026
NAME OF PROVIDER OR SUPPLIER GOLDEN HEART HOME 2		STREET ADDRESS, CITY, STATE, ZIP CODE 9524 ELLIOT AVENUE SOUTH BLOOMINGTON, MN 55420			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 2 allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and is issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has the potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated March 10, 2026, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection.	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36814	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/11/2026
NAME OF PROVIDER OR SUPPLIER GOLDEN HEART HOME 2			STREET ADDRESS, CITY, STATE, ZIP CODE 9524 ELLIOT AVENUE SOUTH BLOOMINGTON, MN 55420		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 3	0 480			
	TIME PERIOD FOR CORRECTION: Please refer to the FBEIR for any compliance dates.				
0 775 SS=I	144G.45 Subd. 2. (a) Fire protection and physical environment Each assisted living facility must comply with the State Fire Code in Minnesota Rules, chapter 7511, and: This MN Requirement is not met as evidenced by: Based on observation and interview, the licensee failed to provide egress windows in compliance with Minnesota State Fire Code in Minnesota Rules chapter 7511. This deficient condition had the ability to affect all staff and residents. This practice resulted in a level three violation (a violation that harmed a resident's health or safety, not including serious injury, impairment, or death, or a violation that has the potential to lead to serious injury, impairment, or death) and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: On March 11, 2026, the surveyor toured the facility with licensed assisted living director (LALD)-A. During the tour, survey staff asked LALD-A to open the windows in the resident rooms for measurement. The noncompliant measurements were as follows: OCCUPIED SLEEPING ROOMS: Resident room 3: The window measured 40 ¾	0 775			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 36814	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/11/2026
NAME OF PROVIDER OR SUPPLIER GOLDEN HEART HOME 2			STREET ADDRESS, CITY, STATE, ZIP CODE 9524 ELLIOT AVENUE SOUTH BLOOMINGTON, MN 55420		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 775	Continued From page 4 inches clear width, 19 inches clear height, and 774 1/4 square inches total open area. Resident room 4: The window measured 38 inches clear width, 19 inches clear height, and 722 square inches total open area. The windows in bedrooms 3 and 4 did not meet the minimum requirements for opening height. Egress windows in existing sleeping rooms must have a minimum openable width of 20 inches and minimum openable height of 20 inches with no less than 648 square inches total of openable area (4.5 square feet) for the window. At least one window in each bedroom in a state-licensed facility must meet the minimum state fire code standard for an egress window to be a complying bedroom for resident occupancy. On March 11, 2026, the surveyor explained to LALD-A that an immediate correction order was issued for the above findings. TIME PERIOD FOR CORRECTION: Immediate	0 775			



Rochester District Office
Minnesota Department of Health
3425 40th Ave NW, Suite 115
Rochester, MN 55901
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

Golden Heart Home 2
9524 Elliot Avenue South
Bloomington, MN 55420
Hennepin County
Parcel:

Phone:
ADFCARESERCICES@GMAIL.COM; muna.
adam@ghhmn.com

License Info

License: HFID 36814

Risk:

License:

Expires on:

CFPM: Mahad Sharif Mohamed

CFPM #: 16293; Exp: 07/26/2027

Inspection Info

Report Number: F8044261075

Inspection Type: Full - Single

Date: 3/10/2026 Time: 9:00:44 AM

Duration: minutes

Announced Inspection: Yes

Total Priority 1 Orders: 1

Total Priority 2 Orders: 0

Total Priority 3 Orders: 0

Delivery: Emailed

! New Order: 4-500 Equipment Maintenance and Operation

4-501.114B Priority Level: Priority 1 CFP#: 16

MN Rule 4626.0805B Discontinue using a sanitizer concentration that exceeds the EPA approved manufacturer's label amount.

COMMENT: Chlorine measured above 200 ppm in spray bottle.

100 ppm obtained while on site.

Comply By: 3/10/2026 Originally Issued On: 3/10/2026

Food & Beverage General Comment

HRD inspection conducted with nurse evaluator Dede Hinnendael. Inspection report reviewed on site with Mahad Mohamed.

FLOOR IS OMPOSIT TILE, CABINETS ARE WOOD WITH HALLOWED ENCLOSED BASES, GRANITE COUNTER TOPS AND SMOOTH PAINTED CEILING. ALL ARE FOUND TO BE IN GOOD CONDITION AND WILL BE MONITORED AT FUTURE INSPECTIONS. IF AT ANY TIME THERE IS FOUND TO BE A RISK OF CONTAMINATION OR CONCERN THE PHYSICAL FACILITIES WILL BE REQUIRED TO BE BROUGHT UP TO CODE.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Rochester District Office inspection report number F8044261075 from 3/10/2026

Mahad Mohamed

Michael DeMars, RS
Public Health Sanitarian 3
michael.demars@state.mn.us



Rochester District Office
Minnesota Department of Health
3425 40th Ave NW, Suite 115
Rochester, MN 55901

Temperature Observations/Recordings

Page: 1

Establishment Info

Golden Heart Home 2
Bloomington
County/Group: Hennepin County

Inspection Info

Report Number: F8044261075
Inspection Type: Full
Date: 3/10/2026
Time: 9:00:44 AM

Food Temperature: **Product/Item/Unit:** Sliced roast beef ; **Temperature Process:** Cold-Holding

Location: Refrigerator at 38.4 Degrees F.

Comment:

Violation Issued?: No

Equipment Temperature: **Product/Item/Unit:** ; **Temperature Process:** Cold-Holding

Location: Refrigerator at 38.0 Degrees F.

Comment:

Violation Issued?: No



Rochester District Office
Minnesota Department of Health
3425 40th Ave NW, Suite 115
Rochester, MN 55901

Sanitizer Observations/Recordings

Page: 1

Establishment Info

Golden Heart Home 2
Bloomington
County/Group: Hennepin County

Inspection Info

Report Number: F8044261075
Inspection Type: Full
Date: 3/10/2026
Time: 9:00:44 AM

Sanitizing Chemical: Product: Chlorine; **Sanitizing Process:** Spray Bottle

Location: Kitchen **Greater Than** 200 PPM

Comment:

Violation Issued?: Yes

Sanitizing Equipment: Product: Hot Water; **Sanitizing Process:** Dish Machine

Location: Kitchen **Equal To** 180 Degrees F.

Comment:

Violation Issued?: No