



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically Delivered

May 15, 2026

Licensee
Golden Heart Home 3
14280 Allen Drive
Savage, MN 55378

RE: Project Number(s) SL38842016

Dear Licensee:

The Minnesota Department of Health (MDH) completed a survey on April 28, 2026, for the purpose of evaluating and assessing compliance with state licensing statutes. At the time of the survey, MDH noted violations of the laws pursuant to Minnesota Statute, Chapter 144G, Minnesota Food Code, Minnesota Rules Chapter 4626, Minnesota Statute 626.5572 and/or Minnesota Statute Chapter 260E.

MDH concludes the licensee is in substantial compliance. State law requires the facility must take action to correct the state correction orders and document the actions taken to comply in the facility's records. The Department reserves the right to return to the facility at any time should the Department receive a complaint or deem it necessary to ensure the health, safety, and welfare of residents in your care.

STATE CORRECTION ORDERS

The enclosed State Form documents the state correction orders. MDH documents state licensing correction orders using federal software. Tag numbers are assigned to Minnesota state statutes for Assisted Living Facilities. The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute number and the corresponding text of the state statute out of compliance are listed in the "Summary Statement of Deficiencies" column. This column also includes the findings that are in violation of the state statute after the statement, "This MN Requirement is not met as evidenced by . . ."

In accordance with Minn. Stat. § 144G.31 Subd. 4, MDH may assess fines based on the level and scope of the violations; **however, no immediate fines are assessed for this survey of your facility.**

DOCUMENTATION OF ACTION TO COMPLY

In accordance with Minn. Stat. § 144G.30, Subd. 5(c), the licensee must document actions taken to comply with the correction orders within the time period outlined on the state form; however, plans of correction are not required to be submitted for approval.

The correction order documentation should include the following:

- Identify how the area(s) of noncompliance was corrected related to the resident(s)/employee(s) identified in the correction order.
- Identify how the area(s) of noncompliance was corrected for all of the provider's resident(s)/employees that may be affected by the noncompliance.
- Identify what changes to your systems and practices were made to ensure compliance with the specific statute(s).

CORRECTION ORDER RECONSIDERATION PROCESS

In accordance with Minn. Stat. § 144G.32, Subd. 2, you may challenge the correction order(s) issued, including the level and scope, and any fine assessed through the correction order reconsideration process. The request for reconsideration must be in writing and received by MDH within 15 calendar days of the correction order receipt date.

To submit a reconsideration request, please visit:


<https://forms.web.health.state.mn.us/form/HRDAppealsForm>

The MDH Health Regulation Division (HRD) values your feedback about your experience during the survey and/or investigation process. Please fill out this anonymous provider feedback questionnaire at your convenience at this link: **<https://forms.office.com/g/Bm5uQEPhVa>**. Your input is important to us and will enable MDH to improve its processes and communication with providers. If you have any questions regarding the questionnaire, please contact Susan Winkelmann at susan.winkelmann@state.mn.us or call 651-201-5952.

You are encouraged to retain this document for your records. It is your responsibility to share the information contained in the letter and state form with your organization's Governing Body.

If you have any questions, please contact me.

Sincerely,



Casey DeVries, Supervisor

State Evaluation Team

Email: Casey.DeVries@state.mn.us

Telephone: 651-201-5917 Fax: 1-866-890-9290

KKM

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38842	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 04/28/2026
NAME OF PROVIDER OR SUPPLIER GOLDEN HEART HOME 3			STREET ADDRESS, CITY, STATE, ZIP CODE 14280 ALLEN DRIVE SAVAGE, MN 55378		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 000	Initial Comments *****ATTENTION***** ASSISTED LIVING PROVIDER LICENSING CORRECTION ORDER(S) In accordance with Minnesota Statutes, section 144G.08 to 144G.95, these correction orders are issued pursuant to a survey. Determination of whether violations are corrected requires compliance with all requirements provided at the Statute number indicated below. When Minnesota Statute contains several items, failure to comply with any of the items will be considered lack of compliance. INITIAL COMMENTS: SL38842016-0 On April 27, 2026, through April 28, 2026, the Minnesota Department of Health conducted a full survey at the above provider and the following correction orders are issued. At the time of the survey, there were four residents all of whom received services under the Assisted Living Facility license.	0 000	Minnesota Department of Health is documenting the State Correction Orders using federal software. Tag numbers have been assigned to Minnesota State Statutes for Assisted Living Facilities. The assigned tag number appears in the far-left column entitled "ID Prefix Tag." The state Statute number and the corresponding text of the state Statute out of compliance is listed in the "Summary Statement of Deficiencies" column. This column also includes the findings which are in violation of the state requirement after the statement, "This Minnesota requirement is not met as evidenced by." Following the evaluators' findings is the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES,"PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES. THE LETTER IN THE LEFT COLUMN IS USED FOR TRACKING PURPOSES AND REFLECTS THE SCOPE AND LEVEL ISSUED PURSUANT TO 144G.31 SUBDIVISION 1-3.		
0 480 SS=F	144G.41 Subdivision 1 Subd. 1a (a-b) Minimum requirements; required food services	0 480			

Minnesota Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38842	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 04/28/2026
NAME OF PROVIDER OR SUPPLIER GOLDEN HEART HOME 3		STREET ADDRESS, CITY, STATE, ZIP CODE 14280 ALLEN DRIVE SAVAGE, MN 55378			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 1 (a) Except as provided in paragraph (b), food must be prepared and served according to the Minnesota Food Code, Minnesota Rules, chapter 4626. (b) For an assisted living facility with a licensed capacity of ten or fewer residents: (1) notwithstanding Minnesota Rules, part 4626.0033, item A, the facility may share a certified food protection manager (CFPM) with one other facility located within a 60-mile radius and under common management provided the CFPM is present at each facility frequently enough to effectively administer, manage, and supervise each facility's food service operation; (2) notwithstanding Minnesota Rules, part 4626.0545, item A, kick plates that are not removable or cannot be rotated open are allowed unless the facility has been issued repeated correction orders for violations of Minnesota Rules, part 4626.1565 or 4626.1570; (3) notwithstanding Minnesota Rules, part 4626.0685, item A, the facility is not required to provide integral drainboards, utensil racks, or tables large enough to accommodate soiled and clean items that may accumulate during hours of operation provided soiled items do not contaminate clean items, surfaces, or food, and clean equipment and dishes are air dried in a manner that prevents contamination before storage; (4) notwithstanding Minnesota Rules, part 4626.1070, item A, the facility is not required to install a dedicated handwashing sink in its existing kitchen provided it designates one well of a two-compartment sink for use only as a handwashing sink; (5) notwithstanding Minnesota Rules, parts 4626.1325, 4626.1335, and 4626.1360, item A, existing floor, wall, and ceiling finishes are	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38842	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 04/28/2026
NAME OF PROVIDER OR SUPPLIER GOLDEN HEART HOME 3		STREET ADDRESS, CITY, STATE, ZIP CODE 14280 ALLEN DRIVE SAVAGE, MN 55378			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 2 allowed provided the facility keeps them clean and in good condition; (6) notwithstanding Minnesota Rules, part 4626.1375, shielded or shatter-resistant lightbulbs are not required, but if a light bulb breaks, the facility must discard all exposed food and fully clean all equipment, dishes, and surfaces to remove any glass particles; and (7) notwithstanding Minnesota Rules, part 4626.1390, toilet rooms are not required to be provided with a self-closing door. This MN Requirement is not met as evidenced by: Based on observation, interview, and record review, the licensee failed to ensure food was prepared and served according to the Minnesota Food Code. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: Please refer to the document titled, Food and Beverage Establishment Inspection Report (FBEIR) dated April 28, 2026, for the specific Minnesota Food Code violations. The Inspection Report was provided to the licensee within 24 hours of the inspection.	0 480			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38842	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 04/28/2026
NAME OF PROVIDER OR SUPPLIER GOLDEN HEART HOME 3		STREET ADDRESS, CITY, STATE, ZIP CODE 14280 ALLEN DRIVE SAVAGE, MN 55378			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
0 480	Continued From page 3	0 480			
	TIME PERIOD FOR CORRECTION: Please refer to the FBEIR for any compliance dates.				
02290 SS=F	144G.91 Subd. 2 Legislative intent The rights established under this section for the benefit of residents do not limit any other rights available under law. No facility may request or require that any resident waive any of these rights at any time for any reason, including as a condition of admission to the facility. This MN Requirement is not met as evidenced by: Based on interview and record review, the licensee limited the rights of residents who resided in the facility when the licensee required residents not to consume pork. This had the potential to affect all residents residing in the assisted living facility. This practice resulted in a level two violation (a violation that did not harm a resident's health or safety but had the potential to have harmed a resident's health or safety, but was not likely to cause serious injury, impairment, or death), and was issued at a widespread scope (when problems are pervasive or represent a systemic failure that has affected or has potential to affect a large portion or all of the residents). The findings include: The licensee's undated blank Assisted Living Resident Agreement included a section titled Meal Plans and read, "The Community does not serve alcohol, pork or pork products in its facilities. These products will therefore not be included on resident menus. Residents are	02290			

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 38842	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____		(X3) DATE SURVEY COMPLETED 04/28/2026
NAME OF PROVIDER OR SUPPLIER GOLDEN HEART HOME 3		STREET ADDRESS, CITY, STATE, ZIP CODE 14280 ALLEN DRIVE SAVAGE, MN 55378			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
02290	Continued From page 4 furthermore prohibited from consuming these products within [the licensee's name] facilities or vehicles." The contract limited the residents' rights to consume pork. On April 28, 2026, at 9:37 a.m., licensed assisted living director (LALD)-D stated the blank contract listed above was used for all residents who currently resided in the facility. The surveyor asked LALD-D if the section above limited residents' rights. LALD-D stated "probably" with the way the sentence was structured. LALD-D stated the licensee's parent company had revised the section listed above and removed it from the contract after a previous survey, however, the licensee had not reissued the contract to the residents at their facility. LALD-D stated they do not follow the restriction. LALD-D stated the licensee does not serve pork, but they do allow residents to consume pork within the facility. The licensee's Minnesota Bill of Rights for Assisted Living dated January 1, 2026, indicated residents have the right to individual autonomy, initiative and independence in making life choices. No facility may request or require that any resident waive any of these rights at any time for any reason, including as a condition of admission to the facility. No further information was provided. TIME PERIOD FOR CORRECTION: Twenty-one (21) days	02290			



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164
Phone: 651-201-4500

Food & Beverage Inspection Report

Page: 1

Establishment Info

Golden Heart Home 3
14280 Allen Dr
Savage, MN 55378
Scott County
Parcel:

Phone:

License Info

License: 0042053

Risk:
License: -1
Expires on: 12/31/2023
CFPM: Sara Mouhamoud Aden
CFPM #: CFPM-18641; Exp:
07/28/2027

Inspection Info

Report Number: F1047261122
Inspection Type: Full - Single
Date: 4/28/2026 Time: 11:30 am
Duration: minutes
Announced Inspection:
Total Priority 1 Orders: 0
Total Priority 2 Orders: 0
Total Priority 3 Orders: 1
Delivery:

New Order: 3-500A Microbial Control: cooling

3-501.13ABC Priority Level: Priority 3 CFP#: 35

MN Rule 4626.0380ABC Thaw TCS food by one of the following methods: 1. under mechanical refrigeration that maintains the food temperature at 41 degrees F (4 degrees C) or less; 2. completely submerged under running water at 70 degrees F (21 degrees C) or less with a velocity to remove loose particles on an overflow and the food is maintained at 41 degrees F (5 degrees C) or less; 3. in a microwave oven or; 4. as part of the cooking process.

COMMENT: GROUND BEEF OBSERVED THAWING ON THE COUNTER TOP. DISCUSSED ABOVE APPROVED THAWING OPTIONS. CORRECTED ON SITE- BEEF WAS RELOCATED TO SINK AND PLACED UNDER RUNNING WATER

Comply By: 4/28/2026 Originally Issued On: 4/28/2026

Food & Beverage General Comment

The inspection was completed with the operator and reviewed with MDH Nurse Evaluator A. Crews.

The establishment has a residential kitchen and serves food that is prepared that day. The kitchen has composite cabinets, wood floor, painted walls, solid counter top, and a painted ceiling.

A two basin sink is located in the kitchen. One sink basin is designated for hand washing. A residential dish machine is located in the kitchen.

Discussed hand washing, ware washing, staff illness policy, temperature control, final cook temperatures, cleaning, serving highly susceptible populations, and food handling procedures.

NOTE: All new food equipment must meet the applicable standards of the American National Standards Institute (ANSI). Plans and specifications must be submitted for review and approval prior to new construction, remodeling or alterations.

I acknowledge receipt of the Metro District Office inspection report number F1047261122 from 4/28/2026

Mahad Mohamed
Operator

Holly Sievers,
Public Health Sanitarian 3

651-201-5946
holly.sievers@state.mn.us



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Temperature Observations/Recordings

Page: 1

Establishment Info

Golden Heart Home 3
Savage
County/Group: Scott County

Inspection Info

Report Number: F1047261122
Inspection Type: Full
Date: 4/28/2026
Time: 11:30 am

Food Temperature: **Product/Item/Unit:** Cheese; **Temperature Process:** Cold-Holding

Location: Refrigerator Drawer at 39 Degrees F.

Comment:

Violation Issued?: No

Food Temperature: **Product/Item/Unit:** Milk; **Temperature Process:** Cold-Holding

Location: Refrigerator at 39 Degrees F.

Comment:

Violation Issued?: No



Metro District Office
Minnesota Department of Health
625 Robert St N, PO BOX 64975
St Paul, MN 55164

Sanitizer Observations/Recordings

Page: 1

Establishment Info

Golden Heart Home 3
Savage
County/Group: Scott County

Inspection Info

Report Number: F1047261122
Inspection Type: Full
Date: 4/28/2026
Time: 11:30 am

Sanitizing Equipment: Product: Hot Water; **Sanitizing Process:** Dish Machine

Location: Kitchen **Equal To** 170 Degrees F.

Comment: Per operator's test strip

Violation Issued?: No

Sanitizing Chemical: Product: Chlorine; **Sanitizing Process:** Spray Bottle

Location: Kitchen **Equal To** 100 PPM

Comment:

Violation Issued?: No