

DEPARTMENT OF HEALTH AND HUMAN SERVICES

CENTERS FOR MEDICARE & MEDICAID SERVICES

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL

ID: BSIT

PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

Facility ID: 00326

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245485		3. NAME AND ADDRESS OF FACILITY (L3) JOHNSON MEMORIAL HOSP & HOME		4. TYPE OF ACTION: <u>7</u> (L8)	
2. STATE VENDOR OR MEDICAID NO. (L2) 808845402		(L4) 1282 WALNUT STREET		1. Initial 2. Recertification	
		(L5) DAWSON, MN (L6) 56232		3. Termination 4. CHOW	
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)		7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7)		5. Validation 6. Complaint	
6. DATE OF SURVEY 06/24/2016 (L34)		01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA		7. On-Site Visit 9. Other	
8. ACCREDITATION STATUS: <u> </u> (L10)		02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF		8. Full Survey After Complaint	
0 Unaccredited 1 TJC		03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC		FISCAL YEAR ENDING DATE: (L35)	
2 AOA 3 Other		04 SNF 08 OPT/SP 12 RHC 16 HOSPICE		09/30	
11. LTC PERIOD OF CERTIFICATION		10. THE FACILITY IS CERTIFIED AS:			
From (a):		X A. In Compliance With <u>And/Or Approved Waivers Of The Following Requirements:</u>			
To (b):		Program Requirements <u> </u> 2. Technical Personnel <u> </u> 6. Scope of Services Limit			
		Compliance Based On: <u> </u> 3. 24 Hour RN <u> </u> 7. Medical Director			
		<u> </u> 1. Acceptable POC <u> </u> 4. 7-Day RN (Rural SNF) <u> </u> 8. Patient Room Size			
12. Total Facility Beds 56 (L18)		<u> </u> 5. Life Safety Code <u> </u> 9. Beds/Room			
13. Total Certified Beds 56 (L17)		B. Not in Compliance with Program			
		Requirements and/or Applied Waivers: * Code: A (L12)			
14. LTC CERTIFIED BED BREAKDOWN					15. FACILITY MEETS
18 SNF	18/19 SNF	19 SNF	ICF	IID	1861 (e) (1) or 1861 (j) (1): (L15)
	56				
(L37)	(L38)	(L39)	(L42)	(L43)	
16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):					
17. SURVEYOR SIGNATURE			Date :		
Kimberly Swenson, DSFM			07/05/2016 (L19)		
18. STATE SURVEY AGENCY APPROVAL			Date:		
Mark Meath, Enforcement Specialist			07/21/2016 (L20)		

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY		20. COMPLIANCE WITH CIVIL RIGHTS ACT:		21. 1. Statement of Financial Solvency (HCFA-2572)	
<input checked="" type="checkbox"/> 1. Facility is Eligible to Participate				2. Ownership/Control Interest Disclosure Stmt (HCFA-1513)	
<u> </u> 2. Facility is not Eligible (L21)				3. Both of the Above : <u> </u>	
22. ORIGINAL DATE OF PARTICIPATION 06/01/1987 (L24)		23. LTC AGREEMENT BEGINNING DATE (L41)		24. LTC AGREEMENT ENDING DATE (L25)	
25. LTC EXTENSION DATE: (L27)		27. ALTERNATIVE SANCTIONS		26. TERMINATION ACTION: (L30)	
		A. Suspension of Admissions: (L44)		VOLUNTARY <u>00</u> INVOLUNTARY	
		B. Rescind Suspension Date: (L45)		01-Merger, Closure 05-Fail to Meet Health/Safety	
				02-Dissatisfaction W/ Reimbursement 06-Fail to Meet Agreement	
				03-Risk of Involuntary Termination OTHER	
				04-Other Reason for Withdrawal 07-Provider Status Change	
				00-Active	
28. TERMINATION DATE:		29. INTERMEDIARY/CARRIER NO. 03001 (L28)		30. REMARKS	
		(L31)			
31. RO RECEIPT OF CMS-1539 (L32)		32. DETERMINATION OF APPROVAL DATE 07/12/2016 (L33)		DETERMINATION APPROVAL	



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

CMS Certification Number (CCN): 245485

July 5, 2016

Ms.. Stacey Lee, Administrator
Johnson Memorial Hospital & Home
1282 Walnut Street
Dawson, Minnesota 56232

Dear Ms. Lee:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program the Minnesota Department of Human Services that your facility is recertified in the Medicaid program.

Effective May 26, 2016 the above facility is certified for:

56 Skilled Nursing Facility/Nursing Facility Beds

Your facility's Medicare approved area consists of all 56 skilled nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Feel free to contact me if you have questions related to this eNotice.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Email: mark.meath@state.mn.us
Telephone: (651) 201-4118 Fax: (651) 215-9697

An equal opportunity employer.



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

Electronically delivered
July 5, 2016

Ms. Stacey Lee, Administrator
Johnson Memorial Hospital & Home
1282 Walnut Street
Dawson, Minnesota 56232

RE: Project Number F5485024

Dear Ms. Lee:

On June 7, 2016, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on May 23, 2016. This survey found the most serious deficiencies to be widespread deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level F), whereby corrections were required.

On June 24, 2016, the Minnesota Department of Public Safety completed a Post Certification Revisit (PCR) to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on May 23, 2016. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of May 26, 2016. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on May 23, 2016, effective May 26, 2016 and therefore remedies outlined in our letter to you dated June 7, 2016, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions related to this eNotice.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Email: mark.meath@state.mn.us
Telephone: (651) 201-4118 Fax: (651) 215-9697

POST-CERTIFICATION REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 245485	MULTIPLE CONSTRUCTION A. Building 01 - MAIN BUILDING 01 B. Wing	DATE OF REVISIT 6/24/2016
NAME OF FACILITY JOHNSON MEMORIAL HOSP & HOME	STREET ADDRESS, CITY, STATE, ZIP CODE 1282 WALNUT STREET DAWSON, MN 56232	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix _____	Correction	ID Prefix _____	Correction	ID Prefix _____	Correction
Reg. # NFPA 101	Completed	Reg. # NFPA 101	Completed	Reg. # _____	Completed
LSC K0056	05/26/2016	LSC K0144	05/26/2016	LSC _____	
ID Prefix _____	Correction	ID Prefix _____	Correction	ID Prefix _____	Correction
Reg. # _____	Completed	Reg. # _____	Completed	Reg. # _____	Completed
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction	ID Prefix _____	Correction	ID Prefix _____	Correction
Reg. # _____	Completed	Reg. # _____	Completed	Reg. # _____	Completed
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction	ID Prefix _____	Correction	ID Prefix _____	Correction
Reg. # _____	Completed	Reg. # _____	Completed	Reg. # _____	Completed
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction	ID Prefix _____	Correction	ID Prefix _____	Correction
Reg. # _____	Completed	Reg. # _____	Completed	Reg. # _____	Completed
LSC _____		LSC _____		LSC _____	

REVIEWED BY STATE AGENCY <input checked="" type="checkbox"/>	REVIEWED BY (INITIALS) TL/mm	DATE 07/05/2016	SIGNATURE OF SURVEYOR 34764	DATE 06/24/2016
REVIEWED BY CMS RO <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	TITLE	DATE

FOLLOWUP TO SURVEY COMPLETED ON 5/23/2016

☐ CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? ☐ YES ☐ NO



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

Electronically delivered
June 7, 2016

Ms. Stacey Lee, Administrator
Johnson Memorial Hospital & Home
1282 Walnut Street
Dawson, Minnesota 56232

RE: Project Number S5485026, F5485024

Dear Ms. Lee:

On May 23, 2016, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

This survey found the most serious deficiencies in your facility to be widespread deficiencies that constitute no actual harm with potential for more than minimal harm that is not immediate jeopardy (Level F), as evidenced by the attached CMS-2567 whereby corrections are required. A copy of the Statement of Deficiencies (CMS-2567) is enclosed.

Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.

This letter provides important information regarding your response to these deficiencies and addresses the following issues:

Opportunity to Correct - the facility is allowed an opportunity to correct identified deficiencies before remedies are imposed;

Electronic Plan of Correction - when a plan of correction will be due and the information to be contained in that document;

Remedies - the type of remedies that will be imposed with the authorization of the Centers for Medicare and Medicaid Services (CMS) if substantial compliance is not attained at the time of a revisit;

Potential Consequences - the consequences of not attaining substantial compliance 3 and 6 months after the survey date; and

Informal Dispute Resolution - your right to request an informal reconsideration to dispute the attached deficiencies.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

DEPARTMENT CONTACT

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by a "F" tag), i.e., the plan of correction should be directed to:

**Gail Anderson, Unit Supervisor
Fergus Falls Survey Team
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health**

Email: gail.anderson@state.mn.us

Phone: (218) 332-5140

Fax: (218) 332-5196

OPPORTUNITY TO CORRECT - DATE OF CORRECTION - REMEDIES

As of January 14, 2000, CMS policy requires that facilities will not be given an opportunity to correct before remedies will be imposed when actual harm was cited at the last standard or intervening survey and also cited at the current survey. Your facility does not meet this criterion. Therefore, if your facility has not achieved substantial compliance by July 2, 2016, the Department of Health will impose the following remedy:

- State Monitoring. (42 CFR 488.422)

In addition, the Department of Health is recommending to the CMS Region V Office that if your facility has not achieved substantial compliance by July 2, 2016 the following remedy will be imposed:

- Per instance civil money penalty. (42 CFR 488.430 through 488.444)

ELECTRONIC PLAN OF CORRECTION (ePoC)

An ePoC for the deficiencies must be submitted within **ten calendar days** of your receipt of this letter. Your ePoC must:

- Address how corrective action will be accomplished for those residents found to have

been affected by the deficient practice;

- Address how the facility will identify other residents having the potential to be affected by the same deficient practice;
- Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur;
- Indicate how the facility plans to monitor its performance to make sure that solutions are sustained. The facility must develop a plan for ensuring that correction is achieved and sustained. This plan must be implemented, and the corrective action evaluated for its effectiveness. The plan of correction is integrated into the quality assurance system;
- Include dates when corrective action will be completed. The corrective action completion dates must be acceptable to the State. If the plan of correction is unacceptable for any reason, the State will notify the facility. If the plan of correction is acceptable, the State will notify the facility. Facilities should be cautioned that they are ultimately accountable for their own compliance, and that responsibility is not alleviated in cases where notification about the acceptability of their plan of correction is not made timely. The plan of correction will serve as the facility's allegation of compliance; and,
- Submit electronically to acknowledge your receipt of the electronic 2567, your review and your ePoC submission.

If an acceptable ePoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Optional denial of payment for new Medicare and Medicaid admissions (42 CFR 488.417 (a));
- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable ePoC could also result in the termination of your facility's Medicare and/or Medicaid agreement.

PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE

The facility's ePoC will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance. In order for your allegation of compliance to be acceptable to the Department, the ePoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff, if your ePoC for the respective deficiencies (if any) is acceptable.

VERIFICATION OF SUBSTANTIAL COMPLIANCE

Upon receipt of an acceptable ePoC, an onsite revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification. A Post Certification Revisit (PCR) will occur after the date you identified that compliance was achieved in your plan of correction.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved ePoC, unless it is determined that either correction actually occurred between the latest correction date on the ePoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the ePoC.

Original deficiencies not corrected

If your facility has not achieved substantial compliance, we will impose the remedies described above. If the level of noncompliance worsened to a point where a higher category of remedy may be imposed, we will recommend to the CMS Region V Office that those other remedies be imposed.

Original deficiencies not corrected and new deficiencies found during the revisit

If new deficiencies are identified at the time of the revisit, those deficiencies may be disputed through the informal dispute resolution process. However, the remedies specified in this letter will be imposed for original deficiencies not corrected. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed.

Original deficiencies corrected but new deficiencies found during the revisit

If new deficiencies are found at the revisit, the remedies specified in this letter will be imposed. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed. You will be provided the required notice before the imposition of a new remedy or informed if another date will be set for the imposition of these remedies.

FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY

If substantial compliance with the regulations is not verified by August 23, 2016 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal regulations at 42 CFR Section 488.417(b). This mandatory denial of payments will be based on the failure to comply with deficiencies originally contained in the Statement of Deficiencies, upon the identification of new deficiencies at the time of the revisit, or if deficiencies have been issued as the result of a complaint visit or other survey conducted after the original statement of deficiencies was

issued. This mandatory denial of payment is in addition to any remedies that may still be in effect as of this date.

We will also recommend to the CMS Region V Office and/or the Minnesota Department of Human Services that your provider agreement be terminated by November 23, 2016 (six months after the identification of noncompliance) if your facility does not achieve substantial compliance. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

INFORMAL DISPUTE RESOLUTION

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process
Minnesota Department of Health
Health Regulation Division
P.O. Box 64900
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting an ePoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable electronic plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at: <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Questions regarding all documents submitted as a response to the Life Safety Code deficiencies (those preceded by a "K" tag), i.e., the plan of correction, request for waivers, should be directed to:

Mr. Tom Linhoff, Fire Safety Supervisor
Health Care Fire Inspections
Minnesota Department of Public Safety
State Fire Marshal Division

Email: tom.linhoff@state.mn.us
Telephone: (651) 430-3012
Fax: (651) 215-0525


Johnson Memorial Hospital & Home

June 7, 2016

Page 6

Feel free to contact me if you have questions related to this eNotice.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath". The signature is written in a cursive, slightly slanted style.

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health

Email: mark.meath@state.mn.us

Telephone: (651) 201-4118

Fax: (651) 215-9697

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/05/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245485		(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/25/2016	
NAME OF PROVIDER OR SUPPLIER JOHNSON MEMORIAL HOSP & HOME				STREET ADDRESS, CITY, STATE, ZIP CODE 1282 WALNUT STREET DAWSON, MN 56232			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
F 000	<p>INITIAL COMMENTS</p> <p>Johnson Memorial Hospital & Home has been found to be in compliance with the Federal requirements of 42 CFR Part 483, Subpart B, and Requirements for Long Term Care Facilities.</p> <p>The facility is enrolled in ePOC and therefore a signature is not required at the bottom of the first page of the CMS-2567 form. Although no plan of correction is required, it is required that you acknowledge receipt of the electronic documents.</p>			F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

06/14/2016

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

75485024

PRINTED: 06/16/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245485	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 05/23/2016
NAME OF PROVIDER OR SUPPLIER JOHNSON MEMORIAL HOSP & HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 1282 WALNUT STREET DAWSON, MN 56232		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>THE FACILITY'S POC WILL SERVE AS YOUR ALLEGATION OF COMPLIANCE UPON THE DEPARTMENT'S ACCEPTANCE. YOUR SIGNATURE AT THE BOTTOM OF THE FIRST PAGE OF FORM CMS-2567 WILL BE USED AS VERIFICATION OF COMPLIANCE.</p> <p>UPON RECEIPT OF AN ACCEPTABLE POC, AN ON-SITE REVISIT OF YOUR FACILITY MAY BE CONDUCTED TO VALIDATE THAT SUBSTANTIAL COMPLIANCE WITH THE REGULATIONS HAS BEEN ATTAINED IN ACCORDANCE WITH YOUR VERIFICATION.</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety, State Fire Marshal Division, on May 23rd, 2016. At the time of this survey, Johnson Memorial Hospital and Home was found not in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care Occupancies.</p> <p>PLEASE RETURN THE PLAN OF CORRECTION FOR THE FIRE SAFETY DEFICIENCIES (K-TAGS) TO:</p> <p>Health Care Fire Inspections State Fire Marshal Division 445 Minnesota St., Suite 145 St Paul, MN 55101-5145, or</p>	K 000			

EPOC

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE
Electronically Signed

TITLE

(X6) DATE
06/14/2016

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/16/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245485	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 05/23/2016
NAME OF PROVIDER OR SUPPLIER JOHNSON MEMORIAL HOSP & HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 1282 WALNUT STREET DAWSON, MN 56232		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
K 000	Continued From page 1 By email to: Marian.Whitney@state.mn.us <mailto:Marian.Whitney@state.mn.us> and Angela.Kappenman@state.mn.us <mailto:Angela.Kappenman@state.mn.us> THE PLAN OF CORRECTION FOR EACH DEFICIENCY MUST INCLUDE ALL OF THE FOLLOWING INFORMATION: 1. A description of what has been, or will be, done to correct the deficiency. 2. The actual, or proposed, completion date. 3. The name and/or title of the person responsible for correction and monitoring to prevent a reoccurrence of the deficiency Johnson Memorial Hospital and Home is a one-story building with partial basement. The original building was constructed in 1959, with building additions constructed in 1962, 1982 and 1993. All buildings were determined to be of Type II(111) construction. The building is fully fire sprinkler protected. The facility has a fire alarm system with smoke detection in corridors and spaces open to the corridors which is monitored for automatic fire department notification. The facility has a capacity of 56 beds and had a census of 50 at time of the survey. The requirement at 42 CFR, Subpart 483.70(a) is NOT MET as evidenced by:	K 000			
K 056 SS=F	NFPA 101 LIFE SAFETY CODE STANDARD Where required by section 19.1.6, Health care	K 056			5/26/16

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/16/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245485	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 05/23/2016
NAME OF PROVIDER OR SUPPLIER JOHNSON MEMORIAL HOSP & HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 1282 WALNUT STREET DAWSON, MN 56232		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 056	Continued From page 2 facilities shall be protected throughout by an approved, supervised automatic sprinkler system in accordance with section 9.7. Required sprinkler systems are equipped with water flow and tamper switches which are electrically interconnected to the building fire alarm. In Type I and II construction, alternative protection measures shall be permitted to be substituted for sprinkler protection in specific areas where State or local regulations prohibit sprinklers. 19.3.5, 19.3.5.1, NPFA 13 This STANDARD is not met as evidenced by: Based on observations, the automatic sprinkler system is not installed and maintained in accordance with NFPA 13 the Standard for the Installation of Sprinkler Systems (99). The failure to maintain the sprinkler system in compliance with NFPA 13 (99) could allow system being place out of service causing a decrease in the fire protection system capability in the event of an emergency that would affect all residents, visitors and staff of the facility. Findings include: During the facility tour and documentation review on 05/23/2016 between 9:30 AM and 1:30 PM, observations revealed that the spare sprinkler head box was not equipped with the required wrench.	K 056	The sprinkler head wrench was found and placed in the spare sprinkler head box.		
K 144 SS=C	NFPA 101 LIFE SAFETY CODE STANDARD Generators inspected weekly and exercised under load for 30 minutes per month and shall be in accordance with NFPA 99 and NFPA 110. 3-4.4.1 and 8-4.2 (NFPA 99), Chapter 6 (NFPA	K 144		5/26/16	

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/16/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245485	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 05/23/2016
NAME OF PROVIDER OR SUPPLIER JOHNSON MEMORIAL HOSP & HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 1282 WALNUT STREET DAWSON, MN 56232		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 144	Continued From page 3 110) This STANDARD is not met as evidenced by: Generators inspected weekly and exercised under load for 30 minutes per month and shall be in accordance with NFPA 99 and NFPA 110. 3-4.4.1 and 8-4.2 (NFPA 99), Chapter 6 (NFPA 110) Findings include: During the facility tour and documentation review on 05/23/2016 between 9:30 AM and 1:30 PM, record review revealed the facility did not document the required cool down for the emergency generator. This deficient practice was verified by the Maintenance Director (SO).	K 144	Documentation of cool down period will be recorded starting immediately.		



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

Electronically delivered
June 7, 2016

Ms. Stacey Lee, Administrator
Johnson Memorial Hospital & Home
1282 Walnut Street
Dawson, Minnesota 56232

Re: Enclosed State Nursing Home Licensing Orders - Project Number S5485026

Dear Ms. Lee:

The above facility was surveyed on May 22, 2016 through May 25, 2016 for the purpose of assessing compliance with Minnesota Department of Health Nursing Home Rules. At the time of the survey, the survey team from the Minnesota Department of Health, Health Regulation Division, noted one or more violations of these rules that are issued in accordance with Minnesota Stat. section 144.653 and/or Minnesota Stat. Section 144A.10. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a civil fine for each deficiency not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.

To assist in complying with the correction order(s), a "suggested method of correction" has been added. This provision is being suggested as one method that you can follow to correct the cited deficiency. Please remember that this provision is only a suggestion and you are not required to follow it. Failure to follow the suggested method will not result in the issuance of a penalty assessment. You are reminded, however, that regardless of the method used, correction of the deficiency within the established time frame is required. The "suggested method of correction" is for your information and assistance only.

You have agreed to participate in the electronic receipt of State licensure orders consistent with the Minnesota Department of Health Informational Bulletin 14-01, available at <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm> . The State licensing orders are delineated on the attached Minnesota Department of Health orders being submitted to you electronically. The Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.

The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule number and the corresponding text of the state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction

Johnson Memorial Hosp & Home

June 7, 2016

Page 2

order. This column also includes the findings that are in violation of the state statute after the statement, "This Rule is not met as evidenced by." Following the surveyors findings are the Suggested Method of Correction and the Time Period For Correction.

PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.

THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES/RULES.


Although no plan of correction is necessary for State Statutes/Rules, please enter the word "corrected" in the box available for text. You must then indicate in the electronic State licensure process, under the heading completion date, the date your orders will be corrected prior to electronically submitting to the Minnesota Department of Health. We urge you to review these orders carefully, item by item, and if you find that any of the orders are not in accordance with your understanding at the time of the exit conference following the survey, **you should immediately contact Gail Anderson at (218) 332-5140 or email: gail.anderson@state.mn.us**.

You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.

Please note it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions related to this eNotice.

Sincerely,



Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health

Email: mark.meath@state.mn.us

Telephone: (651) 201-4118

Fax: (651) 215-9697

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00326	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 05/25/2016
NAME OF PROVIDER OR SUPPLIER JOHNSON MEMORIAL HOSP & HOME		STREET ADDRESS, CITY, STATE, ZIP CODE 1282 WALNUT STREET DAWSON, MN 56232		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	<p>Initial Comments</p> <p>*****ATTENTION*****</p> <p>NH LICENSING CORRECTION ORDER</p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p>INITIAL COMMENTS: You have agreed to participate in the electronic receipt of State licensure orders consistent with the Minnesota Department of Health Informational Bulletin 14-01, available at http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm The State licensing orders are delineated on the attached Minnesota</p>	2 000		

Minnesota Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

06/14/16

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00326	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 05/25/2016
NAME OF PROVIDER OR SUPPLIER JOHNSON MEMORIAL HOSP & HOME		STREET ADDRESS, CITY, STATE, ZIP CODE 1282 WALNUT STREET DAWSON, MN 56232		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	<p>Continued From page 1</p> <p>Department of Health orders being submitted to you electronically. Although no plan of correction is necessary for State Statutes/Rules, please enter the word "corrected" in the box available for text. You must then indicate in the electronic State licensure process, under the heading completion date, the date your orders will be corrected prior to electronically submitting to the Minnesota Department of Health.</p> <p>On May 22nd, 23rd, 24th and 25th 2016, surveyors of this Department's staff, visited the above provider and the following correction orders are issued. Please indicate in your electronic plan of correction that you have reviewed these orders, and identify the date when they will be completed.</p> <p>Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.</p> <p>The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order. This column also includes the findings which are in violation of the state statute after the statement, "This Rule is not met as evidence by." Following the surveyors findings are the Suggested Method of Correction and Time period for Correction.</p> <p>PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY.</p>	2 000		

Minnesota Department of Health
STATE FORM

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00326	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 05/25/2016
NAME OF PROVIDER OR SUPPLIER JOHNSON MEMORIAL HOSP & HOME		STREET ADDRESS, CITY, STATE, ZIP CODE 1282 WALNUT STREET DAWSON, MN 56232		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21426	<p>Continued From page 3</p> <p>Findings Include:</p> <p>E-1 was hired by the facility on 4/7/16. E-1's personnel record lacked documentation TST had been completed and lacked documentation of symptom screening for TB had been completed.</p> <p>On 5/25/16 at 11:15 a.m. the Human Resource Generalist (HRG) verified E-1 had no documentation of current baseline symptom screening and no documentation of a current two step Mantoux. HRG stated E-1 had worked at the facility in 2014 and came back to work in 2016. HRG stated E-1 was expecting a baby and they were not sure if E-1 could have a Mantoux. In addition, HGR stated she was not sure if a screening and TST had been done and the papers were lost.</p> <p>On 5/25/15, at 2:26 p.m. the director of nursing (DON) stated all staff should have a baseline for tuberculin symptom screening yearly. DON was not sure if the new hires were to have a the TB symptom screening completed. The DON stated a Mantoux needed to be completed for new hires as soon as they were hired and 2 weeks later. The DON confirmed E-1 had not received the tuberculin skin test and symptom screening upon E-1's hire to the facility and indicated she was not aware if the facility had reviewed the TB screening protocol with a physician upon hire for E-1.</p> <p>The Application and Reading of Tuberculin Skin Testing (TST) in Employees and Volunteers indicated a TST 2 step will be done on all new employees unless there has been a positive test.</p>	21426		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00326	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED 05/25/2016
NAME OF PROVIDER OR SUPPLIER JOHNSON MEMORIAL HOSP & HOME		STREET ADDRESS, CITY, STATE, ZIP CODE 1282 WALNUT STREET DAWSON, MN 56232		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21426	Continued From page 4 SUGGESTED METHOD FOR CORRECTION: The director of nursing (DON) could develop and implement policies and procedures related to completing employee Tuberculosis screening. The quality assessment and assurance committee could perform random audits to ensure compliance. TIME PERIOD FOR CORRECTION: Twenty (21) days.	21426		