



Protecting, Maintaining and Improving the Health of All Minnesotans

Electronically delivered

July 9, 2020

Administrator
Sterling Park Health Care Center
142 North First Street
Waite Park, MN 56387

RE: CCN: 245375
Cycle Start Date: June 18, 2020

Dear Administrator:

On June 18, 2020, a survey was completed at your facility by the Minnesota Department of Health to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

We are pleased to inform you that this survey resulted in no deficiencies being issued.

The CMS-2567 is being electronically delivered.

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in cursive script that reads 'Alison Helm'.

Alison Helm, Enforcement Specialist
Licensing and Certification
Minnesota Department of Health
P.O. Box 64970
Saint Paul, Minnesota 55164-0970
Phone: 651-201-4206
Email: alison.helm@state.mn.us

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/09/2020
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245375	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 06/18/2020
NAME OF PROVIDER OR SUPPLIER STERLING PARK HEALTH CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 142 NORTH FIRST STREET WAITE PARK, MN 56387		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments On 6/18/20, a COVID-19 Focused Infection Control survey was conducted at your facility by the Minnesota Department of Health (MDH) to determine compliance with Emergency Preparedness regulations §483.73(b)(6). Sterling Park Healthcare Center was found in compliance with the requirement(s). Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form. Although no plan of correction is required, it is required that the facility acknowledge receipt of the electronic documents.	E 000			
F 000	INITIAL COMMENTS On 6/18/20, a COVID-19 Focused Infection Control survey was conducted at your facility by the Minnesota Department of Health (MDH) to determine compliance with §483.80 Infection Control. Sterling Park Healthcare Center was found in compliance with the requirement(s). Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form. Although no plan of correction is required, it is required the facility acknowledge receipt of the electronic documents.	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.