

**MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY**

ID: HB22

Facility ID: 00153

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245575 2. STATE VENDOR OR MEDICAID NO. (L2) 879240200			3. NAME AND ADDRESS OF FACILITY (L3) BARRETT CARE CENTER INC (L4) 800 SPRUCE AVENUE (L5) BARRETT, MN (L6) 56311			4. TYPE OF ACTION: 2 (L8) 1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other 8. Full Survey After Complaint				
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9) 6. DATE OF SURVEY 09/05/2014 (L34) 8. ACCREDITATION STATUS: ___ (L10) 0 Unaccredited 1 TJC 2 AOA 3 Other			7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7) 01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA 02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF 03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC 04 SNF 08 OPT/SP 12 RHC 16 HOSPICE			FISCAL YEAR ENDING DATE: (L35) 09/30				
11. LTC PERIOD OF CERTIFICATION From (a) : To (b) : 12. Total Facility Beds 45 (L18) 13. Total Certified Beds 45 (L17)			10. THE FACILITY IS CERTIFIED AS: X A. In Compliance With <u>And/Or Approved Waivers Of The Following Requirements:</u> Program Requirements ___ 2. Technical Personnel ___ 6. Scope of Services Limit Compliance Based On: ___ 3. 24 Hour RN ___ 7. Medical Director ___ 1. Acceptable POC ___ 4. 7-Day RN (Rural SNF) ___ 8. Patient Room Size ___ 5. Life Safety Code ___ 9. Beds/Room B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: A* (L12)							
14. LTC CERTIFIED BED BREAKDOWN 18 SNF 18/19 SNF 19 SNF ICF IID 45 (L37) (L38) (L39) (L42) (L43)					15. FACILITY MEETS 1861 (e) (1) or 1861 (j) (1): YES (L15)					
16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):										
17. SURVEYOR SIGNATURE Date : <u>Marian Thornquist, HFE NEII</u> 09/05/2014 (L19)					18. STATE SURVEY AGENCY APPROVAL Date: <u>Mark Meath</u> <u>Enforcement Specialist</u> 10/20/2014 (L20)					
PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY										
19. DETERMINATION OF ELIGIBILITY ___ 1. Facility is Eligible to Participate ___ 2. Facility is not Eligible (L21)			20. COMPLIANCE WITH CIVIL RIGHTS ACT: _____			21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : _____				
22. ORIGINAL DATE OF PARTICIPATION 10/01/1991 (L24)			23. LTC AGREEMENT BEGINNING DATE (L41)		24. LTC AGREEMENT ENDING DATE (L25)		26. TERMINATION ACTION: (L30) <u>VOLUNTARY</u> <u>00</u> <u>INVOLUNTARY</u> 01-Merger, Closure 05-Fail to Meet Health/Safety 02-Dissatisfaction W/ Reimbursement 06-Fail to Meet Agreement 03-Risk of Involuntary Termination <u>OTHER</u> 04-Other Reason for Withdrawal 07-Provider Status Change 00-Active			
25. LTC EXTENSION DATE: (L27)			27. ALTERNATIVE SANCTIONS A. Suspension of Admissions: (L44) B. Rescind Suspension Date: (L45)							
28. TERMINATION DATE: (L28)			29. INTERMEDIARY/CARRIER NO. 03001 (L31)				30. REMARKS Posted 10/21/2014 Co.			
31. RO RECEIPT OF CMS-1539 (L32)			32. DETERMINATION OF APPROVAL DATE (L33)							
DETERMINATION APPROVAL										



Protecting, Maintaining and Improving the Health of Minnesotans

CMS Certification Number (CCN): 245575

October 20, 2014

Ms. Jeanine Junker, Administrator
Barrett Care Center Inc
800 Spruce Avenue
Barrett, Minnesota 56311

Dear Ms. Junker:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective September 5, 2014 the above facility is certified for:

45 Skilled Nursing Facility/Nursing Facility Beds

Your facility's Medicare approved area consists of all 45 skilled nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Feel free to contact me if you have questions related to this letter.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Division of Compliance Monitoring
Telephone: (651) 201-4118 Fax: (651) 215-9697
Email: mark.meath@state.mn.us

cc: Licensing and Certification File

948ltr

General Information: (651) 201-5000 * TDD/TTY: (651) 201-5797 * Minnesota Relay Service: (800) 627-3529 *
www.health.state.mn.us

For directions to any of the MDH locations, call (651) 201-5000 * An Equal Opportunity Employer

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/20/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245575	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 09/05/2014
NAME OF PROVIDER OR SUPPLIER BARRETT CARE CENTER INC			STREET ADDRESS, CITY, STATE, ZIP CODE 800 SPRUCE AVENUE BARRETT, MN 56311		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	<p>INITIAL COMMENTS</p> <p>The facility's plan of correction (POC) will serve as your allegation of compliance upon the Department's acceptance. Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form. Your electronic submission of the POC will be used as verification of compliance.</p> <p>Upon receipt of an acceptable electronic POC, an on-site revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification.</p>	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

09/22/2014

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

75575023

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245575	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 09/08/2014
--	---	---	---

NAME OF PROVIDER OR SUPPLIER BARRETT CARE CENTER INC	STREET ADDRESS, CITY, STATE, ZIP CODE 800 SPRUCE AVENUE BARRETT, MN 56311
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety, State Fire Marshal Division. At the time of this survey, Barrett Care Center was found in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>Barrett Care Center is a 1-story building with a partial basement. The original building was constructed in 1967, has a partial basement and was determined to be of Type II(111) construction with mono-lithic ceilings throughout. In 1982, additions were added to the south of the dining room and to the east wing that are not separated from the original building and were determined to be of Type II(111) construction. In 2000 an addition was constructed to the West Wing for administration offices and PT, that was determined to be Type V(111) construction. In 2002 the latest addition was constructed to the North Wing is Type II (111) construction.</p> <p>The building is fully sprinkler protected in accordance with NFPA 13 Standard for the Installation of Automatic Sprinkler Systems (1999 edition). The facility has a manual fire alarm system with smoke detection in the corridors of the 1982 edition, at all cross corridor doors that are held open and in spaces open to the corridors and common living areas that is monitored for automatic fire department notification, installed in accordance with NFPA 72 "The National Fire</p>	K 000		
-------	--	-------	--	--

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

Printed: 09/09/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245575	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 09/08/2014
NAME OF PROVIDER OR SUPPLIER BARRETT CARE CENTER INC		STREET ADDRESS, CITY, STATE, ZIP CODE 800 SPRUCE AVENUE BARRETT, MN 56311		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	<p>Continued From page 1</p> <p>Alarm Code" (1999 edition). Other hazardous areas have automatic fire detectors, that are on the fire alarm system in accordance with the Minnesota State Fire Code (2007 edition). The sleeping rooms have single station smoke detectors that are battery operated.</p> <p>The facility has a capacity of 45 beds and had a census of 42 the time of the survey.</p> <p>Since the original building and all additions meet the building construction types of NFPA 101 and the facility is fully sprinkler protected it was surveyed as a single building.</p> <p>The requirement at 42 CFR, Subpart 483.70(a) is MET.</p>	K 000		



Protecting, Maintaining and Improving the Health of Minnesotans

Electronically submitted
September 17, 2014

Ms. Jeanine Junker, Administrator
Barrett Care Center Inc
800 Spruce Avenue
Barrett, Minnesota 56311

Re: Enclosed State Nursing Home Licensing Orders - Project Number S5575024

Dear Ms. Junker:

The above facility was surveyed on September 2, 2014 through September 5, 2014 for the purpose of assessing compliance with Minnesota Department of Health Nursing Home Rules. At the time of the survey, the survey team from the Minnesota Department of Health, Compliance Monitoring Division, noted one or more violations of these rules that are issued in accordance with Minnesota Stat. section 144.653 and/or Minnesota Stat. Section 144A.10. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a civil fine for each deficiency not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.

To assist in complying with the correction order(s), a "suggested method of correction" has been added. This provision is being suggested as one method that you can follow to correct the cited deficiency. Please remember that this provision is only a suggestion and you are not required to follow it. Failure to follow the suggested method will not result in the issuance of a penalty assessment. You are reminded, however, that regardless of the method used, correction of the deficiency within the established time frame is required. The "suggested method of correction" is for your information and assistance only.

You have agreed to participate in the electronic receipt of State licensure orders consistent with the Minnesota Department of Health Informational Bulletin 14-01, available at <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>. The State licensing orders are delineated on the attached Minnesota Department of Health orders being submitted to you electronically. The Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.

The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule number and the corresponding text of the state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order. This column also includes the findings that are in violation of the state statute after the statement, "This Rule is not met as evidenced by." Following the surveyors findings are the Suggested Method of Correction and the Time Period For Correction.

General Information: (651) 201-5000 * TDD/TTY: (651) 201-5797 * Minnesota Relay Service: (800) 627-3529 *
www.health.state.mn.us

For directions to any of the MDH locations, call (651) 201-5000 * An Equal Opportunity Employer

Barrett Care Center Inc

September 17, 2014

Page 2

PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.

THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES/RULES.


Although no plan of correction is necessary for State Statutes/Rules, please enter the word "corrected" in the box available for text. You must then indicate in the electronic State licensure process, under the heading completion date, the date your orders will be corrected prior to electronically submitting to the Minnesota Department of Health. We urge you to review these orders carefully, item by item, and if you find that any of the orders are not in accordance with your understanding at the time of the exit conference following the survey, you should immediately contact Gail Anderson at (218) 332-5140 or email at: gail.anderson@state.mn.us.

You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.

Please note it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions related to this eNotice.

Sincerely,



Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Division of Compliance Monitoring
Minnesota Department of Health
mark.meath@state.mn.us

Telephone: (651) 201-4118

Fax: (651) 215-9697

5575s14lic

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00153	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 09/05/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BARRETT CARE CENTER INC	STREET ADDRESS, CITY, STATE, ZIP CODE 800 SPRUCE AVENUE BARRETT, MN 56311
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	<p>Initial Comments</p> <p>*****ATTENTION*****</p> <p>NH LICENSING CORRECTION ORDER</p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p>INITIAL COMMENTS: You have agreed to participate in the electronic receipt of State licensure orders consistent with the Minnesota Department of Health Informational Bulletin 14-01, available at http://www.health.state.mn.us/divs/fpc/profinfo/infol.htm The State licensing orders are delineated on the attached Minnesota</p>	2 000	Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.	

Minnesota Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE
Electronically Signed

TITLE

(X6) DATE
09/22/14

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00153	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 09/05/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BARRETT CARE CENTER INC	STREET ADDRESS, CITY, STATE, ZIP CODE 800 SPRUCE AVENUE BARRETT, MN 56311
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	<p>Continued From page 1</p> <p>Department of Health orders being submitted to you electronically. Although no plan of correction is necessary for State Statutes/Rules, please enter the word "corrected" in the box available for text. You must then indicate in the electronic State licensure process, under the heading completion date, the date your orders will be corrected prior to electronically submitting to the Minnesota Department of Health.</p> <p>On 9/2, 9/3, 9/4 and 9/5/14 surveyors of this Department's staff, visited the above provider and the following correction orders are issued. Please indicate in your electronic plan of correction that you have reviewed these orders, and identify the date when they will be completed.</p> <p>Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.</p> <p>The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order. This column also includes the findings which are in violation of the state statute after the statement, "This Rule is not met as evidence by." Following the surveyors findings are the Suggested Method of Correction and Time period for Correction.</p> <p>PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.</p>	2 000	<p>The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule number and the corresponding text of the state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order. This column also includes the findings which are in violation of the state statute after the statement, "This Rule is not met as evidenced by." Following the surveyors findings are the Suggested Method of Correction and the Time Period For Correction.</p> <p>PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.</p> <p>THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES/RULES.</p>	

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00153	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 09/05/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BARRETT CARE CENTER INC	STREET ADDRESS, CITY, STATE, ZIP CODE 800 SPRUCE AVENUE BARRETT, MN 56311
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	Continued From page 2 THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES/RULES.	2 000		
2 302	MN State Statute 144.6503 Alzheimer's disease or related disorder train ALZHEIMER'S DISEASE OR RELATED DISORDER TRAINING: MN St. Statute 144.6503 (a) If a nursing facility serves persons with Alzheimer's disease or related disorders, whether in a segregated or general unit, the facility's direct care staff and their supervisors must be trained in dementia care. (b) Areas of required training include: (1) an explanation of Alzheimer's disease and related disorders; (2) assistance with activities of daily living; (3) problem solving with challenging behaviors; and (4) communication skills. (c) The facility shall provide to consumers in written or electronic form a description of the training program, the categories of employees trained, the frequency of training, and the basic topics covered. (d) The facility shall document compliance with this section. This MN Requirement is not met as evidenced by:	2 302		9/22/14

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00153	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 09/05/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BARRETT CARE CENTER INC	STREET ADDRESS, CITY, STATE, ZIP CODE 800 SPRUCE AVENUE BARRETT, MN 56311
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 302	<p>Continued From page 3</p> <p>Based on interview and document review, the facility failed to ensure consumers were provided information for care of residents with Alzheimer's disease and dementia in a written or electronic form. In addition, the facility failed to identify a description of the training program, the categories of employees trained, the frequency of training, and the basic topics covered in the training.</p> <p>During interview with the administrator on 9/4/14, at 12:30 p.m. she stated she provided new residents and families with facility admission information. However, she was not aware of the requirement regarding provision of written or electronic information to facility consumers and she stated she would include it in the future.</p> <p>The facility's current admission packet was reviewed with the administrator. Facility services were identified in the brochure and the administrator confirmed information on staff training for the care of resident's with Alzheimer's and dementia was not included.</p> <p>Review of the facility's list of documents given to a new resident upon admission didn't include written or electronic or access information of the facility staff training or caring for residents with Alzheimer's disease and dementia.</p> <p>Suggested Methods of Correction: The administrator or designee could add information describing the staff training program, categories of employees trained and the frequency training..</p> <p>TIME PERIOD FOR CORRECTION: Twenty-one (21) days.</p>	2 302	corrected	