

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: QTFF

Facility ID: 00498

Form section 1: 1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245534
2. STATE VENDOR OR MEDICAID NO. (L2)
3. NAME AND ADDRESS OF FACILITY (L3) CAPITOL VIEW TRANSITIONAL CARE CENTER
(L4) 640 JACKSON STREET (L5) SAINT PAUL, MN (L6) 55101
4. TYPE OF ACTION: (L8) 2. Recertification
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)
6. DATE OF SURVEY 03/12/2014 (L34)
8. ACCREDITATION STATUS: (L10) 0 Unaccredited 1 TJC 2 AOA 3 Other
7. PROVIDER/SUPPLIER CATEGORY (L7) 04 SNF
10. THE FACILITY IS CERTIFIED AS: A. In Compliance With
11. LTC PERIOD OF CERTIFICATION From (a) To (b)
12. Total Facility Beds 32 (L18)
13. Total Certified Beds (L17)
14. LTC CERTIFIED BED BREAKDOWN 18 SNF (L37) 18/19 SNF (L38) 19 SNF (L39) ICF (L42) IID (L43)
15. FACILITY MEETS 1861 (e) (1) or 1861 (j) (1): (L15)

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):
See Attached Remarks

17. SURVEYOR SIGNATURE Sheryl Reed, HFE NE II Date: 03/13/2014 (L19)
18. STATE SURVEY AGENCY APPROVAL Anne Kleppe, Enforcement Specialist Date: 03/27/2014 (L20)

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY 1. Facility is Eligible to Participate
20. COMPLIANCE WITH CIVIL RIGHTS ACT:
21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above :

22. ORIGINAL DATE OF PARTICIPATION 04/01/1989 (L24)
23. LTC AGREEMENT BEGINNING DATE (L41)
24. LTC AGREEMENT ENDING DATE (L25)
26. TERMINATION ACTION: VOLUNTARY 00 INVOLUNTARY
27. ALTERNATIVE SANCTIONS A. Suspension of Admissions: (L44) B. Rescind Suspension Date: (L45)
25. LTC EXTENSION DATE: (L27)

28. TERMINATION DATE:
29. INTERMEDIARY/CARRIER NO. 03001 (L31)
30. REMARKS Posted 03/28/2014 CO. QTFF

31. RO RECEIPT OF CMS-1539 (L32)
32. DETERMINATION OF APPROVAL DATE (L33)
DETERMINATION APPROVAL

CCN: 24-5534

At the time of the March 12, 2014 survey, the facility was found in substantial compliance with federal certification regulations. Refer to the CMS 2567 for both Health and Life Safety Code. Post Certification Revisit is N/A.



Protecting, Maintaining and Improving the Health of Minnesotans

March 18, 2014

Ms. Michelle Mangan, Administrator
Capitol View Transitional Care Center
640 Jackson Street
Saint Paul, Minnesota 55101

RE: Project Number S5534024

Dear Ms. Mangan:

On March 12, 2014, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

We are pleased to inform you that this survey resulted in no deficiencies being issued. Enclosed is your copy of the Federal Form CMS-2567.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in cursive script that reads "Anne Kleppe".

Anne Kleppe, Enforcement Specialist
Licensing and Certification Program
Division of Compliance Monitoring
Minnesota Department of Health
Telephone: (651) 201-4124
Fax: (651) 215-9697

Enclosure

cc: Licensing and Certification File

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/18/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245534	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/12/2014
NAME OF PROVIDER OR SUPPLIER CAPITOL VIEW TRANSITIONAL CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 640 JACKSON STREET SAINT PAUL, MN 55101		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS Capitol View Transitional Care facility is in full compliance with requirements of 42 CFR Part 483, Subpart B, and Requirements for Long Term Care Facilities.	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00498	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 03/12/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER CAPITOL VIEW TRANSITIONAL CARE CENTEF	STREET ADDRESS, CITY, STATE, ZIP CODE 640 JACKSON STREET SAINT PAUL, MN 55101
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------	--	---------------	---	--------------------

2 000	<p>Initial Comments</p> <p>*****ATTENTION*****</p> <p>NH LICENSING CORRECTION ORDER</p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p>INITIAL COMMENTS: Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.</p> <p>The assigned tag number appears in the far left</p>	2 000		
-------	--	-------	--	--

Minnesota Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE _____ TITLE _____ (X6) DATE _____

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00498	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 03/12/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER CAPITOL VIEW TRANSITIONAL CARE CENTEF	STREET ADDRESS, CITY, STATE, ZIP CODE 640 JACKSON STREET SAINT PAUL, MN 55101
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	<p>Continued From page 1</p> <p>column entitled "ID Prefix Tag." The state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order. This column also includes the findings which are in violation of the state statute after the statement, "This Rule is not met as evidence by." Following the surveyors findings are the Suggested Method of Correction and Time period for Correction.</p> <p>PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.</p> <p>THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES/RULES.</p> <p>"NO LICENSING VIOLATIONS"</p>	2 000		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/18/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245534	(X2) MULTIPLE CONSTRUCTION A. BUILDING 02 - CAPITAL VIEW TRANSITIONAL CARE UNIT B. WING _____		(X3) DATE SURVEY COMPLETED 03/12/2014
NAME OF PROVIDER OR SUPPLIER CAPITOL VIEW TRANSITIONAL CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 640 JACKSON STREET SAINT PAUL, MN 55101		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	<p>INITIAL COMMENTS</p> <p>A Life Safety Code survey was conducted by the Minnesota Department of Public Safety, State Fire Marshal Division, at the request of Minnesota Department of Health. At the time of this survey, Capitol View Transitional Care Center, located on the 8th floor of Regions Hospital, was found to be in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a) , Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 18 New Health Care.</p> <p>This 10-story building was constructed in 1965, and was determined to be of Type I(332) construction. The building has a full basement and is fully fire sprinklered. The building has a fire alarm system, with smoke detection in spaces open to the corridor and in all resident rooms, that is monitored for automatic fire department notification. The facility has a capacity of 32 beds and had a census of 24 beds at the time of this survey.</p> <p>The requirement at 42 CFR, Subpart 483.70(a) is MET.</p> <p>*TEAM COMPOSITION* Tom Linhoff, Life Safety Code Spc.</p>	K 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.



Protecting, Maintaining and Improving the Health of Minnesotans

March 18, 2014

Ms. Michelle Mangan, Administrator
Capitol View Transitional Care Center
640 Jackson Street
Saint Paul, Minnesota 55101

Re: Project Number S5534024

Dear Ms. Mangan:

The above facility survey was completed on March 12, 2014 for the purpose of assessing compliance with Minnesota Department of Health Nursing Home Rules. At the time of the survey, the survey team from the Minnesota Department of Health, Compliance Monitoring Division, noted no violations of these rules promulgated under Minnesota Stat. section 144.653 and/or Minnesota Stat. Section 144A.10.

Attached is the Minnesota Department of Health order form stating that no violations were noted at the time of this survey. The Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Please disregard the heading of the fourth column which states, "Provider's Plan of Correction." This applies to Federal deficiencies only. There is no requirement to submit a Plan of Correction.

Please note it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Please feel free to call me with any questions.

Sincerely,

A handwritten signature in cursive script that reads "Anne Kleppe".

Anne Kleppe, Enforcement Specialist
Licensing and Certification Program
Division of Compliance Monitoring
Minnesota Department of Health
Telephone: (651) 201-4124
Fax: (651) 215-9697

Enclosure(s)

cc: Original - Facility
Licensing and Certification File