

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: RQTF
Facility ID: 00454

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245560		3. NAME AND ADDRESS OF FACILITY (L3) EDGEBROOK CARE CENTER			4. TYPE OF ACTION: <u>7</u> (L8)	
2.STATE VENDOR OR MEDICAID NO. (L2) 767842800		(L4) 505 TROSKY ROAD WEST			1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other	
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)		7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7)			8. Full Survey After Complaint	
6. DATE OF SURVEY 04/07/2014 (L34)		01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA			FISCAL YEAR ENDING DATE: (L35)	
8. ACCREDITATION STATUS: <u> </u> (L10)		02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF			12/31	
0 Unaccredited 1 TJC 2 AOA 3 Other		03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC				
11. LTC PERIOD OF CERTIFICATION		04 SNF 08 OPT/SP 12 RHC 16 HOSPICE				
From (a) :		10.THE FACILITY IS CERTIFIED AS:				
To (b) :		X A. In Compliance With <u> </u> And/Or Approved Waivers Of The Following Requirements:				
12.Total Facility Beds 56 (L18)		Program Requirements <u> </u> 2. Technical Personnel <u> </u> 6. Scope of Services Limit				
13.Total Certified Beds 56 (L17)		Compliance Based On: <u> </u> 3. 24 Hour RN <u> </u> 7. Medical Director				
		<u> </u> 1. Acceptable POC <u> </u> 4. 7-Day RN (Rural SNF) <u> </u> 8. Patient Room Size				
		<u> </u> 5. Life Safety Code <u> </u> 9. Beds/Room				
14. LTC CERTIFIED BED BREAKDOWN		B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: A (L12)				
18 SNF 18/19 SNF 19 SNF ICF IID		15. FACILITY MEETS				
56		1861 (e) (1) or 1861 (j) (1): (L15)				
(L37) (L38) (L39) (L42) (L43)						
16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):						
See Attached Remarks						
17. SURVEYOR SIGNATURE			Date :		18. STATE SURVEY AGENCY APPROVAL	
<u>George Shellum, Fire Marshal</u>			04/07/2014 (L19)		<u>Kamala Fiske-Downing, Enforcement Specialist</u> 04/14/2014 (L20)	

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY		20. COMPLIANCE WITH CIVIL RIGHTS ACT:		21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : <u> </u>	
<u> </u> 1. Facility is Eligible to Participate <u> </u> 2. Facility is not Eligible (L21)					
22. ORIGINAL DATE OF PARTICIPATION 06/01/1991 (L24)		23. LTC AGREEMENT BEGINNING DATE (L41)		26. TERMINATION ACTION: (L30)	
		24. LTC AGREEMENT ENDING DATE (L25)		<u>VOLUNTARY</u> 00 <u>INVOLUNTARY</u>	
25. LTC EXTENSION DATE: (L27)		27. ALTERNATIVE SANCTIONS		01-Merger, Closure 05-Fail to Meet Health/Safety	
		A. Suspension of Admissions: (L44)		02-Dissatisfaction W/ Reimbursement 06-Fail to Meet Agreement	
		B. Rescind Suspension Date: (L45)		03-Risk of Involuntary Termination <u>OTHER</u>	
				04-Other Reason for Withdrawal 07-Provider Status Change	
				00-Active	
28. TERMINATION DATE:		29. INTERMEDIARY/CARRIER NO. 00140 (L28) (L31)		30. REMARKS	
31. RO RECEIPT OF CMS-1539 (L32)		32. DETERMINATION OF APPROVAL DATE (L33)			
				DETERMINATION APPROVAL	

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL

ID: RQTF

PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

Facility ID: 00454

C&T REMARKS - CMS 1539 FORM**STATE AGENCY REMARKS**

CCN-24-5560

On April 7, 2014, the Minnesota Department of Public Safety completed a PCR to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on March 6, 2014. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on March 6, 2014, effective March 28, 2014 and therefore remedies outlined in our letter to you dated March 18, 2014, will not be imposed. Refer to the CMS-2567b for life safety code.

Effective March 28, 2014, the facility is certified for 56 skilled nursing facility beds.



Protecting, Maintaining and Improving the Health of Minnesotans

Medicare Provider # 245560

April 14, 2014

Mr. Philip Samuelson, Administrator
Edgebrook Care Center
505 Trosky Road West
Edgerton, MN 56128

Dear Mr. Samuelson:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective March 28, 2014, the above facility is certified for:

56 Skilled Nursing Facility/Nursing Facility Beds

Your facility's Medicare approved area consists of all 56 skilled nursing facility beds located in rooms .

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Please contact me if you have any questions.

Sincerely,

A handwritten signature in black ink that reads "Kamala Fiske-Downing".

Kamala Fiske-Downing, Program Specialist
Program Assurance Unit
Licensing and Certification Program
Division of Compliance Monitoring
Minnesota Department of Health
P.O. Box 64900
St. Paul, MN 55164-0900
Telephone : (651) 201-4112 Fax : (651) 215-9697



Protecting, Maintaining and Improving the Health of Minnesotans

April 9, 2014

Mr. Philip Samuelson, Administrator
Edgebrook Care Center
505 Trosky Road West
Edgerton, Minnesota 56128

RE: Project Number 5560023

Dear Mr. Samuelson:

On March 18, 2014, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on March 6, 2014. This survey found the most serious deficiencies to be isolated deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level D) whereby corrections were required.

On April 7, 2014, the Minnesota Department of Public Safety completed a PCR to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on March 6, 2014. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of March 28, 2014. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on March 6, 2014, effective March 28, 2014 and therefore remedies outlined in our letter to you dated March 18, 2014, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Enclosed is a copy of the Post Certification Revisit Form, (CMS-2567B) from this visit.

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in black ink that reads "Kamala Fiske-Downing". The signature is written in a cursive, flowing style.

Kamala Fiske-Downing, Program Specialist
Licensing and Certification Program, Division of Compliance Monitoring
Minnesota Department of Health
Telephone: (651) 201-4112 Fax: (651) 215-9697

Enclosure

cc: Licensing and Certification File

Post-Certification Revisit Report

Public reporting for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing the burden, to CMS, Office of Financial Management, P.O. Box 26684, Baltimore, MD 21207; and to the Office of Management and Budget, Paperwork Reduction Project (0938-0390), Washington, D.C. 20503.

(Y1) Provider / Supplier / CLIA / Identification Number 245560	(Y2) Multiple Construction A. Building 01 - MAIN BUILDING 01 B. Wing	(Y3) Date of Revisit 4/7/2014
Name of Facility EDGEBROOK CARE CENTER	Street Address, City, State, Zip Code 505 TROSKY ROAD WEST EDGERTON, MN 56128	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix _____ Reg. # NFPA 101 LSC K0076	Correction Completed 03/28/2014	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____	Reviewed By _____	Date:	Signature of Surveyor:	Date:
State Agency	PS/KFD	04/09/2014	22373	04/07/2014
Reviewed By _____	Reviewed By _____	Date:	Signature of Surveyor:	Date:
CMS RO				

Followup to Survey Completed on: 3/6/2014	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? <table style="float: right; margin-left: 20px;"> <tr> <td>YES</td> <td>NO</td> </tr> </table>	YES	NO
YES	NO		

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: RQTF
Facility ID: 00454

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245560
2. STATE VENDOR OR MEDICAID NO. (L2) 767842800
3. NAME AND ADDRESS OF FACILITY (L3) EDGEBROOK CARE CENTER
(L4) 505 TROSKY ROAD WEST
(L5) EDGERTON, MN (L6) 56128
4. TYPE OF ACTION: 2 (L8)
1. Initial 2. Recertification
3. Termination 4. CHOW
5. Validation 6. Complaint
7. On-Site Visit 9. Other
8. Full Survey After Complaint
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)
6. DATE OF SURVEY 03/06/2014 (L34)
7. PROVIDER/SUPPLIER CATEGORY 02 (L7)
01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA
02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF
03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC
04 SNF 08 OPT/SP 12 RHC 16 HOSPICE
8. ACCREDITATION STATUS: (L10)
0 Unaccredited 1 TJC
2 AOA 3 Other
FISCAL YEAR ENDING DATE: (L35)
12/31

11. LTC PERIOD OF CERTIFICATION
From (a):
To (b):
12. Total Facility Beds 56 (L18)
13. Total Certified Beds 56 (L17)
10. THE FACILITY IS CERTIFIED AS:
A. In Compliance With Program Requirements Compliance Based On:
1. Acceptable POC
And/Or Approved Waivers Of The Following Requirements:
2. Technical Personnel 6. Scope of Services Limit
3. 24 Hour RN 7. Medical Director
4. 7-Day RN (Rural SNF) 8. Patient Room Size
5. Life Safety Code 9. Beds/Room
B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: B (L12)

14. LTC CERTIFIED BED BREAKDOWN
18 SNF 18/19 SNF 19 SNF ICF IID
56
(L37) (L38) (L39) (L42) (L43)
15. FACILITY MEETS
1861 (e) (1) or 1861 (j) (1): (L15)

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):
See Attached Remarks

17. SURVEYOR SIGNATURE Date:
Pamela Manzke HFE Nursing Eval II 03/31/2014 (L19)
18. STATE SURVEY AGENCY APPROVAL Date:
Kamala Fiske-Downing, Enforcement Specialist 04/09/2014 (L20)

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY
1. Facility is Eligible to Participate
2. Facility is not Eligible (L21)
20. COMPLIANCE WITH CIVIL RIGHTS ACT:
21. 1. Statement of Financial Solvency (HCFA-2572)
2. Ownership/Control Interest Disclosure Stmt (HCFA-1513)
3. Both of the Above:

22. ORIGINAL DATE OF PARTICIPATION 06/01/1991 (L24)
23. LTC AGREEMENT BEGINNING DATE (L41)
24. LTC AGREEMENT ENDING DATE (L25)
26. TERMINATION ACTION: (L30)
VOLUNTARY 00 INVOLUNTARY
01-Merger, Closure 05-Fail to Meet Health/Safety
02-Dissatisfaction W/ Reimbursement 06-Fail to Meet Agreement
03-Risk of Involuntary Termination OTHER
04-Other Reason for Withdrawal 07-Provider Status Change
00-Active

25. LTC EXTENSION DATE: (L27)
27. ALTERNATIVE SANCTIONS
A. Suspension of Admissions: (L44)
B. Rescind Suspension Date: (L45)
28. TERMINATION DATE: (L28)
29. INTERMEDIARY/CARRIER NO. 00140 (L31)

31. RO RECEIPT OF CMS-1539 (L32)
32. DETERMINATION OF APPROVAL DATE (L33)
DETERMINATION APPROVAL

C&T REMARKS - CMS 1539 FORM

STATE AGENCY REMARKS

CCN-24-5560

On March 6, 2014 a standard survey was completed at the facility was not in substantial compliance with Federal participation requirements. Please refer to the CMS-2567 for both health and life safety code along with the facility's plan of correction. Post Certification Revisit to follow.



Protecting, Maintaining and Improving the Health of Minnesotans

Certified Mail # 7011 2000 0002 5143 4769

March 18, 2014

Mr. Philip Samuelson, Administrator
Edgebrook Care Center
505 Trosky Road West
Edgerton, Minnesota 56128

RE: Project Number S5560023

Dear Mr. Samuelson:

On March 6, 2014, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs. This survey found the most serious deficiencies in your facility to be isolated deficiencies that constitute no actual harm with potential for more than minimal harm that is not immediate jeopardy (Level D), as evidenced by the attached CMS-2567 whereby corrections are required. A copy of the Statement of Deficiencies (CMS-2567) is enclosed.

Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.

This letter provides important information regarding your response to these deficiencies and addresses the following issues:

Opportunity to Correct - the facility is allowed an opportunity to correct identified deficiencies before remedies are imposed;

Plan of Correction - when a plan of correction will be due and the information to be contained in that document;

Remedies - the type of remedies that will be imposed with the authorization of the Centers for Medicare and Medicaid Services (CMS) if substantial compliance is not attained at the time of a revisit;

Potential Consequences - the consequences of not attaining substantial compliance 3 and 6 months after the survey date; and

Informal Dispute Resolution - your right to request an informal reconsideration to dispute the attached deficiencies.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

DEPARTMENT CONTACT

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by a "F" tag), i.e., the plan of correction should be directed to:

Gary Nederhoff
Minnesota Department of Health
18 Wood Lake Drive Southeast
Rochester, Minnesota 55904
Telephone: (507) 206-2731 Fax: (507) 206-2711

OPPORTUNITY TO CORRECT - DATE OF CORRECTION - REMEDIES

As of January 14, 2000, CMS policy requires that facilities will not be given an opportunity to correct before remedies will be imposed when actual harm was cited at the last standard or intervening survey and also cited at the current survey. Your facility does not meet this criterion. Therefore, if your facility has not achieved substantial compliance by April 15, 2014, the Department of Health will impose the following remedy:

- State Monitoring. (42 CFR 488.422)

PLAN OF CORRECTION (PoC)

A PoC for the deficiencies must be submitted within **ten calendar days** of your receipt of this letter. Your PoC must:

- Address how corrective action will be accomplished for those residents found to have been affected by the deficient practice;
- Address how the facility will identify other residents having the potential to be affected by the same deficient practice;
- Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur;
- Indicate how the facility plans to monitor its performance to make sure that solutions are sustained. The facility must develop a plan for ensuring that correction is achieved and

sustained. This plan must be implemented, and the corrective action evaluated for its effectiveness. The plan of correction is integrated into the quality assurance system;

- Include dates when corrective action will be completed. The corrective action completion dates must be acceptable to the State. If the plan of correction is unacceptable for any reason, the State will notify the facility. If the plan of correction is acceptable, the State will notify the facility. Facilities should be cautioned that they are ultimately accountable for their own compliance, and that responsibility is not alleviated in cases where notification about the acceptability of their plan of correction is not made timely. The plan of correction will serve as the facility's allegation of compliance; and,
- Include signature of provider and date.

The state agency may, in lieu of a revisit, determine correction and compliance by accepting the facility's PoC if the PoC is reasonable, addresses the problem and provides evidence that the corrective action has occurred.

If an acceptable PoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Optional denial of payment for new Medicare and Medicaid admissions (42 CFR 488.417 (a));
- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable PoC could also result in the termination of your facility's Medicare and/or Medicaid agreement.

PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE

The facility's PoC will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance. In order for your allegation of compliance to be acceptable to the Department, the PoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff, if your PoC for the respective deficiencies (if any) is acceptable.

VERIFICATION OF SUBSTANTIAL COMPLIANCE

Upon receipt of an acceptable PoC, an onsite revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification. A Post Certification Revisit (PCR) will occur after the date you identified that compliance was achieved in your plan of correction.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or

Edgebrook Care Center

March 18, 2014

Page 4

Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved PoC, unless it is determined that either correction actually occurred between the latest correction date on the PoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the PoC.

Original deficiencies not corrected

If your facility has not achieved substantial compliance, we will impose the remedies described above. If the level of noncompliance worsened to a point where a higher category of remedy may be imposed, we will recommend to the CMS Region V Office that those other remedies be imposed.

Original deficiencies not corrected and new deficiencies found during the revisit

If new deficiencies are identified at the time of the revisit, those deficiencies may be disputed through the informal dispute resolution process. However, the remedies specified in this letter will be imposed for original deficiencies not corrected. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed.

Original deficiencies corrected but new deficiencies found during the revisit

If new deficiencies are found at the revisit, the remedies specified in this letter will be imposed. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed. You will be provided the required notice before the imposition of a new remedy or informed if another date will be set for the imposition of these remedies.

FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY

If substantial compliance with the regulations is not verified by June 6, 2014 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal regulations at 42 CFR Section 488.417(b). This mandatory denial of payments will be based on the failure to comply with deficiencies originally contained in the Statement of Deficiencies, upon the identification of new deficiencies at the time of the revisit, or if deficiencies have been issued as the result of a complaint visit or other survey conducted after the original statement of deficiencies was issued. This mandatory denial of payment is in addition to any remedies that may still be in effect as of this date.

We will also recommend to the CMS Region V Office and/or the Minnesota Department of Human Services that your provider agreement be terminated by September 6, 2014 (six months after the identification of noncompliance) if your facility does not achieve substantial compliance. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

Edgebrook Care Center

March 18, 2014

Page 5

INFORMAL DISPUTE RESOLUTION

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process
Minnesota Department of Health, Division of Compliance Monitoring
P.O. Box 64900
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting a PoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at: <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Questions regarding all documents submitted as a response to the Life Safety Code deficiencies (those preceded by a "K" tag), i.e., the plan of correction, request for waivers, should be directed to:

Mr. Patrick Sheehan, Supervisor
Health Care Fire Inspections, State Fire Marshal Division
444 Cedar Street, Suite 145
St. Paul, Minnesota 55101-5145
Telephone: (651) 201-7205 Fax: (651) 215-0541

Feel free to contact me if you have questions.

Sincerely,



Kamala Fiske-Downing, Program Specialist
Licensing and Certification Program, Division of Compliance Monitoring
Minnesota Department of Health
Telephone: (651) 201-4112 Fax: (651) 215-9697

Enclosure

cc: Licensing and Certification File

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/18/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245560	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 03/06/2014
NAME OF PROVIDER OR SUPPLIER EDGEBROOK CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 505 TROSKY ROAD WEST EDGERTON, MN 56128		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS Edgebrook Care Center is in compliance with the requirements of 42 CFR Part 483, Subpart B, Requirements for Long Term Care Facilities.	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES


F5560022

PRINTED: 03/18/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245560	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 03/06/2014
--	--	--	--

NAME OF PROVIDER OR SUPPLIER EDGEBROOK CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 505 TROSKY ROAD WEST EDGERTON, MN 56128
---	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

<p>K 000</p> <p style="font-size: 2em; font-weight: bold;">Do: 4-15-14</p> <p style="font-size: 2em; font-weight: bold;">EXIT: 3-6-14</p>	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>THE FACILITY'S POC WILL SERVE AS YOUR ALLEGATION OF COMPLIANCE UPON THE DEPARTMENT'S ACCEPTANCE. YOUR SIGNATURE AT THE BOTTOM OF THE FIRST PAGE OF THE CMS-2567 FORM WILL BE USED AS VERIFICATION OF COMPLIANCE.</p> <p>UPON RECEIPT OF AN ACCEPTABLE POC, AN ONSITE REVISIT OF YOUR FACILITY MAY BE CONDUCTED TO VALIDATE THAT SUBSTANTIAL COMPLIANCE WITH THE REGULATIONS HAS BEEN ATTAINED IN ACCORDANCE WITH YOUR VERIFICATION.</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety, State Fire Marshal Division, on March 6, 2014. At the time of this survey, Building 01 of Edgebrook Care Center was found not to be in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) 101 Life Safety Code (LSC), Chapter 19 Existing Health Care Occupancies.</p> <p>PLEASE RETURN THE PLAN OF CORRECTION FOR THE FIRE SAFETY DEFICIENCIES (K-TAGS) TO:</p> <p>Health Care Fire Inspections State Fire Marshal Division 445 Minnesota Street, Suite 145 St. Paul, MN 55101-5145, or</p>	<p>K 000</p> <p style="font-size: 2em; font-weight: bold;">POC OK</p> <p style="font-size: 2em; font-weight: bold;">FS 3-31-14</p>		
---	---	--	--	--

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE <i>Philip Sander, Admin</i>	TITLE Administrator	(X6) DATE 3/28/14
--	------------------------	----------------------

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/18/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245560	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 03/06/2014
NAME OF PROVIDER OR SUPPLIER EDGEBROOK CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 505 TROSKY ROAD WEST EDGERTON, MN 56128	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	Continued From page 1 By eMail to: Marian.Whitney@state.mn.us THE PLAN OF CORRECTION FOR EACH DEFICIENCY MUST INCLUDE ALL OF THE FOLLOWING INFORMATION: 1. A description of what has been, or will be, done to correct the deficiency. 2. The actual, or proposed, completion date. 3. The name and/or title of the person responsible for correction and monitoring to prevent a reoccurrence of the deficiency. Building 01 of Edgebrook Care Center is one-story in height, has a partial basement, and is fully sprinklered. The original building was built in 1968, with building additions in 1992 and 1997. All were determined to be of Type II(111) construction. The facility has a fire alarm system with smoke detection in the corridors and spaces open to the corridors which is monitored for automatic fire department notification. The facility has a capacity of 56 beds and had a census of 55 at time of the survey. The requirement at 42 CFR, Subpart 483.70(a) is NOT MET as evidenced by:	K 000		
K 076 SS=D	NFPA 101 LIFE SAFETY CODE STANDARD Medical gas storage and administration areas are protected in accordance with NFPA 99, Standards for Health Care Facilities.	K 076		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/18/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245560	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 03/06/2014
NAME OF PROVIDER OR SUPPLIER EDGEBROOK CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 505 TROSKY ROAD WEST EDGERTON, MN 56128	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 076	<p>Continued From page 2</p> <p>(a) Oxygen storage locations of greater than 3,000 cu.ft. are enclosed by a one-hour separation.</p> <p>(b) Locations for supply systems of greater than 3,000 cu.ft. are vented to the outside. NFFA 99 4.3.1.1.2, 19.3.2.4</p> <p>This STANDARD is not met as evidenced by: Based on observation, the facility was storing medical gas cylinders in a manner not in conformance with NFPA 99 (1999 edition) Chapter 4, Section 4-3.1.1.1. This deficient practice could adversely affect 5 of 55 residents in the vicinity of the Oxygen Storage Room.</p> <p>FINDINGS INCLUDE:</p> <p>On 03/06/2014 at 1:25 PM, observation revealed two (2) empty oxygen cylinders stored inside of the Oxygen Storage Room. These cylinders were stored on the floor surface, in an upright position, and were not secured and located to prevent tipping/falling. This free-standing storage arrangement was not in conformance with NFPA 99 (1999), Chapter 4, Section 4-3.1.1.1 and Chapter 8, Section 8-3.1.1.</p>	K 076	<p>The two oxygen containers were secured on 3/6/14. Another oxygen tank storage rack was delivered on 3/10/2014.</p> <p>Education was delivered to all nursing staff on March 24, 2014 on the proper storage of oxygen cylinders.</p> <p>The Director of Environmental Services or designee will complete a weekly audit for 4 weeks and then monthly for 3 months to ensure all oxygen cylinders are securely stored.</p> <p>Completion date: March 28, 2014</p>	

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/18/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245560	(X2) MULTIPLE CONSTRUCTION A. BUILDING 02 - 2003 ADDITION B. WING _____	(X3) DATE SURVEY COMPLETED 03/06/2014
NAME OF PROVIDER OR SUPPLIER EDGEBROOK CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 505 TROSKY ROAD WEST EDGERTON, MN 56128	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety, State Fire Marshal Division, on March 6, 2014. At the time of this survey, Building 02 of Edgebrook Care Center was found to be in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) 101 Life Safety Code (LSC), Chapter 18 New Health Care Occupancies.</p> <p>Building 02 of Edgebrook Care Center consists of the 2003 building addition, which includes a meeting room and offices. Building 02 is one-story in height, has no basement, is fully fire sprinkler protected and was determined to be of Type II(111) construction.</p> <p>The facility has a fire alarm system with smoke detection in the corridors and spaces open to the corridors which is monitored for automatic fire department notification. The facility has a capacity of 56 beds and had a census of 55 at the time of survey.</p>	K 000		
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE		TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

F5560022

Printed: 03/11/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245560	(X2) MULTIPLE CONSTRUCTION A. BUILDING 02 - 2003 ADDITION B. WING _____	(X3) DATE SURVEY COMPLETED 03/06/2014
--	---	--	---

NAME OF PROVIDER OR SUPPLIER EDGEBROOK CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 505 TROSKY ROAD WEST EDGERTON, MN 56128
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety, State Fire Marshal Division, on March 6, 2014. At the time of this survey, Building 02 of Edgebrook Care Center was found to be in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) 101 Life Safety Code (LSC), Chapter 18 New Health Care Occupancies.</p> <p>Building 02 of Edgebrook Care Center consists of the 2003 building addition, which includes a meeting room and offices. Building 02 is one-story in height, has no basement, is fully fire sprinkler protected and was determined to be of Type II(111) construction.</p> <p>The facility has a fire alarm system with smoke detection in the corridors and spaces open to the corridors which is monitored for automatic fire department notification. The facility has a capacity of 56 beds and had a census of 55 at the time of survey.</p>	K 000		
-------	---	-------	--	--

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.