



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

CMS Certification Number (CCN): 245229

September 9, 2016

Ms. Jennifer Bever, Administrator
Friendship Village Of Bloomington
8100 Highwood Drive
Bloomington, Minnesota 55438

Dear Ms. Bever:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective June 21, 2016 the above facility is certified for:

66 Skilled Nursing Facility Beds

Your facility's Medicare approved area consists of all 66 skilled nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Feel free to contact me if you have questions related to this eNotice.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Email: mark.meath@state.mn.us
Telephone: (651) 201-4118 Fax: (651) 215-9697

An equal opportunity employer.



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

Electronically delivered
July 21, 2016

Ms. Jennifer Bever, Administrator
Friendship Village Of Bloomington
8100 Highwood Drive
Bloomington, Minnesota 55438

RE: Project Number S5229026

Dear Ms. Bever:

On May 23, 2016, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on May 12, 2016. This survey found the most serious deficiencies to be widespread deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level F), whereby corrections were required.

On July 12, 2016, the Minnesota Department of Health completed a Post Certification Revisit (PCR) by review of your plan of correction and on June 21, 2016 the Minnesota Department of Public Safety completed a PCR to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on May 12, 2016. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of June 21, 2016. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on May 12, 2016, effective June 21, 2016 and therefore remedies outlined in our letter to you dated May 23, 2016, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions related to this eNotice.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Email: mark.meath@state.mn.us
Telephone: (651) 201-4118 Fax: (651) 215-9697

POST-CERTIFICATION REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 245229	Y1	MULTIPLE CONSTRUCTION A. Building B. Wing	Y2	DATE OF REVISIT 7/12/2016	Y3
NAME OF FACILITY FRIENDSHIP VILLAGE OF BLOOMINGTON			STREET ADDRESS, CITY, STATE, ZIP CODE 8100 HIGHWOOD DRIVE BLOOMINGTON, MN 55438		

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix F0156	Correction	ID Prefix F0441	Correction	ID Prefix	Correction
Reg. # 483.10(b)(5) - (10), 483.10(b)(1)	Completed	Reg. # 483.65	Completed	Reg. #	Completed
LSC	05/12/2016	LSC	06/21/2016	LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
ID Prefix	Correction	ID Prefix	Correction	ID Prefix	Correction
Reg. #	Completed	Reg. #	Completed	Reg. #	Completed
LSC		LSC		LSC	
REVIEWED BY STATE AGENCY <input checked="" type="checkbox"/>	REVIEWED BY (INITIALS) GL/mm	DATE 07/21/2016	SIGNATURE OF SURVEYOR 15507	DATE 07/12/2016	
REVIEWED BY CMS RO <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	TITLE	DATE	
FOLLOWUP TO SURVEY COMPLETED ON 5/12/2016		<input type="checkbox"/> CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? <input type="checkbox"/> YES <input type="checkbox"/> NO			

POST-CERTIFICATION REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 245229	Y1	MULTIPLE CONSTRUCTION A. Building 01 - MAIN BUILDING 01 B. Wing	Y2	DATE OF REVISIT 6/21/2016	Y3
NAME OF FACILITY FRIENDSHIP VILLAGE OF BLOOMINGTON			STREET ADDRESS, CITY, STATE, ZIP CODE 8100 HIGHWOOD DRIVE BLOOMINGTON, MN 55438		

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix _____	Correction	ID Prefix _____	Correction	ID Prefix _____	Correction
Reg. # NFPA 101	Completed	Reg. # NFPA 101	Completed	Reg. # _____	Completed
LSC K0050	06/01/2016	LSC K0144	06/15/2016	LSC _____	_____
ID Prefix _____	Correction	ID Prefix _____	Correction	ID Prefix _____	Correction
Reg. # _____	Completed	Reg. # _____	Completed	Reg. # _____	Completed
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction	ID Prefix _____	Correction	ID Prefix _____	Correction
Reg. # _____	Completed	Reg. # _____	Completed	Reg. # _____	Completed
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction	ID Prefix _____	Correction	ID Prefix _____	Correction
Reg. # _____	Completed	Reg. # _____	Completed	Reg. # _____	Completed
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction	ID Prefix _____	Correction	ID Prefix _____	Correction
Reg. # _____	Completed	Reg. # _____	Completed	Reg. # _____	Completed
LSC _____	_____	LSC _____	_____	LSC _____	_____

REVIEWED BY STATE AGENCY <input checked="" type="checkbox"/>	REVIEWED BY (INITIALS) TL/mm	DATE 07/21/2016	SIGNATURE OF SURVEYOR 37009	DATE 06/21/2016
REVIEWED BY CMS RO <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	TITLE	DATE

FOLLOWUP TO SURVEY COMPLETED ON 5/12/2016	<input type="checkbox"/> CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? <input type="checkbox"/> YES <input type="checkbox"/> NO
--	--

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: RT0X
Facility ID: 00806

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245229		3. NAME AND ADDRESS OF FACILITY (L3) FRIENDSHIP VILLAGE OF BLOOMINGTON			4. TYPE OF ACTION: <u>2</u> (L8)	
2. STATE VENDOR OR MEDICAID NO. (L2)		(L4) 8100 HIGHWOOD DRIVE			1. Initial 3. Termination 5. Validation 7. On-Site Visit	
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)		(L5) BLOOMINGTON, MN (L6) 55438			2. Recertification 4. CHOW 6. Complaint 9. Other	
6. DATE OF SURVEY 05/12/2016 (L34)		7. PROVIDER/SUPPLIER CATEGORY <u>04</u> (L7)			8. Full Survey After Complaint	
8. ACCREDITATION STATUS: <u> </u> (L10)		01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA			FISCAL YEAR ENDING DATE: (L35)	
0 Unaccredited 1 TJC 2 AOA 3 Other		02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF			12/31	
11. LTC PERIOD OF CERTIFICATION		03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC				
From (a) : To (b) :		04 SNF 08 OPT/SP 12 RHC 16 HOSPICE				
12. Total Facility Beds 119 (L18)		10. THE FACILITY IS CERTIFIED AS:				
13. Total Certified Beds 66 (L17)		A. In Compliance With			And/Or Approved Waivers Of The Following Requirements: _____	
		Program Requirements _____			2. Technical Personnel _____	
		Compliance Based On:			6. Scope of Services Limit _____	
		<u> </u> 1. Acceptable POC _____			3. 24 Hour RN _____	
					7. Medical Director _____	
					4. 7-Day RN (Rural SNF) _____	
					8. Patient Room Size _____	
					5. Life Safety Code _____	
					9. Beds/Room _____	
		X B. Not in Compliance with Program			* Code: B* (L12)	
		Requirements and/or Applied Waivers:				
14. LTC CERTIFIED BED BREAKDOWN				15. FACILITY MEETS		
18 SNF	18/19 SNF	19 SNF	ICF	1861 (e) (1) or 1861 (j) (1):		(L15)
66			IID			
(L37)	(L38)	(L39)	(L42)	(L43)		

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

17. SURVEYOR SIGNATURE		Date :	18. STATE SURVEY AGENCY APPROVAL		Date:
<u>Mary Bruess, HFE NEII</u>		06/06/2016	<u>Mark Meath, Enforcement Specialist</u>		06/29/2016
		(L19)			(L20)

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY		20. COMPLIANCE WITH CIVIL RIGHTS ACT:		21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : _____	
<input checked="" type="checkbox"/> 1. Facility is Eligible to Participate					
<input type="checkbox"/> 2. Facility is not Eligible					
		(L21)			
22. ORIGINAL DATE OF PARTICIPATION		23. LTC AGREEMENT BEGINNING DATE		24. LTC AGREEMENT ENDING DATE	
01/29/1980					
(L24)		(L41)		(L25)	
25. LTC EXTENSION DATE:		27. ALTERNATIVE SANCTIONS			
(L27)		A. Suspension of Admissions:			
		(L44)			
		B. Rescind Suspension Date:			
		(L45)			
26. TERMINATION ACTION:		26. TERMINATION ACTION:			
<u>VOLUNTARY</u> <u>00</u>		<u>INVOLUNTARY</u>			
01-Merger, Closure		05-Fail to Meet Health/Safety			
02-Dissatisfaction W/ Reimbursement		06-Fail to Meet Agreement			
03-Risk of Involuntary Termination		<u>OTHER</u>			
04-Other Reason for Withdrawal		07-Provider Status Change			
		00-Active			
28. TERMINATION DATE:		29. INTERMEDIARY/CARRIER NO.		30. REMARKS	
		03001			
(L28)		(L31)			
31. RO RECEIPT OF CMS-1539		32. DETERMINATION OF APPROVAL DATE			
(L32)		(L33)			
		DETERMINATION APPROVAL			



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

Electronically delivered
May 23, 2016

Ms. Jennifer Bever, Administrator
Friendship Village Of Bloomington
8100 Highwood Drive
Bloomington, Minnesota 55438

RE: Project Number S5229026

Dear Ms. Bever:

On May 12, 2016, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

This survey found the most serious deficiencies in your facility to be widespread deficiencies that constitute no actual harm with potential for more than minimal harm that is not immediate jeopardy (Level F), as evidenced by the attached CMS-2567 whereby corrections are required. A copy of the Statement of Deficiencies (CMS-2567) is enclosed.

Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.

This letter provides important information regarding your response to these deficiencies and addresses the following issues:

Opportunity to Correct - the facility is allowed an opportunity to correct identified deficiencies before remedies are imposed;

Electronic Plan of Correction - when a plan of correction will be due and the information to be contained in that document;

Remedies - the type of remedies that will be imposed with the authorization of the Centers for Medicare and Medicaid Services (CMS) if substantial compliance is not attained at the time of a revisit;

Potential Consequences - the consequences of not attaining substantial compliance 3 and 6 months after the survey date; and

Informal Dispute Resolution - your right to request an informal reconsideration to dispute the attached deficiencies.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

DEPARTMENT CONTACT

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by a "F" tag), i.e., the plan of correction should be directed to:

Gayle Lantto, Unit Supervisor
Metro D Survey Team
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health
Email: gayle.lantto@state.mn.us
Phone: (651) 201-3794 Fax: (651) 215-9697

OPPORTUNITY TO CORRECT - DATE OF CORRECTION - REMEDIES

As of January 14, 2000, CMS policy requires that facilities will not be given an opportunity to correct before remedies will be imposed when actual harm was cited at the last standard or intervening survey and also cited at the current survey. Your facility does not meet this criterion. Therefore, if your facility has not achieved substantial compliance by June 21, 2016, the Department of Health will impose the following remedy:

- State Monitoring. (42 CFR 488.422)

In addition, the Department of Health is recommending to the CMS Region V Office that if your facility has not achieved substantial compliance by June 21, 2016 the following remedy will be imposed:

- Per instance civil money penalty. (42 CFR 488.430 through 488.444)

ELECTRONIC PLAN OF CORRECTION (ePoC)

An ePoC for the deficiencies must be submitted within **ten calendar days** of your receipt of this letter. Your ePoC must:

- Address how corrective action will be accomplished for those residents found to have been affected by the deficient practice;

- Address how the facility will identify other residents having the potential to be affected by the same deficient practice;
- Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur;
- Indicate how the facility plans to monitor its performance to make sure that solutions are sustained. The facility must develop a plan for ensuring that correction is achieved and sustained. This plan must be implemented, and the corrective action evaluated for its effectiveness. The plan of correction is integrated into the quality assurance system;
- Include dates when corrective action will be completed. The corrective action completion dates must be acceptable to the State. If the plan of correction is unacceptable for any reason, the State will notify the facility. If the plan of correction is acceptable, the State will notify the facility. Facilities should be cautioned that they are ultimately accountable for their own compliance, and that responsibility is not alleviated in cases where notification about the acceptability of their plan of correction is not made timely. The plan of correction will serve as the facility's allegation of compliance; and,
- Submit electronically to acknowledge your receipt of the electronic 2567, your review and your ePoC submission.

If an acceptable ePoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Optional denial of payment for new Medicare and Medicaid admissions (42 CFR 488.417 (a));
- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable ePoC could also result in the termination of your facility's Medicare and/or Medicaid agreement.

PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE

The facility's ePoC will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance. In order for your allegation of compliance to be acceptable to the Department, the ePoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff, if your ePoC for the respective deficiencies (if any) is acceptable.

VERIFICATION OF SUBSTANTIAL COMPLIANCE

Upon receipt of an acceptable ePoC, an onsite revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification. A Post Certification Revisit (PCR) will occur after the date you identified that compliance was achieved in your plan of correction.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved ePoC, unless it is determined that either correction actually occurred between the latest correction date on the ePoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the ePoC.

Original deficiencies not corrected

If your facility has not achieved substantial compliance, we will impose the remedies described above. If the level of noncompliance worsened to a point where a higher category of remedy may be imposed, we will recommend to the CMS Region V Office that those other remedies be imposed.

Original deficiencies not corrected and new deficiencies found during the revisit

If new deficiencies are identified at the time of the revisit, those deficiencies may be disputed through the informal dispute resolution process. However, the remedies specified in this letter will be imposed for original deficiencies not corrected. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed.

Original deficiencies corrected but new deficiencies found during the revisit

If new deficiencies are found at the revisit, the remedies specified in this letter will be imposed. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed. You will be provided the required notice before the imposition of a new remedy or informed if another date will be set for the imposition of these remedies.

FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY

If substantial compliance with the regulations is not verified by August 12, 2016 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal regulations at 42 CFR Section 488.417(b). This mandatory denial of payments will be based on the failure to comply with deficiencies originally contained in the Statement of Deficiencies, upon the identification of new deficiencies at the time of the revisit, or if deficiencies have been issued as the

result of a complaint visit or other survey conducted after the original statement of deficiencies was issued. This mandatory denial of payment is in addition to any remedies that may still be in effect as of this date.

We will also recommend to the CMS Region V Office and/or the Minnesota Department of Human Services that your provider agreement be terminated by November 12, 2016 (six months after the identification of noncompliance) if your facility does not achieve substantial compliance. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

INFORMAL DISPUTE RESOLUTION

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process
Minnesota Department of Health
Health Regulation Division
P.O. Box 64900
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting an ePoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable electronic plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at: <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Questions regarding all documents submitted as a response to the Life Safety Code deficiencies (those preceded by a "K" tag), i.e., the plan of correction, request for waivers, should be directed to:

Mr. Tom Linhoff, Fire Safety Supervisor
Health Care Fire Inspections
Minnesota Department of Public Safety
State Fire Marshal Division
Email: tom.linhoff@state.mn.us
Telephone: (651) 430-3012 Fax: (651) 215-0525


Friendship Village Of Bloomington

May 23, 2016

Page 6

Feel free to contact me if you have questions related to this eNotice.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath". The signature is written in a cursive style with a distinct loop at the end of the last name.

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health
Email: mark.meath@state.mn.us
Telephone: (651) 201-4118 Fax: (651) 215-9697

Enclosure

cc: Licensing and Certification File

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/06/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245229	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/12/2016
NAME OF PROVIDER OR SUPPLIER FRIENDSHIP VILLAGE OF BLOOMINGTON			STREET ADDRESS, CITY, STATE, ZIP CODE 8100 HIGHWOOD DRIVE BLOOMINGTON, MN 55438		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS The facility's plan of correction (POC) will serve as your allegation of compliance upon the Department's acceptance. Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form. Your electronic submission of the POC will be used as verification of compliance. Upon receipt of an acceptable electronic POC, an on-site revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification.	F 000			
F 156 SS=D	483.10(b)(5) - (10), 483.10(b)(1) NOTICE OF RIGHTS, RULES, SERVICES, CHARGES The facility must inform the resident both orally and in writing in a language that the resident understands of his or her rights and all rules and regulations governing resident conduct and responsibilities during the stay in the facility. The facility must also provide the resident with the notice (if any) of the State developed under §1919(e)(6) of the Act. Such notification must be made prior to or upon admission and during the resident's stay. Receipt of such information, and any amendments to it, must be acknowledged in writing. The facility must inform each resident who is entitled to Medicaid benefits, in writing, at the time of admission to the nursing facility or, when the resident becomes eligible for Medicaid of the items and services that are included in nursing facility services under the State plan and for which the resident may not be charged; those other items and services that the facility offers	F 156		5/12/16	

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

06/02/2016

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/06/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245229	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/12/2016
NAME OF PROVIDER OR SUPPLIER FRIENDSHIP VILLAGE OF BLOOMINGTON			STREET ADDRESS, CITY, STATE, ZIP CODE 8100 HIGHWOOD DRIVE BLOOMINGTON, MN 55438		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 156	<p>Continued From page 1</p> <p>and for which the resident may be charged, and the amount of charges for those services; and inform each resident when changes are made to the items and services specified in paragraphs (5) (i)(A) and (B) of this section.</p> <p>The facility must inform each resident before, or at the time of admission, and periodically during the resident's stay, of services available in the facility and of charges for those services, including any charges for services not covered under Medicare or by the facility's per diem rate.</p> <p>The facility must furnish a written description of legal rights which includes: A description of the manner of protecting personal funds, under paragraph (c) of this section;</p> <p>A description of the requirements and procedures for establishing eligibility for Medicaid, including the right to request an assessment under section 1924(c) which determines the extent of a couple's non-exempt resources at the time of institutionalization and attributes to the community spouse an equitable share of resources which cannot be considered available for payment toward the cost of the institutionalized spouse's medical care in his or her process of spending down to Medicaid eligibility levels.</p> <p>A posting of names, addresses, and telephone numbers of all pertinent State client advocacy groups such as the State survey and certification agency, the State licensure office, the State ombudsman program, the protection and advocacy network, and the Medicaid fraud control unit; and a statement that the resident may file a complaint with the State survey and certification</p>	F 156			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245229	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/12/2016
NAME OF PROVIDER OR SUPPLIER FRIENDSHIP VILLAGE OF BLOOMINGTON			STREET ADDRESS, CITY, STATE, ZIP CODE 8100 HIGHWOOD DRIVE BLOOMINGTON, MN 55438		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 156	<p>Continued From page 2</p> <p>agency concerning resident abuse, neglect, and misappropriation of resident property in the facility, and non-compliance with the advance directives requirements.</p> <p>The facility must inform each resident of the name, specialty, and way of contacting the physician responsible for his or her care.</p> <p>The facility must prominently display in the facility written information, and provide to residents and applicants for admission oral and written information about how to apply for and use Medicare and Medicaid benefits, and how to receive refunds for previous payments covered by such benefits.</p> <p>This REQUIREMENT is not met as evidenced by: Based on interview and document review, the facility failed to provide liability notices for 1 of 3 residents (R22) reviewed for liability notices and beneficiary appeal rights.</p> <p>Findings include:</p> <p>R22's 12/30/15, Minimum Data Set (MDS) revealed the resident was admitted to the facility on 12/23/15, from an acute care hospital and was receiving the skilled nursing services, physical and occupational therapy.</p> <p>R22's Medicare denial date was 2/9/16, according to the Notices of Medicare Non-Coverage (NOMNC) it was noted, however, the resident's responsible party's signature on the form was also dated 2/9/16. No further information was</p>	F 156	<p>F156</p> <p>It is the policy of Friendship Village of Bloomington that the resident receives a completed copy of the Notice of Medicare Non- Coverage at least a 48 hour prior to the termination of service. Effective April 11th, 2016 the process was updated to include hand written information on the NOMNC in the Additional Information box. To ensure on-going compliance audits will be conducted during the 3rd Quarter, 2016 regarding proper Notice of Medicare Non-Coverage and reviewed at the upcoming Quality Assurance Performance Improvement (QAPI) committee. The Director of Nursing, ADON and Administrator will be responsible to ensure future compliance.</p>		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/06/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245229	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/12/2016
NAME OF PROVIDER OR SUPPLIER FRIENDSHIP VILLAGE OF BLOOMINGTON			STREET ADDRESS, CITY, STATE, ZIP CODE 8100 HIGHWOOD DRIVE BLOOMINGTON, MN 55438		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 156	<p>Continued From page 3 written on the form.</p> <p>During an interview on 5/10/16, at 2:25 p.m. the assistant director of nursing (ADON) stated she was responsible for issuing denial notices and appeal rights to residents when Medicare benefits ended. She explained R22's last covered day (LCD) for Medicare benefits was 2/9/16.</p> <p>A progress note dated 2/9/16, at 9:58 p.m. confirmed the ADON reviewed last day of Medicare coverage and right to appeal was discussed with R22's husband on 2/9/16. R22's daughter and power of attorney (POA) agreed and signed the NOMNC in the ADON's presence. The ADON further verified the guidance from Centers for Medicare Services (CMS) required no less than a two day notice was to have been provided when Medicare services were withdrawn. She stated she believed she had a conversation with R22's husband on 2/7/15, but could not verify any contact with R22's husband or POA.</p> <p>The director of nursing stated in an interview on 5/12/16, at 10:57 a.m. "The process is that the resident gets at least a 48 hour notice for LCD and appeals rights notice." She further explained that the facility was planning a process of change to include hand-written information on the NONMC form in the "Additional Information" box and progress notes to include specific information regarding communication and process.</p> <p>The Form Instructions for the Notice of Medicare Non-Coverage (NOMNC) CMS-10123, approved 10/31/11 stated: "A Medicare provider or health plan must give in advance a completed copy of the NOMNC to beneficiaries/enrollees receiving</p>	F 156	Date certain 5/12/16		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/06/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245229	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/12/2016
NAME OF PROVIDER OR SUPPLIER FRIENDSHIP VILLAGE OF BLOOMINGTON			STREET ADDRESS, CITY, STATE, ZIP CODE 8100 HIGHWOOD DRIVE BLOOMINGTON, MN 55438		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 156	Continued From page 4 skilled care--services no later than two days before the termination of services."	F 156			
F 441 SS=D	483.65 INFECTION CONTROL, PREVENT SPREAD, LINENS The facility must establish and maintain an Infection Control Program designed to provide a safe, sanitary and comfortable environment and to help prevent the development and transmission of disease and infection. (a) Infection Control Program The facility must establish an Infection Control Program under which it - (1) Investigates, controls, and prevents infections in the facility; (2) Decides what procedures, such as isolation, should be applied to an individual resident; and (3) Maintains a record of incidents and corrective actions related to infections. (b) Preventing Spread of Infection (1) When the Infection Control Program determines that a resident needs isolation to prevent the spread of infection, the facility must isolate the resident. (2) The facility must prohibit employees with a communicable disease or infected skin lesions from direct contact with residents or their food, if direct contact will transmit the disease. (3) The facility must require staff to wash their hands after each direct resident contact for which hand washing is indicated by accepted professional practice. (c) Linens Personnel must handle, store, process and transport linens so as to prevent the spread of	F 441		6/21/16	

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245229	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/12/2016
NAME OF PROVIDER OR SUPPLIER FRIENDSHIP VILLAGE OF BLOOMINGTON			STREET ADDRESS, CITY, STATE, ZIP CODE 8100 HIGHWOOD DRIVE BLOOMINGTON, MN 55438		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 441	<p>Continued From page 5 infection.</p> <p>This REQUIREMENT is not met as evidenced by: Based on observation, interview and document review the facility failed to sanitary storage of a glucometer for 1 of 1 resident (R46) whose glucometer was not sanitized prior to use and potentially for two additional residents who shared the glucometer.</p> <p>Findings include:</p> <p>R46's blood sugar level was tested using a shared glucometer on 5/11/16 at 7:43 a.m. by a licensed practical nurse (LPN)-A. LPN-A removed the test strip after testing, and without disinfecting the glucometer, placed the device inside a cup in the medication cart. LPN-A was asked about cleaning the glucometer after use. LPN-A said it had been "cleaned on the night shift," and she would clean it before using it on the next resident.</p> <p>R46's medication medication administration record included orders for blood glucose monitoring scheduled four times daily, with an injection of Lantus insulin scheduled daily at 7:30 a.m. for type II diabetes.</p> <p>On 5/11/16, at 7:54 a.m. a registered nurse (RN)-A explained the facility's procedure for cleaning glucometers was to use Super Sani-Cloth wipe (purple dispenser), and then allow the machine to air dry for two minutes. The shared glucometer was used for multiple residents, and staff was to disinfect it between each resident's use.</p>	F 441	<p>F441 It is the policy of Friendship Village of Bloomington to insure the glucometers are properly sanitized according to manufacture instructions. Regarding R46, immediate retraining was conducted with LPN-A regarding following manufactures instruction for sanitizing glucometer. Licensed nurses will be re-educated by June 21st, 2016 regarding manufactures instruction relating to sanitizing glucometers. To ensure future and on-going compliance, audits will be conducted in the 3rd Quarter, 2016 regarding proper sanitation of the glucometer and reviewed at upcoming Quality Assurance Performance Improvement (QAPI) committee. The Director of Nursing, ADON and RN Supervisors will be responsible to ensure future compliance. Date certain 6/21/16</p>		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/06/2016
FORM APPROVED
OMB NO. 0938-0391


STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245229	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 05/12/2016
NAME OF PROVIDER OR SUPPLIER FRIENDSHIP VILLAGE OF BLOOMINGTON			STREET ADDRESS, CITY, STATE, ZIP CODE 8100 HIGHWOOD DRIVE BLOOMINGTON, MN 55438		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 441	<p>Continued From page 6</p> <p>During an interview on 5/11/16 at 7:54 a.m. RN-A explained that LPN-A should have used the "purple wipes" to clean the glucometer before storage or use on the next resident. RN-A added, "I would expect employees to follow [the facility's policy]...No, I feel we should be cleaning it right before use, not without cleaning because the night shift did it."</p> <p>The Arkray glucometer product information sheet included Super Sani-Cloth wipes among acceptable products, and to "follow product label instructions to disinfect the meter."</p> <p>The Super Sani-wipes label instructions indicated a wipe should have been used to remove heavy soil, then, "Unfold a clean wipe and thoroughly wet surface. Treated surface must remain visibly wet for a full two (2) minutes. Use additional wipe(s) if needed to assure continuous two (2) minute wet contact time. Let air dry."</p> <p>The facility's Nursing Alert! glucometer cleaning/disinfecting policy directed staff as follows: "Glucometers will be disinfected (not cleaned) after each resident use," by wiping all surfaces of the glucometer with a Sani-Cloth and allowing to dry for a minimum of two minutes.</p>	F 441			

F5229025

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245229	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 05/12/2016
--	---	---	---

NAME OF PROVIDER OR SUPPLIER FRIENDSHIP VILLAGE OF BLOOMINGTON	STREET ADDRESS, CITY, STATE, ZIP CODE 8100 HIGHWOOD DRIVE BLOOMINGTON, MN 55438
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>THE FACILITY'S POC WILL SERVE AS YOUR ALLEGATION OF COMPLIANCE UPON THE DEPARTMENT'S ACCEPTANCE. YOUR SIGNATURE AT THE BOTTOM OF THE FIRST PAGE OF THE CMS-2567 FORM WILL BE USED AS VERIFICATION OF COMPLIANCE.</p> <p>UPON RECEIPT OF AN ACCEPTABLE POC, AN ONSITE REVISIT OF YOUR FACILITY MAY BE CONDUCTED TO VALIDATE THAT SUBSTANTIAL COMPLIANCE WITH THE REGULATIONS HAS BEEN ATTAINED IN ACCORDANCE WITH YOUR VERIFICATION.</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety, State Fire Marshal Division on May 12, 2016. At the time of this survey, Friendship Village of Bloomington was found not in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>PLEASE RETURN THE PLAN OF CORRECTION FOR THE FIRE SAFETY DEFICIENCIES (K-TAGS) TO:</p> <p>Healthcare Fire Inspections State Fire Marshal Division 445 Minnesota St., Suite 145 St. Paul, MN 55101-5145, OR</p> <p>By email to:</p>	K 000		
-------	--	-------	--	--

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE Electronically Signed	TITLE	(X6) DATE 06/02/2016
---	-------	--------------------------------

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/07/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245229	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 05/12/2016
NAME OF PROVIDER OR SUPPLIER FRIENDSHIP VILLAGE OF BLOOMINGTON			STREET ADDRESS, CITY, STATE, ZIP CODE 8100 HIGHWOOD DRIVE BLOOMINGTON, MN 55438	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	Continued From page 1 Marian.Whitney@state.mn.us and Angela.Kappenman@state.mn.us THE PLAN OF CORRECTION FOR EACH DEFICIENCY MUST INCLUDE ALL OF THE FOLLOWING INFORMATION: 1. A description of what has been, or will be, done to correct the deficiency. 2. The actual, or proposed, completion date. 3. The name and/or title of the person responsible for correction and monitoring to prevent a reoccurrence of the deficiency. Friendship Village of Bloomington is a 2-story building with partial basement. The building was constructed at 2 different times. The original building was constructed in 1979 and was determined to be of Type V(111) construction. In 2003, an addition was constructed and was determined to be of Type II(111) construction. Because the original building and the 1 addition met the construction type allowed for existing buildings, the facility was surveyed as one building. The building is fully fire sprinklered. The facility has a fire alarm system with smoke detection in the corridors and spaces open to the corridors which are monitored for automatic fire department notification. The facility has a capacity of 66 beds and had a census of 59 at time of the survey. The requirement at 42 CFR, Subpart 483.70(a) is NOT MET as evidenced by:	K 000		
K 050	NFPA 101 LIFE SAFETY CODE STANDARD	K 050		6/1/16

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/07/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245229	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 05/12/2016
NAME OF PROVIDER OR SUPPLIER FRIENDSHIP VILLAGE OF BLOOMINGTON			STREET ADDRESS, CITY, STATE, ZIP CODE 8100 HIGHWOOD DRIVE BLOOMINGTON, MN 55438		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 050 SS=F	<p>Continued From page 2</p> <p>Fire drills include the transmission of a fire alarm signal and simulation of emergency fire conditions. Fire drills are held at unexpected times under varying conditions, at least quarterly on each shift. The staff is familiar with procedures and is aware that drills are part of established routine. Responsibility for planning and conducting drills is assigned only to competent persons who are qualified to exercise leadership. Where drills are conducted between 9:00 PM and 6:00 AM a coded announcement may be used instead of audible alarms. 18.7.1.2, 19.7.1.2 This STANDARD is not met as evidenced by: Based on documentation review and staff interview, the facility could not provide documentation that fire drills were conducted once per shift per quarter for all staff under varying times and conditions as required by 2000 NFPA 101, Section 19.7.1.2. This deficient practice could affect all 59 residents.</p> <p>Findings include:</p> <p>1. On a facility tour between the hours of 09:30 AM and 1:30 PM on May 12, 2016, observation revealed that fire drills were not conducted for the 1st shift during the 2nd and 4th quarters, for the 2nd shift during the 3rd and 4th quarters and for the 3rd shift during the 1st and 4th quarters.</p> <p>2. On a facility tour between the hours of 09:30 AM and 1:30 PM on May 12, 2016, observation revealed that the transmission of a fire alarm was not conducted the day after conducting silent drills.</p>	K 050	<p>K 050 A fire drill schedule has been established on June 1st, 2016 for the remainder of 2016 with varied times on every shift. This will ensure that fire drills are held at unexpected times on every shift in varying conditions. The fire drill schedule will be executed by the Maintenance Director, monitored by the Administrator and reported to Quality Assurance Performance Improvement (QAPI) committee on an annual basis. The Maintenance Director will be responsible to ensure future compliance. Date certain 6/1/16</p>		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/07/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245229	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 05/12/2016
NAME OF PROVIDER OR SUPPLIER FRIENDSHIP VILLAGE OF BLOOMINGTON			STREET ADDRESS, CITY, STATE, ZIP CODE 8100 HIGHWOOD DRIVE BLOOMINGTON, MN 55438	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 050	Continued From page 3 This deficient practice was confirmed by the Administrator at the time of inspection.	K 050		
K 144 SS=F	NFPA 101 LIFE SAFETY CODE STANDARD Generators inspected weekly and exercised under load for 30 minutes per month and shall be in accordance with NFPA 99 and NFPA 110. 3-4.4.1 and 8-4.2 (NFPA 99), Chapter 6 (NFPA 110) This STANDARD is not met as evidenced by: Based on document review and staff interview, the facility failed to maintain the emergency generator in accordance with the requirements of NFPA 110-1999 edition, Section 6-4. This deficient practice could affect all 59 residents. Findings include: On a facility tour between the hours of 09:30 AM and 01:30 PM on May 12, 2016, observation revealed that the facility was conducting bi-weekly generator runs but were not applying at least a 30% load once a month during those runs. These deficient practices were verified by the Administrator at the time of the inspection.	K 144	K 144 Training on how to apply at least a 30% load to a generator run has been schedule with facility vendor for June 15th, 2016. Maintenance Director, Lead Maintenance and other maintenance team members will be trained on how to conduct a 30% load test at that time. To ensure on-going compliance audits will be conducted during the 3rd Quarter, 2016 and reported to Quality Assurance Performance Improvement (QAPI) committee. The Maintenance Director will be responsible to ensure future compliance. Date certain 6/15/16	6/15/16