

DEPARTMENT OF HEALTH AND HUMAN SERVICES

CENTERS FOR MEDICARE & MEDICAID SERVICES

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: TUVF
Facility ID: 00321

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245247
2. STATE VENDOR OR MEDICAID NO. (L2) 738745801
3. NAME AND ADDRESS OF FACILITY (L3) KITTSOON MEMORIAL HEALTHCARE CENTER
4. TYPE OF ACTION: 7 (L8)
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)
6. DATE OF SURVEY 03/20/2015 (L34)
7. PROVIDER/SUPPLIER CATEGORY 02 (L7)
8. ACCREDITATION STATUS: 0 (L10)
10. THE FACILITY IS CERTIFIED AS: X A. In Compliance With

11. LTC PERIOD OF CERTIFICATION
12. Total Facility Beds 70 (L18)
13. Total Certified Beds 70 (L17)
10. THE FACILITY IS CERTIFIED AS: X A. In Compliance With
And/Or Approved Waivers Of The Following Requirements:
2. Technical Personnel 6. Scope of Services Limit
3. 24 Hour RN 7. Medical Director
4. 7-Day RN (Rural SNF) 8. Patient Room Size
5. Life Safety Code 9. Beds/Room
B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: A (L12)

14. LTC CERTIFIED BED BREAKDOWN
18 SNF 18/19 SNF 19 SNF ICF IID
70
(L37) (L38) (L39) (L42) (L43)
15. FACILITY MEETS
1861 (e) (1) or 1861 (j) (1): (L15)

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):
See Attached Remarks

17. SURVEYOR SIGNATURE Date: 03/25/2015 (L19)
James Anderson, DSEFM
18. STATE SURVEY AGENCY APPROVAL Date: 03/26/2015 (L20)
Mark Meath, Enforcement Specialist

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY
20. COMPLIANCE WITH CIVIL RIGHTS ACT:
21. 1. Statement of Financial Solvency (HCFA-2572)
2. Ownership/Control Interest Disclosure Stmt (HCFA-1513)
3. Both of the Above: _____

22. ORIGINAL DATE OF PARTICIPATION 07/01/1982 (L24)
23. LTC AGREEMENT BEGINNING DATE (L41)
24. LTC AGREEMENT ENDING DATE (L25)
26. TERMINATION ACTION: 00 (L30)
VOLUNTARY INVOLUNTARY
01-Merger, Closure 05-Fail to Meet Health/Safety
02-Dissatisfaction W/ Reimbursement 06-Fail to Meet Agreement
03-Risk of Involuntary Termination OTHER
04-Other Reason for Withdrawal 07-Provider Status Change
00-Active

25. LTC EXTENSION DATE: (L27)
27. ALTERNATIVE SANCTIONS
A. Suspension of Admissions: (L44)
B. Rescind Suspension Date: (L45)
28. TERMINATION DATE: (L28)
29. INTERMEDIARY/CARRIER NO. 03001 (L31)
30. REMARKS
31. RO RECEIPT OF CMS-1539 (L32)
32. DETERMINATION OF APPROVAL DATE (L33)
DETERMINATION APPROVAL



Protecting, Maintaining and Improving the Health of Minnesotans

CMS Certification Number (CCN): 245247

March 26, 2015

Ms. Cindy Urbaniak, Administrator
Kittson Memorial Healthcare Center
1010 South Birch
Hallock, Minnesota 56728

Dear Ms. Urbaniak:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective March 13, 2015 the above facility is certified for:

60 Skilled Nursing Facility/Nursing Facility Beds

Your facility's Medicare approved area consists of all 60 skilled nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Feel free to contact me if you have questions related to this letter.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Email: mark.meath@state.mn.us

Telephone: (651) 201-4118

Fax: (651) 215-9697

cc: Licensing and Certification File

Minnesota Department of Health - Health Regulation Division •
General Information: 651-201-5000 • Toll-free: 888-345-0823
<http://www.health.state.mn.us>

An equal opportunity employer



Protecting, Maintaining and Improving the Health of Minnesotans

Electronically delivered
March 25, 2015

Ms. Cindy Urbaniak, Administrator
Kittson Memorial Healthcare Center
1010 South Birch
Hallock, Minnesota 56728

RE: Project Number F5247024

Dear Ms. Urbaniak:

On March 5, 2015, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on February 26, 2015. This survey found the most serious deficiencies to be isolated deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level D) whereby corrections were required.

On March 20, 2015, the Minnesota Department of Public Safety completed a Post Certification Revisit (PCR) to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on February 26, 2015. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of March 13, 2015. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on February 26, 2015, effective March 13, 2015 and therefore remedies outlined in our letter to you dated March 5, 2015, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions related to this letter.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Email: mark.meath@state.mn.us
Telephone: (651) 201-4118 Fax: (651) 215-9697

5247r15

Post-Certification Revisit Report

Public reporting for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing the burden, to CMS, Office of Financial Management, P.O. Box 26684, Baltimore, MD 21207; and to the Office of Management and Budget, Paperwork Reduction Project (0938-0390), Washington, D.C. 20503.

(Y1) Provider / Supplier / CLIA / Identification Number 245247	(Y2) Multiple Construction A. Building 01 - MAIN BUILDING 01 B. Wing	(Y3) Date of Revisit 3/20/2015
Name of Facility KITTSOON MEMORIAL HEALTHCARE CENTER		Street Address, City, State, Zip Code 1010 SOUTH BIRCH HALLOCK, MN 56728

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix _____ Reg. # NFPA 101 LSC K0029	Correction Completed 03/13/2015	ID Prefix _____ Reg. # NFPA 101 LSC K0056	Correction Completed 03/13/2015	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____ State Agency	Reviewed By PS/mm	Date: 03/25/2015	Signature of Surveyor: 27200	Date: 03/20/2015
Reviewed By _____ CMS RO	Reviewed By	Date:	Signature of Surveyor:	Date:

Followup to Survey Completed on: 2/25/2015	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? <table style="float: right; margin-left: 20px;"> <tr> <td>YES</td> <td>NO</td> </tr> </table>	YES	NO
YES	NO		

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: TUVF
Facility ID: 00321

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245247
2.STATE VENDOR OR MEDICAID NO. (L2) 738745801
3. NAME AND ADDRESS OF FACILITY (L3) KITTSOON MEMORIAL HEALTHCARE CENTER (L4) 1010 SOUTH BIRCH (L5) HALLOCK, MN (L6) 56728
4. TYPE OF ACTION: 2 (L8)
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)
6. DATE OF SURVEY 02/26/2015 (L34)
8. ACCREDITATION STATUS: (L10)
7. PROVIDER/SUPPLIER CATEGORY 02 (L7)
01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA
02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF
03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC
04 SNF 08 OPT/SP 12 RHC 16 HOSPICE
8. Full Survey After Complaint
FISCAL YEAR ENDING DATE: (L35) 09/30

11. LTC PERIOD OF CERTIFICATION
From (a) :
To (b) :
12.Total Facility Beds 70 (L18)
13.Total Certified Beds 70 (L17)
10.THE FACILITY IS CERTIFIED AS:
A. In Compliance With
Program Requirements Compliance Based On:
___1. Acceptable POC
And/Or Approved Waivers Of The Following Requirements:
___ 2. Technical Personnel ___ 6. Scope of Services Limit
___ 3. 24 Hour RN ___ 7. Medical Director
___ 4. 7-Day RN (Rural SNF) ___ 8. Patient Room Size
___ 5. Life Safety Code ___ 9. Beds/Room
X B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: B* (L12)

14. LTC CERTIFIED BED BREAKDOWN
18 SNF 18/19 SNF 19 SNF ICF IID
70
(L37) (L38) (L39) (L42) (L43)
15. FACILITY MEETS
1861 (e) (1) or 1861 (j) (1): (L15)

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):
See Attached Remarks

17. SURVEYOR SIGNATURE Debra Vincent, HFE NEII Date: 03/16/2015 (L19)
18. STATE SURVEY AGENCY APPROVAL Mark Meath, Enforcement Specialist Date: 03/25/2015 (L20)

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY
___ 1. Facility is Eligible to Participate
___ 2. Facility is not Eligible (L21)
20. COMPLIANCE WITH CIVIL RIGHTS ACT:
21. 1. Statement of Financial Solvency (HCFA-2572)
2. Ownership/Control Interest Disclosure Stmt (HCFA-1513)
3. Both of the Above : _____

22. ORIGINAL DATE OF PARTICIPATION 07/01/1982 (L24)
23. LTC AGREEMENT BEGINNING DATE (L41)
24. LTC AGREEMENT ENDING DATE (L25)
26. TERMINATION ACTION: VOLUNTARY 00 (L30) INVOLUNTARY
01-Merger, Closure 05-Fail to Meet Health/Safety
02-Dissatisfaction W/ Reimbursement 06-Fail to Meet Agreement
03-Risk of Involuntary Termination OTHER
04-Other Reason for Withdrawal 07-Provider Status Change
00-Active

25. LTC EXTENSION DATE: (L27)
27. ALTERNATIVE SANCTIONS
A. Suspension of Admissions: (L44)
B. Rescind Suspension Date: (L45)
28. TERMINATION DATE: (L28)
29. INTERMEDIARY/CARRIER NO. 03001 (L31)

31. RO RECEIPT OF CMS-1539 (L32)
32. DETERMINATION OF APPROVAL DATE (L33)
30. REMARKS
DETERMINATION APPROVAL



Protecting, Maintaining and Improving the Health of Minnesotans

Electronically delivered
March 5, 2015

Ms. Cindy Urbaniak, Administrator
Kittson Memorial Healthcare Center
1010 South Birch
Hallock, Minnesota 56728

RE: Project Number S5247026

Dear Ms. Urbaniak:

On February 26, 2015, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs. This survey found the most serious deficiencies in your facility to be isolated deficiencies that constitute no actual harm with potential for more than minimal harm that is not immediate jeopardy (Level D), as evidenced by the attached CMS-2567 whereby corrections are required. A copy of the Statement of Deficiencies (CMS-2567) is enclosed.

Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.

This letter provides important information regarding your response to these deficiencies and addresses the following issues:

Opportunity to Correct - the facility is allowed an opportunity to correct identified deficiencies before remedies are imposed;

Electronic Plan of Correction - when a plan of correction will be due and the information to be contained in that document;

Remedies - the type of remedies that will be imposed with the authorization of the Centers for Medicare and Medicaid Services (CMS) if substantial compliance is not attained at the time of a revisit;

Potential Consequences - the consequences of not attaining substantial compliance 3 and 6 months after the survey date; and

Informal Dispute Resolution - your right to request an informal reconsideration to dispute the attached deficiencies.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

DEPARTMENT CONTACT

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by a "F" tag), i.e., the plan of correction should be directed to:

Lyla Burkman, Unit Supervisor
Bemidji Survey Team
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health
Email: Lyla.burkman@state.mn.us

Phone: (218) 308-2104

Fax: (218) 308-2122

OPPORTUNITY TO CORRECT - DATE OF CORRECTION - REMEDIES

As of January 14, 2000, CMS policy requires that facilities will not be given an opportunity to correct before remedies will be imposed when actual harm was cited at the last standard or intervening survey and also cited at the current survey. Your facility does not meet this criterion. Therefore, if your facility has not achieved substantial compliance by April 7, 2015, the Department of Health will impose the following remedy:

- State Monitoring. (42 CFR 488.422)

ELECTRONIC PLAN OF CORRECTION (ePoC)

An ePoC for the deficiencies must be submitted within **ten calendar days** of your receipt of this letter. Your ePoC must:

- Address how corrective action will be accomplished for those residents found to have been affected by the deficient practice;
- Address how the facility will identify other residents having the potential to be affected by the same deficient practice;
- Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur;

- Indicate how the facility plans to monitor its performance to make sure that solutions are sustained. The facility must develop a plan for ensuring that correction is achieved and sustained. This plan must be implemented, and the corrective action evaluated for its effectiveness. The plan of correction is integrated into the quality assurance system;
- Include dates when corrective action will be completed. The corrective action completion dates must be acceptable to the State. If the plan of correction is unacceptable for any reason, the State will notify the facility. If the plan of correction is acceptable, the State will notify the facility. Facilities should be cautioned that they are ultimately accountable for their own compliance, and that responsibility is not alleviated in cases where notification about the acceptability of their plan of correction is not made timely. The plan of correction will serve as the facility's allegation of compliance; and,
- Submit electronically to acknowledge your receipt of the electronic 2567, your review and your ePoC submission.

The state agency may, in lieu of a revisit, determine correction and compliance by accepting the facility's ePoC if the ePoC is reasonable, addresses the problem and provides evidence that the corrective action has occurred.

If an acceptable ePoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Optional denial of payment for new Medicare and Medicaid admissions (42 CFR 488.417 (a));
- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable ePoC could also result in the termination of your facility's Medicare and/or Medicaid agreement.

PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE

The facility's ePoC will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance. In order for your allegation of compliance to be acceptable to the Department, the ePoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff, if your ePoC for the respective deficiencies (if any) is acceptable.

VERIFICATION OF SUBSTANTIAL COMPLIANCE

Upon receipt of an acceptable ePoC, an onsite revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification. A

Post Certification Revisit (PCR) will occur after the date you identified that compliance was achieved in your plan of correction.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved ePoC, unless it is determined that either correction actually occurred between the latest correction date on the ePoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the ePoC.

Original deficiencies not corrected

If your facility has not achieved substantial compliance, we will impose the remedies described above. If the level of noncompliance worsened to a point where a higher category of remedy may be imposed, we will recommend to the CMS Region V Office that those other remedies be imposed.

Original deficiencies not corrected and new deficiencies found during the revisit

If new deficiencies are identified at the time of the revisit, those deficiencies may be disputed through the informal dispute resolution process. However, the remedies specified in this letter will be imposed for original deficiencies not corrected. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed.

Original deficiencies corrected but new deficiencies found during the revisit

If new deficiencies are found at the revisit, the remedies specified in this letter will be imposed. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed. You will be provided the required notice before the imposition of a new remedy or informed if another date will be set for the imposition of these remedies.

FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY

If substantial compliance with the regulations is not verified by May 26, 2015 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal regulations at 42 CFR Section 488.417(b). This mandatory denial of payments will be based on the failure to comply with deficiencies originally contained in the Statement of Deficiencies, upon the identification of new deficiencies at the time of the revisit, or if deficiencies have been issued as the result of a complaint visit or other survey conducted after the original statement of deficiencies was issued. This mandatory denial of payment is in addition to any remedies that may still be in effect as of this date.

We will also recommend to the CMS Region V Office and/or the Minnesota Department of Human Services that your provider agreement be terminated by August 26, 2015 (six months after the identification of noncompliance) if your facility does not achieve substantial compliance. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

INFORMAL DISPUTE RESOLUTION

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process
Minnesota Department of Health
Health Regulation Division
P.O. Box 64900
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting an ePoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at: <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Questions regarding all documents submitted as a response to the Life Safety Code deficiencies (those preceded by a "K" tag), i.e., the plan of correction, request for waivers, should be directed to:

Mr. Patrick Sheehan, Supervisor
Health Care Fire Inspections
State Fire Marshal Division
pat.sheehan@state.mn.us
Telephone: (651) 201-7205
Fax: (651) 215-0525


Kittson Memorial Healthcare Center

March 5, 2015

Page 6

Feel free to contact me if you have questions related to this eNotice

Sincerely,



Mark Meath, Enforcement Specialist

Program Assurance Unit

Licensing and Certification Program

Health Regulation Division

Email: mark.meath@state.mn.us

Telephone: (651) 201-4118

Fax: (651) 215-9697

5247s15

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/16/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245247	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 02/26/2015
NAME OF PROVIDER OR SUPPLIER KITTSOON MEMORIAL HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1010 SOUTH BIRCH HALLOCK, MN 56728		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS The facility is enrolled in ePOC and therefore a signature is not required at the bottom of the first page of the CMS-2567 form. Although no plan of correction is required, it is required that you acknowledge receipt of the electronic documents.	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

03/16/2015

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

#5247024

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245247	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 02/25/2015
NAME OF PROVIDER OR SUPPLIER KITTSON MEMORIAL HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1010 SOUTH BIRCH HALLOCK, MN 56728	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>THE FACILITY'S POC WILL SERVE AS YOUR ALLEGATION OF COMPLIANCE UPON THE DEPARTMENT'S ACCEPTANCE. YOUR SIGNATURE AT THE BOTTOM OF THE FIRST PAGE OF THE CMS-2567 WILL BE USED AS VERIFICATION OF COMPLIANCE.</p> <p>UPON RECEIPT OF AN ACCEPTABLE POC, AN ONSITE REVISIT OF YOUR FACILITY MAY BE CONDUCTED TO VALIDATE THAT SUBSTANTIAL COMPLIANCE WITH THE REGULATIONS HAS BEEN ATTAINED IN ACCORDANCE WITH YOUR VERIFICATION.</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety, Fire marshal Division. At the time of this survey Kittson Memorial Healthcare Center was found not in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>PLEASE RETURN THE PLAN OF CORRECTION FOR THE FIRE SAFETY DEFICIENCIES (K TAGS) TO:</p> <p>Health Care Fire Inspections State Fire Marshal Division 445 Minnesota Street, Suite 145 St. Paul, MN 55101</p> <p>Or by e-mail to:</p>	K 000		



LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

03/16/2015

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/16/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245247	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 02/25/2015
NAME OF PROVIDER OR SUPPLIER KITTSON MEMORIAL HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1010 SOUTH BIRCH HALLOCK, MN 56728	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	Continued From page 2 The requirement at 42 CFR, Subpart 483.70(a) is NOT MET as evidenced by:	K 000		
K 029 SS=D	NFPA 101 LIFE SAFETY CODE STANDARD One hour fire rated construction (with ¾ hour fire-rated doors) or an approved automatic fire extinguishing system in accordance with 8.4.1 and/or 19.3.5.4 protects hazardous areas. When the approved automatic fire extinguishing system option is used, the areas are separated from other spaces by smoke resisting partitions and doors. Doors are self-closing and non-rated or field-applied protective plates that do not exceed 48 inches from the bottom of the door are permitted. 19.3.2.1 This STANDARD is not met as evidenced by: Based on observations and staff interview, it was revealed that the facility has failed to provide proper protection from 2 of several hazardous areas located throughout the facility in accordance with NFPA Life Safety Code 101 (2000 edition) section 19.3.2.1. This deficient conditions could in the event of a fire, allow smoke and flames to spread throughout the effected corridors and areas making them untenable, which could negatively affect the exiting capabilities for residents, staff and visitors. Findings include: On facility tour between 12:30 PM and 3:30 PM on 02/25/2015, observation revealed, that the fire rated door to the two soiled utility rooms located on the lower level of the care center did not	K 029	K029 regarding the doors which did not close: Both doors have been adjusted and now latch when closed. Random audits will be performed to maintain compliance	3/13/15

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/16/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245247	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 02/25/2015
NAME OF PROVIDER OR SUPPLIER KITSON MEMORIAL HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1010 SOUTH BIRCH HALLOCK, MN 56728	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 029	Continued From page 3 positively latch into the frames.	K 029		
K 056 SS=D	<p>This deficient practice was verified by the Maintenance Supervisor (TA).</p> <p>NFPA 101 LIFE SAFETY CODE STANDARD</p> <p>If there is an automatic sprinkler system, it is installed in accordance with NFPA 13, Standard for the Installation of Sprinkler Systems, to provide complete coverage for all portions of the building. The system is properly maintained in accordance with NFPA 25, Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems. It is fully supervised. There is a reliable, adequate water supply for the system. Required sprinkler systems are equipped with water flow and tamper switches, which are electrically connected to the building fire alarm system. 19.3.5</p> <p>This STANDARD is not met as evidenced by: Based on observations and staff interview, it was found that the automatic sprinkler system is not maintained in accordance with NFPA 13 the Standard for the Installation of Sprinkler Systems (99). The failure to maintain the sprinkler system in compliance with NFPA 13 (99) could allow system being place out of service causing a decrease in the fire protection system capability in the event of an emergency that would affect the residents, visitors and staff of the facility.</p> <p>Findings include:</p> <p>On facility tour between 12:30 PM to 3:30 PM on</p>	K 056	<p>K056 a new set of sprinkler heads were ordered and KMHC has replaced the rusted heads with the new ones. Audits will be conducted of the sprinkler heads to assure continued compliance.</p>	3/13/15

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/16/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245247	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 02/25/2015
NAME OF PROVIDER OR SUPPLIER KITTSOON MEMORIAL HEALTHCARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1010 SOUTH BIRCH HALLOCK, MN 56728		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 056	Continued From page 4 02/25/2015, observations have revealed that all of the spare sprinkler heads that are located in the spare sprinkler head box were coated with corrosion and rust rendering them inoperable and unusable as spare sprinkler heads. This deficient practice was verified by the Maintenance Supervisor (TA).	K 056			



Protecting, Maintaining and Improving the Health of Minnesotans

Electronically submitted
March 5, 2015

Ms. Cindy Urbaniak, Administrator
Kittson Memorial Healthcare Center
1010 South Birch
Hallock, MN 56728

Re: Enclosed State Nursing Home Licensing Orders - Project Number S5247026

Dear Ms. Urbaniak:

The above facility was surveyed on February 23, 2015 through February 26, 2015 for the purpose of assessing compliance with Minnesota Department of Health Nursing Home Rules. At the time of the survey, the survey team from the Minnesota Department of Health, Compliance Monitoring Division, noted one or more violations of these rules that are issued in accordance with Minnesota Stat. section 144.653 and/or Minnesota Stat. Section 144A.10. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a civil fine for each deficiency not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.

To assist in complying with the correction order(s), a "suggested method of correction" has been added. This provision is being suggested as one method that you can follow to correct the cited deficiency. Please remember that this provision is only a suggestion and you are not required to follow it. Failure to follow the suggested method will not result in the issuance of a penalty assessment. You are reminded, however, that regardless of the method used, correction of the deficiency within the established time frame is required. The "suggested method of correction" is for your information and assistance only.

You have agreed to participate in the electronic receipt of State licensure orders consistent with the Minnesota Department of Health Informational Bulletin 14-01, available at <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>. The State licensing orders are delineated on the attached Minnesota Department of Health orders being submitted to you electronically. The Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.

The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule number and the corresponding text of the state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order. This

Kittson Memorial Healthcare Center

March 5, 2015

Page 2

column also includes the findings that are in violation of the state statute after the statement, "This Rule is not met as evidenced by." Following the surveyors findings are the Suggested Method of Correction and the Time Period For Correction.

PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.

THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES/RULES.


Although no plan of correction is necessary for State Statutes/Rules, please enter the word "corrected" in the box available for text. You must then indicate in the electronic State licensure process, under the heading completion date, the date your orders will be corrected prior to electronically submitting to the Minnesota Department of Health. We urge you to review these orders carefully, item by item, and if you find that any of the orders are not in accordance with your understanding at the time of the exit conference following the survey, you should immediately contact Lyla Burkman at (218) 308-2104 or email: lyla.burkman@state.mn.us.

You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.

Please note it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions related to this eNotice

Sincerely,



Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Email: mark.meath@state.mn.us

Telephone: (651) 201-4118

Fax: (651) 215-9697

S5247s15

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00321	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/26/2015
--------------------------------------------------	------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------

NAME OF PROVIDER OR SUPPLIER KITTSOON MEMORIAL HEALTHCARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 1010 SOUTH BIRCH HALLOCK, MN 56728
--------------------------------------------------------------------------------	----------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	<p>Initial Comments</p> <p>*****ATTENTION*****</p> <p>NH LICENSING CORRECTION ORDER</p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p>INITIAL COMMENTS: You have agreed to participate in the electronic receipt of State licensure orders consistent with the Minnesota Department of Health Informational Bulletin 14-01, available at http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm The State licensing orders are delineated on the attached Minnesota</p>	2 000		

Minnesota Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

03/16/15

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00321	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/26/2015
--------------------------------------------------	------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------

NAME OF PROVIDER OR SUPPLIER KITTSOON MEMORIAL HEALTHCARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 1010 SOUTH BIRCH HALLOCK, MN 56728
--------------------------------------------------------------------------------	----------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	<p>Continued From page 1</p> <p>Department of Health orders being submitted to you electronically. Although no plan of correction is necessary for State Statutes/Rules, please enter the word "corrected" in the box available for text. You must then indicate in the electronic State licensure process, under the heading completion date, the date your orders will be corrected prior to electronically submitting to the Minnesota Department of Health.</p> <p>On February 23, 24, 25, 26, 2015, surveyors of this Department's staff, visited the above provider and the following correction orders are issued. Please indicate in your electronic plan of correction that you have reviewed these orders, and identify the date when they will be completed.</p> <p>Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.</p> <p>The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order. This column also includes the findings which are in violation of the state statute after the statement, "This Rule is not met as evidence by." Following the surveyors findings are the Suggested Method of Correction and Time period for Correction.</p> <p>PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.</p>	2 000		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00321	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/26/2015
--------------------------------------------------	------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------

NAME OF PROVIDER OR SUPPLIER KITTSOON MEMORIAL HEALTHCARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 1010 SOUTH BIRCH HALLOCK, MN 56728
--------------------------------------------------------------------------------	----------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	Continued From page 2 THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES/RULES.	2 000		
2 302	MN State Statute 144.6503 Alzheimer's disease or related disorder train ALZHEIMER'S DISEASE OR RELATED DISORDER TRAINING: MN St. Statute 144.6503 (a) If a nursing facility serves persons with Alzheimer's disease or related disorders, whether in a segregated or general unit, the facility's direct care staff and their supervisors must be trained in dementia care. (b) Areas of required training include: (1) an explanation of Alzheimer's disease and related disorders; (2) assistance with activities of daily living; (3) problem solving with challenging behaviors; and (4) communication skills. (c) The facility shall provide to consumers in written or electronic form a description of the training program, the categories of employees trained, the frequency of training, and the basic topics covered. (d) The facility shall document compliance with this section. This MN Requirement is not met as evidenced by:	2 302		3/13/15

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00321	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/26/2015
--------------------------------------------------	------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------

NAME OF PROVIDER OR SUPPLIER KITTSOON MEMORIAL HEALTHCARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 1010 SOUTH BIRCH HALLOCK, MN 56728
--------------------------------------------------------------------------------	----------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 302	<p>Continued From page 3</p> <p>Based on interview, the facility failed to ensure consumers were provided in a written or electronic form, a description of facility staff training for the care of residents with dementia/Alzheimer's, categories of staff trained, frequency of training and topics covered in the training. This had the potential to affect all 56 residents residing in the facility and resident representatives/families.</p> <p>Findings Include:</p> <p>On 2/26/15, at 8:43 a.m. the director of nursing (DON), confirmed the facility did not have any consumer education or information related to dementia / Alzheimer's. The DON stated the facility use to provide it, however, had stopped. The DON stated there was nothing in place right now. The DON verified there was not a policy regarding consumer education for the dementia/Alzheimer training.</p> <p>SUGGESTED METHOD OF CORRECTION: The administrator or designee could provide the information describing the staff training program, categories of employees trained and the frequency of the training, as required. The DON or designee could develop an auditing system to ensure compliance.</p> <p>TIME PERIOD FOR CORRECTION: Twenty-One (21) days.</p>	2 302	Corrected	

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00321	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/26/2015
--------------------------------------------------	------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------

NAME OF PROVIDER OR SUPPLIER KITTSOON MEMORIAL HEALTHCARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 1010 SOUTH BIRCH HALLOCK, MN 56728
--------------------------------------------------------------------------------	----------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21426	Continued From page 4	21426		
21426	<p>MN St. Statute 144A.04 Subd. 3 Tuberculosis Prevention And Control</p> <p>(a) A nursing home provider must establish and maintain a comprehensive tuberculosis infection control program according to the most current tuberculosis infection control guidelines issued by the United States Centers for Disease Control and Prevention (CDC), Division of Tuberculosis Elimination, as published in CDC's Morbidity and Mortality Weekly Report (MMWR). This program must include a tuberculosis infection control plan that covers all paid and unpaid employees, contractors, students, residents, and volunteers. The Department of Health shall provide technical assistance regarding implementation of the guidelines.</p> <p>(b) Written compliance with this subdivision must be maintained by the nursing home.</p> <p>This MN Requirement is not met as evidenced by: Based on interview and document review, the facility failed to ensure 2 of 5 nursing assistants (NA-A and NA-B) had been screened for signs and symptoms of tuberculosis (TB) prior to hire.</p> <p>Findings include:</p> <p>On 2/24/15, at 1:40 p.m. the employee files were reviewed with the director of human resources.</p>	21426	Corrected	3/13/15

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00321	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/26/2015
--------------------------------------------------	------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------

NAME OF PROVIDER OR SUPPLIER KITTSOON MEMORIAL HEALTHCARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 1010 SOUTH BIRCH HALLOCK, MN 56728
--------------------------------------------------------------------------------	----------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21426	<p>Continued From page 5</p> <p>NA-A was hired on 11/17/14. NA-A's personnel record lacked a baseline tuberculosis symptomology screening, as required.</p> <p>NA-B was hired on 1/15/15. NA-B's personnel record lacked a baseline tuberculosis symptomology screening, as required.</p> <p>On 2/24/15, at 1:45 p.m. the director of human resources stated the NAs had received their tuberculin skin tests (TST) at different facilities and since the TST did not have to be repeated upon hire at the facility, the TB screenings had not been completed. She confirmed the facility had not completed the TB symptomology screenings upon hire.</p> <p>On 2/26/15, at 8:15 a.m. the director of nursing confirmed NA-A and NA-B were not screened for the symptoms of TB upon hire.</p> <p>The Tuberculosis policy dated 1/15/14, directed all qualified applicants for employment to be screened for the presence of TB using a baseline TB assessment screening form to identify the TB symptoms prior to employment.</p> <p>SUGGESTED METHOD FOR CORRECTION: The director of nursing (DON) could develop and implement policies and procedures related to completing employee Tuberculosis screening. The quality assessment and assurance committee could perform random audits to</p>	21426		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00321	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 02/26/2015
--------------------------------------------------	------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------

NAME OF PROVIDER OR SUPPLIER KITTSOON MEMORIAL HEALTHCARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 1010 SOUTH BIRCH HALLOCK, MN 56728
--------------------------------------------------------------------------------	----------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21426	Continued From page 6 ensure compliance. TIME PERIOD FOR CORRECTION: Twenty (21) days.	21426		