

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: VN0N

Facility ID: 00587

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245138		3. NAME AND ADDRESS OF FACILITY (L3) BOUNDARY WATERS CARE CENTER			4. TYPE OF ACTION: <u>2</u> (L8)	
2. STATE VENDOR OR MEDICAID NO. (L2) 122747501		(L4) 200 WEST CONAN STREET			1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other 8. Full Survey After Complaint	
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9) 10/01/2011		7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7)			FISCAL YEAR ENDING DATE: (L35) 09/30	
6. DATE OF SURVEY 10/16/2014 (L34)		01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA 02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF 03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC 04 SNF 08 OPT/SP 12 RHC 16 HOSPICE				
8. ACCREDITATION STATUS: <u> </u> (L10) 0 Unaccredited 1 TJC 2 AOA 3 Other		10. THE FACILITY IS CERTIFIED AS:				
11. LTC PERIOD OF CERTIFICATION From (a) : To (b) :		X A. In Compliance With Program Requirements Compliance Based On: ___ 1. Acceptable POC ___ 2. Technical Personnel ___ 3. 24 Hour RN ___ 4. 7-Day RN (Rural SNF) ___ 5. Life Safety Code ___ 6. Scope of Services Limit ___ 7. Medical Director ___ 8. Patient Room Size ___ 9. Beds/Room				
12. Total Facility Beds 40 (L18)		B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: A* (L12)				
13. Total Certified Beds 40 (L17)						
14. LTC CERTIFIED BED BREAKDOWN					15. FACILITY MEETS	
18 SNF 18/19 SNF 19 SNF ICF IID 40 (L37) (L38) (L39) (L42) (L43)					1861 (e) (1) or 1861 (j) (1): (L15)	

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

17. SURVEYOR SIGNATURE <u>Cheryl Johnson, HFE NEII</u>		Date : 10/16/2014	18. STATE SURVEY AGENCY APPROVAL <u>Mark Meath</u> Enforcement Specialist		Date: 10/21/2014
		(L19)			(L20)

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY ___ 1. Facility is Eligible to Participate ___ 2. Facility is not Eligible (L21)		20. COMPLIANCE WITH CIVIL RIGHTS ACT:		21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : ___	
22. ORIGINAL DATE OF PARTICIPATION 07/24/1967 (L24)		23. LTC AGREEMENT BEGINNING DATE (L41)		24. LTC AGREEMENT ENDING DATE (L25)	
25. LTC EXTENSION DATE: (L27)		27. ALTERNATIVE SANCTIONS A. Suspension of Admissions: (L44) B. Rescind Suspension Date: (L45)		26. TERMINATION ACTION: (L30) <u>VOLUNTARY</u> <u>00</u> 01-Merger, Closure 02-Dissatisfaction W/ Reimbursement 03-Risk of Involuntary Termination 04-Other Reason for Withdrawal <u>INVOLUNTARY</u> 05-Fail to Meet Health/Safety 06-Fail to Meet Agreement <u>OTHER</u> 07-Provider Status Change 00-Active	
28. TERMINATION DATE:		29. INTERMEDIARY/CARRIER NO. 03001 (L31)		30. REMARKS Posted 10/21/2014 Co. Reposted 10/28/2014 Co.	
31. RO RECEIPT OF CMS-1539 (L32)		32. DETERMINATION OF APPROVAL DATE (L33)			
				DETERMINATION APPROVAL	



Protecting, Maintaining and Improving the Health of Minnesotans

CMS Certification Number (CCN): 245138

October 21, 2014

Ms. Lynn Hickey, Administrator
Boundary Waters Care Center
200 West Conan Street
Ely, Minnesota 55731

Dear Ms. Hickey:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective October 16, 2014 the above facility is certified for:

40 Skilled Nursing Facility/Nursing Facility Beds

Your facility's Medicare approved area consists of all 40 skilled nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Feel free to contact me if you have questions related to this letter.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Division of Compliance Monitoring
Telephone: (651) 201-4118 Fax: (651) 215-9697
Email: mark.meath@state.mn.us

cc: Licensing and Certification File



Protecting, Maintaining and Improving the Health of Minnesotans

Certified Mail # 7013 2250 0001 6356 6993

October 17, 2014

Ms. Lynn Hickey, Administrator
Boundary Waters Care Center
200 West Conan Street
Ely, Minnesota 55731

RE: Project Number S5138025

Dear Ms. Hickey:

On October 16, 2014, a standard survey was completed at your facility by the Minnesota Department of Health, Licensing and Certification Program to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

We are pleased to inform you that this survey resulted in no deficiencies being issued.

Enclosed is your copy of the Federal Form CMS-2567.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions related to this letter.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Division of Compliance Monitoring
P.O. Box 64900
St. Paul, Minnesota 55164-0900
Telephone: (651) 201-4118 Fax: (651) 215-9697
Email: mark.meath@state.mn.us

Enclosure

cc: Licensing and Certification File

5138s15

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

Printed: 10/15/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245138	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 10/14/2014
NAME OF PROVIDER OR SUPPLIER BOUNDARY WATERS CARE CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 200 WEST CONAN STREET ELY, MN 55731		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	<p>INITIAL COMMENTS</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety. At the time of this survey Boundry Waters Care Center was found in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>Boundry Waters Care Center is a 1-story building with no basement. The building was constructed in 1968, with an addition in 2002. Both buildings are of Type II(111) construction, therefore the building was inspected as one building.</p> <p>The building is fully fire sprinkler protected. The facility has a complete fire alarm system with smoke detection in the corridors and spaces open to the corridor, that is monitored for automatic fire department notification. The facility has a licensed capacity of 40 beds and had a census of 33 at the time of the survey.</p>	K 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/17/2014
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245138	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 10/14/2014
NAME OF PROVIDER OR SUPPLIER BOUNDARY WATERS CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 200 WEST CONAN STREET ELY, MN 55731		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
K 000	<p>INITIAL COMMENTS</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety. At the time of this survey Boundry Waters Care Center was found in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>Boundry Waters Care Center is a 1-story building with no basement. The building was constructed in 1968, with an addition in 2002. Both buildings are of Type II(111) construction, therefore the building was inspected as one building.</p> <p>The building is fully fire sprinkler protected. The facility has a complete fire alarm system with smoke detection in the corridors and spaces open to the corridor, that is monitored for automatic fire department notification. The facility has a licensed capacity of 40 beds and had a census of 33 at the time of the survey.</p>	K 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00587	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 10/16/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BOUNDARY WATERS CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 200 WEST CONAN STREET ELY, MN 55731
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
--------------------	--	---------------	---	--------------------

2 000	<p>Initial Comments</p> <p>*****ATTENTION*****</p> <p>NH LICENSING CORRECTION ORDER</p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p>INITIAL COMMENTS: On 10/13/14, through 10/16/14, surveyors of this Department's staff, visited the above provider and the following correction orders are issued. When corrections are completed, please sign and date, make a copy of these orders and return the original to the Minnesota Department of Health, Division of Compliance Monitoring,</p>	2 000	Minnesota Department of Health is documenting the State Licensing Correction Orders using the federal software. Tag numbers have been assigned to Minnesota state statutes/rules for nursing homes. The assigned tag number appears in the far left column	
-------	---	-------	--	--

Minnesota Department of Health LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00587	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 10/16/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BOUNDARY WATERS CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 200 WEST CONAN STREET ELY, MN 55731
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	Continued From page 1 Licensing and Certification Program; 11 East Superior Street; Suite 290, Duluth, MN 55802 CENSUS: 35	2 000	entitled "ID Prefix Tag." The state statute/rule number and the corresponding text of the state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order. This column also includes the findings which are in violation of the state statute after the statement, "This Rule is not met as evidenced by." Following the surveyors findings are the Suggested Method of Correction and the Time Period for Correction. PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE. THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES/RULES.	
21426	MN St. Statute 144A.04 Subd. 4 Tuberculosis Prevention And Control (a) A nursing home provider must establish and maintain a comprehensive tuberculosis infection control program according to the most current tuberculosis infection control guidelines issued by the United States Centers for Disease Control and Prevention (CDC), Division of Tuberculosis Elimination, as published in CDC's Morbidity and Mortality Weekly Report (MMWR). This program must include a tuberculosis infection control plan that covers all paid and unpaid employees, contractors, students,	21426		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00587	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 10/16/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BOUNDARY WATERS CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 200 WEST CONAN STREET ELY, MN 55731
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21426	<p>Continued From page 2</p> <p>residents, and volunteers. The Department of Health shall provide technical assistance regarding implementation of the guidelines.</p> <p>(b) Written compliance with this subdivision must be maintained by the nursing home.</p> <p>This MN Requirement is not met as evidenced by: Based on interview and document review, the facility failed to provide tuberculosis (TB) screening for 4 of 5 newly admitted residents (R41, R20, R47, R54). In addition, results of the two-step tuberculin skin test (TST) were not documented according to facility guidelines for 2 of 5 residents (R20, R47) had documented results of a according to the facility's guidelines.</p> <p>Findings include:</p> <p>R41 was admitted on 3/20/14. The TB symptom screening was completed, but not dated.</p> <p>R20 was admitted on 10/8/13. The TB symptom screening was not completed and the first and second step skin test results were not documented.</p> <p>R47 was admitted on 5/29/14 T. The TB symptom screening was completed, but not dated. The first and second step TB skin test results were not documented.</p> <p>R54 was admitted on 10/6/14. The symptom screening was completed, but not dated. The first</p>	21426		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00587	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 10/16/2014
--	--	---	---

NAME OF PROVIDER OR SUPPLIER BOUNDARY WATERS CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 200 WEST CONAN STREET ELY, MN 55731
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21426	<p>Continued From page 3</p> <p>step TB skin test was not administered until 10/10/14, 4 days after admission..</p> <p>The director of nurses (DON), interviewed on 10/16/14, at 2:17 p.m., stated the provided TB control plan directed TB symptom screening and two step TB skin testing. The DON stated that screening was to be completed and dated upon admission and TST results should be documented.</p> <p>The facility policy titled Tuberculosis Control Plan dated reviewed 6/12, identified in Section V. part A. Patients Tuberculosis Program: "TB screening at admission ... the TST readings shall be recorded in millimeters of induration."</p> <p>SUGGESTED METHOD OF CORRECTION: The director of nursing (DON) or designee could review and/or revise policies/procedures to ensure newly admitted residents receive timely baseline tuberculosis (TB) screening upon admission including a screening for TB history and symptoms of TB; a two-step tuberculin skin test (TST); and to ensure documented results of the TST's include millimeters of induration and negative results according to the current CDC guidelines.</p> <p>The DON or designee could educate the appropriate staff on the policies/procedures and develop a monitoring system to ensure ongoing compliance.</p> <p>TIME PERIOD FOR CORRECTION: Twenty-one (21) days.</p>	21426		