

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: VOB
Facility ID: 00903

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245207		3. NAME AND ADDRESS OF FACILITY (L3) GOOD SAMARITAN SOCIETY - STILLWATER			4. TYPE OF ACTION: <u>2</u> (L8)	
2.STATE VENDOR OR MEDICAID NO. (L2) 722519900		(L4) 1119 OWENS STREET NORTH			1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other	
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)		7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7)			8. Full Survey After Complaint	
6. DATE OF SURVEY 12/01/2016 (L34)		01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA			FISCAL YEAR ENDING DATE: (L35)	
8. ACCREDITATION STATUS: <u> </u> (L10)		02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF			12/31	
0 Unaccredited 1 TJC 2 AOA 3 Other		03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC				
		04 SNF 08 OPT/SP 12 RHC 16 HOSPICE				
11. LTC PERIOD OF CERTIFICATION		10.THE FACILITY IS CERTIFIED AS:				
From (a) : To (b) :		<input checked="" type="checkbox"/> A. In Compliance With <u>And/Or Approved Waivers Of The Following Requirements:</u> Program Requirements _____ 2. Technical Personnel _____ 6. Scope of Services Limit Compliance Based On: _____ 3. 24 Hour RN _____ 7. Medical Director _____ 1. Acceptable POC _____ 4. 7-Day RN (Rural SNF) _____ 8. Patient Room Size _____ 5. Life Safety Code _____ 9. Beds/Room B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: A* (L12)				
12.Total Facility Beds 91 (L18)						
13.Total Certified Beds 91 (L17)						
14. LTC CERTIFIED BED BREAKDOWN				15. FACILITY MEETS		
18 SNF	18/19 SNF	19 SNF	ICF	IID	1861 (e) (1) or 1861 (j) (1): (L15)	
(L37)	91 (L38)	(L39)	(L42)	(L43)		

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

See Attached Remarks

17. SURVEYOR SIGNATURE		Date :	18. STATE SURVEY AGENCY APPROVAL		Date:
<u>Thomas OBrien, HFE NEII</u>		12/16/2016	<u>Mark Meath, Enforcement Specialist</u>		01/18/2017
		(L19)			(L20)

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY		20. COMPLIANCE WITH CIVIL RIGHTS ACT:		21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above :	
<input checked="" type="checkbox"/> 1. Facility is Eligible to Participate <input type="checkbox"/> 2. Facility is not Eligible					
		(L21)			
22. ORIGINAL DATE OF PARTICIPATION 05/01/1976		23. LTC AGREEMENT BEGINNING DATE		24. LTC AGREEMENT ENDING DATE	
(L24)		(L41)		(L25)	
25. LTC EXTENSION DATE: (L27)		27. ALTERNATIVE SANCTIONS		26. TERMINATION ACTION: (L30)	
		A. Suspension of Admissions: (L44)		VOLUNTARY <u>00</u> INVOLUNTARY	
		B. Rescind Suspension Date: (L45)		01-Merger, Closure 05-Fail to Meet Health/Safety 02-Dissatisfaction W/ Reimbursement 06-Fail to Meet Agreement 03-Risk of Involuntary Termination OTHER 04-Other Reason for Withdrawal 07-Provider Status Change 00-Active	
28. TERMINATION DATE:		29. INTERMEDIARY/CARRIER NO. 00140		30. REMARKS	
		(L28) (L31)			
31. RO RECEIPT OF CMS-1539 (L32)		32. DETERMINATION OF APPROVAL DATE (L33)		Posted 01/19/2017 Co.	
				DETERMINATION APPROVAL	

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL

ID: VOBE

PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

Facility ID: 00903

C&T REMARKS - CMS 1539 FORM

STATE AGENCY REMARKS

CCN: 24 5207

On December 1, 2016, a standard survey was completed at the facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs. The survey resulted in no deficiencies being issued.

Refer to the CMS 2567 forms for both health and life safety code. Post Certification Revisit (PCR) N/A.

Effective December 1, 2016 the facility is certified for 91 skilled nursing facility beds.



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

CMS Certification Number (CCN): 245207

January 18, 2017

Ms. Rene Racine, Administrator
Good Samaritan Society - Stillwater
1119 Owens Street North
Stillwater, Minnesota 55082

Dear Ms. Racine:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective December 1, 2016 the above facility is certified for:

91 Skilled Nursing Facility/Nursing Facility Beds

Your facility's Medicare approved area consists of all 91 skilled nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Feel free to contact me if you have questions related to this eNotice.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Email: mark.meath@state.mn.us
Telephone: (651) 201-4118 Fax: (651) 215-9697

An equal opportunity employer.



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

Electronically delivered
December 5, 2016

Ms. Rene Racine, Administrator
Good Samaritan Society - Stillwater
1119 Owens Street North
Stillwater, MN 55082

RE: Project Number S5207027

Dear Ms. Racine:

On December 1, 2016, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

We are pleased to inform you that this survey resulted in no deficiencies being issued.

The Federal Form CMS-2567 is being electronically delivered.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in black ink that reads "Kate Johnston". The signature is fluid and cursive, with a long horizontal flourish extending to the right.

Kate JohnsTon, Program Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
85 East Seventh Place, Suite 220
P.O. Box 64900
St. Paul, Minnesota 55164-0900
kate.johnston@state.mn.us
Telephone: (651) 201-3992 Fax: (651) 215-9697

cc: Licensing and Certification File

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/05/2016
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245207	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 12/01/2016
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY - STILLWATER			STREET ADDRESS, CITY, STATE, ZIP CODE 1119 OWENS STREET NORTH STILLWATER, MN 55082		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS Good Samaritan Stillwater has been found to be in compliance with the requirements of 42 CFR Part 483, Subpart B, and Requirements for Long Term Care Facilities.	F 000			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE	(X6) DATE	

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

F5207026

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245207	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - STILLWATER GOOD SAMARITAN B. WING _____	(X3) DATE SURVEY COMPLETED 12/02/2016
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY - STILLWATER		STREET ADDRESS, CITY, STATE, ZIP CODE 1119 OWENS STREET NORTH STILLWATER, MN 55082		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	<p>INITIAL COMMENTS</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety. At the time of this survey, Good Samaritan Society Stillwater was found to be in substantial compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2012 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>Good Samaritan Society Stillwater is a 1-story building with a partial basement. The building was constructed at 3 different times. The original building was constructed in 1966 and was determined to be of Type II(111) construction. In 1968, an addition was constructed to the South side of the building that was determined to be of Type II(111) construction. In 1995, an addition was constructed to the East side of the building that was determined to be of Type II(111) construction. Because the original building and the additions meet the construction type allowed for existing buildings, the facility was surveyed as one building.</p> <p>The building is fully fire sprinkler protected. The facility has a complete fire alarm system with smoke detection in the corridors and spaces open to the corridor, that is monitored for automatic fire department notification. The facility has a licensed capacity of 91 beds and had a census of 58 at the time of the survey.</p> <p>The requirement at 42 CFR Subpart 483.70(a) is MET.</p>	K 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245207	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - STILLWATER GOOD SAMARITAN B. WING _____	(X3) DATE SURVEY COMPLETED 12/02/2016
NAME OF PROVIDER OR SUPPLIER GOOD SAMARITAN SOCIETY - STILLWATER		STREET ADDRESS, CITY, STATE, ZIP CODE 1119 OWENS STREET NORTH STILLWATER, MN 55082		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	Continued From page 1 *TEAM COMPOSITION* Tom Linhoff, Life Safety Code Spc.	K 000		