

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL
PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

ID: ZHJN

Facility ID: 00654

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245262	3. NAME AND ADDRESS OF FACILITY (L3) WEST WIND VILLAGE (L4) 1001 SCOTTS AVENUE (L5) MORRIS, MN (L6) 56267	4. TYPE OF ACTION: 7 (L8) 1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other 8. Full Survey After Complaint
2. STATE VENDOR OR MEDICAID NO. (L2) 482343500	5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)	FISCAL YEAR ENDING DATE: (L35) 06/30
6. DATE OF SURVEY 02/27/2017 (L34)	7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7) 01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA 02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF 03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC 04 SNF 08 OPT/SP 12 RHC 16 HOSPICE	
8. ACCREDITATION STATUS: (L10) <input type="checkbox"/> Unaccredited <input type="checkbox"/> TJC <input type="checkbox"/> AOA <input type="checkbox"/> 3 Other	10. THE FACILITY IS CERTIFIED AS: A. In Compliance With Program Requirements Compliance Based On: 1. Acceptable POC B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: A (L12) <u>And/Or Approved Waivers Of The Following Requirements:</u> <input type="checkbox"/> 2. Technical Personnel <input type="checkbox"/> 6. Scope of Services Limit <input type="checkbox"/> 3. 24 Hour RN <input type="checkbox"/> 7. Medical Director <input type="checkbox"/> 4. 7-Day RN (Rural SNF) <input type="checkbox"/> 8. Patient Room Size <input type="checkbox"/> 5. Life Safety Code <input type="checkbox"/> 9. Beds/Room	
11. LTC PERIOD OF CERTIFICATION From (a) : To (b) :	12. Total Facility Beds 85 (L18) 13. Total Certified Beds 85 (L17)	15. FACILITY MEETS 1861 (e) (1) or 1861 (j) (1): (L15)
14. LTC CERTIFIED BED BREAKDOWN 18 SNF 18/19 SNF 19 SNF ICF IID 85 (L37) (L38) (L39) (L42) (L43)		
16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):		
17. SURVEYOR SIGNATURE <u>Kimberly Swenson, DSFM</u>	Date : 05/23/2017 (L19)	18. STATE SURVEY AGENCY APPROVAL <u>Mark Meath, Enforcement Specialist</u> 05/23/2017 (L20)
PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY		
19. DETERMINATION OF ELIGIBILITY <input checked="" type="checkbox"/> 1. Facility is Eligible to Participate <input type="checkbox"/> 2. Facility is not Eligible (L21)	20. COMPLIANCE WITH CIVIL RIGHTS ACT:	21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : _____
22. ORIGINAL DATE OF PARTICIPATION 09/01/1983 (L24)	23. LTC AGREEMENT BEGINNING DATE (L41)	24. LTC AGREEMENT ENDING DATE (L25)
25. LTC EXTENSION DATE: (L27)	27. ALTERNATIVE SANCTIONS A. Suspension of Admissions: (L44) B. Rescind Suspension Date: (L45)	26. TERMINATION ACTION: (L30) VOLUNTARY 00 INVOLUNTARY 01-Merger, Closure 05-Fail to Meet Health/Safety 02-Dissatisfaction W/ Reimbursement 06-Fail to Meet Agreement 03-Risk of Involuntary Termination <u>OTHER</u> 04-Other Reason for Withdrawal 07-Provider Status Change 00-Active
28. TERMINATION DATE:	29. INTERMEDIARY/CARRIER NO. 03001 (L28) (L31)	30. REMARKS
31. RO RECEIPT OF CMS-1539 (L32)	32. DETERMINATION OF APPROVAL DATE 03/24/2017 (L33)	DETERMINATION APPROVAL



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

CMS Certification Number (CCN): 245262

May 23, 2017

Ms. Paula Viker, Administrator
West Wind Village
1001 Scotts Avenue
Morris, MN 56267

Dear Ms. Viker:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective February 27, 2017 the above facility is certified for:

85 Skilled Nursing Facility/Nursing Facility Beds

Your facility's Medicare approved area consists of all 85 skilled nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Feel free to contact me if you have questions related to this letter.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Email: mark.meath@state.mn.us
Phone: (651) 201-4118 Fax: (651) 215-9697

An equal opportunity employer.



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

Electronically delivered
May 23, 2017

Ms. Paula Viker, Administrator
West Wind Village
1001 Scotts Avenue
Morris, MN 56267

RE: Project Number F5262026

Dear Ms. Viker:

On February 3, 2017, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on January 24, 2017. This survey found the most serious life safety code deficiency in your facility to be a widespread deficiency that constitute no actual harm with potential for no more than minimal harm (Level C), whereby corrections were required.

On February 27, 2017, the Minnesota Department of Health completed a Post Certification Revisit (PCR) to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on January 24, 2017. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of February 27, 2017. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on January 24, 2017, February 27, 2017 and therefore remedies outlined in our letter to you dated February 3, 2017, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions related to this letter.

Sincerely,

A handwritten signature in black ink that reads "Mark Meath".

Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health
Email: mark.meath@state.mn.us
Phone: (651) 201-4118 Fax: (651) 215-9697

POST-CERTIFICATION REVISIT REPORT

PROVIDER / SUPPLIER / CLIA / IDENTIFICATION NUMBER 245262	Y1	MULTIPLE CONSTRUCTION A. Building 01 - MAIN BUILDING 01 B. Wing	Y2	DATE OF REVISIT 2/27/2017	Y3
NAME OF FACILITY WEST WIND VILLAGE			STREET ADDRESS, CITY, STATE, ZIP CODE 1001 SCOTTS AVENUE MORRIS, MN 56267		

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction, that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

ITEM Y4	DATE Y5	ITEM Y4	DATE Y5	ITEM Y4	DATE Y5
ID Prefix _____ Reg. # NFPA 101 LSC K0321	Correction Completed 02/27/2017	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

REVIEWED BY STATE AGENCY <input type="checkbox"/>	REVIEWED BY (INITIALS) TL/mm	DATE 05/23/2017	SIGNATURE OF SURVEYOR 34764	DATE 02/27/2017
REVIEWED BY CMS RO <input type="checkbox"/>	REVIEWED BY (INITIALS)	DATE	TITLE	DATE
FOLLOWUP TO SURVEY COMPLETED ON 1/24/2017		<input type="checkbox"/> CHECK FOR ANY UNCORRECTED DEFICIENCIES. WAS A SUMMARY OF UNCORRECTED DEFICIENCIES (CMS-2567) SENT TO THE FACILITY? <input type="checkbox"/> YES <input type="checkbox"/> NO		

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL

ID: ZHJN

PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

Facility ID: 00654

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245262		3. NAME AND ADDRESS OF FACILITY (L3) WEST WIND VILLAGE (L4) 1001 SCOTTS AVENUE (L5) MORRIS, MN (L6) 56267			4. TYPE OF ACTION: <u>2</u> (L8) 1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other 8. Full Survey After Complaint	
2. STATE VENDOR OR MEDICAID NO. (L2) 482343500		7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7) 01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA 02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF 03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC 04 SNF 08 OPT/SP 12 RHC 16 HOSPICE			FISCAL YEAR ENDING DATE: (L35) 06/30	
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9)		10. THE FACILITY IS CERTIFIED AS: X A. In Compliance With <u>And/Or Approved Waivers Of The Following Requirements:</u> Program Requirements _____ 2. Technical Personnel _____ 6. Scope of Services Limit Compliance Based On: _____ 3. 24 Hour RN _____ 7. Medical Director <u>X</u> 1. Acceptable POC _____ 4. 7-Day RN (Rural SNF) _____ 8. Patient Room Size _____ 5. Life Safety Code _____ 9. Beds/Room				
6. DATE OF SURVEY 01/26/2017 (L34)		B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: A1* (L12)				
8. ACCREDITATION STATUS: _____ (L10) 0 Unaccredited 1 TJC 2 AOA 3 Other		11. LTC PERIOD OF CERTIFICATION From (a): To (b):				
12. Total Facility Beds 85 (L18)		13. Total Certified Beds 85 (L17)				
14. LTC CERTIFIED BED BREAKDOWN 18 SNF 18/19 SNF 19 SNF ICF IID 85 (L37) (L38) (L39) (L42) (L43)				15. FACILITY MEETS 1861 (e) (1) or 1861 (j) (1): (L15)		

16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):

17. SURVEYOR SIGNATURE <u>Kimberly Swenson, DSFM</u> (L19)		Date: <u>02/13/2017</u>	18. STATE SURVEY AGENCY APPROVAL <u>Mark Meath, Enforcement Specialist</u> (L20)		Date: <u>03/24/2017</u>
--	--	-------------------------	--	--	-------------------------

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY <u>X</u> 1. Facility is Eligible to Participate ____ 2. Facility is not Eligible (L21)		20. COMPLIANCE WITH CIVIL RIGHTS ACT:		21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : _____	
22. ORIGINAL DATE OF PARTICIPATION 09/01/1983 (L24)		23. LTC AGREEMENT BEGINNING DATE (L41)		24. LTC AGREEMENT ENDING DATE (L25)	
25. LTC EXTENSION DATE: (L27)		27. ALTERNATIVE SANCTIONS A. Suspension of Admissions: (L44) B. Rescind Suspension Date: (L45)		26. TERMINATION ACTION: (L30) <u>VOLUNTARY</u> <u>00</u> <u>INVOLUNTARY</u> 01-Merger, Closure 05-Fail to Meet Health/Safety 02-Dissatisfaction W/ Reimbursement 06-Fail to Meet Agreement 03-Risk of Involuntary Termination <u>OTHER</u> 04-Other Reason for Withdrawal 07-Provider Status Change 00-Active	
28. TERMINATION DATE:		29. INTERMEDIARY/CARRIER NO. 03001 (L28)		30. REMARKS (L31)	
31. RO RECEIPT OF CMS-1539 (L32)		32. DETERMINATION OF APPROVAL DATE (L33)		DETERMINATION APPROVAL	



PROTECTING, MAINTAINING AND IMPROVING THE HEALTH OF ALL MINNESOTANS

Electronically delivered
February 3, 2017

Ms. Paula Viker, Administrator
West Wind Village
1001 Scotts Avenue
Morris, Minnesota 56267

RE: Project Number S5262029 and F5262026

Dear Ms. Viker:

On January 24, 2017, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

This survey found the most serious Life Safety Code (LSC) deficiency in your facility to be widespread deficiency that constitute no actual harm with potential for no more than minimal harm (Level C), as evidenced by the attached CMS-2567 whereby corrections are required. Copies of the Statement of Deficiencies (CMS-2567) and Form A are enclosed.

Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.

This letter provides important information regarding your response to these deficiencies and addresses the following issues:

Electronic Plan of Correction - when a plan of correction will be due and the information to be contained in that document;

Informal Dispute Resolution - your right to request an informal reconsideration to dispute the attached deficiencies.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

DEPARTMENT CONTACT

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by a "F" tag), i.e., the plan of correction should be directed to:

Gail Anderson, Unit Supervisor
Fergus Falls Survey Team
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health

Email: gail.anderson@state.mn.us

Phone: (218) 332-5140

Fax: (218) 332-5196

ELECTRONIC PLAN OF CORRECTION (ePoC)

An ePoC for the deficiencies must be submitted within **ten calendar days** of your receipt of this letter. Your ePoC must:

- Address how corrective action will be accomplished for those residents found to have been affected by the deficient practice;
- Address how the facility will identify other residents having the potential to be affected by the same deficient practice;
- Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur;
- Indicate how the facility plans to monitor its performance to make sure that solutions are sustained. The facility must develop a plan for ensuring that correction is achieved and sustained. This plan must be implemented, and the corrective action evaluated for its effectiveness. The plan of correction is integrated into the quality assurance system;
- Include dates when corrective action will be completed. The corrective action completion dates must be acceptable to the State. If the plan of correction is unacceptable for any reason, the State will notify the facility. If the plan of correction is acceptable, the State will notify the facility. Facilities should be cautioned that they are ultimately accountable for their own compliance, and that responsibility is not alleviated in cases where notification about the acceptability of their plan of correction is not made timely. The plan of correction will serve as the facility's allegation of compliance; and,
- Include electronic acknowledgement signature of provider and date.

The state agency may, in lieu of a revisit, determine correction and compliance by accepting the facility's ePoC if the ePoC is reasonable, addresses the problem and provides evidence that the corrective action has occurred.

If an acceptable ePoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Optional denial of payment for new Medicare and Medicaid admissions (42 CFR 488.417 (a));
- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable ePoC could also result in the termination of your facility's Medicare and/or Medicaid agreement.

PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE

The facility's ePoC will serve as your allegation of compliance upon the Department's acceptance. In order for your allegation of compliance to be acceptable to the Department, the ePoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff, if your ePoC for their respective deficiencies (if any) is acceptable.

VERIFICATION OF SUBSTANTIAL COMPLIANCE

Upon receipt of an acceptable ePOC, a revisit of a facility may be conducted to verify that compliance with the regulations has been attained. If a revisit is conducted, it will occur after the date you identified that compliance was achieved in your plan of correction.

INFORMAL DISPUTE RESOLUTION

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process
Minnesota Department of Health
Health Regulation Division
P.O. Box 64900
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting an ePoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm

West Wind Village

February 3, 2017

Page 4

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at:

<http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Questions regarding all documents submitted as a response to the Life Safety Code deficiencies (those preceded by a "K" tag), i.e., the plan of correction, request for waivers, should be directed to:

**Mr. Tom Linhoff, Fire Safety Supervisor
Health Care Fire Inspections
Minnesota Department of Public Safety
State Fire Marshal Division**


Email: tom.linhoff@state.mn.us

Telephone: (651) 430-3012

Fax: (651) 215-0525

Feel free to contact me if you have questions related to this eNotice.

Sincerely,



Mark Meath, Enforcement Specialist
Program Assurance Unit
Licensing and Certification Program
Health Regulation Division
Minnesota Department of Health

Email: mark.meath@state.mn.us

Telephone: (651) 201-4118

Fax: (651) 215-9697

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/23/2017
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245262	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 01/26/2017
--	---	--	---

NAME OF PROVIDER OR SUPPLIER WEST WIND VILLAGE	STREET ADDRESS, CITY, STATE, ZIP CODE 1001 SCOTTS AVENUE MORRIS, MN 56267
--	---

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

F 000	<p>INITIAL COMMENTS</p> <p>The facility is enrolled in ePOC and therefore a signature is not required at the bottom of the first page of the CMS-2567 form. Although no plan of correction is required, it is required that you acknowledge receipt of the electronic documents.</p>	F 000		
-------	---	-------	--	--

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE Electronically Signed	TITLE	(X6) DATE 02/05/2017
---	-------	--------------------------------

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

F5262026

PRINTED: 02/13/2017
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245262	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 01/24/2017
NAME OF PROVIDER OR SUPPLIER WEST WIND VILLAGE			STREET ADDRESS, CITY, STATE, ZIP CODE 1001 SCOTTS AVENUE MORRIS, MN 56267	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>THE FACILITY'S POC WILL SERVE AS YOUR ALLEGATION OF COMPLIANCE UPON THE DEPARTMENT'S ACCEPTANCE. YOUR SIGNATURE AT THE BOTTOM OF THE FIRST PAGE OF THE CMS-2567 WILL BE USED AS VERIFICATION OF COMPLIANCE.</p> <p>UPON RECEIPT OF AN ACCEPTABLE POC, AN ONSITE REVISIT OF YOUR FACILITY MAY BE CONDUCTED TO VALIDATE THAT SUBSTANTIAL COMPLIANCE WITH THE REGULATIONS HAS BEEN ATTAINED IN ACCORDANCE WITH YOUR VERIFICATION.</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety. At the time of this survey, West Wind Village was found NOT in compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2012 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>PLEASE RETURN THE PLAN OF CORRECTION FOR THE FIRE SAFETY DEFICIENCIES (K-TAGS) TO:</p> <p>Health Care Fire Inspections State Fire Marshal Division 445 Minnesota St., Suite 145 St Paul, MN 55101-5145, or</p>	K 000		



LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE
Electronically Signed

TITLE

(X6) DATE
02/12/2017

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/13/2017
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245262	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 01/24/2017
NAME OF PROVIDER OR SUPPLIER WEST WIND VILLAGE			STREET ADDRESS, CITY, STATE, ZIP CODE 1001 SCOTTS AVENUE MORRIS, MN 56267	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	<p>Continued From page 1</p> <p>By email to: Marian.Whitney@state.mn.us <mailto:Marian.Whitney@state.mn.us> and Angela.Kappenman@state.mn.us <mailto:Angela.Kappenman@state.mn.us></p> <p>THE PLAN OF CORRECTION FOR EACH DEFICIENCY MUST INCLUDE ALL OF THE FOLLOWING INFORMATION:</p> <ol style="list-style-type: none"> 1. A description of what has been, or will be, done to correct the deficiency. 2. The actual, or proposed, completion date. 3. The name and/or title of the person responsible for correction and monitoring to prevent a reoccurrence of the deficiency <p>The West Wind Village was constructed at four different times. The original building was built in the 1962, is 1-story, with a basement and was determined to be of a TypeV (111) construction because of wood found in parts of the roof system and an outside storage room that was added to the southeast of the East Wing. In 1972 additions were constructed to the west and east of original building. They are 1-story, without a basement, and were determined to be Type II (000) construction. In 1976 an addition was built to the northwest of the original building, is 1 story without a basement and was determined to be Type II (000) construction. In 1999 a secured unit was added to the northwest addition and is 1-story without a basement and was determined to be Type II(000). The building is divided into 6 smoke zones on the main floor. West Wing Pod addition 02 of West Wind Village Care Center</p>	K 000		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245262	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 01/24/2017
NAME OF PROVIDER OR SUPPLIER WEST WIND VILLAGE		STREET ADDRESS, CITY, STATE, ZIP CODE 1001 SCOTTS AVENUE MORRIS, MN 56267		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	Continued From page 2 consists of a 2015 building addition and is one-story in height, has no basement, is fully fire sprinkler protected and was determined to be of Type II (000) construction. The facility has a fire alarm system with smoke detection in the corridors and spaces open to the corridors which is monitored for automatic fire department notification. The facility has a capacity of 80 beds and the census was 80 at the time of the survey.	K 000		
K 321 SS=C	The requirement at 42 CFR, Subpart 483.70(a) is NOT MET as evidenced by: NFPA 101 Hazardous Areas - Enclosure Hazardous Areas - Enclosure 2012 EXISTING Hazardous areas are protected by a fire barrier having 1-hour fire resistance rating (with 3/4-hour fire rated doors) or an automatic fire extinguishing system in accordance with 8.7.1. When the approved automatic fire extinguishing system option is used, the areas shall be separated from other spaces by smoke resisting partitions and doors in accordance with 8.4. Doors shall be self-closing or automatic-closing and permitted to have nonrated or field-applied protective plates that do not exceed 48 inches from the bottom of the door. Describe the floor and zone locations of hazardous areas that are deficient in REMARKS. 19.3.2.1 Area Automatic Sprinkler Separation N/A a. Boiler and Fuel-Fired Heater Rooms b. Laundries (larger than 100 square feet) c. Repair, Maintenance, and Paint Shops	K 321		2/27/17

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/13/2017
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245262	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 01/24/2017
NAME OF PROVIDER OR SUPPLIER WEST WIND VILLAGE			STREET ADDRESS, CITY, STATE, ZIP CODE 1001 SCOTTS AVENUE MORRIS, MN 56267	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 321	<p>Continued From page 3</p> <p>d. Soiled Linen Rooms (exceeding 64 gallons)</p> <p>e. Trash Collection Rooms (exceeding 64 gallons)</p> <p>f. Combustible Storage Rooms/Spaces (over 50 square feet)</p> <p>g. Laboratories (if classified as Severe Hazard - see K322)</p> <p>This STANDARD is not met as evidenced by: Hazardous areas are protected by a fire barrier having 1-hour fire resistance rating (with 3/4-hour fire rated doors) or an automatic fire extinguishing system in accordance with 8.7.1. When the approved automatic fire extinguishing system option is used, the areas shall be separated from other spaces by smoke resisting partitions and doors in accordance with 8.4. Doors shall be self-closing or automatic-closing and permitted to have nonrated or field-applied protective plates that do not exceed 48 inches from the bottom of the door. Describe the floor and zone locations of hazardous areas that are deficient in REMARKS. 19.3.2.1</p> <p>Findings include:</p> <p>During the facility tour on 01/24/2017 between 0815 am and 11:30 am, revealed there are no door closures on the following hazardous area:</p> <ol style="list-style-type: none"> 1) Kitchen storage located off of the kitchen. 2) Maintenance Room 3) Linen/Diaper Storage Room <p>This deficiency was verified by Maintenance Director.</p>	K 321	<p>Door closures will be installed in the following hazardous areas: kitchen storage located off the kitchen, maintenance room & linen/diaper storage room.</p> <p>All hazardous areas will be assessed for compliance with this regulation and door closures will be installed as necessary.</p> <p>Door closures will not be removed from doors in hazardous areas and any new doors in a hazardous area will have a door closure installed.</p> <p>All doors in hazardous areas will be monitored by the Environmental Services Director quarterly for the first year and annually thereafter, utilizing West Wind Village's "Door Inspection Report".</p> <p>Compliance will be monitored by the Environmental Services Director</p>	

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 02/13/2017
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245262	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 01/24/2017
NAME OF PROVIDER OR SUPPLIER WEST WIND VILLAGE		STREET ADDRESS, CITY, STATE, ZIP CODE 1001 SCOTTS AVENUE MORRIS, MN 56267		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE