



Protecting, Maintaining and Improving the Health of Minnesotans

CMS Certification Number (CCN): 245364

August 12, 2015

Ms. Debra Reitmeier, Administrator
Annandale Care Center
500 Park Street East
Annandale, Minnesota 55302

Dear Ms. Reitmeier:

The Minnesota Department of Health assists the Centers for Medicare and Medicaid Services (CMS) by surveying skilled nursing facilities and nursing facilities to determine whether they meet the requirements for participation. To participate as a skilled nursing facility in the Medicare program or as a nursing facility in the Medicaid program, a provider must be in substantial compliance with each of the requirements established by the Secretary of Health and Human Services found in 42 CFR part 483, Subpart B.

Based upon your facility being in substantial compliance, we are recommending to CMS that your facility be recertified for participation in the Medicare and Medicaid program.

Effective July 16, 2015 the above facility is certified for or recommended for:

60 Skilled Nursing Facility/Nursing Facility Beds

Your facility's Medicare approved area consists of all 60 skilled nursing facility beds.

You should advise our office of any changes in staffing, services, or organization, which might affect your certification status.

If, at the time of your next survey, we find your facility to not be in substantial compliance your Medicare and Medicaid provider agreement may be subject to non-renewal or termination.

Please contact me if you have any questions.

Sincerely,

A handwritten signature in black ink that reads "Kate Johnston". The signature is fluid and cursive, with the first name "Kate" and last name "Johnston" clearly legible.

Kate Johnston, Program Specialist
Licensing and Certification Program
Health Regulation Division
kate.johnston@state.mn.us
Telephone: (651) 201-3992 Fax: (651) 215-9697
Enclosure (s)
cc: Licensing and Certification File



Protecting, Maintaining and Improving the Health of Minnesotans

Electronically delivered
August 12, 2015

Ms. Debra Reitmeier, Administrator
Annandale Care Center
500 Park Street East
Annandale, Minnesota 55302

RE: Project Number S5364027

Dear Ms. Reitmeier:

On July 16, 2015, we informed you that we would recommend enforcement remedies based on the deficiencies cited by this Department for a standard survey, completed on July 1, 2015. This survey found the most serious deficiencies to be widespread deficiencies that constituted no actual harm with potential for more than minimal harm that was not immediate jeopardy (Level F) whereby corrections were required.

On August 10, 2015, the Minnesota Department of Health completed a Post Certification Revisit (PCR) by review of your plan of correction and on July 24, 2015 the Minnesota Department of Public Safety completed a PCR to verify that your facility had achieved and maintained compliance with federal certification deficiencies issued pursuant to a standard survey, completed on July 1, 2015. We presumed, based on your plan of correction, that your facility had corrected these deficiencies as of July 16, 2015. Based on our PCR, we have determined that your facility has corrected the deficiencies issued pursuant to our standard survey, completed on July 1, 2015, effective July 16, 2015 and therefore remedies outlined in our letter to you dated July 16, 2015, will not be imposed.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Feel free to contact me if you have questions.

Sincerely,

A handwritten signature in black ink that reads "Kate Johnston". The signature is fluid and cursive, with a long horizontal flourish extending to the right.

Kate JohnsTon, Program Specialist
Licensing and Certification Program
Health Regulation Division
kate.johnston@state.mn.us
Telephone: (651) 201-3992 Fax: (651) 215-9697

Enclosure (s)

cc: Licensing and Certification File

Minnesota Department of Health • Health Regulation Division
General Information: 651-201-5000 • Toll-free: 888-345-0823

<http://www.health.state.mn.us>

An equal opportunity employer

MEDICARE/MEDICAID CERTIFICATION AND TRANSMITTAL

ID: ZPVL

PART I - TO BE COMPLETED BY THE STATE SURVEY AGENCY

Facility ID: 00951

1. MEDICARE/MEDICAID PROVIDER NO. (L1) 245364 2. STATE VENDOR OR MEDICAID NO. (L2) 244742800	3. NAME AND ADDRESS OF FACILITY (L3) ANNANDALE CARE CENTER (L4) 500 PARK STREET EAST (L5) ANNANDALE, MN (L6) 55302	4. TYPE OF ACTION: <u>7</u> (L8) 1. Initial 2. Recertification 3. Termination 4. CHOW 5. Validation 6. Complaint 7. On-Site Visit 9. Other 8. Full Survey After Complaint FISCAL YEAR ENDING DATE: (L35) 09/30
5. EFFECTIVE DATE CHANGE OF OWNERSHIP (L9) 6. DATE OF SURVEY 08/10/2015 (L34) 8. ACCREDITATION STATUS: <u> </u> (L10) 0 Unaccredited 1 TJC 2 AOA 3 Other	7. PROVIDER/SUPPLIER CATEGORY <u>02</u> (L7) 01 Hospital 05 HHA 09 ESRD 13 PTIP 22 CLIA 02 SNF/NF/Dual 06 PRTF 10 NF 14 CORF 03 SNF/NF/Distinct 07 X-Ray 11 ICF/IID 15 ASC 04 SNF 08 OPT/SP 12 RHC 16 HOSPICE	10. THE FACILITY IS CERTIFIED AS: X A. In Compliance With <u> </u> And/Or Approved Waivers Of The Following Requirements: <u> </u> Program Requirements <u> </u> 2. Technical Personnel <u> </u> 6. Scope of Services Limit Compliance Based On: <u> </u> 3. 24 Hour RN <u> </u> 7. Medical Director <u> </u> 1. Acceptable POC <u> </u> 4. 7-Day RN (Rural SNF) <u> </u> 8. Patient Room Size <u> </u> 5. Life Safety Code <u> </u> 9. Beds/Room B. Not in Compliance with Program Requirements and/or Applied Waivers: * Code: A* (L12)
11. LTC PERIOD OF CERTIFICATION From (a) : To (b) : 12. Total Facility Beds 60 (L18) 13. Total Certified Beds 60 (L17)	14. LTC CERTIFIED BED BREAKDOWN 18 SNF 18/19 SNF 19 SNF ICF IID 60 (L37) (L38) (L39) (L42) (L43)	15. FACILITY MEETS 1861 (e) (1) or 1861 (j) (1): (L15)
16. STATE SURVEY AGENCY REMARKS (IF APPLICABLE SHOW LTC CANCELLATION DATE):		
17. SURVEYOR SIGNATURE <u>Brenda Fischer, Unit Supervisor</u> Date : 08/10/2015 (L19)	18. STATE SURVEY AGENCY APPROVAL <u>Kate JohnsTon, Program Specialist</u> 08/12/2015 (L20)	

PART II - TO BE COMPLETED BY HCFA REGIONAL OFFICE OR SINGLE STATE AGENCY

19. DETERMINATION OF ELIGIBILITY <input checked="" type="checkbox"/> 1. Facility is Eligible to Participate <input type="checkbox"/> 2. Facility is not Eligible (L21)	20. COMPLIANCE WITH CIVIL RIGHTS ACT: _____	21. 1. Statement of Financial Solvency (HCFA-2572) 2. Ownership/Control Interest Disclosure Stmt (HCFA-1513) 3. Both of the Above : _____
22. ORIGINAL DATE OF PARTICIPATION 11/01/1986 (L24)	23. LTC AGREEMENT BEGINNING DATE (L41)	24. LTC AGREEMENT ENDING DATE (L25)
25. LTC EXTENSION DATE: (L27)	27. ALTERNATIVE SANCTIONS A. Suspension of Admissions: (L44) B. Rescind Suspension Date: (L45)	
28. TERMINATION DATE:	29. INTERMEDIARY/CARRIER NO. 03001 (L28) (L31)	30. REMARKS Posted 09/22/2015 Co. DETERMINATION APPROVAL
31. RO RECEIPT OF CMS-1539 (L32)	32. DETERMINATION OF APPROVAL DATE 08/11/2015 (L33)	

Post-Certification Revisit Report

Public reporting for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing the burden, to CMS, Office of Financial Management, P.O. Box 26684, Baltimore, MD 21207; and to the Office of Management and Budget, Paperwork Reduction Project (0938-0390), Washington, D.C. 20503.

(Y1) Provider / Supplier / CLIA / Identification Number 245364	(Y2) Multiple Construction A. Building _____ B. Wing _____	(Y3) Date of Revisit 8/10/2015
Name of Facility ANNANDALE CARE CENTER		Street Address, City, State, Zip Code 500 PARK STREET EAST ANNANDALE, MN 55302

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/ or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix F0371	Correction Completed 07/16/2015	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # 483.35(i)	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____	_____	Reg. # _____	_____	Reg. # _____	_____
LSC _____	_____	LSC _____	_____	LSC _____	_____

Reviewed By _____	Reviewed By BF/KJ	Date: 08/12/2015	Signature of Surveyor: 10562	Date: 08/10/2015
Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____

Followup to Survey Completed on: 7/1/2015	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? <table style="display: inline-table; vertical-align: middle;"> <tr> <td style="text-align: center;">YES</td> <td style="text-align: center;">NO</td> </tr> </table>	YES	NO
YES	NO		

Post-Certification Revisit Report

Public reporting for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing the burden, to CMS, Office of Financial Management, P.O. Box 26684, Baltimore, MD 21207; and to the Office of Management and Budget, Paperwork Reduction Project (0938-0390), Washington, D.C. 20503.

(Y1) Provider / Supplier / CLIA / Identification Number 245364	(Y2) Multiple Construction A. Building 01 - MAIN BUILDING 01 B. Wing	(Y3) Date of Revisit 7/24/2015
Name of Facility ANNANDALE CARE CENTER	Street Address, City, State, Zip Code 500 PARK STREET EAST ANNANDALE, MN 55302	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/ or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix _____ Reg. # NFPA 101 LSC K0052	Correction Completed 07/09/2015	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____ State Agency	Reviewed By PS/KJ	Date: 08/12/2015	Signature of Surveyor: 34764	Date: 07/24/2015
Reviewed By _____ CMS RO	Reviewed By	Date:	Signature of Surveyor:	Date:

Followup to Survey Completed on: 7/1/2015	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? <table style="display: inline-table; margin-left: 20px;"> <tr> <td style="text-align: center;">YES</td> <td style="text-align: center;">NO</td> </tr> </table>	YES	NO
YES	NO		

Post-Certification Revisit Report

Public reporting for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing the burden, to CMS, Office of Financial Management, P.O. Box 26684, Baltimore, MD 21207; and to the Office of Management and Budget, Paperwork Reduction Project (0938-0390), Washington, D.C. 20503.

(Y1) Provider / Supplier / CLIA / Identification Number 245364	(Y2) Multiple Construction A. Building 02 - BUILDING 0202 B. Wing	(Y3) Date of Revisit 7/24/2015
Name of Facility ANNANDALE CARE CENTER	Street Address, City, State, Zip Code 500 PARK STREET EAST ANNANDALE, MN 55302	

This report is completed by a qualified State surveyor for the Medicare, Medicaid and/ or Clinical Laboratory Improvement Amendments program, to show those deficiencies previously reported on the CMS-2567, Statement of Deficiencies and Plan of Correction that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the CMS-2567 (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix _____ Reg. # NFPA 101 LSC K0052	Correction Completed 07/09/2015	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____ State Agency	Reviewed By PS/KJ	Date: 08/12/2015	Signature of Surveyor: 34764	Date: 07/24/2015
Reviewed By _____ CMS RO	Reviewed By	Date:	Signature of Surveyor:	Date:

Followup to Survey Completed on: 7/1/2015	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? <table style="display: inline-table; vertical-align: middle;"> <tr> <td style="text-align: center;">YES</td> <td style="text-align: center;">NO</td> </tr> </table>	YES	NO
YES	NO		



Protecting, Maintaining and Improving the Health of Minnesotans

Electronically delivered
July 16, 2015

Ms. Debra Reitmeier, Administrator
Annandale Care Center
500 Park Street East
Annandale, Minnesota 55302

RE: Project Number S5364027

Dear Ms. Reitmeier:

On July 1, 2015, a standard survey was completed at your facility by the Minnesota Departments of Health and Public Safety to determine if your facility was in compliance with Federal participation requirements for skilled nursing facilities and/or nursing facilities participating in the Medicare and/or Medicaid programs.

This survey found the most serious deficiencies in your facility to be widespread deficiencies that constitute no actual harm with potential for more than minimal harm that is not immediate jeopardy (Level F), as evidenced by the attached CMS-2567 whereby corrections are required. A copy of the Statement of Deficiencies (CMS-2567) is enclosed.

Please note that this notice does not constitute formal notice of imposition of alternative remedies or termination of your provider agreement. Should the Centers for Medicare & Medicaid Services determine that termination or any other remedy is warranted, it will provide you with a separate formal notification of that determination.

This letter provides important information regarding your response to these deficiencies and addresses the following issues:

Opportunity to Correct - the facility is allowed an opportunity to correct identified deficiencies before remedies are imposed;

Electronic Plan of Correction - when a plan of correction will be due and the information to be contained in that document;

Remedies - the type of remedies that will be imposed with the authorization of the Centers for Medicare and Medicaid Services (CMS) if substantial compliance is not attained at the time of a revisit;

Potential Consequences - the consequences of not attaining substantial compliance 3 and 6 months after the survey date; and

Informal Dispute Resolution - your right to request an informal reconsideration to dispute the attached deficiencies.

Please note, it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

DEPARTMENT CONTACT

Questions regarding this letter and all documents submitted as a response to the resident care deficiencies (those preceded by a "F" tag), i.e., the plan of correction should be directed to:

**Susanne Reuss, Unit Supervisor
Minnesota Department of Health
Licensing and Certification Program
Health Regulation Division
P.O. Box 64900
85 East Seventh Place, Suite 220
St. Paul, Minnesota 55164-0900
Telephone: (651) 201-3793
Fax: 651-215-9697**

OPPORTUNITY TO CORRECT - DATE OF CORRECTION - REMEDIES

As of January 14, 2000, CMS policy requires that facilities will not be given an opportunity to correct before remedies will be imposed when actual harm was cited at the last standard or intervening survey and also cited at the current survey. Your facility does not meet this criterion. Therefore, if your facility has not achieved substantial compliance by August 10, 2015, the Department of Health will impose the following remedy:

- State Monitoring. (42 CFR 488.422)

In addition, the Department of Health is recommending to the CMS Region V Office that if your facility has not achieved substantial compliance by August 10, 2015 the following remedy will be imposed:

- Per instance civil money penalties. (42 CFR 488.430 through 488.444)

ELECTRONIC PLAN OF CORRECTION (ePoC)

An ePoC for the deficiencies must be submitted within **ten calendar days** of your receipt of this letter. Your ePoC must:

- Address how corrective action will be accomplished for those residents found to have been affected by the deficient practice;
- Address how the facility will identify other residents having the potential to be affected by the same deficient practice;
- Address what measures will be put into place or systemic changes made to ensure that the deficient practice will not recur;
- Indicate how the facility plans to monitor its performance to make sure that solutions are sustained. The facility must develop a plan for ensuring that correction is achieved and sustained. This plan must be implemented, and the corrective action evaluated for its effectiveness. The plan of correction is integrated into the quality assurance system;
- Include dates when corrective action will be completed. The corrective action completion dates must be acceptable to the State. If the plan of correction is unacceptable for any reason, the State will notify the facility. If the plan of correction is acceptable, the State will notify the facility. Facilities should be cautioned that they are ultimately accountable for their own compliance, and that responsibility is not alleviated in cases where notification about the acceptability of their plan of correction is not made timely. The plan of correction will serve as the facility's allegation of compliance; and,
- Submit electronically to acknowledge your receipt of the electronic 2567, your review and your ePoC submission.

If an acceptable ePoC is not received within 10 calendar days from the receipt of this letter, we will recommend to the CMS Region V Office that one or more of the following remedies be imposed:

- Optional denial of payment for new Medicare and Medicaid admissions (42 CFR 488.417 (a));
- Per day civil money penalty (42 CFR 488.430 through 488.444).

Failure to submit an acceptable ePoC could also result in the termination of your facility's Medicare and/or Medicaid agreement.

PRESUMPTION OF COMPLIANCE - CREDIBLE ALLEGATION OF COMPLIANCE

The facility's ePoC will serve as your allegation of compliance upon the Department's acceptance. Your signature at the bottom of the first page of the CMS-2567 form will be used as verification of compliance. In order for your allegation of compliance to be acceptable to the Department, the ePoC must meet the criteria listed in the plan of correction section above. You will be notified by the Minnesota Department of Health, Licensing and Certification Program staff and/or the Department of Public Safety, State Fire Marshal Division staff, if your ePoC for the respective deficiencies (if any) is acceptable.

VERIFICATION OF SUBSTANTIAL COMPLIANCE

Upon receipt of an acceptable ePoC, an onsite revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification. A Post Certification Revisit (PCR) will occur after the date you identified that compliance was achieved in your plan of correction.

If substantial compliance has been achieved, certification of your facility in the Medicare and/or Medicaid program(s) will be continued and remedies will not be imposed. Compliance is certified as of the latest correction date on the approved ePoC, unless it is determined that either correction actually occurred between the latest correction date on the ePoC and the date of the first revisit, or correction occurred sooner than the latest correction date on the ePoC.

Original deficiencies not corrected

If your facility has not achieved substantial compliance, we will impose the remedies described above. If the level of noncompliance worsened to a point where a higher category of remedy may be imposed, we will recommend to the CMS Region V Office that those other remedies be imposed.

Original deficiencies not corrected and new deficiencies found during the revisit

If new deficiencies are identified at the time of the revisit, those deficiencies may be disputed through the informal dispute resolution process. However, the remedies specified in this letter will be imposed for original deficiencies not corrected. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed.

Original deficiencies corrected but new deficiencies found during the revisit

If new deficiencies are found at the revisit, the remedies specified in this letter will be imposed. If the deficiencies identified at the revisit require the imposition of a higher category of remedy, we will recommend to the CMS Region V Office that those remedies be imposed. You will be provided the required notice before the imposition of a new remedy or informed if another date will be set for the imposition of these remedies.

FAILURE TO ACHIEVE SUBSTANTIAL COMPLIANCE BY THE THIRD OR SIXTH MONTH AFTER THE LAST DAY OF THE SURVEY

If substantial compliance with the regulations is not verified by October 1, 2015 (three months after the identification of noncompliance), the CMS Region V Office must deny payment for new admissions as mandated by the Social Security Act (the Act) at Sections 1819(h)(2)(D) and 1919(h)(2)(C) and Federal regulations at 42 CFR Section 488.417(b). This mandatory denial of payments will be based on the failure to comply with deficiencies originally contained in the Statement of Deficiencies, upon the identification of new deficiencies at the time of the revisit, or if deficiencies have been issued as the

Annandale Care Center

July 16, 2015

Page 5

result of a complaint visit or other survey conducted after the original statement of deficiencies was issued. This mandatory denial of payment is in addition to any remedies that may still be in effect as of this date.

We will also recommend to the CMS Region V Office and/or the Minnesota Department of Human Services that your provider agreement be terminated by January 1, 2016 (six months after the identification of noncompliance) if your facility does not achieve substantial compliance. This action is mandated by the Social Security Act at Sections 1819(h)(2)(C) and 1919(h)(3)(D) and Federal regulations at 42 CFR Sections 488.412 and 488.456.

INFORMAL DISPUTE RESOLUTION

In accordance with 42 CFR 488.331, you have one opportunity to question cited deficiencies through an informal dispute resolution process. You are required to send your written request, along with the specific deficiencies being disputed, and an explanation of why you are disputing those deficiencies, to:

Nursing Home Informal Dispute Process
Minnesota Department of Health
Health Regulation Division
P.O. Box 64900
St. Paul, Minnesota 55164-0900

This request must be sent within the same ten days you have for submitting an ePoC for the cited deficiencies. All requests for an IDR or IIDR of federal deficiencies must be submitted via the web at: http://www.health.state.mn.us/divs/fpc/profinfo/ltc/ltc_idr.cfm

You must notify MDH at this website of your request for an IDR or IIDR within the 10 calendar day period allotted for submitting an acceptable electronic plan of correction. A copy of the Department's informal dispute resolution policies are posted on the MDH Information Bulletin website at: <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm>

Please note that the failure to complete the informal dispute resolution process will not delay the dates specified for compliance or the imposition of remedies.

Questions regarding all documents submitted as a response to the Life Safety Code deficiencies (those preceded by a "K" tag), i.e., the plan of correction, request for waivers, should be directed to:

Mr. Patrick Sheehan, Supervisor
Health Care Fire Inspections
State Fire Marshal Division
pat.sheehan@state.mn.us
Telephone: (651) 201-7205
Fax: (651) 215-0525

Feel free to contact me if you have questions.

Annandale Care Center

July 16, 2015

Page 6

Sincerely,

A handwritten signature in black ink, appearing to read "Kate Johnston". The signature is fluid and cursive, with a long horizontal flourish extending to the right.

Kate Johnston, Program Specialist

Licensing and Certification Program

Health Regulation Division

Telephone: (651) 201-3992 Fax: (651) 215-9697

Enclosure (s)

cc: Licensing and Certification File

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/28/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245364	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/01/2015
NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	INITIAL COMMENTS The facility's plan of correction (POC) will serve as your allegation of compliance upon the Department's acceptance. Because you are enrolled in ePOC, your signature is not required at the bottom of the first page of the CMS-2567 form. Your electronic submission of the POC will be used as verification of compliance. Upon receipt of an acceptable electronic POC, an on-site revisit of your facility may be conducted to validate that substantial compliance with the regulations has been attained in accordance with your verification.	F 000			
F 371 SS=F	483.35(i) FOOD PROCURE, STORE/PREPARE/SERVE - SANITARY The facility must - (1) Procure food from sources approved or considered satisfactory by Federal, State or local authorities; and (2) Store, prepare, distribute and serve food under sanitary conditions This REQUIREMENT is not met as evidenced by: Based on observation, interview and document review, the facility failed to ensure dated expired food items were disposed of timely and perishable food items were stored in sealed containers. This had the potential to affect 43 out of 44 residents in the facility who are provided food and beverages from the kitchen.	F 371	Plan of Correction- 1) How corrective action will be accomplished for those residents found to be affected: Any items without dates were disposed of and the refrigerator and freezer were cleaned on June 29, 2015.	7/16/15	

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Electronically Signed

07/21/2015

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245364	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/01/2015
NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 371	<p>Continued From page 1</p> <p>Findings include:</p> <p>During the initial tour of the kitchen on 6/29/15, at 12:20 p.m. with director of dietary (DD)-A, the following was observed: a refrigerator contained a Mighty Shake (one pint) container thawed and opened, which was dated 5/21/15 (38 days ago). A pitcher of prune juice that had the date opened written on it of 6/18/15 to 6/20/15 (9 days ago). There was also a container of beef broth base dated 6/6/15. The walk in freezer had a zip lock bag of six frozen hamburger patties with a quarter size hole in the bag exposing the hamburger patties which were dated 4/16/15. In addition, the walk in cooler had a sealed bag of 10 pound bratwurst frozen pork links with a manufacture date of 5/21/15. The bratwurst links were completely covered with crystallized ice approximately 1/8 inch thick.</p> <p>During interview on 6/30/15, at 9:01 a.m. the DD-A stated she had been out sick for the last three weeks and had just returned. She stated the mighty shake must have been an over site because they use consume one container on a daily basis but it should not be used two days after it is opened. The juices are tabled with the date open and the date to discard which is the two dates on each container. They should have been discarded two days after they were opened.</p> <p>During interview 6/30/15, at 1:00 p.m. the DD-A stated she removed the hamburger patties from the freezer and had just ordered the bratwurst. She was unsure why there was so many ice crystals on them, possibly they were not placed in the freezer right away.</p> <p>Review of the facility Food Storage Guide dated</p>	F 371	<p>2) How to identify other residents having the potential to be affected by the same practice All food items in the refrigerator and freezer are dated. Refrigerator and freezer audits are conducted to assure compliance with dating of food items.</p> <p>3) Measures put into place or systemic changes made to ensure practice will not recur A Food / Beverage audit has been developed and implemented. Staff job descriptions were revised and all staff was trained to include the need to assure food items have dates in the refrigerator and freezer.</p> <p>4) How to monitor performance to assure solutions are sustained, that correction is achieved and sustained; implemented, evaluated and integrated into QA system.</p> <p>Corrective action was completed by July 3, 2015. The Dietary Director/or designee will conduct audits daily x four weeks then will be conducted weekly for three months. These results will be discussed and reviewed at the Quality of Life subcommittee who will determine when compliance is indicated.</p>		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/28/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245364	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED 07/01/2015
NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 371	<p>Continued From page 2</p> <p>February 2012, indicated reconstituted frozen juice is allowed to be left in the refrigerator for six days. The guide also indicated milk products can be refrigerated up to five days. In review of the manufacture's storage recommendations for Mighty Shakes (Hormel Health Lab) indicated that once opened, this product needed to be refrigerated, but could only be stored up to 14 days once opened.</p> <p>The facilities Food Storage protocol that was updated on 05/2014, indicated leftover food was stored in covered containers or wrapped carefully and securely. All foods should be stored upon delivery and careful rotation procedures should be followed.</p>	F 371			

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES


F5364024

PRINTED: 07/23/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245364	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 07/01/2015
--------------------------------------------------	-------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	-----------------------------------------------------

NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302
------------------------------------------------------------------	----------------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	------------------------------------------------------------------------------------------------------------------------	---------------	-----------------------------------------------------------------------------------------------------------------	----------------------

K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety, State Fire Marshal Division. At the time of this survey, Annandale Care Center Building 1 was found not in compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 19 Existing Health Care.</p> <p>THE FACILITY'S POC WILL SERVE AS YOUR ALLEGATION OF COMPLIANCE UPON THE DEPARTMENT'S ACCEPTANCE. YOUR SIGNATURE AT THE BOTTOM OF THE CMS-2567 FORM WILL BE USED AS VERIFICATION OF COMPLIANCE.</p> <p>UPON RECEIPT OF AN ACCEPTABLE POC, AN ON-SITE REVISIT OF YOUR FACILITY MAY BE CONDUCTED TO VALIDATE THAT SUBSTANTIAL COMPLIANCE WITH THE REGULATIONS HAS BEEN ATTAINED IN ACCORDANCE WITH YOU VERIFICATION.</p> <p>PLEASE RETURN THE PLAN OF CORRECTION FOR THE FIRE SAFETY DEFICIENCIES (K-TAGS) TO:</p> <p>HEALTH CARE FIRE INSPECTIONS STATE FIRE MARSHAL DIVISION 445 CEDAR STREET, SUITE 145 ST. PAUL, MN 55101-5145, or</p>	K 000		
-------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	--------------------------------------------------------------------------------------	--

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE Electronically Signed	TITLE	(X6) DATE 07/21/2015
----------------------------------------------------------------------------------------------------	-------	-------------------------

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/23/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245364	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 07/01/2015
NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	Continued From page 1 By e-mail to: Marian.Whitney@state.mn.us Annandale Care Center is a 1-story building with no basement. The building was constructed at 5 different times. The original building was constructed in 1982 and was determined to be of Type II(000) construction. In 1986 , an addition was constructed to the north and was determined to be of Type II(000) construction. In 1990 an addition was constructed at the front entrance and was determined to be of Type II(000) construction. In 2004 and addition was constructed to the ends of A and B wings and was determined to be of Type II(000) construction. In 2008 an addition was added to the northwest corner of the facility and was determined to be of type II(000) construction. Because the original building and the 2004 and 2008 additions are of different construction years, the facility was surveyed as two buildings. The building is automatic sprinkler protected. The facility has a fire alarm system with smoke detection in the corridors and spaces open to the corridors that is monitored for automatic fire department notification. The facility has a capacity of 60 beds and had a census of 44 at time of the survey.	K 000		
K 052 SS=F	The requirement at 42 CFR, Subpart 483.70(a) is NOT MET as evidenced by: NFPA 101 LIFE SAFETY CODE STANDARD A fire alarm system required for life safety is	K 052		7/9/15

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/23/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245364	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____	(X3) DATE SURVEY COMPLETED 07/01/2015	
NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 052	<p>Continued From page 2</p> <p>installed, tested, and maintained in accordance with NFPA 70 National Electrical Code and NFPA 72. The system has an approved maintenance and testing program complying with applicable requirements of NFPA 70 and 72. 9.6.1.4</p> <p>This STANDARD is not met as evidenced by: Based on observation and staff interview, the facility failed to install and maintain the fire alarm system in accordance with the requirements of 2000 NFPA 101, Sections 19.3.4.1 and 9.6, as well as 1999 NFPA 72, Sections 2-3.4.5.1.2, 2-3.5.1. These deficient practices could adversely affect the functioning of the fire alarm system that could delay the timely notification and emergency actions for the facility thus negatively affecting all residents, staff, and visitors of the facility.</p> <p>Findings include:</p> <p>On facility tour between 08:00 AM to 11:00 PM on 07/01/2015, during a documentation review of the available fire alarm testing documentation showed no issues with the Fire Alarm. During the facility tour it was noticed that the alarm panel was in "trouble status" a conversation with the Director of maintenance revealed this is an intermittent problem and has been for some time.</p>	K 052	<p>Plan of Correction-</p> <ol style="list-style-type: none"> 1. A description of what has been, or will be, done to correct the deficiency. Facility Maintenance Director scheduled a service call with Simplex Grinnell on July 1, 2015. Simplex Grinnell technician came to the facility on July 2, 2015. The positive ground fault issue indicated on the fire alarm panel was traced to (1) one faulty smoke base relay. Replaced both base and relay for system normal. 2. The actual, or proposed, completion date. Work completed as of July 9, 2015 and system confirmed normal. 3. The name and/or title of the person responsible for correction and monitoring to prevent a reoccurrence of the deficiency. Scott Picken, Director of Maintenance 	

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/23/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245364	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED 07/01/2015
NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 052	Continued From page 3 This deficient practice was confirmed by the Director of Maintenance (SP) at the time of discovery.	K 052		

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

F5364024

PRINTED: 07/23/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245364	(X2) MULTIPLE CONSTRUCTION A. BUILDING 02 - BUILDING 0202 B. WING _____	(X3) DATE SURVEY COMPLETED 07/01/2015
NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	<p>INITIAL COMMENTS</p> <p>FIRE SAFETY</p> <p>A Life Safety Code Survey was conducted by the Minnesota Department of Public Safety, State Fire Marshal Division. At the time of this survey, Annandale Care Center Building 2 was found not in compliance with the requirements for participation in Medicare/Medicaid at 42 CFR, Subpart 483.70(a), Life Safety from Fire, and the 2000 edition of National Fire Protection Association (NFPA) Standard 101, Life Safety Code (LSC), Chapter 18 New Health Care.</p> <p>THE FACILITY'S POC WILL SERVE AS YOUR ALLEGATION OF COMPLIANCE UPON THE DEPARTMENT'S ACCEPTANCE. YOUR SIGNATURE AT THE BOTTOM OF THE CMS-2567 FORM WILL BE USED AS VERIFICATION OF COMPLIANCE.</p> <p>UPON RECEIPT OF AN ACCEPTABLE POC, AN ON-SITE REVISIT OF YOUR FACILITY MAY BE CONDUCTED TO VALIDATE THAT SUBSTANTIAL COMPLIANCE WITH THE REGULATIONS HAS BEEN ATTAINED IN ACCORDANCE WITH YOU VERIFICATION.</p> <p>PLEASE RETURN THE PLAN OF CORRECTION FOR THE FIRE SAFETY DEFICIENCIES (K-TAGS) TO:</p> <p>HEALTH CARE FIRE INSPECTIONS STATE FIRE MARSHAL DIVISION 445 CEDAR STREET, SUITE 145 ST. PAUL, MN 55101-5145, or</p>	K 000		

EPOC

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE _____ TITLE _____ (X6) DATE **07/21/2015**

Electronically Signed

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/23/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245364	(X2) MULTIPLE CONSTRUCTION A. BUILDING 02 - BUILDING 0202 B. WING _____	(X3) DATE SURVEY COMPLETED 07/01/2015
NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 000	Continued From page 1 By e-mail to: Marian.Whitney@state.mn.us	K 000		
K 052 SS=F	Annandale Care Center building 2 is a 1-story building with no basement. In 2004 an addition was constructed to the ends of A and B wings of building 1 and was determined to be of Type II(000) construction. In 2008 an addition was added to the northwest corner of building 1 and was determined to be of type II(000) construction. The building is fully sprinklered and has a fire alarm system with smoke detection in resident rooms, corridors and spaces open to the corridors that is monitored for automatic fire department notification. Because the 2004 and 2008 additions are of new construction the additions were surveyed under the same building. The facility has a capacity of 60 beds and had a census of 44 at the time of the survey. The requirement at 42 CFR, Subpart 483.70(a) is NOT MET as evidenced by: NFPA 101 LIFE SAFETY CODE STANDARD A fire alarm system required for life safety is installed, tested, and maintained in accordance with NFPA 70 National Electrical Code and NFPA 72. The system has an approved maintenance and testing program complying with applicable requirements of NFPA 70 and 72. 9.6.1.4	K 052		7/9/15

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/23/2015
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 245364	(X2) MULTIPLE CONSTRUCTION A. BUILDING 02 - BUILDING 0202 B. WING _____	(X3) DATE SURVEY COMPLETED 07/01/2015
NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302	
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
K 052	<p>Continued From page 2</p> <p>This STANDARD is not met as evidenced by: Based on observation and staff interview, the facility failed to install and maintain the fire alarm system in accordance with the requirements of 2000 NFPA 101, Sections 18.3.4.1 and 9.6, as well as 1999 NFPA 72, Sections 2-3.4.5.1.2, 2-3.5.1. These deficient practices could adversely affect the functioning of the fire alarm system that could delay the timely notification and emergency actions for the facility thus negatively affecting all residents, staff, and visitors of the facility.</p> <p>Findings include:</p> <p>On facility tour between 08:00 AM to 11:00 PM on 07/01/2015, during a documentation review of the available fire alarm testing documentation showed no issues with the Fire Alarm. During the facility tour it was noticed that the alarm panel was in "trouble status" a conversation with the Director of maintenance revealed this is an intermittent problem and has been for some time.</p> <p>This deficient practice was confirmed by the Director of Maintenance (SP) at the time of discovery.</p>	K 052	<p>Plan of Correction-</p> <ol style="list-style-type: none"> 1. A description of what has been, or will be, done to correct the deficiency. Facility Maintenance Director scheduled a service call with Simplex Grinnell on July 1, 2015. Simplex Grinnell technician came to the facility on July 2, 2015. The positive ground fault issue indicated on the fire alarm panel was traced to (1) one faulty smoke base relay. Replaced both base and relay for system normal. 2. The actual, or proposed, completion date. Work completed as of July 9, 2015 and system confirmed normal. 3. The name and/or title of the person responsible for correction and monitoring to prevent a reoccurrence of the deficiency. Scott Picken, Director of Maintenance 	



Protecting, Maintaining and Improving the Health of Minnesotans

Electronically submitted
July 16, 2015

Ms. Debra Reitmeier, Administrator
Annandale Care Center
500 Park Street East
Annandale, Minnesota 55302

Re: Enclosed State Nursing Home Licensing Orders - Project Number S5364027

Dear Ms. Reitmeier:

The above facility was surveyed on June 29, 2015 through July 1, 2015 for the purpose of assessing compliance with Minnesota Department of Health Nursing Home Rules. At the time of the survey, the survey team from the Minnesota Department of Health, Health Regulation Division, noted one or more violations of these rules that are issued in accordance with Minnesota Stat. section 144.653 and/or Minnesota Stat. Section 144A.10. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a civil fine for each deficiency not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.

To assist in complying with the correction order(s), a "suggested method of correction" has been added. This provision is being suggested as one method that you can follow to correct the cited deficiency. Please remember that this provision is only a suggestion and you are not required to follow it. Failure to follow the suggested method will not result in the issuance of a penalty assessment. You are reminded, however, that regardless of the method used, correction of the deficiency within the established time frame is required. The "suggested method of correction" is for your information and assistance only.

You have agreed to participate in the electronic receipt of State licensure orders consistent with the Minnesota Department of Health Informational Bulletin 14-01, available at <http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm> . The State licensing orders are delineated on the attached Minnesota Department of Health orders being submitted to you electronically. The Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.

The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule number and the corresponding text of the state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order. This column also includes the findings that are in violation of the state statute after the statement, "This Rule

Annandale Care Center

July 16, 2015

Page 2

is not met as evidenced by." Following the surveyors findings are the Suggested Method of Correction and the Time Period For Correction.

PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.

THERE IS NO REQUIREMENT TO SUBMIT A PLAN OF CORRECTION FOR VIOLATIONS OF MINNESOTA STATE STATUTES/RULES.

Although no plan of correction is necessary for State Statutes/Rules, please enter the word "corrected" in the box available for text. You must then indicate in the electronic State licensure process, under the heading completion date, the date your orders will be corrected prior to electronically submitting to the Minnesota Department of Health. We urge you to review these orders carefully, item by item, and if you find that any of the orders are not in accordance with your understanding at the time of the exit conference following the survey, you should immediately contact me.

You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.

Please note it is your responsibility to share the information contained in this letter and the results of this visit with the President of your facility's Governing Body.

Please feel free to call me with any questions.

Sincerely,

A handwritten signature in black ink, appearing to read "Kate Johnston". The signature is fluid and cursive, with a long horizontal flourish extending to the right.

Kate JohnsTon, Program Specialist
Licensing and Certification Program
Health Regulation Division
Telephone: (651) 201-3992 Fax: (651) 215-9697
Enclosure (s)
cc: Licensing and Certification File

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00951	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 07/01/2015
--------------------------------------------------	------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------

NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302
------------------------------------------------------------------	----------------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	<p>Initial Comments</p> <p>*****ATTENTION*****</p> <p>NH LICENSING CORRECTION ORDER</p> <p>In accordance with Minnesota Statute, section 144A.10, this correction order has been issued pursuant to a survey. If, upon reinspection, it is found that the deficiency or deficiencies cited herein are not corrected, a fine for each violation not corrected shall be assessed in accordance with a schedule of fines promulgated by rule of the Minnesota Department of Health.</p> <p>Determination of whether a violation has been corrected requires compliance with all requirements of the rule provided at the tag number and MN Rule number indicated below. When a rule contains several items, failure to comply with any of the items will be considered lack of compliance. Lack of compliance upon re-inspection with any item of multi-part rule will result in the assessment of a fine even if the item that was violated during the initial inspection was corrected.</p> <p>You may request a hearing on any assessments that may result from non-compliance with these orders provided that a written request is made to the Department within 15 days of receipt of a notice of assessment for non-compliance.</p> <p>INITIAL COMMENTS: You have agreed to participate in the electronic receipt of State licensure orders consistent with the Minnesota Department of Health Informational Bulletin 14-01, available at http://www.health.state.mn.us/divs/fpc/profinfo/infobul.htm The State licensing orders are delineated on the attached Minnesota</p>	2 000		

Minnesota Department of Health
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

Electronically Signed

TITLE

(X6) DATE
07/21/15

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00951	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 07/01/2015
--------------------------------------------------	------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------

NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302
------------------------------------------------------------------	----------------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	<p>Continued From page 1</p> <p>Department of Health orders being submitted to you electronically. Although no plan of correction is necessary for State Statutes/Rules, please enter the word "corrected" in the box available for text. You must then indicate in the electronic State licensure process, under the heading completion date, the date your orders will be corrected prior to electronically submitting to the Minnesota Department of Health.</p> <p>On June 29-July 1, 2015 surveyors of this Department's staff, visited the above provider and the following correction orders are issued. Please indicate in your electronic plan of correction that you have reviewed these orders, and identify the date when they will be completed.</p> <p>Minnesota Department of Health is documenting the State Licensing Correction Orders using federal software. Tag numbers have been assigned to Minnesota state statutes/rules for Nursing Homes.</p> <p>The assigned tag number appears in the far left column entitled "ID Prefix Tag." The state statute/rule out of compliance is listed in the "Summary Statement of Deficiencies" column and replaces the "To Comply" portion of the correction order. This column also includes the findings which are in violation of the state statute after the statement, "This Rule is not met as evidence by." Following the surveyors findings are the Suggested Method of Correction and Time period for Correction.</p> <p>PLEASE DISREGARD THE HEADING OF THE FOURTH COLUMN WHICH STATES, "PROVIDER'S PLAN OF CORRECTION." THIS APPLIES TO FEDERAL DEFICIENCIES ONLY. THIS WILL APPEAR ON EACH PAGE.</p>	2 000		

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00951	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 07/01/2015
--------------------------------------------------	------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------

NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302
------------------------------------------------------------------	----------------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
2 000	Continued From page 2	2 000		
21095	<p>MN Rule 4658.0650 Subp. 4 Food Supplies; Storage of Nonperishable food</p> <p>Subp. 4. Storage of nonperishable food. Containers of nonperishable food must be stored a minimum of six inches above the floor in a manner that protects the food from splash and other contamination, and that permits easy cleaning of the storage area. Containers may be stored on equipment such as dollies, racks, or pallets, provided the equipment is easily movable and constructed to allow for easy cleaning. Nonperishable food and containers of nonperishable food must not be stored under exposed or unprotected sewer lines or similar sources of potential contamination. The storage of nonperishable food in toilet rooms or vestibules is prohibited.</p> <p>This MN Requirement is not met as evidenced by: Based on observation, interview and document review, the facility failed to ensure dated expired food items were disposed of timely and perishable food items were stored in sealed containers. This had the potential to affect 43 out of 44 residents in the facility who are provided food and beverages from the kitchen.</p> <p>Findings include: During the initial tour of the kitchen on 6/29/15, at 12:20 p.m. with director of dietary (DD)-A, the</p>	21095	<p>Plan of Correction-</p> <p>1) How corrective action will be accomplished for those residents found to be affected: Any items without dates were disposed of and the refrigerator and freezer were cleaned on June 29, 2015.</p> <p>2) How to identify other residents having the potential to be affected by the same practice All food items in the refrigerator and</p>	7/3/15

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00951	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 07/01/2015
--------------------------------------------------	------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------

NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302
------------------------------------------------------------------	----------------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21095	<p>Continued From page 3</p> <p>following was observed: a refrigerator contained a Mighty Shake (one pint) container thawed and opened, which was dated 5/21/15 (38 days ago). A pitcher of prune juice that had the date opened written on it of 6/18/15 to 6/20/15 (9 days ago). There was also a container of beef broth base dated 6/6/15. The walk in freezer had a zip lock bag of six frozen hamburger patties with a quarter size hole in the bag exposing the hamburger patties which were dated 4/16/15. In addition, the walk in cooler had a sealed bag of 10 pound bratwurst frozen pork links with a manufacture date of 5/21/15. The bratwurst links were completely covered with crystallized ice approximately 1/8 inch thick.</p> <p>During interview on 6/30/15, at 9:01 a.m. the DD-A stated she had been out sick for the last three weeks and had just returned. She stated the mighty shake must have been an over site because they use consume one container on a daily basis but it should not be used two days after it is opened. The juices are tabled with the date open and the date to discard which is the two dates on each container. They should have been discarded two days after they were opened.</p> <p>During interview 6/30/15, at 1:00 p.m. the DD-A stated she removed the hamburger patties from the freezer and had just ordered the bratwurst. She was unsure why there was so many ice crystals on them, possibly they were not placed in the freezer right away.</p> <p>Review of the facility Food Storage Guide dated February 2012, indicated reconstituted frozen juice is allowed to be left in the refrigerator for six days. The guide also indicated milk products can be refrigerated up to five days. In review of the manufacture's storage recommendations for</p>	21095	<p>freezer are dated. Refrigerator and freezer audits are conducted to assure compliance with dating of food items.</p> <p>3) Measures put into place or systemic changes made to ensure practice will not recur A Food / Beverage audit has been developed and implemented. Staff job descriptions were revised and all staff was trained to include the need to assure food items have dates in the refrigerator and freezer.</p> <p>4) How to monitor performance to assure solutions are sustained, that correction is achieved and sustained; implemented, evaluated and integrated into QA system.</p> <p>Corrective action was completed by July 3, 2015. The Dietary Director/or designee will conduct audits daily x four weeks then will be conducted weekly for three months. These results will be discussed and reviewed at the Quality of Life subcommittee who will determine when compliance is indicated.</p>	

Minnesota Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 00951	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING _____	(X3) DATE SURVEY COMPLETED 07/01/2015
--------------------------------------------------	------------------------------------------------------------------------	-----------------------------------------------------------------------	-----------------------------------------------------

NAME OF PROVIDER OR SUPPLIER ANNANDALE CARE CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 500 PARK STREET EAST ANNANDALE, MN 55302
------------------------------------------------------------------	----------------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
21095	<p>Continued From page 4</p> <p>Mighty Shakes (Hormel Health Lab) indicated that once opened, this product needed to be refrigerated, but could only be stored up to 14 days once opened.</p> <p>The facilities Food Storage protocol that was updated on 05/2014, indicated leftover food was stored in covered containers or wrapped carefully and securely. All foods should be stored upon delivery and careful rotation procedures should be followed.</p> <p>SUGGESTED METHOD OF CORRECTION: The Foodservice Director and/or designee will review food storage policies with foodservice staff and monitor for ongoing compliance.</p> <p>TIME PERIOD FOR CORRECTION: One (1) day.</p>	21095		