

Plan Name	Medica
-----------	--------

Plan ID	18
---------	----

Reporting Year	2002
----------------	------

Submission #	1
--------------	---

Last Refreshed:	9/23/2003 1:41:55 PM
-----------------	----------------------

General Info	Title	Page
	Disclaimers	2

Effectiveness of Care Measures	Measure	Page
	Childhood Immunization Rate	3
	Adolescent Immunization Rate	6
	Breast Cancer Screening	9
	Cervical Cancer Screening	10
	Chlamydia Screening in Women	11
	Controlling High Blood Pressure	12
	Beta Blocker Treatment after a Heart Attack	13
	Cholesterol Management	14
	Comprehensive Diabetes Care	15
	Appropriate Medications for People with Asthma	21
	Follow-up After Hospitalization For Mental Illness	25
	Antidepressant Medication Management	26

Access / Availability of Care	Measure	Page
	Adults' Access to Preventive/Ambulatory Health Services	62
	Children's Access to Primary Care Practitioners	68
	Prenatal and Postpartum Care	71
	Availability of Language Interpretation Services	74

Health Plan Stability	Measure	Page
	Practitioner Turnover	75
	Years in Business / Total Membership	77

Use of Services Measures	Measure	Page
	Well-Child Visits In The First 15 Months of Life	32
	Well-Child Visits In The Third, Fourth, Fifth And Sixth Year of Life	34
	Adolescent Well-Care Visits	35
	Inpatient Utilization - General Hospital/Acute Care	36
	Ambulatory Care	42
	Inpatient Utilization - Nonacute Care	45
	Mental Health Utilization - Inpatient Discharges and Average Length of Stay	48
	Mental Health Utilization - Percentage of Members Receiving Inpatient and Ambulatory Services	51
	Chemical Dependency Utilization - Inpatient Discharges and Average Length of Stay	54
	Chemical Dependency Utilization - Percentage of Members Receiving Inpatient and Ambulatory Services	57
	Outpatient Drug Utilization	60

Health Plan Descriptive Information	Measure	Page
	Board Certification / Residency Completion	79
	Total Enrollment by Percentage	80
	Enrollment by Product Line (Age & Sex)	81

**( this page left blank intentionally )**

# Effectiveness of Care

Medica

## Childhood Immunization Rate

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Data Elements	General Measure Data	DTaP/DT	IPV/OPV	MMR	HiB	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO								
Sampling Method Used	S								
Eligible Member Population	4074								
Numerator events by admin data in eligible population		2144	2290	3417	2291	2117	2916	1670	1465
Current Year's Administrative Rate		52.63%	56.21%	83.87%	56.23%	51.96%	71.58%	40.99%	35.96%
Minimum Required Sample Size	376								
Oversampling Rate	5.00%								
Final Sample Size (FSS)	422								
Numerator events by admin data in FSS		248	267	360	262	243	302	199	167
Admin rate on FSS		58.77%	63.27%	85.31%	62.09%	57.58%	71.56%	47.16%	39.57%
Number of Records Excluded Because of Valid Data Errors	0								
Number of Records Excluded because of Contraindications by Admin Data	0								
Number of Records Excluded because of Contraindications by Medical Record Review	0								
Number of employee/dependent records excluded	0								
Additional Records Added from the Auxiliary List	1								
Denominator	403								
Numerator Events by Admin Data		239	257	345	251	233	291	190	160
Numerator Events by Medical Record		132	128	34	90	120	40	130	123
Reported Rate		92.06%	95.53%	94.04%	84.62%	87.59%	82.13%	79.40%	70.22%
Lower 95% Confidence Interval		89.30%	93.39%	91.61%	80.97%	84.25%	78.27%	75.33%	65.63%
Upper 95% Confidence Interval		94.82%	97.67%	96.48%	88.26%	90.94%	86.00%	83.48%	74.81%

# Effectiveness of Care

Medica

## Childhood Immunization Rate

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### PMAP

Data Elements	General Measure Data	DTaP/DT	IPV/OPV	MMR	HiB	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO								
Sampling Method Used	S								
Eligible Member Population	3685								
Numerator events by admin data in eligible population		791	1038	2011	1053	925	1765	494	428
Current Year's Administrative Rate		21.47%	28.17%	54.57%	28.58%	25.10%	47.90%	13.41%	11.61%
Minimum Required Sample Size	411								
Oversampling Rate	5.00%								
Final Sample Size (FSS)	432								
Numerator events by admin data in FSS		76	113	208	100	98	190	44	40
Admin rate on FSS		17.59%	26.16%	48.15%	23.15%	22.69%	43.98%	10.19%	9.26%
Number of Records Excluded Because of Valid Data Errors	0								
Number of Records Excluded because of Contraindications by Admin Data	0								
Number of Records Excluded because of Contraindications by Medical Record Review	0								
Number of employee/dependent records excluded	0								
Additional Records Added from the Auxiliary List	0								
Denominator	411								
Numerator Events by Admin Data		74	111	200	98	95	182	42	38
Numerator Events by Medical Record		238	239	139	189	228	111	214	187
Reported Rate		75.91%	85.16%	82.48%	69.83%	78.59%	71.29%	62.29%	54.74%
Lower 95% Confidence Interval		71.66%	81.60%	78.69%	65.27%	74.50%	66.79%	57.48%	49.81%
Upper 95% Confidence Interval		80.17%	88.72%	86.28%	74.39%	82.68%	75.79%	67.09%	59.68%

# Effectiveness of Care

Medica

## Childhood Immunization Rate

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### MinnesotaCare

Data Elements	General Measure Data	DTaP/DT	IPV/OPV	MMR	HiB	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO								
Sampling Method Used	S								
Eligible Member Population	323								
Numerator events by admin data in eligible population		83	101	194	110	84	173	56	49
Current Year's Administrative Rate		25.70%	31.27%	60.06%	34.06%	26.01%	53.56%	17.34%	15.17%
Minimum Required Sample Size	411								
Oversampling Rate	5.00%								
Final Sample Size (FSS)	323								
Numerator events by admin data in FSS		83	101	194	110	84	173	56	49
Admin rate on FSS		25.70%	31.27%	60.06%	34.06%	26.01%	53.56%	17.34%	15.17%
Number of Records Excluded Because of Valid Data Errors	0								
Number of Records Excluded because of Contraindications by Admin Data	0								
Number of Records Excluded because of Contraindications by Medical Record Review	0								
Number of employee/dependent records excluded	0								
Additional Records Added from the Auxiliary List	0								
Denominator	323								
Numerator Events by Admin Data		83	101	194	110	84	173	56	49
Numerator Events by Medical Record		176	184	89	140	170	60	165	138
Reported Rate		80.19%	88.24%	87.62%	77.40%	78.64%	72.14%	68.42%	57.89%
Lower 95% Confidence Interval		75.68%	84.57%	83.87%	72.68%	74.01%	67.09%	63.20%	52.36%
Upper 95% Confidence Interval		84.69%	91.90%	91.36%	82.12%	83.26%	77.18%	73.65%	63.43%

# Effectiveness of Care

Medica

## Adolescent Immunization Status

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Data Elements	General Measure Data	MMR	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO					
Sampling Method Used	S					
Eligible Member Population	4528					
Numerator events by admin data in eligible population		2066	897	120	727	22
Current Year's Administrative Rate		45.63%	19.81%	2.65%	16.06%	0.49%
Minimum Required Sample Size	411					
Oversampling Rate	5.00%					
Final Sample Size (FSS)	432					
Numerator events by admin data in FSS		219	81	12	66	3
Admin rate on FSS		50.69%	18.75%	2.78%	15.28%	0.69%
Number of Records Excluded Because of Valid Data Errors	0					
Number of Records Excluded because of Contraindications by Admin Data	0					
Number of Records Excluded because of Contraindications by Medical Record Review	0					
Number of employee/dependent records excluded	0					
Additional Records Added from the Auxiliary List	1					
Denominator	411					
Numerator Events by Admin Data		207	75	12	61	3
Numerator Events by Medical Record		141	158	142	164	122
Reported Rate		84.67%	56.69%	37.47%	54.74%	30.41%
Lower 95% Confidence Interval		81.07%	51.78%	32.67%	49.81%	25.84%
Upper 95% Confidence Interval		88.28%	61.60%	42.27%	59.68%	34.98%

# Effectiveness of Care

Medica

## Adolescent Immunization Status

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### PMAP

Data Elements	General Measure Data	MMR	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO					
Sampling Method Used	S					
Eligible Member Population	1323					
Numerator events by admin data in eligible population		378	104	79	73	11
Current Year's Administrative Rate		28.57%	7.86%	5.97%	5.52%	0.83%
Minimum Required Sample Size	411					
Oversampling Rate	5.00%					
Final Sample Size (FSS)	432					
Numerator events by admin data in FSS		122	23	29	17	1
Admin rate on FSS		28.24%	5.32%	6.71%	3.94%	0.23%
Number of Records Excluded Because of Valid Data Errors	0					
Number of Records Excluded because of Contraindications by Admin Data	0					
Number of Records Excluded because of Contraindications by Medical Record Review	0					
Number of employee/dependent records excluded	0					
Additional Records Added from the Auxiliary List	1					
Denominator	411					
Numerator Events by Admin Data		118	23	27	17	1
Numerator Events by Medical Record		201	181	115	183	96
Reported Rate		77.62%	49.64%	34.55%	48.66%	23.60%
Lower 95% Confidence Interval		73.46%	44.68%	29.83%	43.71%	19.37%
Upper 95% Confidence Interval		81.77%	54.59%	39.27%	53.62%	27.83%

# Effectiveness of Care

Medica

## Adolescent Immunization Status

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### MinnesotaCare

Data Elements	General Measure Data	MMR	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO					
Sampling Method Used	S					
Eligible Member Population	411					
Numerator events by admin data in eligible population		144	55	19	37	4
Current Year's Administrative Rate		35.04%	13.38%	4.62%	9.00%	0.97%
Minimum Required Sample Size	411					
Oversampling Rate	5.00%					
Final Sample Size (FSS)	411					
Numerator events by admin data in FSS		144	55	19	37	4
Admin rate on FSS		35.04%	13.38%	4.62%	9.00%	0.97%
Number of Records Excluded Because of Valid Data Errors	0					
Number of Records Excluded because of Contraindications by Admin Data	0					
Number of Records Excluded because of Contraindications by Medical Record Review	0					
Number of employee/dependent records excluded	0					
Additional Records Added from the Auxiliary List	0					
Denominator	411					
Numerator Events by Admin Data		144	55	19	37	4
Numerator Events by Medical Record		193	174	132	186	105
Reported Rate		82.00%	55.72%	36.74%	54.26%	26.52%
Lower 95% Confidence Interval		78.16%	50.79%	31.96%	49.32%	22.13%
Upper 95% Confidence Interval		85.83%	60.64%	41.52%	59.20%	30.91%



# Effectiveness of Care

Medica

## Breast Cancer Screening

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

Data Elements	Commercial	Medicare + Choice
Data Collection Methodology	A	
Sampling Method Used		
Eligible Member Population	19289	
Numerator Events by Admin Data on Eligible Population		
Current Year's Admin Rate	NR	NR
Minimum Required Sample Size		
Oversampling Rate		
Final Sample Size (FSS)		
Numerator events by admin data in FSS		
Admin Rate on FSS	NR	NR
Records Excluded because of Valid Data Errors		
Records Excluded because of contraindications through Admin data	0	
Records Excluded because of contraindications through Medical Record Review		
Number of employee/dependent medical records excluded		
Records Added from Auxiliary List		
Denominator	19289	
Numerator Events by Admin Data	14836	
Numerator Events by Medical Record		
Reported Rate	76.91%	NR
Lower 95% Confidence Interval	76.32%	NR
Upper 95% Confidence Interval	77.51%	NR

# Effectiveness of Care

Medica

## Cervical Cancer Screening

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

Data Elements	Commercial	PMAP	MNCare	GAMC
Data Collection Methodology	A	HO	HO	HO
Sampling Method Used		S	S	S
Eligible Member Population	60002	8505	5948	1195
Numerator Events by Admin Data on Eligible Population (before exclusions)		5726	3995	591
Current Year's Admin Rate	76.29%	67.33%	67.17%	49.46%
Minimum Required Sample Size		411	411	411
Oversampling Rate		10.00%	10.00%	10.00%
Final Sample Size (FSS)		453	453	453
Numerator events by admin data in FSS		303	316	239
Admin Rate on FSS	NR	90.73%	90.73%	90.73%
Records Excluded because of Valid Data Errors		0	0	0
Records Excluded because of contraindications through Admin data	0	0	0	0
Records Excluded because of contraindications through Medical Record Review		0	0	0
Number of employee/dependent medical records excluded		0	0	0
Records Added from Auxiliary List		2	10	13
Denominator	60002	411	411	411
Numerator Events by Admin Data	45777	275	291	223
Numerator Events by Medical Record		47	35	42
Reported Rate	76.29%	78.35%	79.32%	64.48%
Lower 95% Confidence Interval	75.95%	74.24%	75.28%	59.73%
Upper 95% Confidence Interval	76.63%	82.45%	83.36%	69.23%

# Effectiveness of Care

# Medica

## Chlamydia Screening in Women

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

Data Elements	Commercial				PMAP			
	General Measure Data	Ages 16-20	Ages 21-26	Total	General Measure Data	Ages 16-20	Ages 21-26	Total
Data Collection Methodology	A				A			
Eligible Member Population		3952	8312	12264		1499	2516	4015
Current Year's Admin Rate		18.27%	15.93%	16.68%		36.56%	31.24%	33.23%
Records Excluded because of contraindications through Admin data		0	0	0		0	0	0
Denominator		3952	8312	12264		1499	2516	4015
Numerator Events by Admin Data		722	1324	2046		548	786	1334
Reported Rate		18.27%	15.93%	16.68%		36.56%	31.24%	33.23%
Lower 95% Confidence Interval		17.05%	15.14%	16.02%		34.09%	29.41%	31.76%
Upper 95% Confidence Interval		19.49%	16.72%	17.35%		39.03%	33.07%	34.69%

Data Elements	GAMC				MNCare			
	General Measure Data	Ages 16-20	Ages 21-26	Total	General Measure Data	Ages 16-20	Ages 21-26	Total
Data Collection Methodology	A				A			
Eligible Member Population		2	101	103		478	809	1287
Current Year's Admin Rate		50.00%	30.69%	31.07%		31.38%	24.97%	27.35%
Records Excluded because of contraindications through Admin data		0	0	0		0	0	0
Denominator		2	101	103		478	809	1287
Numerator Events by Admin Data		1	31	32		150	202	352
Reported Rate		NA	30.69%	31.07%		31.38%	24.97%	27.35%
Lower 95% Confidence Interval		NA	21.20%	21.65%		27.12%	21.92%	24.88%
Upper 95% Confidence Interval		NA	40.18%	40.49%		35.65%	28.01%	29.82%

# Effectiveness of Care

Medica

## Controlling High Blood Pressure

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

Data Elements	Commercial	PMAP	Medicare + Choice	MSHO
Data Collection Methodology (Hybrid)	HO	HO		HO
Sampling Method Used	S	S		S
Eligible Member Population	9895	2213		171
Minimum Required Sample Size	411	411		171
Oversampling Rate	20.00%	20.00%		0.00%
Final Sample Size (FSS)	493	493		171
Records Excluded because of Valid Data Errors	0	0		0
Records Excluded - False positive diagnosis	0	0		8
Records Excluded because of ESRD identified by Admin Data	0	0		0
Records Excluded because of ESRD identified by Medical Record	0	0		8
Number of employee/dependent medical records excluded	0	0		0
Records Added from Auxiliary List	20	13		0
Denominator	411	411		155
Numerator Events by Medical Record	198	206		64
Reported Rate	48.18%	50.12%	NR	41.29%
Lower 95% Confidence Interval	43.22%	45.17%	NR	33.22%
Upper 95% Confidence Interval	53.13%	55.08%	NR	49.36%

# Effectiveness of Care

Medica

## Beta Blocker Treatment after Heart Attack

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

Data Elements	Medicare + Choice
Data Collection Methodology	
Sampling Method Used	
Eligible Member Population	
Numerator Events by Admin Data on Eligible Population	
Current Year's Admin Rate	NR
Minimum Required Sample Size	
Oversampling Rate	
Final Sample Size (FSS)	
Numerator events by admin data in FSS	
Admin rate on FSS	NR
Records Excluded because of Valid Data Errors	
Records Excluded - Contraindications/Admin Data	
Records Excluded - Contraindications/Medical Record Review	
Number of employee/dependent medical records excluded	
Records Added from Auxiliary List	
Denominator	
Numerator Events by Admin Data	
Numerator Events by Medical Record	
Reported Rate	NR
Lower 95% Confidence Interval	NR
Upper 95% Confidence Interval	NR

# Effectiveness of Care

# Medica

## Cholesterol Management After Acute Cardiovascular Events

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

Data Elements	Medicare + Choice		
	General Measure Data	LDL-C screening 60-365 Days	LDL-C Level of <130 mg/dL 60-365 Days
Data Collection Methodology			
Sampling Method Used			
Eligible Member Population			
Numerator Events by Admin Data on Eligible Population			
Current Year's Admin Rate		NR	NR
Minimum Required Sample Size			
Oversampling Rate			
Final Sample Size (FSS)			
Numerator events by admin data in FSS			
Admin rate on FSS		NR	NR
Records Excluded because of Valid Data Errors			
Number of employee/dependent medical records excluded			
Records Added from Auxiliary List			
Denominator			
Numerator Events by Admin Data			
Numerator Events by Medical Record			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

# Effectiveness of Care

Medica

## Comprehensive Diabetes Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	8233						
Numerator events by admin data in eligible population		5702	8233	4210	5798	0	3684
Current Year's Administrative Rate		69.26%	100.00%	51.14%	70.42%	0.00%	44.75%
Minimum Required Sample Size	411						
Oversampling Rate	10.00%						
Final Sample Size (FSS)	451						
Numerator events by admin data in FSS		310	0	228	324	0	209
Admin rate on FSS		68.74%	0.00%	50.55%	71.84%	0.00%	46.34%
Number of Records Excluded Because of Valid Data Errors	0						
Number of employee/dependent records excluded	0						
Additional Records Added from the Auxiliary List	5						
Denominator	411						
Numerator Events by Admin Data		284	0	205	292	0	190
Numerator Events by Medical Record		48	154	6	35	208	5
Reported Rate		80.78%	37.47%	51.34%	79.56%	50.61%	47.45%
Lower 95% Confidence Interval		76.85%	32.67%	46.38%	75.54%	45.65%	42.50%
Upper 95% Confidence Interval		84.71%	42.27%	56.29%	83.58%	55.56%	52.39%

# Effectiveness of Care

Medica

## Comprehensive Diabetes Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Medicare + Choice

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology							
Sampling Method Used							
Eligible Member Population							
Numerator events by admin data in eligible population							
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR
Minimum Required Sample Size							
Oversampling Rate							
Final Sample Size (FSS)							
Numerator events by admin data in FSS							
Admin rate on FSS		NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors							
Number of employee/dependent records excluded							
Additional Records Added from the Auxiliary List							
Denominator							
Numerator Events by Admin Data							
Numerator Events by Medical Record							
Reported Rate		NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR	NR



# Effectiveness of Care

Medica

## Comprehensive Diabetes Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### MSHO

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	138						
Numerator events by admin data in eligible population		36	138	88	49	16	70
Current Year's Administrative Rate		26.09%	100.00%	63.77%	35.51%	11.59%	50.72%
Minimum Required Sample Size	137						
Oversampling Rate	0.00%						
Final Sample Size (FSS)	137						
Numerator events by admin data in FSS		36	0	86	40	0	54
Admin rate on FSS		26.28%	0.00%	62.77%	29.20%	0.00%	39.42%
Number of Records Excluded Because of Valid Data Errors	0						
Number of employee/dependent records excluded	0						
Additional Records Added from the Auxiliary List	0						
Denominator	137						
Numerator Events by Admin Data		36	0	86	40	0	54
Numerator Events by Medical Record		33	75	1	28	44	16
Reported Rate		50.36%	54.74%	63.50%	49.64%	32.12%	51.09%
Lower 95% Confidence Interval		41.63%	46.04%	55.08%	40.90%	23.93%	42.36%
Upper 95% Confidence Interval		59.10%	63.44%	71.93%	58.37%	40.30%	59.83%

# Effectiveness of Care

Medica

## Comprehensive Diabetes Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### PMAP

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	1317						
Numerator events by admin data in eligible population		548	1317	718	485	0	418
Current Year's Administrative Rate		41.61%	100.00%	54.52%	36.83%	0.00%	31.74%
Minimum Required Sample Size	411						
Oversampling Rate	10.00%						
Final Sample Size (FSS)	453						
Numerator events by admin data in FSS		193	0	259	172	0	146
Admin rate on FSS		42.60%	0.00%	57.17%	37.97%	0.00%	32.23%
Number of Records Excluded Because of Valid Data Errors	0						
Number of employee/dependent records excluded	0						
Additional Records Added from the Auxiliary List	6						
Denominator	411						
Numerator Events by Admin Data		178	0	238	159	0	133
Numerator Events by Medical Record		137	156	10	101	181	25
Reported Rate		76.64%	37.96%	60.34%	63.26%	44.04%	38.44%
Lower 95% Confidence Interval		72.43%	33.14%	55.49%	58.48%	39.12%	33.62%
Upper 95% Confidence Interval		80.85%	42.77%	65.19%	68.04%	48.96%	43.27%

# Effectiveness of Care

Medica

## Comprehensive Diabetes Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### GAMC

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	242						
Numerator events by admin data in eligible population		147	242	129	141	0	90
Current Year's Administrative Rate		60.74%	100.00%	53.31%	58.26%	0.00%	37.19%
Minimum Required Sample Size	411						
Oversampling Rate	10.00%						
Final Sample Size (FSS)	238						
Numerator events by admin data in FSS		145	0	126	140	0	90
Admin rate on FSS		60.92%	0.00%	52.94%	58.82%	0.00%	37.82%
Number of Records Excluded Because of Valid Data Errors	0						
Number of employee/dependent records excluded	0						
Additional Records Added from the Auxiliary List	0						
Denominator	238						
Numerator Events by Admin Data		145	0	126	140	0	90
Numerator Events by Medical Record		36	95	5	27	93	25
Reported Rate		76.05%	39.92%	55.04%	70.17%	39.08%	48.32%
Lower 95% Confidence Interval		70.42%	33.48%	48.51%	64.15%	32.67%	41.76%
Upper 95% Confidence Interval		81.68%	46.35%	61.57%	76.19%	45.48%	54.88%

# Effectiveness of Care

Medica

## Comprehensive Diabetes Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### MinnesotaCare

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	553						
Numerator events by admin data in eligible population		391	553	282	364	0	222
Current Year's Administrative Rate		70.71%	100.00%	50.99%	65.82%	0.00%	40.14%
Minimum Required Sample Size	411						
Oversampling Rate	10.00%						
Final Sample Size (FSS)	453						
Numerator events by admin data in FSS		321	0	226	304	0	180
Admin rate on FSS		70.86%	0.00%	49.89%	67.11%	0.00%	39.74%
Number of Records Excluded Because of Valid Data Errors	0						
Number of employee/dependent records excluded	0						
Additional Records Added from the Auxiliary List	12						
Denominator	411						
Numerator Events by Admin Data		302	0	204	280	0	170
Numerator Events by Medical Record		52	134	12	42	196	50
Reported Rate		86.13%	32.60%	52.55%	78.35%	47.69%	53.53%
Lower 95% Confidence Interval		82.67%	27.95%	47.61%	74.24%	42.74%	48.58%
Upper 95% Confidence Interval		89.59%	37.26%	57.50%	82.45%	52.64%	58.47%

# Effectiveness of Care

# Medica

## Appropriate Medications for People with Asthma

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Data Elements	General Measure Data	Ages 5-9	Ages 10-17	Ages 18-56	Total
Data Collection Methodology	A				
Eligible Member Population		513	807	3397	4717
Numerator Events by Admin Data		389	568	2493	3450
Reported Rate		75.83%	70.38%	73.39%	73.14%
Lower 95% Confidence Interval		72.03%	67.17%	71.89%	71.86%
Upper 95% Confidence Interval		79.63%	73.60%	74.89%	74.42%

# Effectiveness of Care

# Medica

## Appropriate Medications for People with Asthma

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### PMAP

Data Elements	General Measure Data	Ages 5-9	Ages 10-17	Ages 18-56	Total
Data Collection Methodology	A				
Eligible Member Population		261	357	354	972
Numerator Events by Admin Data		151	222	205	578
Reported Rate		57.85%	62.18%	57.91%	59.47%
Lower 95% Confidence Interval		51.67%	57.01%	52.63%	56.33%
Upper 95% Confidence Interval		64.04%	67.36%	63.19%	62.60%

# Effectiveness of Care

Medica

## Appropriate Medications for People with Asthma

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### GAMC

Data Elements	General Measure Data	Ages 5-9	Ages 10-17	Ages 18-56	Total
Data Collection Methodology	A				
Eligible Member Population		0	0	73	73
Numerator Events by Admin Data		0	0	55	55
Reported Rate		NA	NA	75.34%	75.34%
Lower 95% Confidence Interval		NA	NA	64.77%	64.77%
Upper 95% Confidence Interval		NA	NA	85.91%	85.91%

# Effectiveness of Care

Medica

## Appropriate Medications for People with Asthma

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### MNCare

Data Elements	General Measure Data	Ages 5-9	Ages 10-17	Ages 18-56	Total
Data Collection Methodology	A				
Eligible Member Population		57	103	195	355
Numerator Events by Admin Data		39	64	125	228
Reported Rate		68.42%	62.14%	64.10%	64.23%
Lower 95% Confidence Interval		55.48%	52.28%	57.11%	59.10%
Upper 95% Confidence Interval		81.37%	71.99%	71.09%	69.35%



# Effectiveness of Care

Medica

## Follow-Up After Hospitalization for Mental Illness

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

Data Elements	Commercial			Medicare + Choice			MSHO		
	General Measure Data	W/in 7 Days of Discharge	W/in 30 Days of Discharge	General Measure Data	W/in 7 Days of Discharge	W/in 30 Days of Discharge	General Measure Data	W/in 7 Days of Discharge	W/in 30 Days of Discharge
Data Collection Methodology	A						A		
Eligible Member Population	814						14		
Numerator Events by Admin Data		372	607					9	10
Reported Rate		45.70%	74.57%		NR	NR		NA	NA
Lower 95% Confidence Interval		42.22%	71.52%		NR	NR		NA	NA
Upper 95% Confidence Interval		49.18%	77.62%		NR	NR		NA	NA

# Effectiveness of Care

Medica

## Antidepressant Medication Management

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	1836			
Numerator Events by Admin Data		271	1249	963
Reported Rate		14.76%	68.03%	52.45%
Lower 95% Confidence Interval		13.11%	65.87%	50.14%
Upper 95% Confidence Interval		16.41%	70.19%	54.76%

# Effectiveness of Care

Medica

## Antidepressant Medication Management

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Medicare + Choice

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology				
Eligible Member Population				
Numerator Events by Admin Data				
Reported Rate		NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR

# Effectiveness of Care

Medica

## Antidepressant Medication Management

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

MSHO

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	24			
Numerator Events by Admin Data		0	18	17
Reported Rate		NA	NA	NA
Lower 95% Confidence Interval		NA	NA	NA
Upper 95% Confidence Interval		NA	NA	NA

# Effectiveness of Care

Medica

## Antidepressant Medication Management

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

PMAP

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	492			
Numerator Events by Admin Data		60	255	165
Reported Rate		12.20%	51.83%	33.54%
Lower 95% Confidence Interval		9.20%	47.31%	29.26%
Upper 95% Confidence Interval		15.19%	56.35%	37.81%

# Effectiveness of Care

Medica

## Antidepressant Medication Management

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### GAMC

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	71			
Numerator Events by Admin Data		16	37	31
Reported Rate		22.54%	52.11%	43.66%
Lower 95% Confidence Interval		12.11%	39.79%	31.42%
Upper 95% Confidence Interval		32.96%	64.44%	55.90%

# Effectiveness of Care

Medica

## Antidepressant Medication Management

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

MNCare

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	180			
Numerator Events by Admin Data		26	110	78
Reported Rate		14.44%	61.11%	43.33%
Lower 95% Confidence Interval		9.03%	53.71%	35.82%
Upper 95% Confidence Interval		19.86%	68.51%	50.85%

# Use of Services

Medica

## Well Child Visits in the First 15 Months of Life

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### PMAP

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Data Collection Methodology	A							
Sampling Method Used								
Eligible Member Population	3482							
Numerator events by admin data in eligible population								
Current Year's Administrative Rate		4.19%	4.22%	5.89%	9.76%	17.17%	26.68%	32.08%
Minimum Required Sample Size								
Oversampling Rate								
Final sample size (FSS)								
Numerator events by admin data in FSS								
Administrative rate on FSS		NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors								
Number of employee/dependent medical records excluded								
Additional Records Added from the Auxiliary List								
Denominator	3482							
Numerator Events by Admin Data		146	147	205	340	598	929	1117
Numerator Events by Medical Record								
Reported Rate		4.19%	4.22%	5.89%	9.76%	17.17%	26.68%	32.08%
Lower 95% Confidence Interval		3.51%	3.54%	5.09%	8.76%	15.91%	25.20%	30.51%
Upper 95% Confidence Interval		4.87%	4.90%	6.68%	10.76%	18.44%	28.16%	33.64%



# Use of Services

# Medica

## Well Child Visits in the First 15 Months of Life

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### MinnesotaCare

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Data Collection Methodology	A							
Sampling Method Used								
Eligible Member Population	289							
Numerator events by admin data in eligible population								
Current Year's Administrative Rate		3.46%	4.15%	3.46%	9.34%	13.15%	23.88%	42.56%
Minimum Required Sample Size								
Oversampling Rate								
Final sample size (FSS)								
Numerator events by admin data in FSS								
Administrative rate on FSS		NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors								
Number of employee/dependent medical records excluded								
Additional Records Added from the Auxiliary List								
Denominator	289							
Numerator Events by Admin Data		10	12	10	27	38	69	123
Numerator Events by Medical Record								
Reported Rate		3.46%	4.15%	3.46%	9.34%	13.15%	23.88%	42.56%
Lower 95% Confidence Interval		1.18%	1.68%	1.18%	5.81%	9.08%	18.79%	36.69%
Upper 95% Confidence Interval		5.74%	6.63%	5.74%	12.87%	17.22%	28.96%	48.43%

# Use of Services

## Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

Data Elements	PMAP	MNCare
Data Collection Methodology	A	A
Sampling Method Used		
Eligible Member Population	7413	1721
Numerator events by admin data in eligible population		
Current Year's Admin Rate	56.10%	56.77%
Minimum Required Sample Size		
Oversampling Rate		
Final sample size (FSS)		
Numerator events by admin data in FSS		
Administrative rate on FSS	NR	NR
Records Excluded because of Valid Data Errors		
Number of employee/dependent medical records excluded		
Records Added from Auxiliary List		
Denominator	7413	1721
Numerator Events by Admin Data	4159	977
Numerator Events by Medical Record		
Reported Rate	56.10%	56.77%
Lower 95% Confidence Interval	54.97%	54.40%
Upper 95% Confidence Interval	57.24%	59.14%

# Use of Services

Medica

## Adolescent Well-Care Visits

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

Data Elements	PMAP	MNCare
Data Collection Methodology	A	A
Sampling Method Used		
Eligible Member Population	10341	3917
Numerator events by admin data in eligible population		
Current Year's Admin Rate	31.62%	30.10%
Minimum Required Sample Size		
Oversampling Rate		
Final sample size (FSS)		
Numerator events by admin data in FSS		
Administrative rate on FSS	NR	NR
Records Excluded because of Valid Data Errors		
Number of employee/dependent medical records excluded		
Records Added from Auxiliary List		
Denominator	10341	3917
Numerator Events by Admin Data	3270	1179
Numerator Events by Medical Record		
Reported Rate	31.62%	30.10%
Lower 95% Confidence Interval	30.72%	28.65%
Upper 95% Confidence Interval	32.52%	31.55%

# Use of Services

# Medica

## Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Age	Member Months
<1	64509
1-9	606521
10-19	681961
20-44	2019147
45-64	1160487
65-74	47033
75-84	8323
85+	1194
Unknown	0
<b>Total</b>	<b>4589175</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	983	15.24	9207	142.72	9.37
1-9	904	1.49	3085	5.09	3.41
10-19	1118	1.64	4379	6.42	3.92
20-44	10989	5.44	32913	16.30	3.00
45-64	7423	6.40	29240	25.20	3.94
65-74	610	12.97	2596	55.20	4.26
75-84	166	19.94	821	98.64	4.95
85+	27	22.61	112	93.80	4.15
Unknown	0		0		NA
<b>Total</b>	<b>22220</b>	<b>4.84</b>	<b>82353</b>	<b>17.95</b>	<b>3.71</b>
<b>Medicine</b>					
<1	502	7.78	3279	50.83	6.53
1-9	660	1.09	1925	3.17	2.92
10-19	507	0.74	1828	2.68	3.61
20-44	2167	1.07	7170	3.55	3.31
45-64	3398	2.93	13020	11.22	3.83
65-74	298	6.34	1106	23.52	3.71
75-84	106	12.74	481	57.79	4.54
85+	25	20.94	103	86.26	4.12
Unknown	0		0		NA
<b>Total</b>	<b>7663</b>	<b>1.67</b>	<b>28912</b>	<b>6.30</b>	<b>3.77</b>
<b>Surgery</b>					
<1	92	1.43	1353	20.97	14.71
1-9	229	0.38	1084	1.79	4.73
10-19	402	0.59	1823	2.67	4.53
20-44	2720	1.35	9035	4.47	3.32
45-64	3954	3.41	15863	13.67	4.01
65-74	306	6.51	1465	31.15	4.79
75-84	57	6.85	326	39.17	5.72
85+	2	1.68	9	7.54	4.50
Unknown	0		0		NA
<b>Total</b>	<b>7762</b>	<b>1.69</b>	<b>30958</b>	<b>6.75</b>	<b>3.99</b>
<b>Maternity</b>					
<1	0	0.00	0	0.00	NA
1-9	1	0.00	6	0.01	6.00
10-19	196	0.29	582	0.85	2.97
20-44	5989	2.97	16309	8.08	2.72
45-64	11	0.01	33	0.03	3.00
65+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>6197</b>	<b>1.35</b>	<b>16930</b>	<b>3.69</b>	<b>2.73</b>

# Use of Services

Medica

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

## Medicare + Choice

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
<b>Total</b>	<b>NR</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>
<b>Medicine</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>
<b>Surgery</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>

# Use of Services

Medica

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

## Minnesota Senior Health Options

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	0
65-74	5262
75-84	9400
85+	14309
Unknown	0
<b>Total</b>	<b>28971</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	NA	0	NA	NA
65-74	196	37.25	944	179.40	4.82
75-84	232	24.68	1324	140.85	5.71
85+	213	14.89	978	68.35	4.59
Unknown	0		0		NA
<b>Total</b>	<b>641</b>	<b>22.13</b>	<b>3246</b>	<b>112.04</b>	<b>5.06</b>
<b>Medicine</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	NA	0	NA	NA
65-74	143	27.18	617	117.26	4.31
75-84	161	17.13	919	97.77	5.71
85+	155	10.83	684	47.80	4.41
Unknown	0		0		NA
<b>Total</b>	<b>459</b>	<b>15.84</b>	<b>2220</b>	<b>76.63</b>	<b>4.84</b>
<b>Surgery</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	NA	0	NA	NA
65-74	46	8.74	300	57.01	6.52
75-84	66	7.02	391	41.60	5.92
85+	51	3.56	276	19.29	5.41
Unknown	0		0		NA
<b>Total</b>	<b>163</b>	<b>5.63</b>	<b>967</b>	<b>33.38</b>	<b>5.93</b>

# Use of Services

# Medica

## Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### PMAP

Age	Member Months
<1	60943
1-9	315496
10-19	216891
20-44	207941
45-64	17265
65-74	42334
75-84	40597
85+	32856
Unknown	0
<b>Total</b>	<b>934323</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	993	16.29	6734	110.50	6.78
1-9	805	2.55	2688	8.52	3.34
10-19	1201	5.54	3750	17.29	3.12
20-44	5273	25.36	14558	70.01	2.76
45-64	214	12.40	857	49.64	4.00
65-74	1127	26.62	5605	132.40	4.97
75-84	1264	31.14	6337	156.10	5.01
85+	948	28.85	4691	142.77	4.95
Unknown	0		0		NA
<b>Total</b>	<b>11825</b>	<b>12.66</b>	<b>45220</b>	<b>48.40</b>	<b>3.82</b>
<b>Medicine</b>					
<1	679	11.14	2969	48.72	4.37
1-9	681	2.16	2029	6.43	2.98
10-19	270	1.24	880	4.06	3.26
20-44	660	3.17	1975	9.50	2.99
45-64	116	6.72	408	23.63	3.52
65-74	815	19.25	3600	85.04	4.42
75-84	997	24.56	4569	112.55	4.58
85+	796	24.23	3700	112.61	4.65
Unknown	0		0		NA
<b>Total</b>	<b>5014</b>	<b>5.37</b>	<b>20130</b>	<b>21.55</b>	<b>4.01</b>
<b>Surgery</b>					
<1	95	1.56	513	8.42	5.40
1-9	118	0.37	625	1.98	5.30
10-19	142	0.65	784	3.61	5.52
20-44	509	2.45	1538	7.40	3.02
45-64	90	5.21	417	24.15	4.63
65-74	305	7.20	1975	46.65	6.48
75-84	258	6.36	1740	42.86	6.74
85+	149	4.53	953	29.01	6.40
Unknown	0		0		NA
<b>Total</b>	<b>1666</b>	<b>1.78</b>	<b>8545</b>	<b>9.15</b>	<b>5.13</b>
<b>Maternity</b>					
<1	0	0.00	0	0.00	NA
1-9	0	0.00	0	0.00	NA
10-19	759	3.50	2007	9.25	2.64
20-44	3961	19.05	10607	51.01	2.68
45-64	7	0.41	29	1.68	4.14
65+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>4727</b>	<b>5.06</b>	<b>12643</b>	<b>13.53</b>	<b>2.67</b>

# Use of Services

Medica

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

GAMC

Age	Member Months
<1	26
1-9	1766
10-19	1217
20-44	42384
45-64	27696
65-74	324
75-84	59
85+	2
Unknown	0
<b>Total</b>	<b>73474</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	0	0.00	0	0.00	NA
1-9	2	1.13	4	2.27	2.00
10-19	3	2.47	6	4.93	2.00
20-44	638	15.05	2269	53.53	3.56
45-64	554	20.00	2585	93.33	4.67
65-74	3	9.26	11	33.95	3.67
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>1200</b>	<b>16.33</b>	<b>4875</b>	<b>66.35</b>	<b>4.06</b>
<b>Medicine</b>					
<1	0	0.00	0	0.00	NA
1-9	2	1.13	4	2.27	2.00
10-19	0	0.00	0	0.00	NA
20-44	424	10.00	1428	33.69	3.37
45-64	338	12.20	1519	54.85	4.49
65-74	2	6.17	6	18.52	3.00
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>766</b>	<b>10.43</b>	<b>2957</b>	<b>40.25</b>	<b>3.86</b>
<b>Surgery</b>					
<1	0	0.00	0	0.00	NA
1-9	0	0.00	0	0.00	NA
10-19	1	0.82	2	1.64	2.00
20-44	186	4.39	729	17.20	3.92
45-64	210	7.58	1046	37.77	4.98
65-74	1	3.09	5	15.43	5.00
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>398</b>	<b>5.42</b>	<b>1782</b>	<b>24.25</b>	<b>4.48</b>
<b>Maternity</b>					
<1	0	0.00	0	0.00	NA
1-9	0	0.00	0	0.00	NA
10-19	2	1.64	4	3.29	2.00
20-44	16	0.38	76	1.79	4.75
45-64	0	0.00	0	0.00	NA
65+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>18</b>	<b>0.24</b>	<b>80</b>	<b>1.09</b>	<b>4.44</b>



# Use of Services

# Medica

## Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### MinnesotaCare

Age	Member Months
<1	5522
1-9	69222
10-19	74226
20-44	131221
45-64	53626
65-74	493
75-84	44
85+	0
Unknown	0
<b>Total</b>	<b>334354</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	79	14.31	714	129.30	9.04
1-9	117	1.69	294	4.25	2.51
10-19	206	2.78	654	8.81	3.17
20-44	1039	7.92	2929	22.32	2.82
45-64	561	10.46	2299	42.87	4.10
65-74	2	4.06	7	14.20	3.50
75-84	3	68.18	22	500.00	7.33
85+	0	NA	0	NA	NA
Unknown	0		0		NA
<b>Total</b>	<b>2007</b>	<b>6.00</b>	<b>6919</b>	<b>20.69</b>	<b>3.45</b>
<b>Medicine</b>					
<1	49	8.87	168	30.42	3.43
1-9	88	1.27	218	3.15	2.48
10-19	86	1.16	245	3.30	2.85
20-44	263	2.00	864	6.58	3.29
45-64	305	5.69	1196	22.30	3.92
65-74	1	2.03	5	10.14	5.00
75-84	2	45.45	10	227.27	5.00
85+	0	NA	0	NA	NA
Unknown	0		0		NA
<b>Total</b>	<b>794</b>	<b>2.37</b>	<b>2706</b>	<b>8.09</b>	<b>3.41</b>
<b>Surgery</b>					
<1	9	1.63	67	12.13	7.44
1-9	29	0.42	76	1.10	2.62
10-19	48	0.65	185	2.49	3.85
20-44	295	2.25	881	6.71	2.99
45-64	249	4.64	1073	20.01	4.31
65-74	1	2.03	2	4.06	2.00
75-84	1	22.73	12	272.73	12.00
85+	0	NA	0	NA	NA
Unknown	0		0		NA
<b>Total</b>	<b>632</b>	<b>1.89</b>	<b>2296</b>	<b>6.87</b>	<b>3.63</b>
<b>Maternity</b>					
<1	0	0.00	0	0.00	NA
1-9	0	0.00	0	0.00	NA
10-19	69	0.93	214	2.88	3.10
20-44	464	3.54	1130	8.61	2.44
45-64	2	0.04	8	0.15	4.00
65+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>535</b>	<b>1.60</b>	<b>1352</b>	<b>4.04</b>	<b>2.53</b>

# Use of Services

# Medica

## Ambulatory Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Age	Member Months
<1	64509
1-9	606521
10-19	681961
20-44	2019147
45-64	1160487
65-74	47033
75-84	8323
85+	1194
Unknown	0
<b>Total</b>	<b>4589175</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1	58771	911.05	2168	33.61	508	7.87	37	0.57
1-9	188818	311.31	9867	16.27	3159	5.21	109	0.18
10-19	147094	215.69	8332	12.22	2216	3.25	160	0.23
20-44	484059	239.73	24507	12.14	15218	7.54	1743	0.86
45-64	374125	322.39	11809	10.18	19334	16.66	288	0.25
65-74	20393	433.59	728	15.48	1368	29.09	16	0.34
75-84	4408	529.62	169	20.31	279	33.52	8	0.96
85+	547	458.12	31	25.96	25	20.94	0	0.00
Unknown	0		0		0		0	
<b>Total</b>	<b>1278215</b>	<b>278.53</b>	<b>57611</b>	<b>12.55</b>	<b>42107</b>	<b>9.18</b>	<b>2361</b>	<b>0.51</b>

# Use of Services

## Ambulatory Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Medicare + Choice

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
<b>Total</b>	<b>NR</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1		NR		NR		NR		NR
1-9		NR		NR		NR		NR
10-19		NR		NR		NR		NR
20-44		NR		NR		NR		NR
45-64		NR		NR		NR		NR
65-74		NR		NR		NR		NR
75-84		NR		NR		NR		NR
85+		NR		NR		NR		NR
Unknown								
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>

# Use of Services

# Medica

## Ambulatory Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Senior Health Options

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	0
65-74	5262
75-84	9400
85+	14309
Unknown	0
<b>Total</b>	<b>28971</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1	0	NA	0	NA	0	NA	0	NA
1-9	0	NA	0	NA	0	NA	0	NA
10-19	0	NA	0	NA	0	NA	0	NA
20-44	0	NA	0	NA	0	NA	0	NA
45-64	0	NA	0	NA	0	NA	0	NA
65-74	3547	674.08	148	28.13	168	31.93	4	0.76
75-84	6830	726.60	181	19.26	142	15.11	6	0.64
85+	10176	711.16	184	12.86	114	7.97	5	0.35
Unknown	0		0		0		0	
<b>Total</b>	<b>20553</b>	<b>709.43</b>	<b>513</b>	<b>17.71</b>	<b>424</b>	<b>14.64</b>	<b>15</b>	<b>0.52</b>

# Use of Services

# Medica

## Inpatient Utilization - Nonacute Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Age	Member Months
<1	64509
1-9	606521
10-19	681961
20-44	2019147
45-64	1160487
65-74	47033
75-84	8323
85+	1194
Unknown	0
<b>Total</b>	<b>4589175</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1	0	0.00	0	0.00	NA
1-9	1	0.00	32	0.05	32.00
10-19	6	0.01	114	0.17	19.00
20-44	38	0.02	1090	0.54	28.68
45-64	89	0.08	1682	1.45	18.90
65-74	9	0.19	168	3.57	18.67
75-84	6	0.72	224	26.91	37.33
85+	2	1.68	49	41.04	24.50
Unknown	0		0		NA
<b>Total</b>	<b>151</b>	<b>0.03</b>	<b>3359</b>	<b>0.73</b>	<b>22.25</b>

# Use of Services

# Medica

## Inpatient Utilization - Nonacute Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Medicare + Choice

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
<b>Total</b>	<b>NR</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>

# Use of Services

# Medica

## Inpatient Utilization - Nonacute Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Senior Health Options

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	0
65-74	5262
75-84	9400
85+	14309
Unknown	0
<b>Total</b>	<b>28971</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	NA	0	NA	NA
65-74	4	0.76	22	4.18	5.50
75-84	5	0.53	30	3.19	6.00
85+	12	0.84	56	3.91	4.67
Unknown	0		0		NA
<b>Total</b>	<b>21</b>	<b>0.72</b>	<b>108</b>	<b>3.73</b>	<b>5.14</b>

# Use of Services

# Medica

## Mental Health Utilization - Inpatient Discharges and Average Length of Stay, by Age and Sex

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Age	Member Months		
	Male	Female	Total
0-12	436063	416965	853028
13-17	160926	155846	316772
18-64	1494772	1555222	3049994
65+	24889	21950	46839
Unknown	0	0	0
<b>Total</b>	<b>2116650</b>	<b>2149983</b>	<b>4266633</b>

Age		Discharges	Discharges / 1,000 Member Months	Days*	Average Length of Stay
0-12	M	52	0.12	1369	26.33
	F	25	0.06	879	35.16
	<b>Total</b>	<b>77</b>	<b>0.09</b>	<b>2248</b>	<b>29.19</b>
13-17	M	93	0.58	1721	18.51
	F	169	1.08	1590	9.41
	<b>Total</b>	<b>262</b>	<b>0.83</b>	<b>3311</b>	<b>12.64</b>
18-64	M	310	0.21	2005	6.47
	F	510	0.33	3517	6.90
	<b>Total</b>	<b>820</b>	<b>0.27</b>	<b>5522</b>	<b>6.73</b>
65+	M	2	0.08	5	2.50
	F	8	0.36	124	15.50
	<b>Total</b>	<b>10</b>	<b>0.21</b>	<b>129</b>	<b>12.90</b>
Unknown	M	0		0	NA
	F	0		0	NA
	<b>Total</b>	<b>0</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	M	457	0.22	5100	11.16
	F	712	0.33	6110	8.58
	<b>TOTAL</b>	<b>1169</b>	<b>0.27</b>	<b>11210</b>	<b>9.59</b>

\* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table



# Use of Services

# Medica

## Mental Health Utilization - Inpatient Discharges and Average Length of Stay, by Age and Sex

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Medicare + Choice

Age	Member Months		
	Male	Female	Total
0-12			NR
13-17			NR
18-64			NR
65+			NR
Unknown			NR
<b>Total</b>	NR	NR	NR

Age		Discharges	Discharges / 1,000 Member Months	Days*	Average Length of Stay
0-12	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
13-17	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
18-64	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
65+	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
Unknown	M				NR
	F				NR
	<b>Total</b>	NR		NR	NR
<b>Total</b>	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	<b>TOTAL</b>	NR	NR	NR	NR

\* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

# Use of Services

# Medica

## Mental Health Utilization - Inpatient Discharges and Average Length of Stay, by Age and Sex

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Senior Health Options

Age	Member Months		
	Male	Female	Total
0-12	0	0	0
13-17	0	0	0
18-64	0	0	0
65+	4902	20395	25297
Unknown	0	0	0
<b>Total</b>	<b>4902</b>	<b>20395</b>	<b>25297</b>

Age		Discharges	Discharges / 1,000 Member Months	Days*	Average Length of Stay
0-12	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-64	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
65+	M	5	1.02	36	7.20
	F	28	1.37	242	8.64
	<b>Total</b>	<b>33</b>	<b>1.30</b>	<b>278</b>	<b>8.42</b>
Unknown	M	0		0	NA
	F	0		0	NA
	<b>Total</b>	<b>0</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	M	5	1.02	36	7.20
	F	28	1.37	242	8.64
	<b>TOTAL</b>	<b>33</b>	<b>1.30</b>	<b>278</b>	<b>8.42</b>

\* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

# Use of Services

# Medica

## Mental Health Utilization -- Percent of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	436063	416965	853028	436063	416965	853028	436063	416965	853028	436063	416965	853028
13-17	160926	155846	316772	160926	155846	316772	160926	155846	316772	160926	155846	316772
18-64	1494772	1555222	3049994	1494772	1555222	3049994	1494772	1555222	3049994	1494772	1555222	3049994
65+	24889	21950	46839	24889	21950	46839	24889	21950	46839	24889	21950	46839
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>2116650</b>	<b>2149983</b>	<b>4266633</b>	<b>2116650</b>	<b>2149983</b>	<b>4266633</b>	<b>2116650</b>	<b>2149983</b>	<b>4266633</b>	<b>2116650</b>	<b>2149983</b>	<b>4266633</b>

Age	Any Mental Health Services			Inpatient Mental Health Services			Day/Night Mental Health Services			Ambulatory Mental Health Services		
	Sex	Number	Percent		Number	Percent		Number	Percent		Number	Percent
0-12	M	1868	5.14%		33	0.09%		1	0.00%		1860	5.12%
	F	1145	3.30%		20	0.06%		0	0.00%		1136	3.27%
	<b>Total</b>	<b>3013</b>	<b>4.24%</b>		<b>53</b>	<b>0.07%</b>		<b>1</b>	<b>0.00%</b>		<b>2996</b>	<b>4.21%</b>
13-17	M	1415	10.55%		59	0.44%		2	0.01%		1402	10.45%
	F	1627	12.53%		127	0.98%		7	0.05%		1599	12.31%
	<b>Total</b>	<b>3042</b>	<b>11.52%</b>		<b>186</b>	<b>0.70%</b>		<b>9</b>	<b>0.03%</b>		<b>3001</b>	<b>11.37%</b>
18-64	M	7325	5.88%		267	0.21%		5	0.00%		7239	5.81%
	F	13869	10.70%		398	0.31%		10	0.01%		13786	10.64%
	<b>Total</b>	<b>21194</b>	<b>8.34%</b>		<b>665</b>	<b>0.26%</b>		<b>15</b>	<b>0.01%</b>		<b>21025</b>	<b>8.27%</b>
65+	M	38	1.83%		2	0.10%		0	0.00%		36	1.74%
	F	50	2.73%		5	0.27%		0	0.00%		47	2.57%
	<b>Total</b>	<b>88</b>	<b>2.25%</b>		<b>7</b>	<b>0.18%</b>		<b>0</b>	<b>0.00%</b>		<b>83</b>	<b>2.13%</b>
Unknown	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	M	10646	6.04%		361	0.20%		8	0.00%		10537	5.97%
	F	16691	9.32%		550	0.31%		17	0.01%		16568	9.25%
	<b>Total</b>	<b>27337</b>	<b>7.69%</b>		<b>911</b>	<b>0.26%</b>		<b>25</b>	<b>0.01%</b>		<b>27105</b>	<b>7.62%</b>

# Use of Services

# Medica

## Mental Health Utilization -- Percent of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Medicare + Choice

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Any Mental Health Services			Inpatient Mental Health Services			Day/Night Mental Health Services			Ambulatory Mental Health Services		
	Sex	Number	Percent		Number	Percent		Number	Percent		Number	Percent
0-12	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
13-17	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
18-64	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
65+	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
Unknown	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
<b>Total</b>	M	NR	NR		NR	NR		NR	NR		NR	NR
	F	NR	NR		NR	NR		NR	NR		NR	NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR

# Use of Services

# Medica

## Mental Health Utilization -- Percent of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Senior Health Options

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	0	0	0	0	0	0	0	0	0	0	0	0
65+	4902	20395	25297	4902	20395	25297	4902	20395	25297	4902	20395	25297
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>4902</b>	<b>20395</b>	<b>25297</b>	<b>4902</b>	<b>20395</b>	<b>25297</b>	<b>4902</b>	<b>20395</b>	<b>25297</b>	<b>4902</b>	<b>20395</b>	<b>25297</b>

Age	Any Mental Health Services			Inpatient Mental Health Services			Day/Night Mental Health Services			Ambulatory Mental Health Services		
	Sex	Number	Percent		Number	Percent		Number	Percent		Number	Percent
0-12	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
13-17	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
18-64	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
65+	M	16	3.92%		5	1.22%		0	0.00%		14	3.43%
	F	76	4.47%		20	1.18%		0	0.00%		62	3.65%
	<b>Total</b>	<b>92</b>	<b>4.36%</b>		<b>25</b>	<b>1.19%</b>		<b>0</b>	<b>0.00%</b>		<b>76</b>	<b>3.61%</b>
Unknown	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>16</b>	<b>3.92%</b>		<b>5</b>	<b>1.22%</b>		<b>0</b>	<b>0.00%</b>		<b>14</b>	<b>3.43%</b>
	<b>F</b>	<b>76</b>	<b>4.47%</b>		<b>20</b>	<b>1.18%</b>		<b>0</b>	<b>0.00%</b>		<b>62</b>	<b>3.65%</b>
	<b>Total</b>	<b>92</b>	<b>4.36%</b>		<b>25</b>	<b>1.19%</b>		<b>0</b>	<b>0.00%</b>		<b>76</b>	<b>3.61%</b>

# Use of Services

# Medica

## Chemical Dependency Utilization - Inpatient Discharges and Average Length of Stay

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Age	Member Months		
	Male	Female	Total
0-12	436063	416965	853028
13-17	160926	155846	316772
18-64	1494772	1555222	3049994
65+	24889	21950	46839
Unknown	0	0	0
<b>Total</b>	<b>2116650</b>	<b>2149983</b>	<b>4266633</b>

Age		Discharges	Discharges / 1,000 Member Months	Days	Average Length of Stay
0-12	M	0	0.00	0	NA
	F	0	0.00	0	NA
	<b>Total</b>	<b>0</b>	<b>0.00</b>	<b>0</b>	<b>NA</b>
13-17	M	43	0.27	637	14.81
	F	34	0.22	618	18.18
	<b>Total</b>	<b>77</b>	<b>0.24</b>	<b>1255</b>	<b>16.30</b>
18-64	M	339	0.23	2050	6.05
	F	192	0.12	1249	6.51
	<b>Total</b>	<b>531</b>	<b>0.17</b>	<b>3299</b>	<b>6.21</b>
65+	M	2	0.08	6	3.00
	F	2	0.09	21	10.50
	<b>Total</b>	<b>4</b>	<b>0.09</b>	<b>27</b>	<b>6.75</b>
Unknown	M	0		0	NA
	F	0		0	NA
	<b>Total</b>	<b>0</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	M	384	0.18	2693	7.01
	F	228	0.11	1888	8.28
	<b>TOTAL</b>	<b>612</b>	<b>0.14</b>	<b>4581</b>	<b>7.49</b>

\* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

# Use of Services

# Medica

## Chemical Dependency Utilization - Inpatient Discharges and Average Length of Stay

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Medicare + Choice

Age	Member Months		
	Male	Female	Total
0-12			NR
13-17			NR
18-64			NR
65+			NR
Unknown			NR
<b>Total</b>	NR	NR	NR

Age		Discharges	Discharges / 1,000 Member Months	Days	Average Length of Stay
0-12	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
13-17	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
18-64	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
65+	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
Unknown	M				NR
	F				NR
	<b>Total</b>	NR		NR	NR
<b>Total</b>	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	<b>TOTAL</b>	NR	NR	NR	NR

\* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

# Use of Services

# Medica

## Chemical Dependency Utilization - Inpatient Discharges and Average Length of Stay

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Senior Health Options

Age	Member Months		
	Male	Female	Total
0-12	0	0	0
13-17	0	0	0
18-64	0	0	0
65+	4902	20395	25297
Unknown	0	0	0
<b>Total</b>	<b>4902</b>	<b>20395</b>	<b>25297</b>

Age		Discharges	Discharges / 1,000 Member Months	Days	Average Length of Stay
0-12	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-64	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
65+	M	0	0.00	0	NA
	F	2	0.10	10	5.00
	<b>Total</b>	<b>2</b>	<b>0.08</b>	<b>10</b>	<b>5.00</b>
Unknown	M	0		0	NA
	F	0		0	NA
	<b>Total</b>	<b>0</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	M	0	0.00	0	NA
	F	2	0.10	10	5.00
	<b>TOTAL</b>	<b>2</b>	<b>0.08</b>	<b>10</b>	<b>5.00</b>

\* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table



# Use of Services

# Medica

## Chemical Dependency Utilization -- Percent of members Receiving inpatient, Day/Night Care, and Ambulatory Services

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	436063	416965	853028	436063	416965	853028	436063	416965	853028	436063	416965	853028
13-17	160926	155846	316772	160926	155846	316772	160926	155846	316772	160926	155846	316772
18-64	1494772	1555222	3049994	1494772	1555222	3049994	1494772	1555222	3049994	1494772	1555222	3049994
65+	24889	21950	46839	24889	21950	46839	24889	21950	46839	24889	21950	46839
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>2116650</b>	<b>2149983</b>	<b>4266633</b>	<b>2116650</b>	<b>2149983</b>	<b>4266633</b>	<b>2116650</b>	<b>2149983</b>	<b>4266633</b>	<b>2116650</b>	<b>2149983</b>	<b>4266633</b>

Age	Any Chemical Dependency Services			Inpatient Chemical Dependency Services			Day/Night Chemical Dependency Services			Ambulatory Chemical Dependency Services		
	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent
0-12	M	1	0.00%		0	0.00%		0	0.00%		1	0.00%
	F	0	0.00%		0	0.00%		0	0.00%		0	0.00%
	<b>Total</b>	<b>1</b>	<b>0.00%</b>		<b>0</b>	<b>0.00%</b>		<b>0</b>	<b>0.00%</b>		<b>1</b>	<b>0.00%</b>
13-17	M	109	0.81%		33	0.25%		1	0.01%		81	0.60%
	F	68	0.52%		28	0.22%		1	0.01%		44	0.34%
	<b>Total</b>	<b>177</b>	<b>0.67%</b>		<b>61</b>	<b>0.23%</b>		<b>2</b>	<b>0.01%</b>		<b>125</b>	<b>0.47%</b>
18-64	M	853	0.68%		269	0.22%		0	0.00%		632	0.51%
	F	349	0.27%		148	0.11%		0	0.00%		222	0.17%
	<b>Total</b>	<b>1202</b>	<b>0.47%</b>		<b>417</b>	<b>0.16%</b>		<b>0</b>	<b>0.00%</b>		<b>854</b>	<b>0.34%</b>
65+	M	4	0.19%		2	0.10%		0	0.00%		2	0.10%
	F	3	0.16%		2	0.11%		0	0.00%		1	0.05%
	<b>Total</b>	<b>7</b>	<b>0.18%</b>		<b>4</b>	<b>0.10%</b>		<b>0</b>	<b>0.00%</b>		<b>3</b>	<b>0.08%</b>
Unknown	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>967</b>	<b>0.55%</b>		<b>304</b>	<b>0.17%</b>		<b>1</b>	<b>0.00%</b>		<b>716</b>	<b>0.41%</b>
	<b>F</b>	<b>420</b>	<b>0.23%</b>		<b>178</b>	<b>0.10%</b>		<b>1</b>	<b>0.00%</b>		<b>267</b>	<b>0.15%</b>
	<b>Total</b>	<b>1387</b>	<b>0.39%</b>		<b>482</b>	<b>0.14%</b>		<b>2</b>	<b>0.00%</b>		<b>983</b>	<b>0.28%</b>

# Use of Services

# Medica

Chemical Dependency Utilization --  
Percent of members Receiving inpatient, Day/Night Care, and Ambulatory Services

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

## Medicare + Choice

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Any Chemical Dependency Services			Inpatient Chemical Dependency Services			Day/Night Chemical Dependency Services			Ambulatory Chemical Dependency Services		
	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent
0-12	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
13-17	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
18-64	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
65+	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
Unknown	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
<b>Total</b>	M	NR	NR		NR	NR		NR	NR		NR	NR
	F	NR	NR		NR	NR		NR	NR		NR	NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR

# Use of Services

# Medica

## Chemical Dependency Utilization -- Percent of members Receiving inpatient, Day/Night Care, and Ambulatory Services

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Senior Health Options

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	0	0	0	0	0	0	0	0	0	0	0	0
65+	4902	20395	25297	4902	20395	25297	4902	20395	25297	4902	20395	25297
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>4902</b>	<b>20395</b>	<b>25297</b>	<b>4902</b>	<b>20395</b>	<b>25297</b>	<b>4902</b>	<b>20395</b>	<b>25297</b>	<b>4902</b>	<b>20395</b>	<b>25297</b>

Age	Any Chemical Dependency Services			Inpatient Chemical Dependency Services			Day/Night Chemical Dependency Services			Ambulatory Chemical Dependency Services		
	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent
0-12	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
13-17	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
18-64	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
65+	M	0	0.00%		0	0.00%		0	0.00%		0	0.00%
	F	3	0.18%		2	0.12%		0	0.00%		1	0.06%
	<b>Total</b>	<b>3</b>	<b>0.14%</b>		<b>2</b>	<b>0.09%</b>		<b>0</b>	<b>0.00%</b>		<b>1</b>	<b>0.05%</b>
Unknown	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	M	0	0.00%		0	0.00%		0	0.00%		0	0.00%
	F	3	0.18%		2	0.12%		0	0.00%		1	0.06%
	<b>Total</b>	<b>3</b>	<b>0.14%</b>		<b>2</b>	<b>0.09%</b>		<b>0</b>	<b>0.00%</b>		<b>1</b>	<b>0.05%</b>

# Use of Services

## Outpatient Drug Utilization

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Medicare + Choice

Age	Member Months
0-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
<b>Total</b>	NR

Specification Documentation:  
Prescription is defined as (Enter "A"  
or "B"):

Age	Total Cost of Prescriptions	Avg. Cost of Prescriptions / Per Member Per Month	Total Number of Prescriptions	Avg. Num. Of Prescriptions / Per Member Per Year
0-9		NR		NR
10-19		NR		NR
20-44		NR		NR
45-64		NR		NR
65-74		NR		NR
75-84		NR		NR
85+		NR		NR
Unknown				
<b>Total</b>	NR	NR	NR	NR

# Use of Services

Medica

## Outpatient Drug Utilization

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Senior Health Options

Age	Member Months
0-9	0
10-19	0
20-44	0
45-64	0
65-74	5262
75-84	9400
85+	14309
Unknown	0
<b>Total</b>	<b>28971</b>

Specification Documentation: Prescription is defined as (Enter "A" or "B"):	A
---	---

Age	Total Cost of Prescriptions	Avg. Cost of Prescriptions / Per Member Per Month	Total Number of Prescriptions	Avg. Num. Of Prescriptions / Per Member Per Year
0-9	\$0.00	NA	0	NA
10-19	\$0.00	NA	0	NA
20-44	\$0.00	NA	0	NA
45-64	\$0.00	NA	0	NA
65-74	\$1,600,938.00	\$304.25	37928	86.49
75-84	\$2,494,262.00	\$265.35	73086	93.30
85+	\$2,946,386.00	\$205.91	104422	87.57
Unknown	\$0.00		0	
<b>Total</b>	<b>\$7,041,586.00</b>	<b>\$243.06</b>	<b>215436</b>	<b>89.24</b>

# Access/Availability of Care

Medica

## Adult's Access to Preventive/Ambulatory Health Services

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		62946	53532	3045
Numerator events by administrative data		60042	51668	2937
Reported rate		95.39%	96.52%	96.45%
Lower 95% confidence interval		95.22%	96.36%	95.78%
Upper 95% confidence interval		95.55%	96.67%	97.13%

# Access/Availability of Care

Medica

## Adult's Access to Preventive/Ambulatory Health Services

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Medicare + Choice

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)				
Eligible member population (i.e. members who meet all denominator criteria)				
Numerator events by administrative data				
Reported rate		NR	NR	NR
Lower 95% confidence interval		NR	NR	NR
Upper 95% confidence interval		NR	NR	NR

# Access/Availability of Care

Medica

## Adult's Access to Preventive/Ambulatory Health Services

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Senior Health Options

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		0	0	2105
Numerator events by administrative data		0	0	2044
Reported rate		NA	NA	97.10%
Lower 95% confidence interval		NA	NA	96.36%
Upper 95% confidence interval		NA	NA	97.84%



# Access/Availability of Care

Medica

## Adult's Access to Preventive/Ambulatory Health Services

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

PMAP

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		9755	989	8061
Numerator events by administrative data		8587	868	7620
Reported rate		88.03%	87.77%	94.53%
Lower 95% confidence interval		87.38%	85.67%	94.03%
Upper 95% confidence interval		88.68%	89.86%	95.03%

# Access/Availability of Care

Medica

## Adult's Access to Preventive/Ambulatory Health Services

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

GAMC

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		1113	1283	21
Numerator events by administrative data		943	1133	19
Reported rate		84.73%	88.31%	NA
Lower 95% confidence interval		82.57%	86.51%	NA
Upper 95% confidence interval		86.88%	90.11%	NA

# Access/Availability of Care

Medica

## Adult's Access to Preventive/Ambulatory Health Services

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Care

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		6550	3305	31
Numerator events by administrative data		5569	2894	26
Reported rate		85.02%	87.56%	83.87%
Lower 95% confidence interval		84.15%	86.42%	69.31%
Upper 95% confidence interval		85.89%	88.70%	98.43%

# Access/Availability of Care

Medica

## Children's Access to Primary Care Practitioners

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		4598	21234	16978
Numerator events by administrative data		4511	18896	15012
Reported rate		98.11%	88.99%	88.42%
Lower 95% confidence interval		97.70%	88.57%	87.94%
Upper 95% confidence interval		98.51%	89.41%	88.90%

# Access/Availability of Care

Medica

## Children's Access to Primary Care Practitioners

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

PMAP

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		4515	9790	5469
Numerator events by administrative data		4305	8312	4529
Reported rate		95.35%	84.90%	82.81%
Lower 95% confidence interval		94.72%	84.19%	81.80%
Upper 95% confidence interval		95.97%	85.62%	83.82%

# Access/Availability of Care

Medica

## Children's Access to Primary Care Practitioners

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Care

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		360	2085	1549
Numerator events by administrative data		350	1847	1389
Reported rate		97.22%	88.59%	89.67%
Lower 95% confidence interval		95.39%	87.20%	88.12%
Upper 95% confidence interval		99.06%	89.97%	91.22%

# Access/Availability of Care

Medica

## Prenatal and Postpartum Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

	General Measure Data	Timeliness of Prenatal Care	Postpartum Care
Data collection methodology (Administrative or Hybrid)	HO		
Sampling method used (see User's Guide for entry descriptions)	S		
Eligible member population (i.e. members who meet all denominator criteria)	5290		
Number of numerator events by administrative data in eligible population (before exclusions)		3915	3332
Current year's administrative rate (before exclusions)		74.01%	62.99%
Minimum required sample size (MRSS) or other sample size	411		
Oversampling rate	5%		
Final sample size (FSS)	432		
Number of numerator events by administrative data in FSS		327	277
Administrative rate on FSS		75.69%	64.12%
Number of original sample records excluded because of valid data errors	0		
Number of employee/dependent medical records excluded	0		
Additional records added from the auxiliary list	6		
Denominator	411		
Numerator events by administrative data		316	265
Numerator events by medical record		50	59
Reported rate		89.05%	78.83%
Lower 95% confidence interval		85.91%	74.76%
Upper 95% confidence interval		92.19%	82.90%

# Access/Availability of Care

Medica

## Prenatal and Postpartum Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### PMAP

	General Measure Data	Timeliness of Prenatal Care	Postpartum Care
Data collection methodology (Administrative or Hybrid)	HO		
Sampling method used (see User's Guide for entry descriptions)	S		
Eligible member population (i.e. members who meet all denominator criteria)	3769		
Number of numerator events by administrative data in eligible population (before exclusions)		1736	1922
Current year's administrative rate (before exclusions)		46.06%	50.99%
Minimum required sample size (MRSS) or other sample size	411		
Oversampling rate	5%		
Final sample size (FSS)	429		
Number of numerator events by administrative data in FSS		190	217
Administrative rate on FSS		44.29%	50.58%
Number of original sample records excluded because of valid data errors	0		
Number of employee/dependent medical records excluded	0		
Additional records added from the auxiliary list	4		
Denominator	411		
Numerator events by administrative data		185	209
Numerator events by medical record		147	43
Reported rate		80.78%	61.31%
Lower 95% confidence interval		76.85%	56.48%
Upper 95% confidence interval		84.71%	66.14%



# Access/Availability of Care

Medica

## Prenatal and Postpartum Care

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Care

	General Measure Data	Timeliness of Prenatal Care	Postpartum Care
Data collection methodology (Administrative or Hybrid)	HO		
Sampling method used (see User's Guide for entry descriptions)	S		
Eligible member population (i.e. members who meet all denominator criteria)	434		
Number of numerator events by administrative data in eligible population (before exclusions)		271	215
Current year's administrative rate (before exclusions)		62.44%	49.54%
Minimum required sample size (MRSS) or other sample size	411		
Oversampling rate	5%		
Final sample size (FSS)	432		
Number of numerator events by administrative data in FSS		270	215
Administrative rate on FSS		62.50%	49.77%
Number of original sample records excluded because of valid data errors	0		
Number of employee/dependent medical records excluded	0		
Additional records added from the auxiliary list	4		
Denominator	411		
Numerator events by administrative data		261	208
Numerator events by medical record		70	67
Reported rate		80.54%	66.91%
Lower 95% confidence interval		76.59%	62.24%
Upper 95% confidence interval		84.48%	71.58%



### Medicare + Choice

Practitioner Types	Number of Practitioners as of 12/31/2001	Number of Practitioners who were not affiliated with the plan as of 12/31/2002	Practitioner Turnover Rate
Primary Care Physicians			NR
Non-Physician Primary Care Practitioners			NR

### Minnesota Senior Health Options

Practitioner Types	Number of Practitioners as of 12/31/2001	Number of Practitioners who were not affiliated with the plan as of 12/31/2002	Practitioner Turnover Rate
Primary Care Physicians	1296	49	3.78%
Non-Physician Primary Care Practitioners	222	11	4.95%

# Health Plan Stability

# Medica

Years in Business / Total Membership

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

## Medicare + Choice

Product/Product Line	Years in Business	Members*
<b>HMO (Total)</b>	NR	NR
Medicaid		
Commercial		
Medicare (cost or risk)		
Self-insured		
Other (specify)		
<b>PPO (Total)</b>	NR	NR
Commercial		
Medicare (cost or risk)		
Self-insured		
Other (specify)		
<b>POS (Total)</b>	NR	NR
Commercial		
Medicare (cost or risk)		
Self-insured		
Other (specify)		
<b>Total</b>		NR

\* Total number of members in each category as of December 31, 2002

# Health Plan Stability

# Medica

Years in Business / Total Membership

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

## Minnesota Senior Health Options

Product/Product Line	Years in Business	Members*
<b>HMO (Total)</b>	<b>28.00</b>	<b>184660</b>
Medicaid	28.00	119471
Commercial	28.00	62794
Medicare (cost or risk)	3.00	2395
Self-insured	0.00	0
Other (specify)	0.00	0
<b>PPO (Total)</b>	<b>0.00</b>	<b>0</b>
Commercial	0.00	0
Medicare (cost or risk)	0.00	0
Self-insured	0.00	0
Other (specify)	0.00	0
<b>POS (Total)</b>	<b>28.00</b>	<b>583810</b>
Commercial	28.00	374712
Medicare (cost or risk)	3.00	20475
Self-insured	28.00	188623
Other (specify)	0.00	0
<b>Total</b>		<b>768470</b>

\* Total number of members in each category as of December 31, 2002

# Health Plan Descriptive Information

Medica

## Board Certification / Residency Completion

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Senior Health Options

Type of Practitioner	Number of Practitioners in Each Practice Area	Board Certification		Residency / Fellowship Completion	
		Number	Percent	Number	Percent
Primary Care Practitioners	1818	1470	80.86%	1512	83.17%
Geriatricians	103	94	91.26%	94	91.26%
Other practitioner Specialists	942	806	85.56%	830	88.11%

# Health Plan Descriptive Information

Medica

## Total Enrollment by Percentage

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

Age/Sex		Product Line				Total
		Medicaid	Commercial	Medicare	Other	
<1	M	39.32%	60.68%	0.00%	0.00%	100.00%
	F	39.29%	60.71%	0.00%	0.00%	100.00%
1-4	M	31.59%	68.41%	0.00%	0.00%	100.00%
	F	31.83%	68.17%	0.00%	0.00%	100.00%
5-9	M	24.60%	75.40%	0.00%	0.00%	100.00%
	F	24.67%	75.32%	0.00%	0.01%	100.00%
10-14	M	21.74%	78.25%	0.00%	0.01%	100.00%
	F	22.29%	77.69%	0.00%	0.02%	100.00%
15-17	M	18.39%	81.58%	0.00%	0.03%	100.00%
	F	18.80%	81.16%	0.00%	0.04%	100.00%
18-19	M	14.86%	85.13%	0.00%	0.01%	100.00%
	F	21.46%	78.51%	0.00%	0.03%	100.00%
Subtotal: 0-19	M	24.58%	75.41%	0.00%	0.01%	100.00%
	F	25.27%	74.72%	0.00%	0.01%	100.00%
	Total	24.92%	75.07%	0.00%	0.01%	100.00%
20-24	M	10.09%	89.89%	0.00%	0.02%	100.00%
	F	23.64%	76.36%	0.00%	0.00%	100.00%
25-29	M	7.39%	92.60%	0.00%	0.01%	100.00%
	F	17.96%	82.04%	0.00%	0.00%	100.00%
30-34	M	6.46%	93.54%	0.00%	0.00%	100.00%
	F	13.32%	86.67%	0.01%	0.00%	100.00%
35-39	M	5.95%	94.02%	0.01%	0.02%	100.00%
	F	10.20%	89.79%	0.01%	0.00%	100.00%
40-44	M	5.50%	94.45%	0.02%	0.03%	100.00%
	F	7.89%	92.05%	0.03%	0.03%	100.00%
Subtotal: 20-44	M	6.83%	93.14%	0.01%	0.02%	100.00%
	F	14.05%	85.93%	0.01%	0.01%	100.00%
	Total	10.75%	89.23%	0.01%	0.01%	100.00%
45-49	M	4.95%	94.94%	0.05%	0.06%	100.00%
	F	6.05%	93.86%	0.05%	0.04%	100.00%
50-54	M	4.19%	95.60%	0.09%	0.12%	100.00%
	F	4.72%	95.07%	0.11%	0.10%	100.00%
55-59	M	3.93%	95.63%	0.17%	0.27%	100.00%
	F	4.72%	94.84%	0.21%	0.23%	100.00%
60-64	M	4.33%	94.54%	0.51%	0.62%	100.00%
	F	6.69%	92.11%	0.65%	0.55%	100.00%
Subtotal: 45-64	M	4.43%	95.22%	0.15%	0.20%	100.00%
	F	5.46%	94.20%	0.18%	0.16%	100.00%
	Total	4.98%	94.68%	0.17%	0.17%	100.00%
65-69	M	13.58%	54.45%	17.33%	14.64%	100.00%
	F	21.23%	41.99%	20.12%	16.66%	100.00%
70-74	M	18.36%	28.24%	24.91%	28.49%	100.00%
	F	26.69%	17.46%	27.83%	28.02%	100.00%
75-79	M	14.94%	10.71%	50.38%	23.97%	100.00%
	F	21.01%	5.48%	52.12%	21.39%	100.00%
80-84	M	11.88%	4.95%	61.94%	21.23%	100.00%
	F	18.81%	2.59%	60.40%	18.20%	100.00%
85-89	M	14.27%	2.74%	62.59%	20.40%	100.00%
	F	22.24%	1.26%	59.82%	16.68%	100.00%
>=90	M	23.77%	1.75%	59.38%	15.10%	100.00%
	F	29.12%	0.50%	59.88%	10.50%	100.00%
Subtotal: >=65	M	15.07%	23.68%	40.24%	21.01%	100.00%
	F	22.64%	11.44%	47.15%	18.77%	100.00%
	Total	19.95%	15.79%	44.69%	19.57%	100.00%
Age Unknown		0.00%	0.00%	0.00%	0.00%	0.00%
Total		14.74%	81.05%	2.91%	1.30%	100.00%

Note: Row entries should add up to 100%.



# Health Plan Descriptive Information

Medica

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Commercial

	Member Months		
	Male	Female	Total
<1	32760	31752	64512
1-4	137244	130512	267756
5-9	172764	165996	338760
10-14	181668	171756	353424
15-17	104292	103332	207624
18-19	61236	59688	120924
<b>0-19 Subtotal</b>	<b>689964</b>	<b>663036</b>	<b>1353000</b>
<b>0-19 Subtotal: %</b>	<b>30.32%</b>	<b>28.66%</b>	<b>29.48%</b>
20-24	156120	160116	316236
25-29	170592	181140	351732
30-34	206976	212688	419664
35-39	226200	228180	454380
40-44	235788	241356	477144
<b>20-44 Subtotal</b>	<b>995676</b>	<b>1023480</b>	<b>2019156</b>
<b>20-44 Subtotal: %</b>	<b>43.75%</b>	<b>44.24%</b>	<b>44.00%</b>
45-49	204312	211740	416052
50-54	163644	178860	342504
55-59	117408	130308	247716
60-64	74664	79560	154224
<b>45-64 Subtotal</b>	<b>560028</b>	<b>600468</b>	<b>1160496</b>
<b>45-64 Subtotal: %</b>	<b>24.61%</b>	<b>25.95%</b>	<b>25.29%</b>
65-69	18480	15768	34248
70-74	6720	6072	12792
75-79	3012	2688	5700
80-84	1260	1380	2640
85-89	408	552	960
>=90	120	120	240
<b>&gt;=65 Subtotal</b>	<b>30000</b>	<b>26580</b>	<b>56580</b>
<b>&gt;=65 Subtotal: %</b>	<b>1.32%</b>	<b>1.15%</b>	<b>1.23%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>2275668</b>	<b>2313564</b>	<b>4589232</b>

# Health Plan Descriptive Information

Medica

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Medicare + Choice

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown			NR
Total	NR	NR	NR

# Health Plan Descriptive Information

Medica

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Senior Health Options

	Member Months		
	Male	Female	Total
<1	0	0	0
1-4	0	0	0
5-9	0	0	0
10-14	0	0	0
15-17	0	0	0
18-19	0	0	0
<b>0-19 Subtotal</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>0-19 Subtotal: %</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>
20-24	0	0	0
25-29	0	0	0
30-34	0	0	0
35-39	0	0	0
40-44	0	0	0
<b>20-44 Subtotal</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>20-44 Subtotal: %</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>
45-49	0	0	0
50-54	0	0	0
55-59	0	0	0
60-64	0	0	0
<b>45-64 Subtotal</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>45-64 Subtotal: %</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>
65-69	684	1476	2160
70-74	1008	2100	3108
75-79	1056	3096	4152
80-84	1188	4056	5244
85-89	900	4704	5604
<b>&gt;=90</b>	<b>684</b>	<b>8028</b>	<b>8712</b>
<b>&gt;=65 Subtotal</b>	<b>5520</b>	<b>23460</b>	<b>28980</b>
<b>&gt;=65 Subtotal: %</b>	<b>100.00%</b>	<b>100.00%</b>	<b>100.00%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>5520</b>	<b>23460</b>	<b>28980</b>

# Health Plan Descriptive Information

Medica

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### PMAP

	Member Months		
	Male	Female	Total
<1	31071	29872	60943
1-4	87130	86093	173223
5-9	71601	70672	142273
10-14	62851	63751	126602
15-17	28535	30214	58749
18-19	10878	20662	31540
<b>0-19 Subtotal</b>	<b>292066</b>	<b>301264</b>	<b>593330</b>
<b>0-19 Subtotal: %</b>	<b>80.13%</b>	<b>52.87%</b>	<b>63.50%</b>
20-24	8606	54957	63563
25-29	7099	44183	51282
30-34	7606	33492	41098
35-39	6881	23868	30749
40-44	5600	15649	21249
<b>20-44 Subtotal</b>	<b>35792</b>	<b>172149</b>	<b>207941</b>
<b>20-44 Subtotal: %</b>	<b>9.82%</b>	<b>30.21%</b>	<b>22.26%</b>
45-49	3058	7269	10327
50-54	1423	2906	4329
55-59	720	973	1693
60-64	418	498	916
<b>45-64 Subtotal</b>	<b>5619</b>	<b>11646</b>	<b>17265</b>
<b>45-64 Subtotal: %</b>	<b>1.54%</b>	<b>2.04%</b>	<b>1.85%</b>
65-69	7421	13008	20429
70-74	7375	14530	21905
75-79	6276	15303	21579
80-84	4404	14614	19018
85-89	3045	13498	16543
>=90	2514	13799	16313
<b>&gt;=65 Subtotal</b>	<b>31035</b>	<b>84752</b>	<b>115787</b>
<b>&gt;=65 Subtotal: %</b>	<b>8.51%</b>	<b>14.87%</b>	<b>12.39%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>364512</b>	<b>569811</b>	<b>934323</b>

# Health Plan Descriptive Information

Medica

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### GAMC

	Member Months		
	Male	Female	Total
<1	6	20	26
1-4	280	245	525
5-9	652	589	1241
10-14	406	370	776
15-17	171	183	354
18-19	39	48	87
<b>0-19 Subtotal</b>	<b>1554</b>	<b>1455</b>	<b>3009</b>
<b>0-19 Subtotal: %</b>	<b>3.80%</b>	<b>4.46%</b>	<b>4.10%</b>
20-24	5472	4308	9780
25-29	4121	2968	7089
30-34	4282	2528	6810
35-39	5493	2941	8434
40-44	6201	4070	10271
<b>20-44 Subtotal</b>	<b>25569</b>	<b>16815</b>	<b>42384</b>
<b>20-44 Subtotal: %</b>	<b>62.59%</b>	<b>51.55%</b>	<b>57.69%</b>
45-49	5568	4424	9992
50-54	3852	3697	7549
55-59	2582	3155	5737
60-64	1643	2775	4418
<b>45-64 Subtotal</b>	<b>13645</b>	<b>14051</b>	<b>27696</b>
<b>45-64 Subtotal: %</b>	<b>33.40%</b>	<b>43.07%</b>	<b>37.69%</b>
65-69	56	221	277
70-74	12	35	47
75-79	8	17	25
80-84	10	24	34
85-89	0	2	2
>=90	0	0	0
<b>&gt;=65 Subtotal</b>	<b>86</b>	<b>299</b>	<b>385</b>
<b>&gt;=65 Subtotal: %</b>	<b>0.21%</b>	<b>0.92%</b>	<b>0.52%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>40854</b>	<b>32620</b>	<b>73474</b>

# Health Plan Descriptive Information

Medica

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Sep 23, 2003 1:41 PM

### Minnesota Care

	Member Months		
	Male	Female	Total
<1	2876	2646	5522
1-4	14633	13659	28292
5-9	21120	19810	40930
10-14	20553	19772	40325
15-17	10757	10086	20843
18-19	6282	6776	13058
<b>0-19 Subtotal</b>	<b>76221</b>	<b>72749</b>	<b>148970</b>
<b>0-19 Subtotal: %</b>	<b>51.52%</b>	<b>39.03%</b>	<b>44.55%</b>
20-24	11396	19618	31014
25-29	8703	15383	24086
30-34	9860	16590	26450
35-39	9804	15630	25434
40-44	9793	14444	24237
<b>20-44 Subtotal</b>	<b>49556</b>	<b>81665</b>	<b>131221</b>
<b>20-44 Subtotal: %</b>	<b>33.50%</b>	<b>43.81%</b>	<b>39.25%</b>
45-49	8153	11014	19167
50-54	6046	8160	14206
55-59	4300	6488	10788
60-64	3406	6059	9465
<b>45-64 Subtotal</b>	<b>21905</b>	<b>31721</b>	<b>53626</b>
<b>45-64 Subtotal: %</b>	<b>14.81%</b>	<b>17.02%</b>	<b>16.04%</b>
65-69	195	177	372
70-74	44	77	121
75-79	23	11	34
80-84	0	10	10
85-89	0	0	0
>=90	0	0	0
<b>&gt;=65 Subtotal</b>	<b>262</b>	<b>275</b>	<b>537</b>
<b>&gt;=65 Subtotal: %</b>	<b>0.18%</b>	<b>0.15%</b>	<b>0.16%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>147944</b>	<b>186410</b>	<b>334354</b>