

Plan Name	Metropolitan Health Plan
-----------	---------------------------------

Plan ID	7
---------	---

Reporting Year	2002
----------------	-------------

Submission #	1
--------------	----------

Last Refreshed:	9/23/2003 1:42:32 PM
-----------------	----------------------

General Info	Title	Page
	Disclaimers	2

Effectiveness of Care Measures	Measure	Page
	Childhood Immunization Rate	3
	Adolescent Immunization Rate	6
	Breast Cancer Screening	9
	Cervical Cancer Screening	10
	Chlamydia Screening in Women	11
	Controlling High Blood Pressure	12
	Beta Blocker Treatment after a Heart Attack	13
	Cholesterol Management	14
	Comprehensive Diabetes Care	15
	Appropriate Medications for People with Asthma	21
	Follow-up After Hospitalization For Mental Illness	25
	Antidepressant Medication Management	26

Access / Availability of Care	Measure	Page
	Adults' Access to Preventive/Ambulatory Health Services	62
	Children's Access to Primary Care Practitioners	68
	Prenatal and Postpartum Care	71
	Availability of Language Interpretation Services	74

Health Plan Stability	Measure	Page
	Practitioner Turnover	75
	Years in Business / Total Membership	77

Use of Services Measures	Measure	Page
	Well-Child Visits In The First 15 Months of Life	32
	Well-Child Visits In The Third, Fourth, Fifth And Sixth Year of Life	34
	Adolescent Well-Care Visits	35
	Inpatient Utilization - General Hospital/Acute Care	36
	Ambulatory Care	42
	Inpatient Utilization - Nonacute Care	45
	Mental Health Utilization - Inpatient Discharges and Average Length of Stay	48
	Mental Health Utilization - Percentage of Members Receiving Inpatient and Ambulatory Services	51
	Chemical Dependency Utilization - Inpatient Discharges and Average Length of Stay	54
	Chemical Dependency Utilization - Percentage of Members Receiving Inpatient and Ambulatory Services	57
	Outpatient Drug Utilization	60

Health Plan Descriptive Information	Measure	Page
	Board Certification / Residency Completion	79
	Total Enrollment by Percentage	80
	Enrollment by Product Line (Age & Sex)	81

(this page left blank intentionally)

Commercial

Data Elements	General Measure Data	DTaP/DT	IPV/OPV	MMR	HiB	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology									
Sampling Method Used									
Eligible Member Population									
Numerator events by admin data in eligible population									
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size									
Oversampling Rate									
Final Sample Size (FSS)									
Numerator events by admin data in FSS									
Admin rate on FSS		NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors									
Number of Records Excluded because of Contraindications by Admin Data									
Number of Records Excluded because of Contraindications by Medical Record Review									
Number of employee/dependent records excluded									
Additional Records Added from the Auxiliary List									
Denominator									
Numerator Events by Admin Data									
Numerator Events by Medical Record									
Reported Rate		NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR	NR	NR	NR

Effectiveness of Care

Metropolitan Health Plan

Childhood Immunization Rate

Data Last Refreshed:
Sep 23, 2003 1:42 PM

PMAP

Data Elements	General Measure Data	DTaP/DT	IPV/OPV	MMR	HiB	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO								
Sampling Method Used	S								
Eligible Member Population	1004								
Numerator events by admin data in eligible population		410	481	785	541	508	709	257	230
Current Year's Administrative Rate		40.84%	47.91%	78.19%	53.88%	50.60%	70.62%	25.60%	22.91%
Minimum Required Sample Size	411								
Oversampling Rate	10.00%								
Final Sample Size (FSS)	453								
Numerator events by admin data in FSS		185	218	350	244	235	316	118	107
Admin rate on FSS		40.84%	48.12%	77.26%	53.86%	51.88%	69.76%	26.05%	23.62%
Number of Records Excluded Because of Valid Data Errors	0								
Number of Records Excluded because of Contraindications by Admin Data	1								
Number of Records Excluded because of Contraindications by Medical Record Review	1								
Number of employee/dependent records excluded	0								
Additional Records Added from the Auxiliary List	1								
Denominator	411								
Numerator Events by Admin Data		171	204	317	229	218	296	113	104
Numerator Events by Medical Record		140	164	37	141	138	27	154	140
Reported Rate		75.67%	89.54%	86.13%	90.02%	86.62%	78.59%	64.96%	59.37%
Lower 95% Confidence Interval		71.40%	86.46%	82.67%	87.01%	83.20%	74.50%	60.23%	54.50%
Upper 95% Confidence Interval		79.94%	92.62%	89.59%	93.04%	90.03%	82.68%	69.70%	64.24%

Effectiveness of Care

Metropolitan Health Plan

Childhood Immunization Rate

Data Last Refreshed:
Sep 23, 2003 1:42 PM

MinnesotaCare

Data Elements	General Measure Data	DTaP/DT	IPV/OPV	MMR	HiB	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO								
Sampling Method Used	S								
Eligible Member Population	16								
Numerator events by admin data in eligible population		7	8	12	10	9	11	5	5
Current Year's Administrative Rate		43.75%	50.00%	75.00%	62.50%	56.25%	68.75%	31.25%	31.25%
Minimum Required Sample Size	411								
Oversampling Rate	10.00%								
Final Sample Size (FSS)	16								
Numerator events by admin data in FSS		7	8	12	9	8	10	4	4
Admin rate on FSS		43.75%	50.00%	75.00%	56.25%	50.00%	62.50%	25.00%	25.00%
Number of Records Excluded Because of Valid Data Errors	0								
Number of Records Excluded because of Contraindications by Admin Data	0								
Number of Records Excluded because of Contraindications by Medical Record Review	0								
Number of employee/dependent records excluded	0								
Additional Records Added from the Auxiliary List	0								
Denominator	16								
Numerator Events by Admin Data		7	8	12	9	8	10	4	4
Numerator Events by Medical Record		0	6	0	6	4	1	2	2
Reported Rate		NA	NA	NA	NA	NA	NA	NA	NA
Lower 95% Confidence Interval		NA	NA	NA	NA	NA	NA	NA	NA
Upper 95% Confidence Interval		NA	NA	NA	NA	NA	NA	NA	NA

Commercial

Data Elements	General Measure Data	MMR	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology						
Sampling Method Used						
Eligible Member Population						
Numerator events by admin data in eligible population						
Current Year's Administrative Rate		NR	NR	NR	NR	NR
Minimum Required Sample Size						
Oversampling Rate						
Final Sample Size (FSS)						
Numerator events by admin data in FSS						
Admin rate on FSS		NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors						
Number of Records Excluded because of Contraindications by Admin Data						
Number of Records Excluded because of Contraindications by Medical Record Review						
Number of employee/dependent records excluded						
Additional Records Added from the Auxiliary List						
Denominator						
Numerator Events by Admin Data						
Numerator Events by Medical Record						
Reported Rate		NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR

PMAP

Data Elements	General Measure Data	MMR	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO					
Sampling Method Used	S					
Eligible Member Population	358					
Numerator events by admin data in eligible population		166	60	46	40	8
Current Year's Administrative Rate		46.37%	16.76%	12.85%	11.17%	2.23%
Minimum Required Sample Size	411					
Oversampling Rate	10.00%					
Final Sample Size (FSS)	358					
Numerator events by admin data in FSS		165	60	46	39	7
Admin rate on FSS		46.09%	16.76%	12.85%	10.89%	1.96%
Number of Records Excluded Because of Valid Data Errors	0					
Number of Records Excluded because of Contraindications by Admin Data	1					
Number of Records Excluded because of Contraindications by Medical Record Review	2					
Number of employee/dependent records excluded	0					
Additional Records Added from the Auxiliary List	2					
Denominator	356					
Numerator Events by Admin Data		164	60	46	39	7
Numerator Events by Medical Record		137	184	104	196	109
Reported Rate		84.55%	68.54%	42.13%	66.01%	32.58%
Lower 95% Confidence Interval		80.66%	63.58%	36.87%	60.95%	27.58%
Upper 95% Confidence Interval		88.45%	73.50%	47.40%	71.07%	37.59%

MinnesotaCare

Data Elements	General Measure Data	MMR	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO					
Sampling Method Used	S					
Eligible Member Population	45					
Numerator events by admin data in eligible population		20	4	4	3	0
Current Year's Administrative Rate		44.44%	8.89%	8.89%	6.67%	0.00%
Minimum Required Sample Size	411					
Oversampling Rate	10.00%					
Final Sample Size (FSS)	45					
Numerator events by admin data in FSS		20	4	4	3	0
Admin rate on FSS		44.44%	8.89%	8.89%	6.67%	0.00%
Number of Records Excluded Because of Valid Data Errors	0					
Number of Records Excluded because of Contraindications by Admin Data	0					
Number of Records Excluded because of Contraindications by Medical Record Review	0					
Number of employee/dependent records excluded	0					
Additional Records Added from the Auxiliary List	0					
Denominator	45					
Numerator Events by Admin Data		20	4	4	3	0
Numerator Events by Medical Record		19	27	13	27	15
Reported Rate		86.67%	68.89%	37.78%	66.67%	33.33%
Lower 95% Confidence Interval		75.62%	54.25%	22.50%	51.78%	18.45%
Upper 95% Confidence Interval		97.71%	83.53%	53.05%	81.55%	48.22%

Effectiveness of Care

Metropolitan Health Plan

Breast Cancer Screening

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Data Elements	Commercial	Medicare + Choice
Data Collection Methodology		
Sampling Method Used		
Eligible Member Population		
Numerator Events by Admin Data on Eligible Population		
Current Year's Admin Rate	NR	NR
Minimum Required Sample Size		
Oversampling Rate		
Final Sample Size (FSS)		
Numerator events by admin data in FSS		
Admin Rate on FSS	NR	NR
Records Excluded because of Valid Data Errors		
Records Excluded because of contraindications through Admin data		
Records Excluded because of contraindications through Medical Record Review		
Number of employee/dependent medical records excluded		
Records Added from Auxiliary List		
Denominator		
Numerator Events by Admin Data		
Numerator Events by Medical Record		
Reported Rate	NR	NR
Lower 95% Confidence Interval	NR	NR
Upper 95% Confidence Interval	NR	NR

Effectiveness of Care

Metropolitan Health Plan

Cervical Cancer Screening

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Data Elements	Commercial	PMAP	MNCare	GAMC
Data Collection Methodology		HO	HO	HO
Sampling Method Used		S	S	S
Eligible Member Population		1490	442	298
Numerator Events by Admin Data on Eligible Population (before exclusions)		876	263	121
Current Year's Admin Rate	NR	58.79%	59.50%	40.60%
Minimum Required Sample Size		411	411	411
Oversampling Rate		20.00%	20.00%	20.00%
Final Sample Size (FSS)		494	442	298
Numerator events by admin data in FSS		286	253	121
Admin Rate on FSS	NR	83.20%	92.99%	93.29%
Records Excluded because of Valid Data Errors		0	0	0
Records Excluded because of contraindications through Admin data		1	0	1
Records Excluded because of contraindications through Medical Record Review		4	13	20
Number of employee/dependent medical records excluded		0	0	0
Records Added from Auxiliary List		4	13	20
Denominator		411	411	278
Numerator Events by Admin Data		247	253	121
Numerator Events by Medical Record		56	65	41
Reported Rate	NR	73.72%	77.37%	58.27%
Lower 95% Confidence Interval	NR	69.35%	73.21%	52.30%
Upper 95% Confidence Interval	NR	78.10%	81.54%	64.25%

Effectiveness of Care

Metropolitan Health Plan

Chlamydia Screening in Women

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Data Elements	Commercial				PMAP			
	General Measure Data	Ages 16-20	Ages 21-26	Total	General Measure Data	Ages 16-20	Ages 21-26	Total
Data Collection Methodology					A			
Eligible Member Population				NR		357	347	704
Current Year's Admin Rate		NR	NR	NR		73.95%	87.03%	80.40%
Records Excluded because of contraindications through Admin data				NR		58	57	115
Denominator				NR		357	347	704
Numerator Events by Admin Data				NR		264	302	566
Reported Rate		NR	NR	NR		73.95%	87.03%	80.40%
Lower 95% Confidence Interval		NR	NR	NR		69.26%	83.35%	77.39%
Upper 95% Confidence Interval		NR	NR	NR		78.64%	90.71%	83.40%

Data Elements	GAMC				MNCare			
	General Measure Data	Ages 16-20	Ages 21-26	Total	General Measure Data	Ages 16-20	Ages 21-26	Total
Data Collection Methodology	A				A			
Eligible Member Population		6	10	16		37	42	79
Current Year's Admin Rate		50.00%	50.00%	50.00%		51.35%	50.00%	50.63%
Records Excluded because of contraindications through Admin data		1	10	11		1	5	6
Denominator		6	10	16		37	42	79
Numerator Events by Admin Data		3	5	8		19	21	40
Reported Rate		NA	NA	NA		51.35%	50.00%	50.63%
Lower 95% Confidence Interval		NA	NA	NA		33.89%	33.69%	38.98%
Upper 95% Confidence Interval		NA	NA	NA		68.81%	66.31%	62.29%

Effectiveness of Care

Metropolitan Health Plan

Controlling High Blood Pressure

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Data Elements	Commercial	PMAP	Medicare + Choice	MSHO
Data Collection Methodology (Hybrid)		HO		HO
Sampling Method Used		S		S
Eligible Member Population		382		149
Minimum Required Sample Size		382		149
Oversampling Rate		0.00%		0.00%
Final Sample Size (FSS)		382		149
Records Excluded because of Valid Data Errors		0		0
Records Excluded - False positive diagnosis		0		0
Records Excluded because of ESRD identified by Admin Data		0		0
Records Excluded because of ESRD identified by Medical Record		4		0
Number of employee/dependent medical records excluded		0		0
Records Added from Auxiliary List		4		0
Denominator		378		149
Numerator Events by Medical Record		197		64
Reported Rate	NR	52.12%	NR	42.95%
Lower 95% Confidence Interval	NR	46.95%	NR	34.67%
Upper 95% Confidence Interval	NR	57.28%	NR	51.24%

Effectiveness of Care

Metropolitan Health Plan

Beta Blocker Treatment after Heart Attack

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Data Elements	Medicare + Choice
Data Collection Methodology	
Sampling Method Used	
Eligible Member Population	
Numerator Events by Admin Data on Eligible Population	
Current Year's Admin Rate	NR
Minimum Required Sample Size	
Oversampling Rate	
Final Sample Size (FSS)	
Numerator events by admin data in FSS	
Admin rate on FSS	NR
Records Excluded because of Valid Data Errors	
Records Excluded - Contraindications/Admin Data	
Records Excluded - Contraindications/Medical Record Review	
Number of employee/dependent medical records excluded	
Records Added from Auxiliary List	
Denominator	
Numerator Events by Admin Data	
Numerator Events by Medical Record	
Reported Rate	NR
Lower 95% Confidence Interval	NR
Upper 95% Confidence Interval	NR

Effectiveness of Care

Metropolitan Health Plan

Cholesterol Management After Acute Cardiovascular Events

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Data Elements	Medicare + Choice		
	General Measure Data	LDL-C screening 60-365 Days	LDL-C Level of <130 mg/dL 60-365 Days
Data Collection Methodology			
Sampling Method Used			
Eligible Member Population			
Numerator Events by Admin Data on Eligible Population			
Current Year's Admin Rate		NR	NR
Minimum Required Sample Size			
Oversampling Rate			
Final Sample Size (FSS)			
Numerator events by admin data in FSS			
Admin rate on FSS		NR	NR
Records Excluded because of Valid Data Errors			
Number of employee/dependent medical records excluded			
Records Added from Auxiliary List			
Denominator			
Numerator Events by Admin Data			
Numerator Events by Medical Record			
Reported Rate		NR	NR
Lower 95% Confidence Interval		NR	NR
Upper 95% Confidence Interval		NR	NR

Commercial

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology							
Sampling Method Used							
Eligible Member Population							
Numerator events by admin data in eligible population							
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR
Minimum Required Sample Size							
Oversampling Rate							
Final Sample Size (FSS)							
Numerator events by admin data in FSS							
Admin rate on FSS		NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors							
Number of employee/dependent records excluded							
Additional Records Added from the Auxiliary List							
Denominator							
Numerator Events by Admin Data							
Numerator Events by Medical Record							
Reported Rate		NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR	NR

Medicare + Choice

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology							
Sampling Method Used							
Eligible Member Population							
Numerator events by admin data in eligible population							
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR
Minimum Required Sample Size							
Oversampling Rate							
Final Sample Size (FSS)							
Numerator events by admin data in FSS							
Admin rate on FSS		NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors							
Number of employee/dependent records excluded							
Additional Records Added from the Auxiliary List							
Denominator							
Numerator Events by Admin Data							
Numerator Events by Medical Record							
Reported Rate		NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR	NR

Effectiveness of Care

Metropolitan Health Plan

Comprehensive Diabetes Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

MSHO

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	71						
Numerator events by admin data in eligible population		60	71	48	49	0	49
Current Year's Administrative Rate		84.51%	100.00%	67.61%	69.01%	0.00%	69.01%
Minimum Required Sample Size	69						
Oversampling Rate	0.00%						
Final Sample Size (FSS)	71						
Numerator events by admin data in FSS		60	71	48	49	0	49
Admin rate on FSS		84.51%	100.00%	67.61%	69.01%	0.00%	69.01%
Number of Records Excluded Because of Valid Data Errors	2						
Number of employee/dependent records excluded	0						
Additional Records Added from the Auxiliary List	0						
Denominator	69						
Numerator Events by Admin Data		59	30	46	48	0	48
Numerator Events by Medical Record		5	0	5	7	29	3
Reported Rate		92.75%	43.48%	73.91%	79.71%	42.03%	73.91%
Lower 95% Confidence Interval		85.91%	31.06%	62.83%	69.50%	29.66%	62.83%
Upper 95% Confidence Interval		99.60%	55.90%	85.00%	89.92%	54.40%	85.00%

Effectiveness of Care

Metropolitan Health Plan

Comprehensive Diabetes Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

PMAP

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	263						
Numerator events by admin data in eligible population		176	273	163	111	0	148
Current Year's Administrative Rate		66.92%	NR	61.98%	42.21%	0.00%	56.27%
Minimum Required Sample Size	411						
Oversampling Rate	10.00%						
Final Sample Size (FSS)	277						
Numerator events by admin data in FSS		165	277	164	110	0	142
Admin rate on FSS		59.57%	100.00%	59.21%	39.71%	0.00%	51.26%
Number of Records Excluded Because of Valid Data Errors	10						
Number of employee/dependent records excluded	33						
Additional Records Added from the Auxiliary List	33						
Denominator	244						
Numerator Events by Admin Data		161	86	147	110	0	142
Numerator Events by Medical Record		41	0	1	79	112	43
Reported Rate		82.79%	35.25%	60.66%	77.46%	45.90%	75.82%
Lower 95% Confidence Interval		77.85%	29.05%	54.32%	72.01%	39.44%	70.24%
Upper 95% Confidence Interval		87.73%	41.45%	66.99%	82.91%	52.36%	81.40%

Effectiveness of Care

Metropolitan Health Plan

Comprehensive Diabetes Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

GAMC

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	115						
Numerator events by admin data in eligible population		95	115	61	75	0	81
Current Year's Administrative Rate		82.61%	100.00%	53.04%	65.22%	0.00%	70.43%
Minimum Required Sample Size	411						
Oversampling Rate	10.00%						
Final Sample Size (FSS)	122						
Numerator events by admin data in FSS		95	122	67	79	0	82
Admin rate on FSS		77.87%	100.00%	54.92%	64.75%	0.00%	67.21%
Number of Records Excluded Because of Valid Data Errors	0						
Number of employee/dependent records excluded	14						
Additional Records Added from the Auxiliary List	14						
Denominator	108						
Numerator Events by Admin Data		90	40	61	72	0	79
Numerator Events by Medical Record		5	0	1	15	59	9
Reported Rate		87.96%	37.04%	57.41%	80.56%	54.63%	81.48%
Lower 95% Confidence Interval		81.36%	27.47%	47.62%	72.63%	44.78%	73.69%
Upper 95% Confidence Interval		94.56%	46.61%	67.20%	88.48%	64.48%	89.27%

Effectiveness of Care

Metropolitan Health Plan

Comprehensive Diabetes Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

MinnesotaCare

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	69						
Numerator events by admin data in eligible population		59	64	43	45	0	46
Current Year's Administrative Rate		85.51%	92.75%	62.32%	65.22%	0.00%	66.67%
Minimum Required Sample Size	69						
Oversampling Rate	0.00%						
Final Sample Size (FSS)	69						
Numerator events by admin data in FSS		59	69	43	48	0	47
Admin rate on FSS		85.51%	100.00%	62.32%	69.57%	0.00%	68.12%
Number of Records Excluded Because of Valid Data Errors	4						
Number of employee/dependent records excluded	0						
Additional Records Added from the Auxiliary List	0						
Denominator	65						
Numerator Events by Admin Data		58	13	42	46	0	46
Numerator Events by Medical Record		1	0	1	14	40	10
Reported Rate		90.77%	20.00%	66.15%	92.31%	61.54%	86.15%
Lower 95% Confidence Interval		82.96%	9.51%	53.88%	85.06%	48.94%	76.99%
Upper 95% Confidence Interval		98.58%	30.49%	78.43%	99.56%	74.14%	95.32%

Effectiveness of Care

Metropolitan Health Plan

Appropriate Medications for People with Asthma

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Commercial

Data Elements	General Measure Data	Ages 5-9	Ages 10-17	Ages 18-56	Total
Data Collection Methodology					
Eligible Member Population					NR
Numerator Events by Admin Data					NR
Reported Rate		NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR

Effectiveness of Care

Metropolitan Health Plan

Appropriate Medications for People with Asthma

Data Last Refreshed:
Sep 23, 2003 1:42 PM

PMAP

Data Elements	General Measure Data	Ages 5-9	Ages 10-17	Ages 18-56	Total
Data Collection Methodology	A				
Eligible Member Population		73	130	76	279
Numerator Events by Admin Data		51	83	46	180
Reported Rate		69.86%	63.85%	60.53%	64.52%
Lower 95% Confidence Interval		58.65%	55.20%	48.88%	58.72%
Upper 95% Confidence Interval		81.07%	72.49%	72.17%	70.31%

Effectiveness of Care

Metropolitan Health Plan

Appropriate Medications for People with Asthma

Data Last Refreshed:
Sep 23, 2003 1:42 PM

GAMC

Data Elements	General Measure Data	Ages 5-9	Ages 10-17	Ages 18-56	Total
Data Collection Methodology	A				
Eligible Member Population		1	1	19	21
Numerator Events by Admin Data		0	1	13	14
Reported Rate		NA	NA	NA	NA
Lower 95% Confidence Interval		NA	NA	NA	NA
Upper 95% Confidence Interval		NA	NA	NA	NA

Effectiveness of Care

Metropolitan Health Plan

Appropriate Medications for People with Asthma

Data Last Refreshed:
Sep 23, 2003 1:42 PM

MNCare

Data Elements	General Measure Data	Ages 5-9	Ages 10-17	Ages 18-56	Total
Data Collection Methodology	A				
Eligible Member Population		4	10	21	35
Numerator Events by Admin Data		2	6	14	22
Reported Rate		NA	NA	NA	62.86%
Lower 95% Confidence Interval		NA	NA	NA	45.42%
Upper 95% Confidence Interval		NA	NA	NA	80.29%

Effectiveness of Care

Metropolitan Health Plan

Follow-Up After Hospitalization for Mental Illness

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Data Elements	Commercial			Medicare + Choice			MSHO		
	General Measure Data	W/in 7 Days of Discharge	W/in 30 Days of Discharge	General Measure Data	W/in 7 Days of Discharge	W/in 30 Days of Discharge	General Measure Data	W/in 7 Days of Discharge	W/in 30 Days of Discharge
Data Collection Methodology							A		
Eligible Member Population							2		
Numerator Events by Admin Data								2	2
Reported Rate		NR	NR		NR	NR		NA	NA
Lower 95% Confidence Interval		NR	NR		NR	NR		NA	NA
Upper 95% Confidence Interval		NR	NR		NR	NR		NA	NA

Effectiveness of Care

Metropolitan Health Plan

Antidepressant Medication Management

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Commercial

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology				
Eligible Member Population				
Numerator Events by Admin Data				
Reported Rate		NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR

Effectiveness of Care

Metropolitan Health Plan

Antidepressant Medication Management

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Medicare + Choice

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology				
Eligible Member Population				
Numerator Events by Admin Data				
Reported Rate		NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR

Effectiveness of Care

Metropolitan Health Plan

Antidepressant Medication Management

Data Last Refreshed:
Sep 23, 2003 1:42 PM

MSHO

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	10			
Numerator Events by Admin Data		0	8	6
Reported Rate		NA	NA	NA
Lower 95% Confidence Interval		NA	NA	NA
Upper 95% Confidence Interval		NA	NA	NA

Effectiveness of Care

Metropolitan Health Plan

Antidepressant Medication Management

Data Last Refreshed:
Sep 23, 2003 1:42 PM

PMAP

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	68			
Numerator Events by Admin Data		11	36	26
Reported Rate		16.18%	52.94%	38.24%
Lower 95% Confidence Interval		6.69%	40.34%	25.95%
Upper 95% Confidence Interval		25.66%	65.54%	50.52%

GAMC

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	26			
Numerator Events by Admin Data		8	13	17
Reported Rate		NA	NA	NA
Lower 95% Confidence Interval		NA	NA	NA
Upper 95% Confidence Interval		NA	NA	NA

Effectiveness of Care

Metropolitan Health Plan

Antidepressant Medication Management

Data Last Refreshed:
Sep 23, 2003 1:42 PM

MNCare

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	13			
Numerator Events by Admin Data		3	11	11
Reported Rate		NA	NA	NA
Lower 95% Confidence Interval		NA	NA	NA
Upper 95% Confidence Interval		NA	NA	NA

Use of Services

Metropolitan Health Plan

Well Child Visits in the First 15 Months of Life

Data Last Refreshed:
Sep 23, 2003 1:42 PM

PMAP

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Data Collection Methodology	HO							
Sampling Method Used	S							
Eligible Member Population	918							
Numerator events by admin data in eligible population		137	80	41	77	109	167	307
Current Year's Administrative Rate		14.92%	8.71%	4.47%	8.39%	11.87%	18.19%	33.44%
Minimum Required Sample Size	411							
Oversampling Rate	10.00%							
Final sample size (FSS)	453							
Numerator events by admin data in FSS		74	39	17	31	54	82	156
Administrative rate on FSS		16.34%	8.61%	3.75%	6.84%	11.92%	18.10%	34.44%
Number of Records Excluded Because of Valid Data Errors	0							
Number of employee/dependent medical records excluded	0							
Additional Records Added from the Auxiliary List	0							
Denominator	411							
Numerator Events by Admin Data		4	4	5	11	25	49	146
Numerator Events by Medical Record		0	1	7	13	16	35	95
Reported Rate		0.97%	1.22%	2.92%	5.84%	9.98%	20.44%	58.64%
Lower 95% Confidence Interval		0.00%	0.04%	1.17%	3.45%	6.96%	16.42%	53.75%
Upper 95% Confidence Interval		2.04%	2.40%	4.67%	8.23%	12.99%	24.46%	63.52%

Use of Services

Metropolitan Health Plan

Well Child Visits in the First 15 Months of Life

Data Last Refreshed:
Sep 23, 2003 1:42 PM

MinnesotaCare

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Data Collection Methodology	HO							
Sampling Method Used	S							
Eligible Member Population	15							
Numerator events by admin data in eligible population		1	0	1	1	1	5	6
Current Year's Administrative Rate		6.67%	0.00%	6.67%	6.67%	6.67%	33.33%	40.00%
Minimum Required Sample Size	411							
Oversampling Rate	10.00%							
Final sample size (FSS)	15							
Numerator events by admin data in FSS		1	0	1	1	1	5	6
Administrative rate on FSS		6.67%	0.00%	6.67%	6.67%	6.67%	33.33%	40.00%
Number of Records Excluded Because of Valid Data Errors	0							
Number of employee/dependent medical records excluded	0							
Additional Records Added from the Auxiliary List	0							
Denominator	15							
Numerator Events by Admin Data		0	0	0	1	0	3	6
Numerator Events by Medical Record		0	0	0	0	1	1	3
Reported Rate		NA	NA	NA	NA	NA	NA	NA
Lower 95% Confidence Interval		NA	NA	NA	NA	NA	NA	NA
Upper 95% Confidence Interval		NA	NA	NA	NA	NA	NA	NA

Use of Services

Metropolitan Health Plan

Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Data Elements	PMAP	MNCare
Data Collection Methodology	HO	HO
Sampling Method Used	S	S
Eligible Member Population	1569	132
Numerator events by admin data in eligible population	709	68
Current Year's Admin Rate	45.19%	51.52%
Minimum Required Sample Size	411	411
Oversampling Rate	10.00%	10.00%
Final sample size (FSS)	453	132
Numerator events by admin data in FSS	200	67
Administrative rate on FSS	44.15%	50.76%
Records Excluded because of Valid Data Errors	0	0
Number of employee/dependent medical records excluded	1	0
Records Added from Auxiliary List	1	0
Denominator	411	132
Numerator Events by Admin Data	183	67
Numerator Events by Medical Record	76	30
Reported Rate	63.02%	73.48%
Lower 95% Confidence Interval	58.23%	65.58%
Upper 95% Confidence Interval	67.81%	81.39%

Use of Services

Metropolitan Health Plan

Adolescent Well-Care Visits

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Data Elements	PMAP	MNCare
Data Collection Methodology	HO	HO
Sampling Method Used	S	S
Eligible Member Population	2525	320
Numerator events by admin data in eligible population	682	101
Current Year's Admin Rate	27.01%	31.56%
Minimum Required Sample Size	411	411
Oversampling Rate	10.00%	10.00%
Final sample size (FSS)	453	320
Numerator events by admin data in FSS	141	101
Administrative rate on FSS	31.13%	31.56%
Records Excluded because of Valid Data Errors	0	0
Number of employee/dependent medical records excluded	0	1
Records Added from Auxiliary List	0	1
Denominator	411	319
Numerator Events by Admin Data	124	101
Numerator Events by Medical Record	48	40
Reported Rate	41.85%	44.20%
Lower 95% Confidence Interval	36.96%	38.59%
Upper 95% Confidence Interval	46.74%	49.81%

Commercial

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Medicine					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Surgery					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Maternity					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR

Medicare + Choice

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Medicine					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR
Surgery					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR

Minnesota Senior Health Options

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	0
65-74	2477
75-84	1718
85+	576
Unknown	0
Total	4771

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	NA	0	NA	NA
65-74	119	48.04	625	252.32	5.25
75-84	89	51.80	418	243.31	4.70
85+	37	64.24	128	222.22	3.46
Unknown	0		0		NA
Total	245	51.35	1171	245.44	4.78
Medicine					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	NA	0	NA	NA
65-74	94	37.95	389	157.04	4.14
75-84	74	43.07	337	196.16	4.55
85+	30	52.08	87	151.04	2.90
Unknown	0		0		NA
Total	198	41.50	813	170.40	4.11
Surgery					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	NA	0	NA	NA
65-74	25	10.09	236	95.28	9.44
75-84	15	8.73	81	47.15	5.40
85+	7	12.15	41	71.18	5.86
Unknown	0		0		NA
Total	47	9.85	358	75.04	7.62

Use of Services

Metropolitan Health Plan

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

PMAP

Age	Member Months
<1	14586
1-9	70085
10-19	50542
20-44	37149
45-64	4201
65-74	7579
75-84	3429
85+	1208
Unknown	0
Total	188779

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1	284	19.47	1058	72.54	3.73
1-9	266	3.80	680	9.70	2.56
10-19	332	6.57	874	17.29	2.63
20-44	1092	29.40	2822	75.96	2.58
45-64	46	10.95	113	26.90	2.46
65-74	191	25.20	754	99.49	3.95
75-84	106	30.91	505	147.27	4.76
85+	39	32.28	196	162.25	5.03
Unknown	0		0		NA
Total	2356	12.48	7002	37.09	2.97
Medicine					
<1	257	17.62	817	56.01	3.18
1-9	228	3.25	552	7.88	2.42
10-19	79	1.56	233	4.61	2.95
20-44	103	2.77	263	7.08	2.55
45-64	35	8.33	80	19.04	2.29
65-74	145	19.13	455	60.03	3.14
75-84	77	22.46	329	95.95	4.27
85+	31	25.66	135	111.75	4.35
Unknown	0		0		NA
Total	955	5.06	2864	15.17	3.00
Surgery					
<1	27	1.85	241	16.52	8.93
1-9	38	0.54	128	1.83	3.37
10-19	36	0.71	91	1.80	2.53
20-44	64	1.72	196	5.28	3.06
45-64	9	2.14	29	6.90	3.22
65-74	45	5.94	296	39.06	6.58
75-84	28	8.17	169	49.29	6.04
85+	8	6.62	61	50.50	7.63
Unknown	0		0		NA
Total	255	1.35	1211	6.41	4.75
Maternity					
<1	0	0.00	0	0.00	NA
1-9	0	0.00	0	0.00	NA
10-19	217	4.29	550	10.88	2.53
20-44	925	24.90	2363	63.61	2.55
45-64	2	0.48	4	0.95	2.00
65+	2	0.16	10	0.82	5.00
Unknown	0		0		NA
Total	1146	6.07	2927	15.50	2.55

Use of Services

Metropolitan Health Plan

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

GAMC

Age	Member Months
<1	10
1-9	1942
10-19	1953
20-44	13906
45-64	10855
65-74	171
75-84	43
85+	12
Unknown	0
Total	28892

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1	0	0.00	0	0.00	NA
1-9	1	0.51	1	0.51	1.00
10-19	3	1.54	5	2.56	1.67
20-44	202	14.53	673	48.40	3.33
45-64	227	20.91	941	86.69	4.15
65-74	8	46.78	41	239.77	5.13
75-84	1	23.26	1	23.26	1.00
85+	5	416.67	25	2083.33	5.00
Unknown	0		0		NA
Total	447	15.47	1687	58.39	3.77
Medicine					
<1	0	0.00	0	0.00	NA
1-9	0	0.00	0	0.00	NA
10-19	1	0.51	2	1.02	2.00
20-44	128	9.20	333	23.95	2.60
45-64	163	15.02	539	49.65	3.31
65-74	5	29.24	9	52.63	1.80
75-84	1	23.26	1	23.26	1.00
85+	4	333.33	19	1583.33	4.75
Unknown	0		0		NA
Total	302	10.45	903	31.25	2.99
Surgery					
<1	0	0.00	0	0.00	NA
1-9	1	0.51	1	0.51	1.00
10-19	2	1.02	3	1.54	1.50
20-44	65	4.67	310	22.29	4.77
45-64	63	5.80	398	36.67	6.32
65-74	3	17.54	32	187.13	10.67
75-84	0	0.00	0	0.00	NA
85+	1	83.33	6	500.00	6.00
Unknown	0		0		NA
Total	135	4.67	750	25.96	5.56
Maternity					
<1	0	0.00	0	0.00	NA
1-9	0	0.00	0	0.00	NA
10-19	0	0.00	0	0.00	NA
20-44	9	0.65	30	2.16	3.33
45-64	1	0.09	4	0.37	4.00
65+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	10	0.35	34	1.18	3.40

Use of Services

Metropolitan Health Plan

Inpatient Utilization - General Hospital/Acute Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

MinnesotaCare

Age	Member Months
<1	370
1-9	5738
10-19	6872
20-44	10284
45-64	4946
65-74	104
75-84	1
85+	0
Unknown	0
Total	28315

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
Total Inpatient					
<1	4	10.81	7	18.92	1.75
1-9	13	2.27	28	4.88	2.15
10-19	18	2.62	56	8.15	3.11
20-44	81	7.88	180	17.50	2.22
45-64	44	8.90	155	31.34	3.52
65-74	0	0.00	0	0.00	NA
75-84	0	0.00	0	0.00	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	160	5.65	426	15.05	2.66
Medicine					
<1	4	10.81	7	18.92	1.75
1-9	11	1.92	25	4.36	2.27
10-19	8	1.16	29	4.22	3.63
20-44	21	2.04	35	3.40	1.67
45-64	26	5.26	68	13.75	2.62
65-74	0	0.00	0	0.00	NA
75-84	0	0.00	0	0.00	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	70	2.47	164	5.79	2.34
Surgery					
<1	0	0.00	0	0.00	NA
1-9	2	0.35	3	0.52	1.50
10-19	4	0.58	16	2.33	4.00
20-44	20	1.94	48	4.67	2.40
45-64	18	3.64	87	17.59	4.83
65-74	0	0.00	0	0.00	NA
75-84	0	0.00	0	0.00	NA
85+	0	NA	0	NA	NA
Unknown	0		0		NA
Total	44	1.55	154	5.44	3.50
Maternity					
<1	0	0.00	0	0.00	NA
1-9	0	0.00	0	0.00	NA
10-19	6	0.87	11	1.60	1.83
20-44	40	3.89	97	9.43	2.43
45-64	0	0.00	0	0.00	NA
65+	0	0.00	0	0.00	NA
Unknown	0		0		NA
Total	46	1.62	108	3.81	2.35

Use of Services

Metropolitan Health Plan

Ambulatory Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Commercial

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1		NR		NR		NR		NR
1-9		NR		NR		NR		NR
10-19		NR		NR		NR		NR
20-44		NR		NR		NR		NR
45-64		NR		NR		NR		NR
65-74		NR		NR		NR		NR
75-84		NR		NR		NR		NR
85+		NR		NR		NR		NR
Unknown								
Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Metropolitan Health Plan

Ambulatory Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Medicare + Choice

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1		NR		NR		NR		NR
1-9		NR		NR		NR		NR
10-19		NR		NR		NR		NR
20-44		NR		NR		NR		NR
45-64		NR		NR		NR		NR
65-74		NR		NR		NR		NR
75-84		NR		NR		NR		NR
85+		NR		NR		NR		NR
Unknown								
Total	NR	NR	NR	NR	NR	NR	NR	NR

Use of Services

Metropolitan Health Plan

Ambulatory Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Minnesota Senior Health Options

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	0
65-74	2477
75-84	1718
85+	576
Unknown	0
Total	4771

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1	0	NA	0	NA	0	NA	0	NA
1-9	0	NA	0	NA	0	NA	0	NA
10-19	0	NA	0	NA	0	NA	0	NA
20-44	0	NA	0	NA	0	NA	0	NA
45-64	0	NA	0	NA	0	NA	0	NA
65-74	2166	874.44	120	48.45	74	29.87	4	1.61
75-84	1603	933.06	63	36.67	29	16.88	2	1.16
85+	514	892.36	16	27.78	6	10.42	0	0.00
Unknown	0		0		0		0	
Total	4283	897.72	199	41.71	109	22.85	6	1.26

Use of Services

Metropolitan Health Plan

Inpatient Utilization - Nonacute Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Commercial

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR

Use of Services

Metropolitan Health Plan

Inpatient Utilization - Nonacute Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Medicare + Choice

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
Total	NR	NR	NR	NR	NR

Use of Services

Metropolitan Health Plan

Inpatient Utilization - Nonacute Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Minnesota Senior Health Options

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	0
65-74	2477
75-84	1718
85+	576
Unknown	0
Total	4771

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	NA	0	NA	NA
65-74	156	62.98	1500	605.57	9.62
75-84	63	36.67	768	447.03	12.19
85+	22	38.19	222	385.42	10.09
Unknown	0		0		NA
Total	241	50.51	2490	521.90	10.33

Use of Services

Metropolitan Health Plan

Mental Health Utilization - Inpatient Discharges and Average Length of Stay, by Age and Sex

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Commercial

Age	Member Months		
	Male	Female	Total
0-12			NR
13-17			NR
18-64			NR
65+			NR
Unknown			NR
Total	NR	NR	NR

Age		Discharges	Discharges / 1,000 Member Months	Days*	Average Length of Stay
0-12	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
13-17	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
18-64	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
65+	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
Unknown	M				NR
	F				NR
	Total	NR		NR	NR
Total	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	TOTAL	NR	NR	NR	NR

* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

Use of Services

Metropolitan Health Plan

Mental Health Utilization - Inpatient Discharges and Average Length of Stay, by Age and Sex

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Medicare + Choice

Age	Member Months		
	Male	Female	Total
0-12			NR
13-17			NR
18-64			NR
65+			NR
Unknown			NR
Total	NR	NR	NR

Age		Discharges	Discharges / 1,000 Member Months	Days*	Average Length of Stay
0-12	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
13-17	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
18-64	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
65+	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
Unknown	M				NR
	F				NR
	Total	NR		NR	NR
Total	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	TOTAL	NR	NR	NR	NR

* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

Use of Services

Metropolitan Health Plan

Mental Health Utilization - Inpatient Discharges and Average Length of Stay, by Age and Sex

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Minnesota Senior Health Options

Age	Member Months		
	Male	Female	Total
0-12	0	0	0
13-17	0	0	0
18-64	0	0	0
65+	1535	3236	4771
Unknown	0	0	0
Total	1535	3236	4771

Age		Discharges	Discharges / 1,000 Member Months	Days*	Average Length of Stay
0-12	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
13-17	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
18-64	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
65+	M	17	11.07	236	13.88
	F	40	12.36	472	11.80
	Total	57	11.95	708	12.42
Unknown	M	0		0	NA
	F	0		0	NA
	Total	0		0	NA
Total	M	17	11.07	236	13.88
	F	40	12.36	472	11.80
	TOTAL	57	11.95	708	12.42

* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

Use of Services

Metropolitan Health Plan

Mental Health Utilization --
Percent of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Any Mental Health Services			Inpatient Mental Health Services			Day/Night Mental Health Services			Ambulatory Mental Health Services		
	Sex	Number	Percent		Number	Percent		Number	Percent		Number	Percent
0-12	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
13-17	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
18-64	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
65+	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
Unknown	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
Total	M	NR	NR		NR	NR		NR	NR		NR	NR
	F	NR	NR		NR	NR		NR	NR		NR	NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR

Use of Services

Metropolitan Health Plan

Mental Health Utilization -- Percent of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Medicare + Choice

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Any Mental Health Services			Inpatient Mental Health Services			Day/Night Mental Health Services			Ambulatory Mental Health Services		
	Sex	Number	Percent		Number	Percent		Number	Percent		Number	Percent
0-12	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
13-17	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
18-64	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
65+	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
Unknown	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
Total	M	NR	NR		NR	NR		NR	NR		NR	NR
	F	NR	NR		NR	NR		NR	NR		NR	NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR

Use of Services

Metropolitan Health Plan

Mental Health Utilization -- Percent of Members Receiving Inpatient, Day/Night and Ambulatory Services

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Minnesota Senior Health Options

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	0	0	0	0	0	0	0	0	0	0	0	0
65+	1535	3236	4771	1535	3236	4771	1535	3236	4771	1535	3236	4771
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	1535	3236	4771	1535	3236	4771	1535	3236	4771	1535	3236	4771

Age	Any Mental Health Services			Inpatient Mental Health Services			Day/Night Mental Health Services			Ambulatory Mental Health Services		
	Sex	Number	Percent		Number	Percent		Number	Percent		Number	Percent
0-12	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	Total	0	NA		0	NA		0	NA		0	NA
13-17	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	Total	0	NA		0	NA		0	NA		0	NA
18-64	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	Total	0	NA		0	NA		0	NA		0	NA
65+	M	28	21.89%		8	6.25%		0	0.00%		27	21.11%
	F	73	27.07%		20	7.42%		0	0.00%		67	24.85%
	Total	101	25.40%		28	7.04%		0	0.00%		94	23.64%
Unknown	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	Total	0	NA		0	NA		0	NA		0	NA
Total	M	28	21.89%		8	6.25%		0	0.00%		27	21.11%
	F	73	27.07%		20	7.42%		0	0.00%		67	24.85%
	Total	101	25.40%		28	7.04%		0	0.00%		94	23.64%

Use of Services

Metropolitan Health Plan

Chemical Dependency Utilization - Inpatient Discharges and Average Length of Stay

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Commercial

Age	Member Months		
	Male	Female	Total
0-12			NR
13-17			NR
18-64			NR
65+			NR
Unknown			NR
Total	NR	NR	NR

Age		Discharges	Discharges / 1,000 Member Months	Days	Average Length of Stay
0-12	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
13-17	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
18-64	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
65+	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
Unknown	M				NR
	F				NR
	Total	NR		NR	NR
Total	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	TOTAL	NR	NR	NR	NR

* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

Use of Services

Metropolitan Health Plan

Chemical Dependency Utilization - Inpatient Discharges and Average Length of Stay

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Medicare + Choice

Age	Member Months		
	Male	Female	Total
0-12			NR
13-17			NR
18-64			NR
65+			NR
Unknown			NR
Total	NR	NR	NR

Age		Discharges	Discharges / 1,000 Member Months	Days	Average Length of Stay
0-12	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
13-17	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
18-64	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
65+	M		NR		NR
	F		NR		NR
	Total	NR	NR	NR	NR
Unknown	M				NR
	F				NR
	Total	NR		NR	NR
Total	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	TOTAL	NR	NR	NR	NR

* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

Use of Services

Metropolitan Health Plan

Chemical Dependency Utilization - Inpatient Discharges and Average Length of Stay

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Minnesota Senior Health Options

Age	Member Months		
	Male	Female	Total
0-12	0	0	0
13-17	0	0	0
18-64	0	0	0
65+	1535	3236	4771
Unknown	0	0	0
Total	1535	3236	4771

Age		Discharges	Discharges / 1,000 Member Months	Days	Average Length of Stay
0-12	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
13-17	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
18-64	M	0	NA	0	NA
	F	0	NA	0	NA
	Total	0	NA	0	NA
65+	M	0	0.00	0	NA
	F	0	0.00	0	NA
	Total	0	0.00	0	NA
Unknown	M	0		0	NA
	F	0		0	NA
	Total	0		0	NA
Total	M	0	0.00	0	NA
	F	0	0.00	0	NA
	TOTAL	0	0.00	0	NA

* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

Use of Services

Metropolitan Health Plan

Chemical Dependency Utilization --
Percent of members Receiving inpatient, Day/Night Care, and Ambulatory Services

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Commercial

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Any Chemical Dependency Services			Inpatient Chemical Dependency Services			Day/Night Chemical Dependency Services			Ambulatory Chemical Dependency Services		
	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent
0-12	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
13-17	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
18-64	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
65+	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
Unknown	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
Total	M	NR	NR		NR	NR		NR	NR		NR	NR
	F	NR	NR		NR	NR		NR	NR		NR	NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR

Use of Services

Metropolitan Health Plan

Chemical Dependency Utilization --
Percent of members Receiving inpatient, Day/Night Care, and Ambulatory Services

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Medicare + Choice

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
Total	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Any Chemical Dependency Services			Inpatient Chemical Dependency Services			Day/Night Chemical Dependency Services			Ambulatory Chemical Dependency Services		
	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent
0-12	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
13-17	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
18-64	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
65+	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
Unknown	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR
Total	M	NR	NR		NR	NR		NR	NR		NR	NR
	F	NR	NR		NR	NR		NR	NR		NR	NR
	Total	NR	NR		NR	NR		NR	NR		NR	NR

Chemical Dependency Utilization --
Percent of members Receiving inpatient, Day/Night Care, and Ambulatory Services

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Minnesota Senior Health Options

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	0	0	0	0	0	0	0	0	0	0	0	0
65+	1535	3236	4771	1535	3236	4771	1535	3236	4771	1535	3236	4771
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Total	1535	3236	4771	1535	3236	4771	1535	3236	4771	1535	3236	4771

Age	Any Chemical Dependency Services			Inpatient Chemical Dependency Services			Day/Night Chemical Dependency Services			Ambulatory Chemical Dependency Services		
	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent
0-12	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	Total	0	NA		0	NA		0	NA		0	NA
13-17	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	Total	0	NA		0	NA		0	NA		0	NA
18-64	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	Total	0	NA		0	NA		0	NA		0	NA
65+	M	1	0.78%		0	0.00%		0	0.00%		1	0.78%
	F	0	0.00%		0	0.00%		0	0.00%		0	0.00%
	Total	1	0.25%		0	0.00%		0	0.00%		1	0.25%
Unknown	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	Total	0	NA		0	NA		0	NA		0	NA
Total	M	1	0.78%		0	0.00%		0	0.00%		1	0.78%
	F	0	0.00%		0	0.00%		0	0.00%		0	0.00%
	Total	1	0.25%		0	0.00%		0	0.00%		1	0.25%

Use of Services

Metropolitan Health Plan

Outpatient Drug Utilization

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Medicare + Choice

Age	Member Months
0-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
Total	NR

Specification Documentation:
Prescription is defined as (Enter "A"
or "B"):

Age	Total Cost of Prescriptions	Avg. Cost of Prescriptions / Per Member Per Month	Total Number of Prescriptions	Avg. Num. Of Prescriptions / Per Member Per Year
0-9		NR		NR
10-19		NR		NR
20-44		NR		NR
45-64		NR		NR
65-74		NR		NR
75-84		NR		NR
85+		NR		NR
Unknown				
Total	NR	NR	NR	NR

Minnesota Senior Health Options

Age	Member Months
0-9	0
10-19	0
20-44	0
45-64	0
65-74	2477
75-84	1718
85+	576
Unknown	0
Total	4771

Specification Documentation: Prescription is defined as (Enter "A" or "B"):	A
---	---

Age	Total Cost of Prescriptions	Avg. Cost of Prescriptions / Per Member Per Month	Total Number of Prescriptions	Avg. Num. Of Prescriptions / Per Member Per Year
0-9	\$0.00	NA	0	NA
10-19	\$0.00	NA	0	NA
20-44	\$0.00	NA	0	NA
45-64	\$0.00	NA	0	NA
65-74	\$651,506.80	\$263.02	16749	81.14
75-84	\$469,263.10	\$273.14	12470	87.10
85+	\$148,405.30	\$257.65	4739	98.73
Unknown	\$0.00		0	
Total	\$1,269,175.20	\$266.02	33958	85.41

Access/Availability of Care

Metropolitan Health Plan

Adult's Access to Preventive/Ambulatory Health Services

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Commercial

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)				
Eligible member population (i.e. members who meet all denominator criteria)				
Numerator events by administrative data				
Reported rate		NR	NR	NR
Lower 95% confidence interval		NR	NR	NR
Upper 95% confidence interval		NR	NR	NR

Access/Availability of Care

Metropolitan Health Plan

Adult's Access to Preventive/Ambulatory Health Services

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Medicare + Choice

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)				
Eligible member population (i.e. members who meet all denominator criteria)				
Numerator events by administrative data				
Reported rate		NR	NR	NR
Lower 95% confidence interval		NR	NR	NR
Upper 95% confidence interval		NR	NR	NR

Minnesota Senior Health Options

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		0	0	302
Numerator events by administrative data		0	0	294
Reported rate		NA	NA	97.35%
Lower 95% confidence interval		NA	NA	95.37%
Upper 95% confidence interval		NA	NA	99.33%

Access/Availability of Care

Metropolitan Health Plan

Adult's Access to Preventive/Ambulatory Health Services

Data Last Refreshed:
Sep 23, 2003 1:42 PM

PMAP

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		1617	246	792
Numerator events by administrative data		1388	200	725
Reported rate		85.84%	81.30%	91.54%
Lower 95% confidence interval		84.11%	76.23%	89.54%
Upper 95% confidence interval		87.57%	86.38%	93.54%

Access/Availability of Care

Metropolitan Health Plan

Adult's Access to Preventive/Ambulatory Health Services

Data Last Refreshed:
Sep 23, 2003 1:42 PM

GAMC

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		279	475	14
Numerator events by administrative data		228	415	14
Reported rate		81.72%	87.37%	NA
Lower 95% confidence interval		77.01%	84.28%	NA
Upper 95% confidence interval		86.43%	90.46%	NA

Access/Availability of Care

Metropolitan Health Plan

Adult's Access to Preventive/Ambulatory Health Services

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Minnesota Care

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		449	294	7
Numerator events by administrative data		365	260	6
Reported rate		81.29%	88.44%	NA
Lower 95% confidence interval		77.57%	84.61%	NA
Upper 95% confidence interval		85.01%	92.26%	NA

Access/Availability of Care

Metropolitan Health Plan

Children's Access to Primary Care Practitioners

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Commercial

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.
Data collection methodology (Administrative only)				
Eligible member population (i.e. members who meet all denominator criteria)				
Numerator events by administrative data				
Reported rate		NR	NR	NR
Lower 95% confidence interval		NR	NR	NR
Upper 95% confidence interval		NR	NR	NR

Access/Availability of Care

Metropolitan Health Plan

Children's Access to Primary Care Practitioners

Data Last Refreshed:
Sep 23, 2003 1:42 PM

PMAP

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		1123	2194	1318
Numerator events by administrative data		1023	1710	964
Reported rate		91.10%	77.94%	73.14%
Lower 95% confidence interval		89.38%	76.18%	70.71%
Upper 95% confidence interval		92.81%	79.70%	75.57%

Access/Availability of Care

Metropolitan Health Plan

Children's Access to Primary Care Practitioners

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Minnesota Care

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		14	146	111
Numerator events by administrative data		14	120	92
Reported rate		NA	82.19%	82.88%
Lower 95% confidence interval		NA	75.64%	75.43%
Upper 95% confidence interval		NA	88.74%	90.34%

Access/Availability of Care

Metropolitan Health Plan

Prenatal and Postpartum Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Commercial

	General Measure Data	Timeliness of Prenatal Care	Postpartum Care
Data collection methodology (Administrative or Hybrid)			
Sampling method used (see User's Guide for entry descriptions)			
Eligible member population (i.e. members who meet all denominator criteria)			
Number of numerator events by administrative data in eligible population (before exclusions)			
Current year's administrative rate (before exclusions)		NR	NR
Minimum required sample size (MRSS) or other sample size			
Oversampling rate			
Final sample size (FSS)			
Number of numerator events by administrative data in FSS			
Administrative rate on FSS		NR	NR
Number of original sample records excluded because of valid data errors			
Number of employee/dependent medical records excluded			
Additional records added from the auxiliary list			
Denominator			
Numerator events by administrative data			
Numerator events by medical record			
Reported rate		NR	NR
Lower 95% confidence interval		NR	NR
Upper 95% confidence interval		NR	NR

Access/Availability of Care

Metropolitan Health Plan

Prenatal and Postpartum Care

Data Last Refreshed:
Sep 23, 2003 1:42 PM

PMAP

	General Measure Data	Timeliness of Prenatal Care	Postpartum Care
Data collection methodology (Administrative or Hybrid)	HO		
Sampling method used (see User's Guide for entry descriptions)	S		
Eligible member population (i.e. members who meet all denominator criteria)	879		
Number of numerator events by administrative data in eligible population (before exclusions)		573	492
Current year's administrative rate (before exclusions)		65.19%	55.97%
Minimum required sample size (MRSS) or other sample size	411		
Oversampling rate	10%		
Final sample size (FSS)	453		
Number of numerator events by administrative data in FSS		343	258
Administrative rate on FSS		75.72%	56.95%
Number of original sample records excluded because of valid data errors	0		
Number of employee/dependent medical records excluded	1		
Additional records added from the auxiliary list	1		
Denominator	411		
Numerator events by administrative data		316	238
Numerator events by medical record		54	18
Reported rate		90.02%	62.29%
Lower 95% confidence interval		87.01%	57.48%
Upper 95% confidence interval		93.04%	67.09%

Minnesota Care

	General Measure Data	Timeliness of Prenatal Care	Postpartum Care
Data collection methodology (Administrative or Hybrid)	HO		
Sampling method used (see User's Guide for entry descriptions)	S		
Eligible member population (i.e. members who meet all denominator criteria)	30		
Number of numerator events by administrative data in eligible population (before exclusions)		24	14
Current year's administrative rate (before exclusions)		80.00%	46.67%
Minimum required sample size (MRSS) or other sample size	30		
Oversampling rate	0%		
Final sample size (FSS)	30		
Number of numerator events by administrative data in FSS		25	14
Administrative rate on FSS		83.33%	46.67%
Number of original sample records excluded because of valid data errors	0		
Number of employee/dependent medical records excluded	0		
Additional records added from the auxiliary list	0		
Denominator	30		
Numerator events by administrative data		25	14
Numerator events by medical record		3	2
Reported rate		93.33%	53.33%
Lower 95% confidence interval		82.74%	33.81%
Upper 95% confidence interval		100.00%	72.85%

Practitioner Turnover

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Medicare + Choice

Practitioner Types	Number of Practitioners as of 12/31/2001	Number of Practitioners who were not affiliated with the plan as of 12/31/2002	Practitioner Turnover Rate
Primary Care Physicians			NR
Non-Physician Primary Care Practitioners			NR

Minnesota Senior Health Options

Practitioner Types	Number of Practitioners as of 12/31/2001	Number of Practitioners who were not affiliated with the plan as of 12/31/2002	Practitioner Turnover Rate
Primary Care Physicians	783	5	0.64%
Non-Physician Primary Care Practitioners	229	2	0.87%

Health Plan Stability

Metropolitan Health Plan

Years in Business / Total Membership

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Medicare + Choice

Product/Product Line	Years in Business	Members*
HMO (Total)	NR	NR
Medicaid		
Commercial		
Medicare (cost or risk)		
Self-insured		
Other (specify)		
PPO (Total)	NR	NR
Commercial		
Medicare (cost or risk)		
Self-insured		
Other (specify)		
POS (Total)	NR	NR
Commercial		
Medicare (cost or risk)		
Self-insured		
Other (specify)		
Total		NR

* Total number of members in each category as of December 31, 2002

Health Plan Stability

Metropolitan Health Plan

Years in Business / Total Membership

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Minnesota Senior Health Options

Product/Product Line	Years in Business	Members*
HMO (Total)	18.00	399
Medicaid	18.00	0
Commercial	0.00	0
Medicare (cost or risk)	5.00	399
Self-insured	0.00	0
Other (specify)	0.00	0
PPO (Total)	0.00	0
Commercial	0.00	0
Medicare (cost or risk)	0.00	0
Self-insured	0.00	0
Other (specify)	0.00	0
POS (Total)	0.00	0
Commercial	0.00	0
Medicare (cost or risk)	0.00	0
Self-insured	0.00	0
Other (specify)	0.00	0
Total		399

* Total number of members in each category as of December 31, 2002

Minnesota Senior Health Options

Type of Practitioner	Number of Practitioners in Each Practice Area	Board Certification		Residency / Fellowship Completion	
		Number	Percent	Number	Percent
Primary Care Practitioners			NR		NR
Geriatricians			NR		NR
Other practitioner Specialists			NR		NR

Health Plan Descriptive Information

Metropolitan Health Plan

Total Enrollment by Percentage

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Age/Sex		Product Line				Total
		Medicaid	Commercial	Medicare	Other	
<1	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
1-4	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
5-9	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
10-14	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
15-17	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
18-19	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
Subtotal: 0-19	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
	Total	0.00%	0.00%	0.00%	0.00%	0.00%
20-24	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
25-29	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
30-34	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
35-39	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
40-44	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
Subtotal: 20-44	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
	Total	0.00%	0.00%	0.00%	0.00%	0.00%
45-49	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
50-54	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
55-59	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
60-64	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
Subtotal: 45-64	M	0.00%	0.00%	0.00%	0.00%	0.00%
	F	0.00%	0.00%	0.00%	0.00%	0.00%
	Total	0.00%	0.00%	0.00%	0.00%	0.00%
65-69	M	0.00%	0.00%	100.00%	0.00%	100.00%
	F	0.00%	0.00%	100.00%	0.00%	100.00%
70-74	M	0.00%	0.00%	100.00%	0.00%	100.00%
	F	0.00%	0.00%	100.00%	0.00%	100.00%
75-79	M	0.00%	0.00%	100.00%	0.00%	100.00%
	F	0.00%	0.00%	100.00%	0.00%	100.00%
80-84	M	0.00%	0.00%	100.00%	0.00%	100.00%
	F	0.00%	0.00%	100.00%	0.00%	100.00%
85-89	M	0.00%	0.00%	100.00%	0.00%	100.00%
	F	0.00%	0.00%	100.00%	0.00%	100.00%
>=90	M	0.00%	0.00%	100.00%	0.00%	100.00%
	F	0.00%	0.00%	100.00%	0.00%	100.00%
Subtotal: >=65	M	0.00%	0.00%	100.00%	0.00%	100.00%
	F	0.00%	0.00%	100.00%	0.00%	100.00%
	Total	0.00%	0.00%	100.00%	0.00%	100.00%
Age Unknown		0.00%	0.00%	0.00%	0.00%	0.00%
Total		0.00%	0.00%	100.00%	0.00%	100.00%

Note: Row entries should add up to 100%.

Health Plan Descriptive Information

Metropolitan Health Plan

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Commercial

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown			NR
Total	NR	NR	NR

Health Plan Descriptive Information

Metropolitan Health Plan

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Medicare + Choice

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown			NR
Total	NR	NR	NR

Health Plan Descriptive Information

Metropolitan Health Plan

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Minnesota Senior Health Options

	Member Months		
	Male	Female	Total
<1	0	0	0
1-4	0	0	0
5-9	0	0	0
10-14	0	0	0
15-17	0	0	0
18-19	0	0	0
0-19 Subtotal	0	0	0
0-19 Subtotal: %	0.00%	0.00%	0.00%
20-24	0	0	0
25-29	0	0	0
30-34	0	0	0
35-39	0	0	0
40-44	0	0	0
20-44 Subtotal	0	0	0
20-44 Subtotal: %	0.00%	0.00%	0.00%
45-49	0	0	0
50-54	0	0	0
55-59	0	0	0
60-64	0	0	0
45-64 Subtotal	0	0	0
45-64 Subtotal: %	0.00%	0.00%	0.00%
65-69	432	552	984
70-74	492	1008	1500
75-79	360	768	1128
80-84	156	444	600
85-89	84	276	360
>=90	12	204	216
>=65 Subtotal	1536	3252	4788
>=65 Subtotal: %	100.00%	100.00%	100.00%
Age Unknown	0	0	0
Total	1536	3252	4788

Health Plan Descriptive Information

Metropolitan Health Plan

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Sep 23, 2003 1:42 PM

PMAP

	Member Months		
	Male	Female	Total
<1	7506	7080	14586
1-4	20185	19994	40179
5-9	15136	14770	29906
10-14	14459	14374	28833
15-17	6525	7301	13826
18-19	2919	4964	7883
0-19 Subtotal	66730	68483	135213
0-19 Subtotal: %	85.29%	61.95%	71.63%
20-24	1586	9659	11245
25-29	854	7537	8391
30-34	1044	6216	7260
35-39	1105	4683	5788
40-44	986	3479	4465
20-44 Subtotal	5575	31574	37149
20-44 Subtotal: %	7.13%	28.56%	19.68%
45-49	730	1531	2261
50-54	294	875	1169
55-59	167	300	467
60-64	155	149	304
45-64 Subtotal	1346	2855	4201
45-64 Subtotal: %	1.72%	2.58%	2.23%
65-69	1730	2272	4002
70-74	1451	2126	3577
75-79	733	1406	2139
80-84	417	873	1290
85-89	157	645	802
>=90	99	307	406
>=65 Subtotal	4587	7629	12216
>=65 Subtotal: %	5.86%	6.90%	6.47%
Age Unknown	0	0	0
Total	78238	110541	188779

Health Plan Descriptive Information

Metropolitan Health Plan

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Sep 23, 2003 1:42 PM

GAMC

	Member Months		
	Male	Female	Total
<1	8	2	10
1-4	288	312	600
5-9	710	632	1342
10-14	634	629	1263
15-17	309	300	609
18-19	23	58	81
0-19 Subtotal	1972	1933	3905
0-19 Subtotal: %	10.86%	18.01%	13.52%
20-24	1386	958	2344
25-29	1301	638	1939
30-34	1601	633	2234
35-39	2336	979	3315
40-44	2780	1294	4074
20-44 Subtotal	9404	4502	13906
20-44 Subtotal: %	51.79%	41.94%	48.13%
45-49	2623	1186	3809
50-54	1894	1024	2918
55-59	1296	908	2204
60-64	931	993	1924
45-64 Subtotal	6744	4111	10855
45-64 Subtotal: %	37.14%	38.30%	37.57%
65-69	29	87	116
70-74	4	51	55
75-79	5	38	43
80-84	0	0	0
85-89	0	12	12
>=90	0	0	0
>=65 Subtotal	38	188	226
>=65 Subtotal: %	0.21%	1.75%	0.78%
Age Unknown	0	0	0
Total	18158	10734	28892

Health Plan Descriptive Information

Metropolitan Health Plan

Enrollment by Product Line (Age & Sex)

Data Last Refreshed:
Sep 23, 2003 1:42 PM

Minnesota Care

	Member Months		
	Male	Female	Total
<1	124	246	370
1-4	1042	1139	2181
5-9	1785	1772	3557
10-14	1902	1773	3675
15-17	1077	950	2027
18-19	519	651	1170
0-19 Subtotal	6449	6531	12980
0-19 Subtotal: %	51.16%	41.57%	45.84%
20-24	960	1454	2414
25-29	748	1179	1927
30-34	676	1215	1891
35-39	751	1120	1871
40-44	957	1224	2181
20-44 Subtotal	4092	6192	10284
20-44 Subtotal: %	32.46%	39.42%	36.32%
45-49	642	910	1552
50-54	596	877	1473
55-59	399	595	994
60-64	383	544	927
45-64 Subtotal	2020	2926	4946
45-64 Subtotal: %	16.02%	18.63%	17.47%
65-69	37	27	64
70-74	8	32	40
75-79	0	1	1
80-84	0	0	0
85-89	0	0	0
>=90	0	0	0
>=65 Subtotal	45	60	105
>=65 Subtotal: %	0.36%	0.38%	0.37%
Age Unknown	0	0	0
Total	12606	15709	28315