

Plan Name	UCare Minnesota
-----------	-----------------

Plan ID	17
---------	----

Reporting Year	2002
----------------	------

Submission #	1
--------------	---

Last Refreshed:	9/23/2003 1:44:35 PM
-----------------	----------------------

General Info	Title	Page
	Disclaimers	2

Effectiveness of Care Measures	Measure	Page
	Childhood Immunization Rate	3
	Adolescent Immunization Rate	6
	Breast Cancer Screening	9
	Cervical Cancer Screening	10
	Chlamydia Screening in Women	11
	Controlling High Blood Pressure	12
	Beta Blocker Treatment after a Heart Attack	13
	Cholesterol Management	14
	Comprehensive Diabetes Care	15
	Appropriate Medications for People with Asthma	21
	Follow-up After Hospitalization For Mental Illness	25
	Antidepressant Medication Management	26

Access / Availability of Care	Measure	Page
	Adults' Access to Preventive/Ambulatory Health Services	62
	Children's Access to Primary Care Practitioners	68
	Prenatal and Postpartum Care	71
	Availability of Language Interpretation Services	74

Health Plan Stability	Measure	Page
	Practitioner Turnover	75
	Years in Business / Total Membership	77

Use of Services Measures	Measure	Page
	Well-Child Visits In The First 15 Months of Life	32
	Well-Child Visits In The Third, Fourth, Fifth And Sixth Year of Life	34
	Adolescent Well-Care Visits	35
	Inpatient Utilization - General Hospital/Acute Care	36
	Ambulatory Care	42
	Inpatient Utilization - Nonacute Care	45
	Mental Health Utilization - Inpatient Discharges and Average Length of Stay	48
	Mental Health Utilization - Percentage of Members Receiving Inpatient and Ambulatory Services	51
	Chemical Dependency Utilization - Inpatient Discharges and Average Length of Stay	54
	Chemical Dependency Utilization - Percentage of Members Receiving Inpatient and Ambulatory Services	57
	Outpatient Drug Utilization	60

Health Plan Descriptive Information	Measure	Page
	Board Certification / Residency Completion	79
	Total Enrollment by Percentage	80
	Enrollment by Product Line (Age & Sex)	81

**( this page left blank intentionally )**

### Commercial

Data Elements	General Measure Data	DTaP/DT	IPV/OPV	MMR	HiB	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology									
Sampling Method Used									
Eligible Member Population									
Numerator events by admin data in eligible population									
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR	NR	NR
Minimum Required Sample Size									
Oversampling Rate									
Final Sample Size (FSS)									
Numerator events by admin data in FSS									
Admin rate on FSS		NR	NR	NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors									
Number of Records Excluded because of Contraindications by Admin Data									
Number of Records Excluded because of Contraindications by Medical Record Review									
Number of employee/dependent records excluded									
Additional Records Added from the Auxiliary List									
Denominator									
Numerator Events by Admin Data									
Numerator Events by Medical Record									
Reported Rate		NR	NR	NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR	NR	NR	NR

### PMAP

Data Elements	General Measure Data	DTaP/DT	IPV/OPV	MMR	HiB	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO								
Sampling Method Used	S								
Eligible Member Population	2473								
Numerator events by admin data in eligible population		829	1069	1719	959	911	1413	496	418
Current Year's Administrative Rate		33.52%	43.23%	69.51%	38.78%	36.84%	57.14%	20.06%	16.90%
Minimum Required Sample Size	411								
Oversampling Rate	10.00%								
Final Sample Size (FSS)	454								
Numerator events by admin data in FSS		142	190	324	174	159	272	84	76
Admin rate on FSS		31.28%	41.85%	71.37%	38.33%	35.02%	59.91%	18.50%	16.74%
Number of Records Excluded Because of Valid Data Errors	0								
Number of Records Excluded because of Contraindications by Admin Data	0								
Number of Records Excluded because of Contraindications by Medical Record Review	0								
Number of employee/dependent records excluded	0								
Additional Records Added from the Auxiliary List	0								
Denominator	411								
Numerator Events by Admin Data		129	171	293	157	148	248	79	71
Numerator Events by Medical Record		179	186	63	154	196	49	166	136
Reported Rate		74.94%	86.86%	86.62%	75.67%	83.70%	72.26%	59.61%	50.36%
Lower 95% Confidence Interval		70.63%	83.47%	83.20%	71.40%	80.01%	67.81%	54.75%	45.41%
Upper 95% Confidence Interval		79.25%	90.25%	90.03%	79.94%	87.39%	76.71%	64.48%	55.32%

### MinnesotaCare

Data Elements	General Measure Data	DTaP/DT	IPV/OPV	MMR	HiB	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO								
Sampling Method Used	S								
Eligible Member Population	311								
Numerator events by admin data in eligible population		148	165	238	157	143	181	97	76
Current Year's Administrative Rate		47.59%	53.05%	76.53%	50.48%	45.98%	58.20%	31.19%	24.44%
Minimum Required Sample Size	411								
Oversampling Rate	10.00%								
Final Sample Size (FSS)	311								
Numerator events by admin data in FSS		148	165	238	157	143	181	97	76
Admin rate on FSS		47.59%	53.05%	76.53%	50.48%	45.98%	58.20%	31.19%	24.44%
Number of Records Excluded Because of Valid Data Errors	0								
Number of Records Excluded because of Contraindications by Admin Data	0								
Number of Records Excluded because of Contraindications by Medical Record Review	0								
Number of employee/dependent records excluded	0								
Additional Records Added from the Auxiliary List	0								
Denominator	311								
Numerator Events by Admin Data		148	165	238	157	143	181	97	76
Numerator Events by Medical Record		98	104	28	85	115	21	108	84
Reported Rate		79.10%	86.50%	85.53%	77.81%	82.96%	64.95%	65.92%	51.45%
Lower 95% Confidence Interval		74.42%	82.54%	81.46%	73.03%	78.62%	59.49%	60.49%	45.73%
Upper 95% Confidence Interval		83.78%	90.45%	89.60%	82.59%	87.30%	70.42%	71.35%	57.16%

### Commercial

Data Elements	General Measure Data	MMR	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology						
Sampling Method Used						
Eligible Member Population						
Numerator events by admin data in eligible population						
Current Year's Administrative Rate		NR	NR	NR	NR	NR
Minimum Required Sample Size						
Oversampling Rate						
Final Sample Size (FSS)						
Numerator events by admin data in FSS						
Admin rate on FSS		NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors						
Number of Records Excluded because of Contraindications by Admin Data						
Number of Records Excluded because of Contraindications by Medical Record Review						
Number of employee/dependent records excluded						
Additional Records Added from the Auxiliary List						
Denominator						
Numerator Events by Admin Data						
Numerator Events by Medical Record						
Reported Rate		NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR

### PMAP

Data Elements	General Measure Data	MMR	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO					
Sampling Method Used	S					
Eligible Member Population	989					
Numerator events by admin data in eligible population		378	64	60	48	2
Current Year's Administrative Rate		38.22%	6.47%	6.07%	4.85%	0.20%
Minimum Required Sample Size	411					
Oversampling Rate	10.00%					
Final Sample Size (FSS)	453					
Numerator events by admin data in FSS		180	33	27	24	0
Admin rate on FSS		39.74%	7.28%	5.96%	5.30%	0.00%
Number of Records Excluded Because of Valid Data Errors	1					
Number of Records Excluded because of Contraindications by Admin Data	0					
Number of Records Excluded because of Contraindications by Medical Record Review	0					
Number of employee/dependent records excluded	0					
Additional Records Added from the Auxiliary List	1					
Denominator	411					
Numerator Events by Admin Data		157	33	25	24	0
Numerator Events by Medical Record		149	178	73	170	63
Reported Rate		74.45%	51.34%	23.84%	47.20%	15.33%
Lower 95% Confidence Interval		70.11%	46.38%	19.60%	42.25%	11.72%
Upper 95% Confidence Interval		78.79%	56.29%	28.09%	52.15%	18.93%

### MinnesotaCare

Data Elements	General Measure Data	MMR	Hepatitis B	VZV	Combo 1	Combo 2
Data Collection Methodology	HO					
Sampling Method Used	S					
Eligible Member Population	511					
Numerator events by admin data in eligible population		251	78	25	67	3
Current Year's Administrative Rate		49.12%	15.26%	4.89%	13.11%	0.59%
Minimum Required Sample Size	411					
Oversampling Rate	10.00%					
Final Sample Size (FSS)	453					
Numerator events by admin data in FSS		221	71	23	60	3
Admin rate on FSS		48.79%	15.67%	5.08%	13.25%	0.66%
Number of Records Excluded Because of Valid Data Errors	1					
Number of Records Excluded because of Contraindications by Admin Data	0					
Number of Records Excluded because of Contraindications by Medical Record Review	0					
Number of employee/dependent records excluded	0					
Additional Records Added from the Auxiliary List	1					
Denominator	411					
Numerator Events by Admin Data		197	66	22	56	3
Numerator Events by Medical Record		143	188	93	180	84
Reported Rate		82.73%	61.80%	27.98%	57.42%	21.17%
Lower 95% Confidence Interval		78.95%	56.98%	23.52%	52.52%	17.10%
Upper 95% Confidence Interval		86.50%	66.62%	32.44%	62.32%	25.24%



# Effectiveness of Care

## Breast Cancer Screening

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

Data Elements	Commercial	Medicare + Choice
Data Collection Methodology		A
Sampling Method Used		
Eligible Member Population		1203
Numerator Events by Admin Data on Eligible Population		
Current Year's Admin Rate	NR	NR
Minimum Required Sample Size		
Oversampling Rate		
Final Sample Size (FSS)		
Numerator events by admin data in FSS		
Admin Rate on FSS	NR	NR
Records Excluded because of Valid Data Errors		
Records Excluded because of contraindications through Admin data		0
Records Excluded because of contraindications through Medical Record Review		
Number of employee/dependent medical records excluded		
Records Added from Auxiliary List		
Denominator		1203
Numerator Events by Admin Data		961
Numerator Events by Medical Record		
Reported Rate	NR	79.88%
Lower 95% Confidence Interval	NR	77.58%
Upper 95% Confidence Interval	NR	82.19%

# Effectiveness of Care

## Cervical Cancer Screening

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

Data Elements	Commercial	PMAP	MNCare	GAMC
Data Collection Methodology		HO	HO	HO
Sampling Method Used		S	S	S
Eligible Member Population		4405	5748	626
Numerator Events by Admin Data on Eligible Population (before exclusions)		2847	3834	295
Current Year's Admin Rate	NR	64.63%	66.70%	47.12%
Minimum Required Sample Size		411	411	411
Oversampling Rate		10.00%	10.00%	10.00%
Final Sample Size (FSS)		453	453	453
Numerator events by admin data in FSS		303	302	214
Admin Rate on FSS	NR	90.73%	90.73%	90.73%
Records Excluded because of Valid Data Errors		0	10	19
Records Excluded because of contraindications through Admin data		0	0	0
Records Excluded because of contraindications through Medical Record Review		0	0	0
Number of employee/dependent medical records excluded		0	0	0
Records Added from Auxiliary List		0	10	19
Denominator		411	411	411
Numerator Events by Admin Data		274	281	204
Numerator Events by Medical Record		46	37	48
Reported Rate	NR	77.86%	77.37%	61.31%
Lower 95% Confidence Interval	NR	73.72%	73.21%	56.48%
Upper 95% Confidence Interval	NR	81.99%	81.54%	66.14%

# Effectiveness of Care

# UCare Minnesota

## Chlamydia Screening in Women

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

Data Elements	Commercial				PMAP			
	General Measure Data	Ages 16-20	Ages 21-26	Total	General Measure Data	Ages 16-20	Ages 21-26	Total
Data Collection Methodology					A			
Eligible Member Population				NR		927	1290	2217
Current Year's Admin Rate		NR	NR	NR		53.18%	49.92%	51.29%
Records Excluded because of contraindications through Admin data				NR		0	0	0
Denominator				NR		927	1290	2217
Numerator Events by Admin Data				NR		493	644	1137
Reported Rate		NR	NR	NR		53.18%	49.92%	51.29%
Lower 95% Confidence Interval		NR	NR	NR		49.92%	47.16%	49.18%
Upper 95% Confidence Interval		NR	NR	NR		56.45%	52.69%	53.39%

Data Elements	GAMC				MNCare			
	General Measure Data	Ages 16-20	Ages 21-26	Total	General Measure Data	Ages 16-20	Ages 21-26	Total
Data Collection Methodology	A				A			
Eligible Member Population		2	48	50		584	696	1280
Current Year's Admin Rate		50.00%	31.25%	32.00%		39.21%	28.74%	33.52%
Records Excluded because of contraindications through Admin data		0	0	0		0	0	0
Denominator		2	48	50		584	696	1280
Numerator Events by Admin Data		1	15	16		229	200	429
Reported Rate		NA	31.25%	32.00%		39.21%	28.74%	33.52%
Lower 95% Confidence Interval		NA	17.10%	18.07%		35.17%	25.30%	30.89%
Upper 95% Confidence Interval		NA	45.40%	45.93%		43.26%	32.17%	36.14%

# Effectiveness of Care

## Controlling High Blood Pressure

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

Data Elements	Commercial	PMAP	Medicare + Choice	MSHO
Data Collection Methodology (Hybrid)		HO	HO	HO
Sampling Method Used		S	S	S
Eligible Member Population		804	5581	288
Minimum Required Sample Size		411	411	411
Oversampling Rate		10.00%	10.00%	10.00%
Final Sample Size (FSS)		451	453	292
Records Excluded because of Valid Data Errors		5	7	2
Records Excluded - False positive diagnosis		0	0	0
Records Excluded because of ESRD identified by Admin Data		0	0	2
Records Excluded because of ESRD identified by Medical Record		1	1	0
Number of employee/dependent medical records excluded		0	0	0
Records Added from Auxiliary List		5	7	0
Denominator		410	410	288
Numerator Events by Medical Record		249	220	176
Reported Rate	NR	60.73%	53.66%	61.11%
Lower 95% Confidence Interval	NR	55.88%	48.71%	55.31%
Upper 95% Confidence Interval	NR	65.58%	58.61%	66.92%

## Beta Blocker Treatment after Heart Attack

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

Data Elements	Medicare + Choice
Data Collection Methodology	HO
Sampling Method Used	S
Eligible Member Population	150
Numerator Events by Admin Data on Eligible Population	128
Current Year's Admin Rate	85.33%
Minimum Required Sample Size	411
Oversampling Rate	10.00%
Final Sample Size (FSS)	148
Numerator events by admin data in FSS	128
Admin rate on FSS	86.49%
Records Excluded because of Valid Data Errors	4
Records Excluded - Contraindications/Admin Data	0
Records Excluded - Contraindications/Medical Record Review	0
Number of employee/dependent medical records excluded	0
Records Added from Auxiliary List	0
Denominator	144
Numerator Events by Admin Data	128
Numerator Events by Medical Record	10
Reported Rate	95.83%
Lower 95% Confidence Interval	92.22%
Upper 95% Confidence Interval	99.44%

Data Elements	Medicare + Choice		
	General Measure Data	LDL-C screening 60-365 Days	LDL-C Level of <130 mg/dL 60-365 Days
Data Collection Methodology	HO		
Sampling Method Used	S		
Eligible Member Population	137		
Numerator Events by Admin Data on Eligible Population		88	4
Current Year's Admin Rate		64.23%	2.92%
Minimum Required Sample Size	411		
Oversampling Rate	10.00%		
Final Sample Size (FSS)	137		
Numerator events by admin data in FSS		88	4
Admin rate on FSS		64.23%	2.92%
Records Excluded because of Valid Data Errors	0		
Number of employee/dependent medical records excluded	0		
Records Added from Auxiliary List	0		
Denominator	137		
Numerator Events by Admin Data		88	4
Numerator Events by Medical Record		7	78
Reported Rate		69.34%	59.85%
Lower 95% Confidence Interval		61.26%	51.28%
Upper 95% Confidence Interval		77.43%	68.43%

### Commercial

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology							
Sampling Method Used							
Eligible Member Population							
Numerator events by admin data in eligible population							
Current Year's Administrative Rate		NR	NR	NR	NR	NR	NR
Minimum Required Sample Size							
Oversampling Rate							
Final Sample Size (FSS)							
Numerator events by admin data in FSS							
Admin rate on FSS		NR	NR	NR	NR	NR	NR
Number of Records Excluded Because of Valid Data Errors							
Number of employee/dependent records excluded							
Additional Records Added from the Auxiliary List							
Denominator							
Numerator Events by Admin Data							
Numerator Events by Medical Record							
Reported Rate		NR	NR	NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR	NR	NR

### Medicare + Choice

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	1339						
Numerator events by admin data in eligible population		1174	0	888	1132	157	670
Current Year's Administrative Rate		87.68%	0.00%	66.32%	84.54%	11.73%	50.04%
Minimum Required Sample Size	411						
Oversampling Rate	10.00%						
Final Sample Size (FSS)	453						
Numerator events by admin data in FSS		398	0	287	389	58	224
Admin rate on FSS		87.86%	0.00%	63.36%	85.87%	12.80%	49.45%
Number of Records Excluded Because of Valid Data Errors	1						
Number of employee/dependent records excluded	0						
Additional Records Added from the Auxiliary List	1						
Denominator	411						
Numerator Events by Admin Data		365	0	261	355	52	206
Numerator Events by Medical Record		12	67	35	12	225	82
Reported Rate		91.73%	16.30%	72.02%	89.29%	67.40%	70.07%
Lower 95% Confidence Interval		88.94%	12.61%	67.56%	86.18%	62.74%	65.52%
Upper 95% Confidence Interval		94.51%	19.99%	76.48%	92.41%	72.05%	74.62%



# Effectiveness of Care

## Comprehensive Diabetes Care

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### MSHO

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	158						
Numerator events by admin data in eligible population		132	0	100	96	21	74
Current Year's Administrative Rate		83.54%	0.00%	63.29%	60.76%	13.29%	46.84%
Minimum Required Sample Size	411						
Oversampling Rate	10.00%						
Final Sample Size (FSS)	157						
Numerator events by admin data in FSS		131	0	99	96	21	74
Admin rate on FSS		83.44%	0.00%	63.06%	61.15%	13.38%	47.13%
Number of Records Excluded Because of Valid Data Errors	0						
Number of employee/dependent records excluded	0						
Additional Records Added from the Auxiliary List	0						
Denominator	157						
Numerator Events by Admin Data		131	0	99	96	21	74
Numerator Events by Medical Record		7	61	5	12	53	20
Reported Rate		87.90%	38.85%	66.24%	68.79%	47.13%	59.87%
Lower 95% Confidence Interval		82.48%	30.91%	58.53%	61.22%	39.01%	51.89%
Upper 95% Confidence Interval		93.32%	46.80%	73.96%	76.36%	55.26%	67.86%

### PMAP

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	620						
Numerator events by admin data in eligible population		328	1	296	290	20	238
Current Year's Administrative Rate		52.90%	0.16%	47.74%	46.77%	3.23%	38.39%
Minimum Required Sample Size	411						
Oversampling Rate	10.00%						
Final Sample Size (FSS)	453						
Numerator events by admin data in FSS		241	1	215	216	15	178
Admin rate on FSS		53.20%	0.22%	47.46%	47.68%	3.31%	39.29%
Number of Records Excluded Because of Valid Data Errors	3						
Number of employee/dependent records excluded	0						
Additional Records Added from the Auxiliary List	3						
Denominator	411						
Numerator Events by Admin Data		220	0	197	197	15	164
Numerator Events by Medical Record		103	150	29	87	180	74
Reported Rate		78.59%	36.50%	54.99%	69.10%	47.45%	57.91%
Lower 95% Confidence Interval		74.50%	31.72%	50.06%	64.51%	42.50%	53.01%
Upper 95% Confidence Interval		82.68%	41.27%	59.92%	73.69%	52.39%	62.80%

### GAMC

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	159						
Numerator events by admin data in eligible population		131	0	88	123	24	84
Current Year's Administrative Rate		82.39%	0.00%	55.35%	77.36%	15.09%	52.83%
Minimum Required Sample Size	411						
Oversampling Rate	10.00%						
Final Sample Size (FSS)	159						
Numerator events by admin data in FSS		131	0	88	123	24	84
Admin rate on FSS		82.39%	0.00%	55.35%	77.36%	15.09%	52.83%
Number of Records Excluded Because of Valid Data Errors	0						
Number of employee/dependent records excluded	0						
Additional Records Added from the Auxiliary List	0						
Denominator	159						
Numerator Events by Admin Data		131	0	88	123	24	84
Numerator Events by Medical Record		5	54	10	8	65	24
Reported Rate		85.53%	33.96%	61.64%	82.39%	55.97%	67.92%
Lower 95% Confidence Interval		79.75%	26.29%	53.76%	76.15%	47.94%	60.35%
Upper 95% Confidence Interval		91.32%	41.64%	69.51%	88.63%	64.01%	75.49%

# Effectiveness of Care

## Comprehensive Diabetes Care

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### MinnesotaCare

Data Elements	General Measure Data	HbA1c Testing	Poor HbA1c Control	Eye Exam	LDL-C Screening	LDL-C Level	Monitoring for Diabetic Nephropathy
Data Collection Methodology	HO						
Sampling Method Used	S						
Eligible Member Population	597						
Numerator events by admin data in eligible population		485	0	300	463	20	266
Current Year's Administrative Rate		81.24%	0.00%	50.25%	77.55%	3.35%	44.56%
Minimum Required Sample Size	411						
Oversampling Rate	10.00%						
Final Sample Size (FSS)	453						
Numerator events by admin data in FSS		367	0	220	352	17	201
Admin rate on FSS		81.02%	0.00%	48.57%	77.70%	3.75%	44.37%
Number of Records Excluded Because of Valid Data Errors	1						
Number of employee/dependent records excluded	0						
Additional Records Added from the Auxiliary List	1						
Denominator	411						
Numerator Events by Admin Data		335	0	200	320	15	185
Numerator Events by Medical Record		18	136	40	16	192	63
Reported Rate		85.89%	33.09%	58.39%	81.75%	50.36%	60.34%
Lower 95% Confidence Interval		82.40%	28.42%	53.51%	77.90%	45.41%	55.49%
Upper 95% Confidence Interval		89.38%	37.76%	63.28%	85.61%	55.32%	65.19%

# Effectiveness of Care

# UCare Minnesota

## Appropriate Medications for People with Asthma

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Commercial

Data Elements	General Measure Data	Ages 5-9	Ages 10-17	Ages 18-56	Total
Data Collection Methodology					
Eligible Member Population					NR
Numerator Events by Admin Data					NR
Reported Rate		NR	NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR	NR

PMAP

Data Elements	General Measure Data	Ages 5-9	Ages 10-17	Ages 18-56	Total
Data Collection Methodology	A				
Eligible Member Population		118	154	188	460
Numerator Events by Admin Data		66	88	109	263
Reported Rate		55.93%	57.14%	57.98%	57.17%
Lower 95% Confidence Interval		46.55%	49.00%	50.66%	52.54%
Upper 95% Confidence Interval		65.31%	65.28%	65.30%	61.80%

### GAMC

Data Elements	General Measure Data	Ages 5-9	Ages 10-17	Ages 18-56	Total
Data Collection Methodology	A				
Eligible Member Population		0	0	46	46
Numerator Events by Admin Data		0	0	28	28
Reported Rate		NA	NA	60.87%	60.87%
Lower 95% Confidence Interval		NA	NA	45.68%	45.68%
Upper 95% Confidence Interval		NA	NA	76.06%	76.06%

# Effectiveness of Care

# UCare Minnesota

## Appropriate Medications for People with Asthma

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### MNCare

Data Elements	General Measure Data	Ages 5-9	Ages 10-17	Ages 18-56	Total
Data Collection Methodology	A				
Eligible Member Population		48	143	273	464
Numerator Events by Admin Data		35	111	206	352
Reported Rate		72.92%	77.62%	75.46%	75.86%
Lower 95% Confidence Interval		59.30%	70.44%	70.17%	71.86%
Upper 95% Confidence Interval		86.53%	84.80%	80.75%	79.86%



Data Elements	Commercial			Medicare + Choice			MSHO		
	General Measure Data	W/in 7 Days of Discharge	W/in 30 Days of Discharge	General Measure Data	W/in 7 Days of Discharge	W/in 30 Days of Discharge	General Measure Data	W/in 7 Days of Discharge	W/in 30 Days of Discharge
Data Collection Methodology				A			A		
Eligible Member Population				66			10		
Numerator Events by Admin Data					43	46		8	8
Reported Rate		NR	NR		65.15%	69.70%		NA	NA
Lower 95% Confidence Interval		NR	NR		52.90%	57.85%		NA	NA
Upper 95% Confidence Interval		NR	NR		77.40%	81.54%		NA	NA

Commercial

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology				
Eligible Member Population				
Numerator Events by Admin Data				
Reported Rate		NR	NR	NR
Lower 95% Confidence Interval		NR	NR	NR
Upper 95% Confidence Interval		NR	NR	NR

# Effectiveness of Care

## Antidepressant Medication Management

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Medicare + Choice

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	140			
Numerator Events by Admin Data		3	69	60
Reported Rate		2.14%	49.29%	42.86%
Lower 95% Confidence Interval		0.00%	40.65%	34.30%
Upper 95% Confidence Interval		4.90%	57.92%	51.41%

MSHO

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	23			
Numerator Events by Admin Data		0	15	13
Reported Rate		NA	NA	NA
Lower 95% Confidence Interval		NA	NA	NA
Upper 95% Confidence Interval		NA	NA	NA

PMAP

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	256			
Numerator Events by Admin Data		23	119	83
Reported Rate		8.98%	46.48%	32.42%
Lower 95% Confidence Interval		5.29%	40.18%	26.49%
Upper 95% Confidence Interval		12.68%	52.79%	38.35%

GAMC

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	39			
Numerator Events by Admin Data		8	26	21
Reported Rate		20.51%	66.67%	53.85%
Lower 95% Confidence Interval		6.56%	50.59%	36.92%
Upper 95% Confidence Interval		34.47%	82.74%	70.77%

# Effectiveness of Care

## Antidepressant Medication Management

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

MNCare

Data Elements	General Measure Data	Optimal Practitioner Contacts for Medication Management	Effective Acute Phase Treatment	Effective Continuation Phase Treatment
Data Collection Methodology	A			
Eligible Member Population	198			
Numerator Events by Admin Data		23	115	90
Reported Rate		11.62%	58.08%	45.45%
Lower 95% Confidence Interval		6.90%	50.96%	38.27%
Upper 95% Confidence Interval		16.33%	65.21%	52.64%

# Use of Services

## Well Child Visits in the First 15 Months of Life

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

PMAP

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Data Collection Methodology	HO							
Sampling Method Used	S							
Eligible Member Population	2101							
Numerator events by admin data in eligible population		76	84	130	210	353	520	728
Current Year's Administrative Rate		3.62%	4.00%	6.19%	10.00%	16.80%	24.75%	34.65%
Minimum Required Sample Size	411							
Oversampling Rate	10.00%							
Final sample size (FSS)	453							
Numerator events by admin data in FSS		19	18	27	53	78	108	150
Administrative rate on FSS		4.19%	3.97%	5.96%	11.70%	17.22%	23.84%	33.11%
Number of Records Excluded Because of Valid Data Errors	1							
Number of employee/dependent medical records excluded	0							
Additional Records Added from the Auxiliary List	1							
Denominator	411							
Numerator Events by Admin Data		2	5	13	19	32	70	139
Numerator Events by Medical Record		0	1	5	8	24	37	56
Reported Rate		0.49%	1.46%	4.38%	6.57%	13.63%	26.03%	47.45%
Lower 95% Confidence Interval		0.00%	0.18%	2.28%	4.05%	10.19%	21.67%	42.50%
Upper 95% Confidence Interval		1.28%	2.74%	6.48%	9.09%	17.06%	30.40%	52.39%



# Use of Services

## Well Child Visits in the First 15 Months of Life

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### MinnesotaCare

Data Elements	General Measure Data	Zero Visits	1 visit	2 visits	3 visits	4 visits	5 visits	6 or more visits
Data Collection Methodology	HO							
Sampling Method Used	S							
Eligible Member Population	266							
Numerator events by admin data in eligible population		11	4	13	13	36	64	125
Current Year's Administrative Rate		4.14%	1.50%	4.89%	4.89%	13.53%	24.06%	46.99%
Minimum Required Sample Size	411							
Oversampling Rate	10.00%							
Final sample size (FSS)	266							
Numerator events by admin data in FSS		11	4	13	13	36	64	125
Administrative rate on FSS		4.14%	1.50%	4.89%	4.89%	13.53%	24.06%	46.99%
Number of Records Excluded Because of Valid Data Errors	0							
Number of employee/dependent medical records excluded	0							
Additional Records Added from the Auxiliary List	0							
Denominator	266							
Numerator Events by Admin Data		8	3	7	5	30	39	125
Numerator Events by Medical Record		0	0	0	5	5	9	30
Reported Rate		3.01%	1.13%	2.63%	3.76%	13.16%	18.05%	58.27%
Lower 95% Confidence Interval		0.77%	0.00%	0.52%	1.29%	8.91%	13.24%	52.16%
Upper 95% Confidence Interval		5.25%	2.58%	4.74%	6.23%	17.41%	22.85%	64.38%

# Use of Services

## Well Child Visits in the 3rd, 4th, 5th and 6th Years of Life

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

Data Elements	PMAP	MNCare
Data Collection Methodology	HO	HO
Sampling Method Used	S	S
Eligible Member Population	4441	1388
Numerator events by admin data in eligible population	2389	742
Current Year's Admin Rate	53.79%	53.46%
Minimum Required Sample Size	411	411
Oversampling Rate	10.00%	10.00%
Final sample size (FSS)	453	453
Numerator events by admin data in FSS	244	238
Administrative rate on FSS	53.86%	52.54%
Records Excluded because of Valid Data Errors	0	1
Number of employee/dependent medical records excluded	0	0
Records Added from Auxiliary List	0	1
Denominator	411	411
Numerator Events by Admin Data	220	216
Numerator Events by Medical Record	21	28
Reported Rate	58.64%	59.37%
Lower 95% Confidence Interval	53.75%	54.50%
Upper 95% Confidence Interval	63.52%	64.24%

# Use of Services

## Adolescent Well-Care Visits

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

Data Elements	PMAP	MNCare
Data Collection Methodology	HO	HO
Sampling Method Used	S	S
Eligible Member Population	7275	4525
Numerator events by admin data in eligible population	2285	1363
Current Year's Admin Rate	31.41%	30.12%
Minimum Required Sample Size	411	411
Oversampling Rate	10.00%	10.00%
Final sample size (FSS)	453	453
Numerator events by admin data in FSS	137	125
Administrative rate on FSS	30.24%	27.59%
Records Excluded because of Valid Data Errors	0	0
Number of employee/dependent medical records excluded	0	0
Records Added from Auxiliary List	0	0
Denominator	411	411
Numerator Events by Admin Data	120	115
Numerator Events by Medical Record	42	42
Reported Rate	39.42%	38.20%
Lower 95% Confidence Interval	34.57%	33.38%
Upper 95% Confidence Interval	44.26%	43.02%

Commercial

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
<b>Total</b>	<b>NR</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>
<b>Medicine</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>
<b>Surgery</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>
<b>Maternity</b>					
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65+		NR		NR	NR
Unknown					NR
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>

Medicare + Choice

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	564
45-64	4732
65-74	107067
75-84	129815
85+	58289
Unknown	0
<b>Total</b>	<b>300467</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	12	21.28	106	187.94	8.83
45-64	153	32.33	765	161.67	5.00
65-74	1932	18.04	8693	81.19	4.50
75-84	3764	29.00	17518	134.95	4.65
85+	2378	40.80	10865	186.40	4.57
Unknown	0		0		NA
<b>Total</b>	<b>8239</b>	<b>27.42</b>	<b>37947</b>	<b>126.29</b>	<b>4.61</b>
<b>Medicine</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	10	17.73	29	51.42	2.90
45-64	105	22.19	467	98.69	4.45
65-74	1362	12.72	6085	56.83	4.47
75-84	2766	21.31	12562	96.77	4.54
85+	1841	31.58	8094	138.86	4.40
Unknown	0		0		NA
<b>Total</b>	<b>6084</b>	<b>20.25</b>	<b>27237</b>	<b>90.65</b>	<b>4.48</b>
<b>Surgery</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	2	3.55	77	136.52	38.50
45-64	48	10.14	298	62.98	6.21
65-74	570	5.32	2608	24.36	4.58
75-84	998	7.69	4956	38.18	4.97
85+	537	9.21	2771	47.54	5.16
Unknown	0		0		NA
<b>Total</b>	<b>2155</b>	<b>7.17</b>	<b>10710</b>	<b>35.64</b>	<b>4.97</b>

Minnesota Senior Health Options

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	0
65-74	7172
75-84	8061
85+	8099
Unknown	0
<b>Total</b>	<b>23332</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	NA	0	NA	NA
65-74	221	30.81	1155	161.04	5.23
75-84	295	36.60	1805	223.92	6.12
85+	187	23.09	1174	144.96	6.28
Unknown	0		0		NA
<b>Total</b>	<b>703</b>	<b>30.13</b>	<b>4134</b>	<b>177.18</b>	<b>5.88</b>
<b>Medicine</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	NA	0	NA	NA
65-74	151	21.05	751	104.71	4.97
75-84	218	27.04	1391	172.56	6.38
85+	148	18.27	959	118.41	6.48
Unknown	0		0		NA
<b>Total</b>	<b>517</b>	<b>22.16</b>	<b>3101</b>	<b>132.91</b>	<b>6.00</b>
<b>Surgery</b>					
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	NA	0	NA	NA
65-74	70	9.76	404	56.33	5.77
75-84	77	9.55	414	51.36	5.38
85+	39	4.82	215	26.55	5.51
Unknown	0		0		NA
<b>Total</b>	<b>186</b>	<b>7.97</b>	<b>1033</b>	<b>44.27</b>	<b>5.55</b>

PMAP

Age	Member Months
<1	34051
1-9	190706
10-19	141531
20-44	109445
45-64	9928
65-74	20725
75-84	18595
85+	17023
Unknown	0
<b>Total</b>	<b>542004</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	552	16.21	3067	90.07	5.56
1-9	479	2.51	1207	6.33	2.52
10-19	699	4.94	2263	15.99	3.24
20-44	2738	25.02	7553	69.01	2.76
45-64	124	12.49	411	41.40	3.31
65-74	453	21.86	2128	102.68	4.70
75-84	472	25.38	2621	140.95	5.55
85+	446	26.20	2173	127.65	4.87
Unknown	0		0		NA
<b>Total</b>	<b>5963</b>	<b>11.00</b>	<b>21423</b>	<b>39.53</b>	<b>3.59</b>
<b>Medicine</b>					
<1	472	13.86	2096	61.55	4.44
1-9	384	2.01	843	4.42	2.20
10-19	166	1.17	451	3.19	2.72
20-44	545	4.98	1433	13.09	2.63
45-64	76	7.66	227	22.86	2.99
65-74	432	20.84	1966	94.86	4.55
75-84	454	24.42	2508	134.87	5.52
85+	437	25.67	2093	122.95	4.79
Unknown	0		0		NA
<b>Total</b>	<b>2966</b>	<b>5.47</b>	<b>11617</b>	<b>21.43</b>	<b>3.92</b>
<b>Surgery</b>					
<1	54	1.59	926	27.19	17.15
1-9	94	0.49	362	1.90	3.85
10-19	92	0.65	371	2.62	4.03
20-44	262	2.39	1110	10.14	4.24
45-64	44	4.43	177	17.83	4.02
65-74	21	1.01	162	7.82	7.71
75-84	18	0.97	113	6.08	6.28
85+	9	0.53	80	4.70	8.89
Unknown	0		0		NA
<b>Total</b>	<b>594</b>	<b>1.10</b>	<b>3301</b>	<b>6.09</b>	<b>5.56</b>
<b>Maternity</b>					
<1	26	0.76	45	1.32	1.73
1-9	1	0.01	2	0.01	2.00
10-19	441	3.12	1441	10.18	3.27
20-44	1931	17.64	5010	45.78	2.59
45-64	4	0.40	7	0.71	1.75
65+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>2403</b>	<b>4.43</b>	<b>6505</b>	<b>12.00</b>	<b>2.71</b>

GAMC

Age	Member Months
<1	4
1-9	674
10-19	856
20-44	22156
45-64	15348
65-74	172
75-84	42
85+	19
Unknown	0
<b>Total</b>	<b>39271</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	0	0.00	0	0.00	NA
1-9	2	2.97	7	10.39	3.50
10-19	2	2.34	5	5.84	2.50
20-44	361	16.29	1394	62.92	3.86
45-64	275	17.92	1309	85.29	4.76
65-74	2	11.63	3	17.44	1.50
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>642</b>	<b>16.35</b>	<b>2718</b>	<b>69.21</b>	<b>4.23</b>
<b>Medicine</b>					
<1	0	0.00	0	0.00	NA
1-9	0	0.00	0	0.00	NA
10-19	1	1.17	4	4.67	4.00
20-44	242	10.92	850	38.36	3.51
45-64	176	11.47	684	44.57	3.89
65-74	1	5.81	2	11.63	2.00
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>420</b>	<b>10.69</b>	<b>1540</b>	<b>39.21</b>	<b>3.67</b>
<b>Surgery</b>					
<1	0	0.00	0	0.00	NA
1-9	2	2.97	7	10.39	3.50
10-19	1	1.17	1	1.17	1.00
20-44	103	4.65	462	20.85	4.49
45-64	99	6.45	625	40.72	6.31
65-74	1	5.81	1	5.81	1.00
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>206</b>	<b>5.25</b>	<b>1096</b>	<b>27.91</b>	<b>5.32</b>
<b>Maternity</b>					
<1	0	0.00	0	0.00	NA
1-9	0	0.00	0	0.00	NA
10-19	0	0.00	0	0.00	NA
20-44	16	0.72	82	3.70	5.13
45-64	0	0.00	0	0.00	NA
65+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>16</b>	<b>0.41</b>	<b>82</b>	<b>2.09</b>	<b>5.13</b>



MinnesotaCare

Age	Member Months
<1	4687
1-9	57503
10-19	77419
20-44	112916
45-64	55581
65-74	778
75-84	81
85+	19
Unknown	0
<b>Total</b>	<b>308984</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<b>Total Inpatient</b>					
<1	63	13.44	505	107.74	8.02
1-9	73	1.27	214	3.72	2.93
10-19	208	2.69	644	8.32	3.10
20-44	938	8.31	2481	21.97	2.64
45-64	560	10.08	2530	45.52	4.52
65-74	4	5.14	24	30.85	6.00
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>1846</b>	<b>5.97</b>	<b>6398</b>	<b>20.71</b>	<b>3.47</b>
<b>Medicine</b>					
<1	54	11.52	359	76.59	6.65
1-9	50	0.87	106	1.84	2.12
10-19	78	1.01	230	2.97	2.95
20-44	315	2.79	761	6.74	2.42
45-64	314	5.65	1111	19.99	3.54
65-74	2	2.57	13	16.71	6.50
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>813</b>	<b>2.63</b>	<b>2580</b>	<b>8.35</b>	<b>3.17</b>
<b>Surgery</b>					
<1	6	1.28	141	30.08	23.50
1-9	23	0.40	108	1.88	4.70
10-19	66	0.85	272	3.51	4.12
20-44	221	1.96	776	6.87	3.51
45-64	241	4.34	1404	25.26	5.83
65-74	2	2.57	11	14.14	5.50
75-84	0	0.00	0	0.00	NA
85+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>559</b>	<b>1.81</b>	<b>2712</b>	<b>8.78</b>	<b>4.85</b>
<b>Maternity</b>					
<1	3	0.64	5	1.07	1.67
1-9	0	0.00	0	0.00	NA
10-19	64	0.83	142	1.83	2.22
20-44	402	3.56	944	8.36	2.35
45-64	5	0.09	15	0.27	3.00
65+	0	0.00	0	0.00	NA
Unknown	0		0		NA
<b>Total</b>	<b>474</b>	<b>1.53</b>	<b>1106</b>	<b>3.58</b>	<b>2.33</b>

# Use of Services

## Ambulatory Care

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Commercial

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
<b>Total</b>	<b>NR</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1		NR		NR		NR		NR
1-9		NR		NR		NR		NR
10-19		NR		NR		NR		NR
20-44		NR		NR		NR		NR
45-64		NR		NR		NR		NR
65-74		NR		NR		NR		NR
75-84		NR		NR		NR		NR
85+		NR		NR		NR		NR
Unknown								
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>

# Use of Services

## Ambulatory Care

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Medicare + Choice

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	564
45-64	4732
65-74	107067
75-84	129815
85+	58289
Unknown	0
<b>Total</b>	<b>300467</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1	0	NA	0	NA	0	NA	0	NA
1-9	0	NA	0	NA	0	NA	0	NA
10-19	0	NA	0	NA	0	NA	0	NA
20-44	275	487.59	16	28.37	10	17.73	1	1.77
45-64	3056	645.82	131	27.68	141	29.80	14	2.96
65-74	54513	509.15	1231	11.50	2832	26.45	147	1.37
75-84	80795	622.39	2290	17.64	3979	30.65	361	2.78
85+	35531	609.57	1245	21.36	1222	20.96	166	2.85
Unknown	0		0		0		0	
<b>Total</b>	<b>174170</b>	<b>579.66</b>	<b>4913</b>	<b>16.35</b>	<b>8184</b>	<b>27.24</b>	<b>689</b>	<b>2.29</b>

### Minnesota Senior Health Options

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	0
65-74	7172
75-84	8061
85+	8099
Unknown	0
<b>Total</b>	<b>23332</b>

Age	Outpatient Visits (Excludes MH/CD)		Emergency Room Visits		Ambulatory Surgery/Procedures		Observation Room Stays Resulting in Discharge	
	Visits	Visits/ 1,000 Member Months	Visits	Visits/ 1,000 Member Months	Procedures	Procedures/ 1,000 Member Months	Stays	Stays/ 1,000 Member Months
<1	0	NA	0	NA	0	NA	0	NA
1-9	0	NA	0	NA	0	NA	0	NA
10-19	0	NA	0	NA	0	NA	0	NA
20-44	0	NA	0	NA	0	NA	0	NA
45-64	0	NA	0	NA	0	NA	0	NA
65-74	4215	587.70	168	23.42	162	22.59	12	1.67
75-84	5339	662.32	216	26.80	147	18.24	11	1.36
85+	5755	710.58	103	12.72	64	7.90	1	0.12
Unknown	0		0		0		0	
<b>Total</b>	<b>15309</b>	<b>656.14</b>	<b>487</b>	<b>20.87</b>	<b>373</b>	<b>15.99</b>	<b>24</b>	<b>1.03</b>

# Use of Services

## Inpatient Utilization - Nonacute Care

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Commercial

Age	Member Months
<1	
1-9	
10-19	
20-44	
45-64	
65-74	
75-84	
85+	
Unknown	
<b>Total</b>	<b>NR</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1		NR		NR	NR
1-9		NR		NR	NR
10-19		NR		NR	NR
20-44		NR		NR	NR
45-64		NR		NR	NR
65-74		NR		NR	NR
75-84		NR		NR	NR
85+		NR		NR	NR
Unknown					NR
<b>Total</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>	<b>NR</b>

# Use of Services

## Inpatient Utilization - Nonacute Care

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Medicare + Choice

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	564
45-64	4732
65-74	107067
75-84	129815
85+	58289
Unknown	0
<b>Total</b>	<b>300467</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	0.00	0	0.00	NA
45-64	30	6.34	434	91.72	14.47
65-74	259	2.42	3639	33.99	14.05
75-84	1086	8.37	17214	132.60	15.85
85+	1195	20.50	19679	337.61	16.47
Unknown	0		0		NA
<b>Total</b>	<b>2570</b>	<b>8.55</b>	<b>40966</b>	<b>136.34</b>	<b>15.94</b>

# Use of Services

## Inpatient Utilization - Nonacute Care

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Minnesota Senior Health Options

Age	Member Months
<1	0
1-9	0
10-19	0
20-44	0
45-64	0
65-74	7172
75-84	8061
85+	8099
Unknown	0
<b>Total</b>	<b>23332</b>

Age	Discharges	Discharges / 1,000 Member Months	Days	Days / 1,000 Member Months	Average Length of Stay
<1	0	NA	0	NA	NA
1-9	0	NA	0	NA	NA
10-19	0	NA	0	NA	NA
20-44	0	NA	0	NA	NA
45-64	0	NA	0	NA	NA
65-74	77	10.74	2123	296.01	27.57
75-84	162	20.10	3582	444.36	22.11
85+	158	19.51	4557	562.66	28.84
Unknown	0		0		NA
<b>Total</b>	<b>397</b>	<b>17.02</b>	<b>10262</b>	<b>439.83</b>	<b>25.85</b>

# Use of Services

## Mental Health Utilization - Inpatient Discharges and Average Length of Stay, by Age and Sex

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Commercial

Age	Member Months		
	Male	Female	Total
0-12			NR
13-17			NR
18-64			NR
65+			NR
Unknown			NR
<b>Total</b>	NR	NR	NR

Age		Discharges	Discharges / 1,000 Member Months	Days*	Average Length of Stay
0-12	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
13-17	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
18-64	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
65+	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
Unknown	M				NR
	F				NR
	<b>Total</b>	NR		NR	NR
<b>Total</b>	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	<b>TOTAL</b>	NR	NR	NR	NR

\* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table



# Use of Services

## Mental Health Utilization - Inpatient Discharges and Average Length of Stay, by Age and Sex

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Medicare + Choice

Age	Member Months		
	Male	Female	Total
0-12	0	0	0
13-17	0	0	0
18-64	2270	3026	5296
65+	104547	190624	295171
Unknown	0	0	0
<b>Total</b>	<b>106817</b>	<b>193650</b>	<b>300467</b>

Age		Discharges	Discharges / 1,000 Member Months	Days*	Average Length of Stay
0-12	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-64	M	5	2.20	71	14.20
	F	10	3.30	142	14.20
	<b>Total</b>	<b>15</b>	<b>2.83</b>	<b>213</b>	<b>14.20</b>
65+	M	36	0.34	287	7.97
	F	110	0.58	957	8.70
	<b>Total</b>	<b>146</b>	<b>0.49</b>	<b>1244</b>	<b>8.52</b>
Unknown	M	0		0	NA
	F	0		0	NA
	<b>Total</b>	<b>0</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	M	41	0.38	358	8.73
	F	120	0.62	1099	9.16
	<b>TOTAL</b>	<b>161</b>	<b>0.54</b>	<b>1457</b>	<b>9.05</b>

\* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

# Use of Services

## Mental Health Utilization - Inpatient Discharges and Average Length of Stay, by Age and Sex

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Minnesota Senior Health Options

Age	Member Months		
	Male	Female	Total
0-12	0	0	0
13-17	0	0	0
18-64	0	0	0
65+	5429	17903	23332
Unknown	0	0	0
<b>Total</b>	<b>5429</b>	<b>17903</b>	<b>23332</b>

Age		Discharges	Discharges / 1,000 Member Months	Days*	Average Length of Stay
0-12	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-64	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
65+	M	12	2.21	77	6.42
	F	15	0.84	96	6.40
	<b>Total</b>	<b>27</b>	<b>1.16</b>	<b>173</b>	<b>6.41</b>
Unknown	M	0		0	NA
	F	0		0	NA
	<b>Total</b>	<b>0</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	M	12	2.21	77	6.42
	F	15	0.84	96	6.40
	<b>TOTAL</b>	<b>27</b>	<b>1.16</b>	<b>173</b>	<b>6.41</b>

\* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

# Use of Services

**Mental Health Utilization --  
Percent of Members Receiving Inpatient, Day/Night and Ambulatory Services**

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

**Commercial**

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Any Mental Health Services			Inpatient Mental Health Services			Day/Night Mental Health Services			Ambulatory Mental Health Services		
	Sex	Number	Percent		Number	Percent		Number	Percent		Number	Percent
0-12	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
13-17	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
18-64	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
65+	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
Unknown	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
<b>Total</b>	M	NR	NR		NR	NR		NR	NR		NR	NR
	F	NR	NR		NR	NR		NR	NR		NR	NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR

# Use of Services

**Mental Health Utilization --  
Percent of Members Receiving Inpatient, Day/Night and Ambulatory Services**

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

**Medicare + Choice**

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	2270	3026	5296	2270	3026	5296	2270	3026	5296	2270	3026	5296
65+	104547	190624	295171	104547	190624	295171	104547	190624	295171	104547	190624	295171
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>106817</b>	<b>193650</b>	<b>300467</b>	<b>106817</b>	<b>193650</b>	<b>300467</b>	<b>106817</b>	<b>193650</b>	<b>300467</b>	<b>106817</b>	<b>193650</b>	<b>300467</b>

Age	Any Mental Health Services			Inpatient Mental Health Services			Day/Night Mental Health Services			Ambulatory Mental Health Services		
	Sex	Number	Percent		Number	Percent		Number	Percent		Number	Percent
0-12	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
13-17	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
18-64	M	34	17.97%		4	2.11%		0	0.00%		32	16.92%
	F	71	28.16%		9	3.57%		0	0.00%		70	27.76%
	<b>Total</b>	<b>105</b>	<b>23.79%</b>		<b>13</b>	<b>2.95%</b>		<b>0</b>	<b>0.00%</b>		<b>102</b>	<b>23.11%</b>
65+	M	157	1.80%		31	0.36%		0	0.00%		135	1.55%
	F	433	2.73%		97	0.61%		0	0.00%		368	2.32%
	<b>Total</b>	<b>590</b>	<b>2.40%</b>		<b>128</b>	<b>0.52%</b>		<b>0</b>	<b>0.00%</b>		<b>503</b>	<b>2.04%</b>
Unknown	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	M	191	2.15%		35	0.39%		0	0.00%		167	1.88%
	F	504	3.12%		106	0.66%		0	0.00%		438	2.71%
	<b>Total</b>	<b>695</b>	<b>2.78%</b>		<b>141</b>	<b>0.56%</b>		<b>0</b>	<b>0.00%</b>		<b>605</b>	<b>2.42%</b>

# Use of Services

**Mental Health Utilization --  
Percent of Members Receiving Inpatient, Day/Night and Ambulatory Services**

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

**Minnesota Senior Health Options**

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	0	0	0	0	0	0	0	0	0	0	0	0
65+	5429	17903	23332	5429	17903	23332	5429	17903	23332	5429	17903	23332
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>5429</b>	<b>17903</b>	<b>23332</b>	<b>5429</b>	<b>17903</b>	<b>23332</b>	<b>5429</b>	<b>17903</b>	<b>23332</b>	<b>5429</b>	<b>17903</b>	<b>23332</b>

Age	Any Mental Health Services			Inpatient Mental Health Services			Day/Night Mental Health Services			Ambulatory Mental Health Services		
	Sex	Number	Percent		Number	Percent		Number	Percent		Number	Percent
0-12	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
13-17	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
18-64	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
65+	M	36	7.96%		11	2.43%		0	0.00%		26	5.75%
	F	103	6.90%		12	0.80%		0	0.00%		98	6.57%
	<b>Total</b>	<b>139</b>	<b>7.15%</b>		<b>23</b>	<b>1.18%</b>		<b>0</b>	<b>0.00%</b>		<b>124</b>	<b>6.38%</b>
Unknown	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>36</b>	<b>7.96%</b>		<b>11</b>	<b>2.43%</b>		<b>0</b>	<b>0.00%</b>		<b>26</b>	<b>5.75%</b>
	<b>F</b>	<b>103</b>	<b>6.90%</b>		<b>12</b>	<b>0.80%</b>		<b>0</b>	<b>0.00%</b>		<b>98</b>	<b>6.57%</b>
	<b>Total</b>	<b>139</b>	<b>7.15%</b>		<b>23</b>	<b>1.18%</b>		<b>0</b>	<b>0.00%</b>		<b>124</b>	<b>6.38%</b>

# Use of Services

## Chemical Dependency Utilization - Inpatient Discharges and Average Length of Stay

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Commercial

Age	Member Months		
	Male	Female	Total
0-12			NR
13-17			NR
18-64			NR
65+			NR
Unknown			NR
<b>Total</b>	NR	NR	NR

Age		Discharges	Discharges / 1,000 Member Months	Days	Average Length of Stay
0-12	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
13-17	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
18-64	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
65+	M		NR		NR
	F		NR		NR
	<b>Total</b>	NR	NR	NR	NR
Unknown	M				NR
	F				NR
	<b>Total</b>	NR		NR	NR
<b>Total</b>	M	NR	NR	NR	NR
	F	NR	NR	NR	NR
	<b>TOTAL</b>	NR	NR	NR	NR

\* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

# Use of Services

## Chemical Dependency Utilization - Inpatient Discharges and Average Length of Stay

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Medicare + Choice

Age	Member Months		
	Male	Female	Total
0-12	0	0	0
13-17	0	0	0
18-64	2270	3026	5296
65+	104547	190624	295171
Unknown	0	0	0
<b>Total</b>	<b>106817</b>	<b>193650</b>	<b>300467</b>

Age		Discharges	Discharges / 1,000 Member Months	Days	Average Length of Stay
0-12	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-64	M	1	0.44	3	3.00
	F	1	0.33	2	2.00
	<b>Total</b>	<b>2</b>	<b>0.38</b>	<b>5</b>	<b>2.50</b>
65+	M	18	0.17	98	5.44
	F	19	0.10	91	4.79
	<b>Total</b>	<b>37</b>	<b>0.13</b>	<b>189</b>	<b>5.11</b>
Unknown	M	0		0	NA
	F	0		0	NA
	<b>Total</b>	<b>0</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	M	19	0.18	101	5.32
	F	20	0.10	93	4.65
	<b>TOTAL</b>	<b>39</b>	<b>0.13</b>	<b>194</b>	<b>4.97</b>

\* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table

# Use of Services

## Chemical Dependency Utilization - Inpatient Discharges and Average Length of Stay

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Minnesota Senior Health Options

Age	Member Months		
	Male	Female	Total
0-12	0	0	0
13-17	0	0	0
18-64	0	0	0
65+	5429	17903	23332
Unknown	0	0	0
<b>Total</b>	<b>5429</b>	<b>17903</b>	<b>23332</b>

Age		Discharges	Discharges / 1,000 Member Months	Days	Average Length of Stay
0-12	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
13-17	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
18-64	M	0	NA	0	NA
	F	0	NA	0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>	<b>0</b>	<b>NA</b>
65+	M	4	0.74	33	8.25
	F	1	0.06	2	2.00
	<b>Total</b>	<b>5</b>	<b>0.21</b>	<b>35</b>	<b>7.00</b>
Unknown	M	0		0	NA
	F	0		0	NA
	<b>Total</b>	<b>0</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	M	4	0.74	33	8.25
	F	1	0.06	2	2.00
	<b>TOTAL</b>	<b>5</b>	<b>0.21</b>	<b>35</b>	<b>7.00</b>

\* This table should reflect inpatient days only. Days associated with day/night or partial hospitalization should not be included in this table



# Use of Services

**Chemical Dependency Utilization --  
Percent of members Receiving inpatient, Day/Night Care, and Ambulatory Services**

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

**Commercial**

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12			NR			NR			NR			NR
13-17			NR			NR			NR			NR
18-64			NR			NR			NR			NR
65+			NR			NR			NR			NR
Unknown			NR			NR			NR			NR
<b>Total</b>	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Age	Any Chemical Dependency Services			Inpatient Chemical Dependency Services			Day/Night Chemical Dependency Services			Ambulatory Chemical Dependency Services		
	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent
0-12	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
13-17	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
18-64	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
65+	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
Unknown	M		NR			NR			NR			NR
	F		NR			NR			NR			NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR
<b>Total</b>	M	NR	NR		NR	NR		NR	NR		NR	NR
	F	NR	NR		NR	NR		NR	NR		NR	NR
	<b>Total</b>	NR	NR		NR	NR		NR	NR		NR	NR

Chemical Dependency Utilization --  
Percent of members Receiving inpatient, Day/Night Care, and Ambulatory Services

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

Medicare + Choice

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	2270	3026	5296	2270	3026	5296	2270	3026	5296	2270	3026	5296
65+	104547	190624	295171	104547	190624	295171	104547	190624	295171	104547	190624	295171
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>106817</b>	<b>193650</b>	<b>300467</b>	<b>106817</b>	<b>193650</b>	<b>300467</b>	<b>106817</b>	<b>193650</b>	<b>300467</b>	<b>106817</b>	<b>193650</b>	<b>300467</b>

Age	Any Chemical Dependency Services			Inpatient Chemical Dependency Services			Day/Night Chemical Dependency Services			Ambulatory Chemical Dependency Services		
	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent
0-12	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
13-17	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
18-64	M	2	1.06%		1	0.53%		0	0.00%		2	1.06%
	F	2	0.79%		1	0.40%		0	0.00%		1	0.40%
	<b>Total</b>	<b>4</b>	<b>0.91%</b>		<b>2</b>	<b>0.45%</b>		<b>0</b>	<b>0.00%</b>		<b>3</b>	<b>0.68%</b>
65+	M	18	0.21%		17	0.20%		0	0.00%		5	0.06%
	F	22	0.14%		18	0.11%		0	0.00%		4	0.03%
	<b>Total</b>	<b>40</b>	<b>0.16%</b>		<b>35</b>	<b>0.14%</b>		<b>0</b>	<b>0.00%</b>		<b>9</b>	<b>0.04%</b>
Unknown	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>20</b>	<b>0.22%</b>		<b>18</b>	<b>0.20%</b>		<b>0</b>	<b>0.00%</b>		<b>7</b>	<b>0.08%</b>
	<b>F</b>	<b>24</b>	<b>0.15%</b>		<b>19</b>	<b>0.12%</b>		<b>0</b>	<b>0.00%</b>		<b>5</b>	<b>0.03%</b>
	<b>Total</b>	<b>44</b>	<b>0.18%</b>		<b>37</b>	<b>0.15%</b>		<b>0</b>	<b>0.00%</b>		<b>12</b>	<b>0.05%</b>

Chemical Dependency Utilization --  
Percent of members Receiving inpatient, Day/Night Care, and Ambulatory Services

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

Minnesota Senior Health Options

Age	Member Months (Any)			Member Months (Inpatient)			Member Months (Day/Night)			Member Months (Ambulatory)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-12	0	0	0	0	0	0	0	0	0	0	0	0
13-17	0	0	0	0	0	0	0	0	0	0	0	0
18-64	0	0	0	0	0	0	0	0	0	0	0	0
65+	5429	17903	23332	5429	17903	23332	5429	17903	23332	5429	17903	23332
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>5429</b>	<b>17903</b>	<b>23332</b>	<b>5429</b>	<b>17903</b>	<b>23332</b>	<b>5429</b>	<b>17903</b>	<b>23332</b>	<b>5429</b>	<b>17903</b>	<b>23332</b>

Age	Any Chemical Dependency Services			Inpatient Chemical Dependency Services			Day/Night Chemical Dependency Services			Ambulatory Chemical Dependency Services		
	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent	Sex	Number	Percent
0-12	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
13-17	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
18-64	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
65+	M	5	1.11%		3	0.66%		0	0.00%		3	0.66%
	F	5	0.34%		1	0.07%		0	0.00%		4	0.27%
	<b>Total</b>	<b>10</b>	<b>0.51%</b>		<b>4</b>	<b>0.21%</b>		<b>0</b>	<b>0.00%</b>		<b>7</b>	<b>0.36%</b>
Unknown	M	0	NA		0	NA		0	NA		0	NA
	F	0	NA		0	NA		0	NA		0	NA
	<b>Total</b>	<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>		<b>0</b>	<b>NA</b>
<b>Total</b>	<b>M</b>	<b>5</b>	<b>1.11%</b>		<b>3</b>	<b>0.66%</b>		<b>0</b>	<b>0.00%</b>		<b>3</b>	<b>0.66%</b>
	<b>F</b>	<b>5</b>	<b>0.34%</b>		<b>1</b>	<b>0.07%</b>		<b>0</b>	<b>0.00%</b>		<b>4</b>	<b>0.27%</b>
	<b>Total</b>	<b>10</b>	<b>0.51%</b>		<b>4</b>	<b>0.21%</b>		<b>0</b>	<b>0.00%</b>		<b>7</b>	<b>0.36%</b>

# Use of Services

## Outpatient Drug Utilization

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Medicare + Choice

Age	Member Months
0-9	0
10-19	0
20-44	564
45-64	4732
65-74	107067
75-84	129815
85+	58289
Unknown	0
<b>Total</b>	<b>300467</b>

Specification Documentation: Prescription is defined as (Enter "A" or "B"):	A
---	---

Age	Total Cost of Prescriptions	Avg. Cost of Prescriptions / Per Member Per Month	Total Number of Prescriptions	Avg. Num. Of Prescriptions / Per Member Per Year
0-9	\$0.00	NA	0	NA
10-19	\$0.00	NA	0	NA
20-44	\$30,600.90	\$54.26	915	19.47
45-64	\$326,228.66	\$68.94	9935	25.19
65-74	\$6,898,364.46	\$64.43	181562	20.35
75-84	\$8,051,017.52	\$62.02	261540	24.18
85+	\$3,336,500.34	\$57.24	127881	26.33
Unknown	\$0.00		0	
<b>Total</b>	<b>\$18,642,711.88</b>	<b>\$62.05</b>	<b>581833</b>	<b>23.24</b>

### Minnesota Senior Health Options

Age	Member Months
0-9	0
10-19	0
20-44	0
45-64	0
65-74	7172
75-84	8061
85+	8099
Unknown	0
<b>Total</b>	<b>23332</b>

<b>Specification Documentation:</b> Prescription is defined as (Enter "A" or "B"):	A
--	---

Age	Total Cost of Prescriptions	Avg. Cost of Prescriptions / Per Member Per Month	Total Number of Prescriptions	Avg. Num. Of Prescriptions / Per Member Per Year
0-9	\$0.00	NA	0	NA
10-19	\$0.00	NA	0	NA
20-44	\$0.00	NA	0	NA
45-64	\$0.00	NA	0	NA
65-74	\$1,463,804.13	\$204.10	34577	57.85
75-84	\$1,843,927.99	\$228.75	49368	73.49
85+	\$1,765,818.39	\$218.03	59532	88.21
Unknown	\$0.00		0	
<b>Total</b>	<b>\$5,073,550.51</b>	<b>\$217.45</b>	<b>143477</b>	<b>73.79</b>

### Commercial

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)				
Eligible member population (i.e. members who meet all denominator criteria)				
Numerator events by administrative data				
Reported rate		NR	NR	NR
Lower 95% confidence interval		NR	NR	NR
Upper 95% confidence interval		NR	NR	NR

### Medicare + Choice

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		34	321	22838
Numerator events by administrative data		30	307	21864
Reported rate		88.24%	95.64%	95.74%
Lower 95% confidence interval		75.93%	93.25%	95.47%
Upper 95% confidence interval		100.00%	98.03%	96.00%

### Minnesota Senior Health Options

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		0	0	1673
Numerator events by administrative data		0	0	1609
Reported rate		NA	NA	96.17%
Lower 95% confidence interval		NA	NA	95.23%
Upper 95% confidence interval		NA	NA	97.12%



PMAP

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		5197	616	3805
Numerator events by administrative data		4524	541	3553
Reported rate		87.05%	87.82%	93.38%
Lower 95% confidence interval		86.13%	85.16%	92.57%
Upper 95% confidence interval		87.97%	90.49%	94.18%

# Access/Availability of Care

## Adult's Access to Preventive/Ambulatory Health Services

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

GAMC

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		577	741	10
Numerator events by administrative data		477	629	8
Reported rate		82.67%	84.89%	NA
Lower 95% confidence interval		79.49%	82.24%	NA
Upper 95% confidence interval		85.84%	87.53%	NA

# Access/Availability of Care

## Adult's Access to Preventive/Ambulatory Health Services

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Minnesota Care

Data Elements	General Measure Data	Ages 20-44	Ages 45-64	Ages 65+
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		6200	3637	69
Numerator events by administrative data		5195	3162	57
Reported rate		83.79%	86.94%	82.61%
Lower 95% confidence interval		82.86%	85.83%	72.94%
Upper 95% confidence interval		84.72%	88.05%	92.28%

# Access/Availability of Care

## Children's Access to Primary Care Practitioners

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

Commercial

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.
Data collection methodology (Administrative only)				
Eligible member population (i.e. members who meet all denominator criteria)				
Numerator events by administrative data				
Reported rate		NR	NR	NR
Lower 95% confidence interval		NR	NR	NR
Upper 95% confidence interval		NR	NR	NR

# Access/Availability of Care

## Children's Access to Primary Care Practitioners

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

PMAP

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		2784	5995	3914
Numerator events by administrative data		2634	5026	3129
Reported rate		94.61%	83.84%	79.94%
Lower 95% confidence interval		93.76%	82.90%	78.68%
Upper 95% confidence interval		95.47%	84.78%	81.21%

# Access/Availability of Care

## Children's Access to Primary Care Practitioners

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Minnesota Care

Data Elements	General Measure Data	12-24 months	25 months - 6 yrs.	7-11 yrs.
Data collection methodology (Administrative only)	A			
Eligible member population (i.e. members who meet all denominator criteria)		312	1689	1773
Numerator events by administrative data		299	1431	1546
Reported rate		95.83%	84.72%	87.20%
Lower 95% confidence interval		93.46%	82.98%	85.61%
Upper 95% confidence interval		98.21%	86.47%	88.78%

### Commercial

	General Measure Data	Timeliness of Prenatal Care	Postpartum Care
Data collection methodology (Administrative or Hybrid)			
Sampling method used (see User's Guide for entry descriptions)			
Eligible member population (i.e. members who meet all denominator criteria)			
Number of numerator events by administrative data in eligible population (before exclusions)			
Current year's administrative rate (before exclusions)		NR	NR
Minimum required sample size (MRSS) or other sample size			
Oversampling rate			
Final sample size (FSS)			
Number of numerator events by administrative data in FSS			
Administrative rate on FSS		NR	NR
Number of original sample records excluded because of valid data errors			
Number of employee/dependent medical records excluded			
Additional records added from the auxiliary list			
Denominator			
Numerator events by administrative data			
Numerator events by medical record			
Reported rate		NR	NR
Lower 95% confidence interval		NR	NR
Upper 95% confidence interval		NR	NR

### PMAP

	General Measure Data	Timeliness of Prenatal Care	Postpartum Care
Data collection methodology (Administrative or Hybrid)	HO		
Sampling method used (see User's Guide for entry descriptions)	S		
Eligible member population (i.e. members who meet all denominator criteria)	1959		
Number of numerator events by administrative data in eligible population (before exclusions)		1073	909
Current year's administrative rate (before exclusions)		54.77%	46.40%
Minimum required sample size (MRSS) or other sample size	411		
Oversampling rate	10%		
Final sample size (FSS)	453		
Number of numerator events by administrative data in FSS		263	219
Administrative rate on FSS		58.06%	48.34%
Number of original sample records excluded because of valid data errors	2		
Number of employee/dependent medical records excluded	0		
Additional records added from the auxiliary list	2		
Denominator	411		
Numerator events by administrative data		245	203
Numerator events by medical record		38	41
Reported rate		68.86%	59.37%
Lower 95% confidence interval		64.26%	54.50%
Upper 95% confidence interval		73.46%	64.24%



### Minnesota Care

	General Measure Data	Timeliness of Prenatal Care	Postpartum Care
Data collection methodology (Administrative or Hybrid)	HO		
Sampling method used (see User's Guide for entry descriptions)	S		
Eligible member population (i.e. members who meet all denominator criteria)	398		
Number of numerator events by administrative data in eligible population (before exclusions)		287	195
Current year's administrative rate (before exclusions)		72.11%	48.99%
Minimum required sample size (MRSS) or other sample size	411		
Oversampling rate	10%		
Final sample size (FSS)	398		
Number of numerator events by administrative data in FSS		287	195
Administrative rate on FSS		72.11%	48.99%
Number of original sample records excluded because of valid data errors	7		
Number of employee/dependent medical records excluded	0		
Additional records added from the auxiliary list	0		
Denominator	391		
Numerator events by administrative data		283	194
Numerator events by medical record		6	34
Reported rate		73.91%	58.31%
Lower 95% confidence interval		69.43%	53.30%
Upper 95% confidence interval		78.39%	63.33%



## Practitioner Turnover

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Medicare + Choice

Practitioner Types	Number of Practitioners as of 12/31/2001	Number of Practitioners who were not affiliated with the plan as of 12/31/2002	Practitioner Turnover Rate
Primary Care Physicians	1567	97	6.19%
Non-Physician Primary Care Practitioners	452	23	5.09%

### Minnesota Senior Health Options

Practitioner Types	Number of Practitioners as of 12/31/2001	Number of Practitioners who were not affiliated with the plan as of 12/31/2002	Practitioner Turnover Rate
Primary Care Physicians	1650	100	6.06%
Non-Physician Primary Care Practitioners	564	30	5.32%

# Health Plan Stability

## Years in Business / Total Membership

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Medicare + Choice

Product/Product Line	Years in Business	Members*
<b>HMO (Total)</b>	<b>15.00</b>	<b>103681</b>
Medicaid	15.00	76232
Commercial	0.00	0
Medicare (cost or risk)	4.50	25356
Self-insured	0.00	0
Other (specify)	7.00	2093
<b>PPO (Total)</b>	<b>0.00</b>	<b>0</b>
Commercial	0.00	0
Medicare (cost or risk)	0.00	0
Self-insured	0.00	0
Other (specify)	0.00	0
<b>POS (Total)</b>	<b>0.00</b>	<b>0</b>
Commercial	0.00	0
Medicare (cost or risk)	0.00	0
Self-insured	0.00	0
Other (specify)	0.00	0
<b>Total</b>		<b>103681</b>

\* Total number of members in each category as of December 31, 2002

# Health Plan Stability

## Years in Business / Total Membership

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Minnesota Senior Health Options

Product/Product Line	Years in Business	Members*
<b>HMO (Total)</b>	<b>15.00</b>	<b>103681</b>
Medicaid	15.00	76232
Commercial	0.00	0
Medicare (cost or risk)	4.50	25356
Self-insured	0.00	0
Other (specify)	7.00	2093
<b>PPO (Total)</b>	<b>0.00</b>	<b>0</b>
Commercial	0.00	0
Medicare (cost or risk)	0.00	0
Self-insured	0.00	0
Other (specify)	0.00	0
<b>POS (Total)</b>	<b>0.00</b>	<b>0</b>
Commercial	0.00	0
Medicare (cost or risk)	0.00	0
Self-insured	0.00	0
Other (specify)	0.00	0
<b>Total</b>		<b>103681</b>

\* Total number of members in each category as of December 31, 2002

### Minnesota Senior Health Options

Type of Practitioner	Number of Practitioners in Each Practice Area	Board Certification		Residency / Fellowship Completion	
		Number	Percent	Number	Percent
Primary Care Practitioners			NR		NR
Geriatricians			NR		NR
Other practitioner Specialists			NR		NR

# Health Plan Descriptive Information

UCare Minnesota

## Total Enrollment by Percentage

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

Age/Sex		Product Line				Total
		Medicaid	Commercial	Medicare	Other	
<1	M	100.00%	0.00%	0.00%	0.00%	100.00%
	F	100.00%	0.00%	0.00%	0.00%	100.00%
1-4	M	100.00%	0.00%	0.00%	0.00%	100.00%
	F	100.00%	0.00%	0.00%	0.00%	100.00%
5-9	M	100.00%	0.00%	0.00%	0.00%	100.00%
	F	100.00%	0.00%	0.00%	0.00%	100.00%
10-14	M	100.00%	0.00%	0.00%	0.00%	100.00%
	F	100.00%	0.00%	0.00%	0.00%	100.00%
15-17	M	100.00%	0.00%	0.00%	0.00%	100.00%
	F	100.00%	0.00%	0.00%	0.00%	100.00%
18-19	M	100.00%	0.00%	0.00%	0.00%	100.00%
	F	100.00%	0.00%	0.00%	0.00%	100.00%
Subtotal: 0-19	M	100.00%	0.00%	0.00%	0.00%	100.00%
	F	100.00%	0.00%	0.00%	0.00%	100.00%
	Total	100.00%	0.00%	0.00%	0.00%	100.00%
20-24	M	100.00%	0.00%	0.00%	0.00%	100.00%
	F	99.98%	0.00%	0.02%	0.00%	100.00%
25-29	M	100.00%	0.00%	0.00%	0.00%	100.00%
	F	100.00%	0.00%	0.00%	0.00%	100.00%
30-34	M	99.83%	0.00%	0.17%	0.00%	100.00%
	F	99.88%	0.00%	0.12%	0.00%	100.00%
35-39	M	99.77%	0.00%	0.23%	0.00%	100.00%
	F	99.82%	0.00%	0.18%	0.00%	100.00%
40-44	M	99.11%	0.00%	0.89%	0.00%	100.00%
	F	99.32%	0.00%	0.68%	0.00%	100.00%
Subtotal: 20-44	M	99.73%	0.00%	0.27%	0.00%	100.00%
	F	99.84%	0.00%	0.16%	0.00%	100.00%
	Total	99.81%	0.00%	0.19%	0.00%	100.00%
45-49	M	97.96%	0.00%	2.04%	0.00%	100.00%
	F	98.05%	0.00%	1.95%	0.00%	100.00%
50-54	M	97.06%	0.00%	2.94%	0.00%	100.00%
	F	96.33%	0.00%	3.67%	0.00%	100.00%
55-59	M	92.74%	0.00%	7.26%	0.00%	100.00%
	F	92.43%	0.00%	7.57%	0.00%	100.00%
60-64	M	86.88%	0.00%	13.12%	0.00%	100.00%
	F	88.87%	0.00%	11.13%	0.00%	100.00%
Subtotal: 45-64	M	94.88%	0.00%	5.12%	0.00%	100.00%
	F	94.65%	0.00%	5.35%	0.00%	100.00%
	Total	94.75%	0.00%	5.25%	0.00%	100.00%
65-69	M	23.06%	0.00%	76.94%	0.00%	100.00%
	F	25.85%	0.00%	74.15%	0.00%	100.00%
70-74	M	16.34%	0.00%	83.66%	0.00%	100.00%
	F	19.18%	0.00%	80.82%	0.00%	100.00%
75-79	M	13.06%	0.00%	86.94%	0.00%	100.00%
	F	16.55%	0.00%	83.45%	0.00%	100.00%
80-84	M	14.37%	0.00%	85.63%	0.00%	100.00%
	F	18.96%	0.00%	81.04%	0.00%	100.00%
85-89	M	15.64%	0.00%	84.36%	0.00%	100.00%
	F	23.20%	0.00%	76.80%	0.00%	100.00%
>=90	M	27.83%	0.00%	72.17%	0.00%	100.00%
	F	36.69%	0.00%	63.31%	0.00%	100.00%
Subtotal: >=65	M	16.95%	0.00%	83.05%	0.00%	100.00%
	F	22.22%	0.00%	77.78%	0.00%	100.00%
	Total	20.47%	0.00%	79.53%	0.00%	100.00%
Age Unknown		0.00%	0.00%	0.00%	0.00%	0.00%
Total		73.83%	0.00%	26.17%	0.00%	100.00%

Note: Row entries should add up to 100%.



# Health Plan Descriptive Information

UCare Minnesota

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Commercial

	Member Months		
	Male	Female	Total
<1			NR
1-4			NR
5-9			NR
10-14			NR
15-17			NR
18-19			NR
0-19 Subtotal	NR	NR	NR
0-19 Subtotal: %	NR	NR	NR
20-24			NR
25-29			NR
30-34			NR
35-39			NR
40-44			NR
20-44 Subtotal	NR	NR	NR
20-44 Subtotal: %	NR	NR	NR
45-49			NR
50-54			NR
55-59			NR
60-64			NR
45-64 Subtotal	NR	NR	NR
45-64 Subtotal: %	NR	NR	NR
65-69			NR
70-74			NR
75-79			NR
80-84			NR
85-89			NR
>=90			NR
>=65 Subtotal	NR	NR	NR
>=65 Subtotal: %	NR	NR	NR
Age Unknown			NR
Total	NR	NR	NR

# Health Plan Descriptive Information

UCare Minnesota

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Medicare + Choice

	Member Months		
	Male	Female	Total
<1	0	0	0
1-4	0	0	0
5-9	0	0	0
10-14	0	0	0
15-17	0	0	0
18-19	0	0	0
<b>0-19 Subtotal</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>0-19 Subtotal: %</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>
20-24	0	12	12
25-29	0	0	0
30-34	24	36	60
35-39	48	72	120
40-44	168	216	384
<b>20-44 Subtotal</b>	<b>240</b>	<b>336</b>	<b>576</b>
<b>20-44 Subtotal: %</b>	<b>0.22%</b>	<b>0.17%</b>	<b>0.19%</b>
45-49	276	312	588
50-54	348	468	816
55-59	528	780	1308
60-64	888	1140	2028
<b>45-64 Subtotal</b>	<b>2040</b>	<b>2700</b>	<b>4740</b>
<b>45-64 Subtotal: %</b>	<b>1.91%</b>	<b>1.39%</b>	<b>1.58%</b>
65-69	18828	27660	46488
70-74	22968	37608	60576
75-79	26760	44052	70812
80-84	19680	39336	59016
85-89	11772	27264	39036
>=90	4536	14724	19260
<b>&gt;=65 Subtotal</b>	<b>104544</b>	<b>190644</b>	<b>295188</b>
<b>&gt;=65 Subtotal: %</b>	<b>97.87%</b>	<b>98.43%</b>	<b>98.23%</b>
Age Unknown	0	0	0
<b>Total</b>	<b>106824</b>	<b>193680</b>	<b>300504</b>

# Health Plan Descriptive Information

UCare Minnesota

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Minnesota Senior Health Options

	Member Months		
	Male	Female	Total
<1	0	0	0
1-4	0	0	0
5-9	0	0	0
10-14	0	0	0
15-17	0	0	0
18-19	0	0	0
<b>0-19 Subtotal</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>0-19 Subtotal: %</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>
20-24	0	0	0
25-29	0	0	0
30-34	0	0	0
35-39	0	0	0
40-44	0	0	0
<b>20-44 Subtotal</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>20-44 Subtotal: %</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>
45-49	0	0	0
50-54	0	0	0
55-59	0	0	0
60-64	0	0	0
<b>45-64 Subtotal</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>45-64 Subtotal: %</b>	<b>0.00%</b>	<b>0.00%</b>	<b>0.00%</b>
65-69	1056	2196	3252
70-74	1164	2760	3924
75-79	1140	2868	4008
80-84	1056	3012	4068
85-89	612	3444	4056
>=90	408	3636	4044
<b>&gt;=65 Subtotal</b>	<b>5436</b>	<b>17916</b>	<b>23352</b>
<b>&gt;=65 Subtotal: %</b>	<b>100.00%</b>	<b>100.00%</b>	<b>100.00%</b>
Age Unknown	0	0	0
<b>Total</b>	<b>5436</b>	<b>17916</b>	<b>23352</b>

# Health Plan Descriptive Information

UCare Minnesota

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### PMAP

	Member Months		
	Male	Female	Total
<1	17681	16370	34051
1-4	52141	50829	102970
5-9	44168	43568	87736
10-14	41158	41323	82481
15-17	19250	20480	39730
18-19	7061	12259	19320
<b>0-19 Subtotal</b>	<b>181459</b>	<b>184829</b>	<b>366288</b>
<b>0-19 Subtotal: %</b>	<b>81.59%</b>	<b>57.83%</b>	<b>67.58%</b>
20-24	5165	29438	34603
25-29	3798	21018	24816
30-34	4341	17317	21658
35-39	4174	12599	16773
40-44	3502	8093	11595
<b>20-44 Subtotal</b>	<b>20980</b>	<b>88465</b>	<b>109445</b>
<b>20-44 Subtotal: %</b>	<b>9.43%</b>	<b>27.68%</b>	<b>20.19%</b>
45-49	2029	3678	5707
50-54	1190	1461	2651
55-59	431	575	1006
60-64	228	336	564
<b>45-64 Subtotal</b>	<b>3878</b>	<b>6050</b>	<b>9928</b>
<b>45-64 Subtotal: %</b>	<b>1.74%</b>	<b>1.89%</b>	<b>1.83%</b>
65-69	3883	6743	10626
70-74	3532	6567	10099
75-79	2935	6408	9343
80-84	2397	6855	9252
85-89	1812	6370	8182
>=90	1533	7308	8841
<b>&gt;=65 Subtotal</b>	<b>16092</b>	<b>40251</b>	<b>56343</b>
<b>&gt;=65 Subtotal: %</b>	<b>7.24%</b>	<b>12.59%</b>	<b>10.40%</b>
Age Unknown	0	0	0
<b>Total</b>	<b>222409</b>	<b>319595</b>	<b>542004</b>

# Health Plan Descriptive Information

UCare Minnesota

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### GAMC

	Member Months		
	Male	Female	Total
<1	4	0	4
1-4	56	98	154
5-9	260	260	520
10-14	317	218	535
15-17	129	125	254
18-19	27	40	67
<b>0-19 Subtotal</b>	<b>793</b>	<b>741</b>	<b>1534</b>
<b>0-19 Subtotal: %</b>	<b>3.42%</b>	<b>4.60%</b>	<b>3.91%</b>
20-24	2916	2019	4935
25-29	2331	1330	3661
30-34	2472	1191	3663
35-39	3025	1498	4523
40-44	3484	1890	5374
<b>20-44 Subtotal</b>	<b>14228</b>	<b>7928</b>	<b>22156</b>
<b>20-44 Subtotal: %</b>	<b>61.39%</b>	<b>49.26%</b>	<b>56.42%</b>
45-49	2999	1822	4821
50-54	2159	1848	4007
55-59	1697	1719	3416
60-64	1234	1870	3104
<b>45-64 Subtotal</b>	<b>8089</b>	<b>7259</b>	<b>15348</b>
<b>45-64 Subtotal: %</b>	<b>34.90%</b>	<b>45.10%</b>	<b>39.08%</b>
65-69	44	104	148
70-74	9	15	24
75-79	4	24	28
80-84	2	12	14
85-89	8	11	19
>=90	0	0	0
<b>&gt;=65 Subtotal</b>	<b>67</b>	<b>166</b>	<b>233</b>
<b>&gt;=65 Subtotal: %</b>	<b>0.29%</b>	<b>1.03%</b>	<b>0.59%</b>
Age Unknown	0	0	0
<b>Total</b>	<b>23177</b>	<b>16094</b>	<b>39271</b>

# Health Plan Descriptive Information

UCare Minnesota

## Enrollment by Product Line (Age & Sex)

Data Last Refreshed:  
Sep 23, 2003 1:44 PM

### Minnesota Care

	Member Months		
	Male	Female	Total
<1	2321	2366	4687
1-4	11299	10729	22028
5-9	18626	16849	35475
10-14	21025	19092	40117
15-17	11359	11109	22468
18-19	6853	7981	14834
<b>0-19 Subtotal</b>	<b>71483</b>	<b>68126</b>	<b>139609</b>
<b>0-19 Subtotal: %</b>	<b>51.51%</b>	<b>40.03%</b>	<b>45.18%</b>
20-24	10900	17788	28688
25-29	6850	11115	17965
30-34	7560	12552	20112
35-39	8599	13212	21811
40-44	9823	14517	24340
<b>20-44 Subtotal</b>	<b>43732</b>	<b>69184</b>	<b>112916</b>
<b>20-44 Subtotal: %</b>	<b>31.51%</b>	<b>40.65%</b>	<b>36.54%</b>
45-49	8124	10952	19076
50-54	6640	8215	14855
55-59	4514	6365	10879
60-64	3885	6886	10771
<b>45-64 Subtotal</b>	<b>23163</b>	<b>32418</b>	<b>55581</b>
<b>45-64 Subtotal: %</b>	<b>16.69%</b>	<b>19.05%</b>	<b>17.99%</b>
65-69	281	367	648
70-74	69	61	130
75-79	13	20	33
80-84	24	24	48
85-89	18	0	18
>=90	1	0	1
<b>&gt;=65 Subtotal</b>	<b>406</b>	<b>472</b>	<b>878</b>
<b>&gt;=65 Subtotal: %</b>	<b>0.29%</b>	<b>0.28%</b>	<b>0.28%</b>
<b>Age Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Total</b>	<b>138784</b>	<b>170200</b>	<b>308984</b>