


Creutzfeldt-Jakob Disease Deaths and Age-Adjusted Death Rate, Minnesota, 1991-2009*




* Based on death certificate data, reports from National Prion Disease Pathology Surveillance Center and other healthcare providers; Minnesota population based on estimates made by the National Center for Health Statistics (NCHS)



This chart shows the number of deaths from CJD that occurred each year from 1991 through 2009. The highest number of deaths (11) were reported in 1992 and the lowest number (2) occurred in 1993. The age-adjusted death rate in 2009 was .8 death per one million persons. From 1991-2009 it has ranged from .4 to 2.3 deaths per 1 million. From 1991-2009 it has ranged from .4 to 2.3 deaths per 1 million. The overall death rate is 1.3 deaths per one million persons.

Creutzfeldt-Jakob Disease Deaths and Death Rate by Age Group, Minnesota, 1996-2009*



*Based on death certificate data, reports from National Prion Disease Pathology Surveillance Center and other healthcare providers



This chart shows the number of deaths and the death rate from CJD by age group from 1996 to 2009. There were no deaths among those under the age of 40. Five deaths occurred among those 40-49, 16 deaths occurred among those 50-59, 27 deaths among those 60-69, 33 deaths among those 70-79 and 13 cases among those 80 and older. The death rate increases with age starting with the 40-49 year olds and peaks among the 70-79 year olds. The death rate ranges from .5 deaths per one million persons among those 40-49 years old to 9 deaths per one million persons among those in their 70s.

Sporadic Creutzfeldt-Jakob Disease in Minnesota, 1996-2009*

	Mean	Median	Range
Age at Onset (n=72) (years)	67	68	37-88
Age at Death (n=92) (years)	68	70	41-81
Survival Time (n=72) (mos.)	6	4	1-29

*Familial cases were excluded

Looking at sporadic CJD from 1996-2009, the average age of onset was 67 years (median age 68 years) and the age range was 37-88 years. The average age of death was slightly higher, 68 years (median 70 years) with a range of 41-81 years. The average survival time after onset was 6 months (median 4 months) with a range of 1 to 29 months.