

# Herramienta para la detección de síntomas de enfermedades similares a la influenza (gripe) para padres y cuidadores

Los padres y cuidadores deben usar el siguiente cuestionario para evaluar el estado de salud de su hijo todos los días.

## ¿Tiene su hijo:

1. fiebre (100 °F o más)?  Sí  No  
(tome la temperatura antes de administrar medicamentos antifebriles)
2. dolor de garganta?  Sí  No
3. tos?  Sí  No



## ¿DEBE MI HIJO QUEDARSE EN CASA?

- Si respondió “sí” al síntoma de fiebre Y a uno de los demás síntomas, su hijo debe permanecer en su hogar durante un mínimo de 24 horas después de que haya cesado la fiebre sin usar medicamentos antifebriles. Para muchos niños, este periodo durará entre 5 y 7 días. Su hijo debe sentirse lo suficientemente bien como para participar en la escuela antes de regresar. Si tiene preguntas sobre la salud o los síntomas de su hijo, llame al proveedor de atención de la salud de su hijo.
- Si el proveedor de atención médica le ha diagnosticado a su hijo otra enfermedad, como una enfermedad estreptocócica, siga la recomendación de su proveedor de atención de la salud y la política de la escuela acerca de cuándo su hijo puede regresar a la escuela.

## ¿QUÉ DEBO INFORMAR A LA ESCUELA DE MI HIJO?

- Si respondió “sí” al síntoma de fiebre Y a uno de los demás síntomas, informe a la oficina de asistencia de su hijo que su hijo no ha asistido a la escuela porque tiene una enfermedad pseudogripal.
- Si un proveedor de atención médica le ha diagnosticado a su hijo otra enfermedad, como una enfermedad estreptocócica, informe a la oficina de asistencia de su hijo.



Vaccine-Preventable Disease Surveillance  
P.O. Box 64975  
St. Paul, MN 55164-0975  
651-201-5414 or 1-877-676-5414  
[www.health.state.mn.us/immunize](http://www.health.state.mn.us/immunize)

# Influenza-like Illness Symptom Screening Tool for Parents and Caregivers

Parents and caregivers should use the following questionnaire to assess the health status of their child on a daily basis.

## Does your child have:

1. Fever (100° F or greater)?  Yes  No  
(take temperature before giving fever reducing medicine)
2. Sore Throat?  Yes  No
3. Cough?  Yes  No



## SHOULD I KEEP MY CHILD HOME?

- If you checked yes to fever AND one of the other symptoms, keep your child home for at least 24 hours after his or her fever is gone without fever reducing medicine. For many children this will be 5 to 7 days. Your child should feel well enough to participate in school before returning. If you have questions about your child's health or symptoms, call your child's healthcare provider.
- If your child has been diagnosed by a healthcare provider with a different disease, such as strep, follow your healthcare provider's recommendation and school policy for when to return to school.

## WHAT SHOULD I TELL MY CHILD'S SCHOOL?

- If you checked "yes" for fever AND one of the other symptoms, tell your child's attendance office that your child is home with influenza-like illness.
- If your child has been diagnosed by a healthcare provider with a different disease, such as strep, tell your child's attendance office.



Vaccine-Preventable Disease Surveillance  
P.O. Box 64975  
St. Paul, MN 55164-0975  
651-201-5414 or 1-877-676-5414  
[www.health.state.mn.us/immunize](http://www.health.state.mn.us/immunize)