

IV. Resource Inventory and Needs Assessment

A. Public Health Leadership and Infrastructure

Policy Development

- a. Since the fall of 2000, Minnesota law has stipulated that all children be fully immunized against hepatitis B for entry into kindergarten and 7th grade. Vaccination records are tracked by schools and reported to the Department of Education. However, there is a cohort over age 15 that have not been vaccinated.
- b. Licensed health care workers that are known to be infected with HIV, HBV, and HCV are required as a condition of their licensure to report their health status to the MDH in order to promote the health and safety of patients and regulated persons by reducing the risk of infection in the provision of health care. The monitoring plan addresses the regulated person's scope of practice, obtaining periodic reports of their health status, infection control practices and clinical practice.
- c. Communicable disease reporting rules require licensed health care providers to report cases of HAV, HBV and HCV to their local and state health department.
- d. Minnesota College Immunization Law states that information on hepatitis be given to all new students.

Minnesota Department of Health

The MDH Infectious Disease Epidemiology, Prevention and Control (IDEPC) Division houses several hepatitis-related initiatives in the following sections: STD and HIV, Acute Disease Infection and Control (ADIC) and Immunizations, Tuberculosis and International Health (ITIH). A Division Viral Hepatitis Team guides the overall direction of the Viral Hepatitis Integration Project (VHIP) and the Electronic Laboratory Capacity (ELC) Hepatitis C coordination effort (see below for descriptions).

a. Immunizations, Tuberculosis, and International Health (ITIH)

This section provides the following:

- 1) Clinical consultation to providers via the Minnesota Immunization Hotline;

- 2) Hepatitis A surveillance, investigation and control;
- 3) Hepatitis B surveillance, investigation and control;
- 4) Acute hepatitis C surveillance through the ELC;
- 5) Coordination of the Perinatal Hepatitis B Prevention Program for surveillance, investigation and control;
- 6) Development and implementation of legislation and state administrative rulemaking (e.g. HBV vaccine legislation in schools);
- 7) Publication and statewide distribution of resource materials regarding childhood, adolescent, and adult immunizations (www.health.state.mn.us/immunize);
- 8) Administer federal Vaccines for Children (VFC) program statewide to public and private healthcare providers and to persons 18 years and under;
- 9) Resource development, including hepatitis A vaccine for American Indian children through 11 tribal health agencies;
- 10) Provide free hepatitis B vaccines for high risk uninsured adults via community clinics, Planned Parenthood and HIV testing sites;
- 11) Refugee health screening and surveillance.

State hepatitis surveillance for HAV & HBV began in the early 1980s. A system for hepatitis C surveillance has been in place since 1998, and it has been a reportable disease since 1990, although it was previously noted as “non-A, non-B subtype.” The development and enhancement of an HCV registry, which includes an HCV chronic carrier database and active surveillance system to identify acute cases, assists in distinguishing amongst the reported acute, chronic and resolved infections. Currently, hepatitis A and B and acute cases of hepatitis C are reported to the MDH.

Passive reporting of disease from providers and labs is considered by staff to be good. Demographic data include country of birth, geographic location, gender, race/ethnicity, age and mode of transmission. Data collection and management are thorough and accurate, and outbreak prevention and management activities are state-of-the-art. Staff members have considerable expertise in the clinical issues and epidemiology of hepatitis. Currently, hepatitis staff produces annual statistical summaries and narrative reports.

An identified goal of the surveillance staff is to produce statistical summaries at least quarterly, with further analysis of geographic and risk factors, to be published on the ITIH Section website and eventually linked to hepatitis databases. There is a need to reduce paper work by obtaining lab reports electronically, along with a concern that too many people handling the data leads to less accurate information. Currently there are four databases that are operational and have a record of Hepatitis cases in the state. These include:

- Hepatitis tracking database;
- Chronic hepatitis case database for B and C;
- Perinatal hepatitis B database;
- Hepatitis C database.

Gaps in reporting exist more often from physicians than laboratories. Although lab reporting has been consistent, the reporting forms do not carry as much patient information (such as medical history and onset of the disease), so physician reports are helpful in painting a more accurate picture of the epidemic based upon cases reported.

There is a need to standardize diagnostic and treatment protocols for hepatitis because not all providers follow CDC protocols. Due to the bioterrorism initiative in the state, physicians will soon begin tracking hepatitis tests more efficiently.

The Minnesota Refugee Health Program oversees the refugee health assessment and follow-up process for newly arriving refugees and conducts training and orientation for providers and refugee communities about refugee health and cultural competence issues. Refugee Health also provides program-specific guidance and support to local public health agencies and health care providers throughout Minnesota. Currently, immigrants are not routinely screened for HCV, but a pilot study in Ramsey County hopes to determine HCV prevalence among refugees and the need for screening at intake.

b. Acute Disease Infection Control (ADIC)

This section facilitates tracking and monitoring of licensed healthcare workers reported as infected with HIV, HBV or HCV. After evaluation of the regulated person's past and current professional practice, they establish a monitoring plan for the regulated person that may include submission of regular reports on infection control practices and inspections of the clinical practice of the regulated person.

Currently there are approximately 55 licensed healthcare workers being monitored with HCV, estimated to be about 10-20% of all those actually infected. There are no HBV infected licensed healthcare workers monitored at this time; it is believed that vaccination has significantly decreased this monitoring need among licensed professionals. Gaps in this area occur mainly in limited testing that occurs for HCV, lapses in reporting and health professionals who are not licensed (and therefore not covered by the law) but who may still have patient exposure and pose a risk.

c. STD and HIV

The STD and HIV section coordinates division-wide hepatitis planning, including current needs assessment and five-year planning processes. In addition, other aspects of viral hepatitis occur in HIV/STD prevention programs, the VHIP and partner services, all of which are described below.

HIV and STD Prevention

Prevention programs for HIV, supported with federal and state funds, are administered by the section to provide street and environmental outreach, health education and risk reduction, skills building, as well as counseling, testing and referral (including some field testing) to individuals and groups at high risk for HIV. Grantees have been encouraged to provide viral hepatitis counseling where appropriate in the context of HIV prevention counseling. Since the funds are specific to HIV prevention and control activities, these agencies may not provide hepatitis specific activities (e.g., testing, vaccination) with HIV-specific resources. Currently, use of staff time for viral hepatitis activities is reviewed on a case-by-case basis.

Current STD screening grants for 2002-2003 supports increased testing for chlamydia and gonorrhea at six community or school-based clinics (Fremont, Teen Annex, University Family Physicians/North Memorial, Pilot City, North High School and Teenage Medical Service). Although this specific grant does not include hepatitis testing, these venues and an integrated approach could potentially serve as models for increased testing of viral hepatitis.

The section has also been engaged in primary prevention following a change in our drug paraphernalia laws, which allows for the limited sale of syringes by pharmacies. The section has been involved in supporting the implementation of this law change within pharmacies across the state and in evaluating its effects.

The Minnesota Youth Council, part of the Community Cooperative Council on HIV/AIDS Prevention (CCCHAP), is also working on hepatitis related initiatives. They include training for youth council members on hepatitis, input into youth issues and activities to address hepatitis and a peer-led training for tattoo parlors around the state on how to offer effective prevention education messages to minors who come to their studios for tattooing.

Partner Services

The STD and HIV section houses the Partner Services unit, which includes disease investigation specialists (DIS) responsible for contacting persons infected with HIV, gonorrhea, chlamydia and syphilis as reported to the MDH. Currently, partner notification and referral for hepatitis is made only upon request or when the individual is co-infected with HIV and HCV.

In addition to notification of partners, other services include:

- Counseling HIV-infected persons about how to prevent transmitting their infection to others;
- Referring counseled persons, as appropriate, for primary medical care, additional prevention counseling and supportive services;

- Advising counseled persons of the need to inform future partners of their infection before engaging in sexual and/or needle-sharing behaviors;
- Advising counseled persons of the need to inform current and past partners of their exposure to the infection;
- Counseling and supporting infected persons about techniques to notify and refer their partners when they choose to do so;
- Notifying counseled persons' partners of their exposure to the infection, counseling the partners and referring them for testing and other services as appropriate.

On occasion, partner services have been provided to hepatitis cases and contacts (such as during an acute hepatitis C cluster in Northeast Minnesota in the summer of 2001). However, the need has been identified for partner counseling and referral services to be provided to all individuals reported to MDH with acute cases of hepatitis B and/or C. In addition, counseling protocols for other infections would include discussions about possible co-infection or exposure to Hepatitis B and Hepatitis C

In order to integrate hepatitis into partner services, training and quality assurance among staff would be needed. Along with this, specific referral services to providers who are well informed about hepatitis treatment and management would be needed.

Viral Hepatitis Integration Project (VHIP)

This project began in February 2001 with the goal of integrating viral hepatitis prevention strategies into existing infectious disease prevention and control activities. Specifically, VHIP attempts to prevent and control viral hepatitis while avoiding development of a separate infrastructure, utilizing existing HIV/STD prevention programs and providers who are successful in reaching communities at risk.

The VHIP steering team (including the project coordinator and epidemiologist) decided to place priority on primary prevention among people at high risk for viral hepatitis from injection drug use (IDUs).

The Minnesota Viral Hepatitis Community Advisory Group, a partnership of Minnesota's HIV prevention providers is guiding the interventions in the state. This is an important framework for the VHIP. Partners (including a national and two local syringe exchange programs, IDU outreach workers, substance abuse treatment providers and policymakers, HIV/IDU case managers and advocates) are working on hepatitis prevention.

VHIP was engaged in a pilot project with AccessWorks, an HIV prevention grantee and community-based organization serving IDUs. The pilot project increased screening for hepatitis A, B, and C and included referrals as appropriate. Evaluation of this pilot project took place in 2003.

VHIP will also be offering free training to community clinic staff on viral hepatitis. The training includes epidemiology, risk factors, prevention strategies, vaccination, chronic infection care and management, eliciting information about drug use and sexual history from clients, HCV specific topics and current clinical management and unique challenges in managing HCV in substance abusers.

In 2001, key informant interviews were held with four HIV prevention providers targeting IDUs to assess their existing services as well as needs for providing viral hepatitis counseling and referrals. These needs are detailed in the bulleted list below:

- Lack of insurance prohibits many from accessing testing, vaccination and treatment;
- The complexity of treatment for HCV is challenging and needs a case management system to help coordinate services for patients;
- Need resource directories for referrals to services for HCV;
- Cost of syringes in pharmacies is prohibitive;
- Disproportionate risk among African-Americans is not being adequately addressed;
- Need to attend to all injecting drug users, including diabetics and transgendered persons (who may be injecting hormones);
- Need to reach youth, particularly those who are in methadone clinics or who are “tooters” (snorting drugs), before they begin injecting drugs;

- Homeless addicts are extremely difficult to reach and will take a comprehensive and collaborative approach;
- Lack of testing sites for HCV makes some wary to raise awareness;
- Need prevention networks in Greater Minnesota;
- Need to advocate for access to substance abuse treatment;
- Training for outreach workers on integrating HCV into HIV and other messages is needed;
- Training in Chemical Dependency treatment facilities for vaccine delivery and testing is needed.

VHIP funded an intervention project at Leech Lake Indian reservation in Cass Lake, Minnesota. After several cases of acute HCV infection were tracked in the summer of 2001, the project was set up to address prevention of transmission of HCV through primary and secondary prevention education within the reservation community. Indigenous People's Task Force, an HIV prevention grantee, was also asked to expand their prevention messages to incorporate viral hepatitis prevention messages during their work at community events and gatherings on the reservation.

d. Community Health Services (CHS) Division

Statewide, 50 Community Health Boards (CHB) oversee the work of local CHS agencies to deliver public health services. Each CHB prepares a four-year plan for their local area, with updates every two years. These plans include infectious disease prevention and control activities along with a common activities framework, which has been created to establish disease prevention and control responsibilities for the MDH and for local public health agencies. Although plans and actual activities differ by CHS agency, targeted activities are currently taking place for viral Hepatitis. Needs that have been identified by the CHS Division at MDH include:

- Increased capacity for adult screening and vaccination for HAV and HBV;
- Support for delivery of educational materials, development of culturally appropriate material and a culturally diverse workforce; and
- Resources to address new immigrant and refugee populations.

In a survey of CHS agencies across the state (see Appendix C), it was found that nearly all agencies responding perform activities related to hepatitis B including:

- Assess immunization levels in public health clinics and encourage/support private clinic assessment using tools such as Clinical Assessment Software Application (CASA) and registries;
- Assess adherence to immunization practice standards and provide consultation as needed;
- Establish and manage public immunization clinics, as needed, based on population-based assessment data;
- Disseminate guidelines to local providers.

Additionally, more than half reported various activities relating to hepatitis A, B, and C in the following categories:

Disease Surveillance and Data Collection:

- Identify local staff responsible for viral hepatitis reporting;
- Maintain current lists of all providers within jurisdiction;
- Assure reporting rules, report cards and MDH toll free reporting phone number are available to all medical clinics, laboratories, and hospitals;
- Respond to inquiries from reporting sources and forward any reports of viral hepatitis cases or suspect cases to MDH.

Disease Prevention:

- Maintain and provide consumer education information based on community needs to the public.

Disease Control:

- Assist and/or conduct investigations on communicable diseases in collaboration with the MDH and/or refer information related to cases and suspect cases to the MDH. Maintain and provide consumer education information, based on community needs, to the public.

The least reported activities (only up to 25% reporting activity) and thus largest gaps in local public health infrastructure for hepatitis were:

For Hepatitis A and C:

- Develop and implement screening and referral strategies for groups at high risk for viral hepatitis (five reporting this activity for Hep C and eight for Hep A).

For All Types:

Disease Surveillance and Data Collection

- Assess immunization levels in public health clinics and encourage/support private clinic assessment using tools such as CASA and registries (seven reported doing this activity for Hep A). (NOTE: This was a most frequently reported activity for Hep B however).

Disease Prevention

- See #1 under overall above;
- Establish and manage public immunization clinics, as needed, based on population-based assessment data (nine reporting this activity for Hep A);
- Develop local community education programs (nine reporting this activity for A and C).

Disease Control

- Implement local disease control programs as indicated from local surveillance data and trends (ten reporting activity for Hep A and C, 15 for Hep B).

B. Community Infrastructure

Hepatitis C Coalition

The Hepatitis C Coalition is comprised of a broad range of organizations including health and human services; clinics and hospitals; community; ethnic and advocacy groups; medical and health care groups and businesses. Its goals include creating a broad based campaign to increase Hepatitis C awareness, creating awareness of the importance of testing and treatment of disease in targeted populations, and developing and cultivating relationships with leaders in public advocacy. Specific objectives are to:

- Increase the awareness of Hepatitis C and behaviors that can lead to contracting Hepatitis C;
- Develop an integrated program that weaves community efforts with the provider, stakeholder and general public awareness efforts;
- Inform individuals to talk with their physicians if they think that they might be at risk for Hepatitis C.

Hepatitis B Coalition

The Hepatitis B Coalition, a program of the Immunization Action Coalition, promotes hepatitis B vaccination for all children 0–18 years, HBsAg screening for all pregnant women, testing and vaccination for high-risk groups, and education and treatment for people who are chronically infected with hepatitis B.

The mission of the Immunization Action Coalition, a 501(c) 3 nonprofit organization, is to boost immunization rates and prevent disease. The Coalition promotes physician, community, family awareness of and responsibility for appropriate immunization of all children and adults against all vaccine-preventable diseases.

LiverHope

The goal of this group is to provide support, promote education, generate awareness and advocate for quality medical care for all people with hepatitis in Minneapolis and St. Paul. They also have support groups that meet and counsel people who have been diagnosed with hepatitis C, using a peer based model to support and advise those who are newly diagnosed.

Minnesota Adult Immunization Coalition

This coalition has traditionally focused on flu and pneumonia vaccination and its purpose is to assist in increasing adult immunization rates in Minnesota. Stratis Health is the fiscal agent and members include the MDH, VA Medical Center, various health plans, Minnesota Visiting Nurses Association, Immunization Action Coalition, Park Nicollet, the University of Minnesota and others.

Veterans Affairs (VA) Medical Center

The VA health care system is the largest integrated healthcare system in the nation providing approximately 780,000 acute hospital admissions and over 35 million outpatient visits per year. VA serves approximately 3.4 million unique individuals from a veteran population of over 26 million veterans. VA is the largest single provider of HIV care and hepatitis C care in the United States. In FY2000, nearly 19,000 veterans received care for HIV disease in VA and to date nearly 70,000 veterans who use VA health care services have tested positive for hepatitis C.

The Public Health Strategic Health Care Group (PHSHCG) includes the Center for HIV Research Resources, Center for Quality Management in Public Health, Hepatitis C Resource Centers, HIV/Hepatitis C Clinical Program Office, and the HIV/Hepatitis C Prevention, HIV/Hepatitis C Training/Education and Smoke Free Programs. The mission of the PHSHCG is to provide the highest quality, comprehensive care to veterans and to have that care recognized as the standard by which all health care in the United States is measured. This includes patient care activities, clinician and patient education, prevention activities, and research directed at continuous improvement of medical and preventive services and delivery of care to veterans. The VA also works with the American Liver Foundation and in January 2002 began producing a newsletter, "Vet Hep Update" which provides hepatitis education and advocacy information for veterans and providers.

In Minnesota, the VA Medical Center (VAMC) is engaged in research and clinical trials for HCV treatment and care, and is engaged in increasing HCV awareness, diagnosis and management for their population. The VA also offers preceptorships with detailed training on HCV issues. Recently these preceptorships were closed to the general public when provided with VA funding, but VA staff has hosted separately funded educational trainings.

VA clinics at Twin Ports, St. Cloud, Hot Springs and Fort Meade all have hepatitis C teams (trained by the VAMC) who have screening, education and treatment protocols in place very similar to those at VAMC. They also provide HAV and HVB vaccinations for hepatitis C patients and those with pre-existing liver disease. There is ongoing

communication between VAMC and these clinics. Community-based outreach clinics (CBOCs) are also doing mandatory screening of every one in primary care and refer those who test positive to the closest hepatitis C treatment center. The VA contracts some of these CBOCs, but since the VA does not staff them, protocols may vary.

The VAMC is also a member of the Minnesota Adult Immunization Coalition, which is also attended by MDH staff and policy staff from Minnesota healthplans. This is an important forum for discussion of vaccination-related issues, although the emphasis to date has been on flu and pneumonia, not on hepatitis.

State Correctional Facilities

The State of Minnesota operates ten correctional facilities, including eight adult and two juvenile facilities. The adult prison population totals more than 6,500 inmates, and there are over 200 juvenile offenders. State corrections agents supervise more than 12,000 offenders on probation, supervised release and parole. The inmate population includes individuals who have been or are injecting drug users, men who have sex with men, other substance abusers and sex offenders. As noted in the epidemiology section of this report, it is now estimated that up to 15% of inmates in Minnesota may be infected with HCV. It is also recognized that HBV is likely prevalent and that vaccination should be incorporated and continued in correctional settings.

Correctional facilities in the state do provide hepatitis A and B testing, immunization and treatment. Their clinics offer the services based on history provided by the inmate and screening reports. However they are not mandated to screen for hepatitis as they are for tuberculosis and syphilis. The DOC does not have a computerized tracking mechanism, which does lead to loss of follow-up at times when paperwork is lost or incomplete.

Medical services are provided through on-site outpatient clinics. Correctional Medical Services (CMS), a health care management company, contract with primary care physicians and nurse practitioners to provide primary care services. CMS also contracts with community hospitals to provide inpatient and outpatient hospital services and with specialty clinics to provide specialty care. The DOC provides a wide range of mental

health and chemical dependency services through a continuum of professionals and the DOC health care staff provide health education initiatives.

Current hepatitis prevention education offered by the DOC to adult offenders is part of a blood borne and sexually transmitted disease prevention program supported by a grant from the MDH. The program, which began in 1991, was originally targeted for HIV prevention but it evolved into a more comprehensive program based upon the identified risks of offenders. The curriculum includes epidemiology, accurate information on transmission, risk reduction techniques, behavior change principles, understanding sexual identity, barriers to healthy sexual development, intimacy, responsible sexuality, sexual functioning, abstinence, decision making skills, communication skills, safer needle use, counseling and referral. It is available in adult and juvenile correctional facilities and has different phases, with the most comprehensive information as part of the chemical dependency and sex offender treatment programs.

Recent recommendations for treatment eligibility and anti-viral treatment of offenders infected with HCV include: confinement of greater than 18 months, between ages of 18-60, liver enzyme elevations greater than normal for at least six months, drug and alcohol free and subject to random drug testing prior to and during treatment, completion of chemical dependency treatment where needed and a liver biopsy demonstrating at least a mild fibrosis (grade two) and inflammation (stage two) to indicate active liver disease causing permanent damage.

After six months of hepatitis advisory committee work, a report was presented to the DOC Commissioner that contained recommendations for addressing hepatitis within the DOC. These included: formalizing and standardizing the process for screening all high-risk offenders, ensuring treatment is available for those who meet criteria (with recommendation for eligibility and exclusion criteria), offering vaccinations against HAV and HBV for those who test positive for HCV, continuing health education about infection; periodically reviewing program to ensure consistency with current medical standards and department needs, exploring sources for grant funding for screening of inmates and

considering the financial impact on its vendor by sharing some of the cost of implementing the recommendations.

Since 1999, the MDH has been working extensively with the DOC to address concerns expressed by inmates regarding the lack of consistent HCV diagnosis, prevention and control strategies in the facilities. The MDH participates on a Hepatitis C Advisory Committee charged with addressing these issues. As a result of the advisory committee recommendations, an HCV screening project was recently implemented. Through a standardized and formalized screening process, the DOC is hoping to ensure that treatment of HCV infection is available as appropriate for eligible inmates. In addition, MDH staff is working with the DOC to develop a plan to address the need for hepatitis A and B vaccines in correctional facilities, including a vaccination registry modeled after a system in Rhode Island.

The DOC has identified a need for more vaccines, screening kits and drugs to manage a high-risk population. Providers who specialize in gastrointestinal diseases and non-psychiatric mental health professionals are also needed. The DOC needs culturally appropriate educational materials as well.

Juvenile Detention Centers

In addition to the two state juvenile correctional facilities, there are 30 county juvenile detention centers in Minnesota. During 1999, six centers offered free on-site hepatitis B vaccination and nine sites worked with local public health or private clinics to vaccinate their clients against HBV. Pre-vaccination screening is typically not conducted for these high-risk youth. The MDH continues to communicate on a regular basis with the remaining 15 centers who are not currently vaccinating to encourage program implementation – rationale for not providing vaccination at these 15 sites has to do with staffing and length of stay.

Various staff at the MDH and DOC are working with a team of community advocates and representatives from the state Department of Education and the juvenile justice system to improve vaccination among juveniles in state and county facilities. For juvenile offenders

in the state facility, HAV and HBV vaccines are currently available through the VFC program administered by MDH. About one half of all offenders are screened for HBV upon intake.

Minnesota Department of Human Services

The Minnesota Department of Human Services (DHS) manages health insurance programs for low-income families, including MinnesotaCare and Medical Assistance (MA). These programs do currently cover some of the cost of testing, vaccination and treatment for enrolled members, but not all. In addition, some providers may underestimate the cases of hepatitis they see due to low reimbursement rates by MA and MinnesotaCare programs.

DHS also provides guidelines and training for chemical dependency treatment facilities. In 1989, DHS published “HIV Guidelines for Chemical Dependency Treatment and Care Programs in Minnesota.” DHS staff have expressed the need to work with the MDH to expand the guidelines to include viral hepatitis, conduct a needs assessment regarding the training needs of CD treatment facilities and design and implement a training program to address their needs.

Minnesota Department of Education (MDE)

In addition to vaccination requirements for HBV in schools described under policy development earlier in this report, Minnesota statute also outlines requirements of educational programs related to sexually transmitted diseases in schools. Hepatitis B information and awareness is part of this health education program, although the exact curricula and activities used varies greatly by school or district.

The statute, which was created in 2000, directs the MDE to guide school districts in developing sexually transmitted disease education (prior to 2000 it was only termed HIV/AIDS education).

This statute has been challenged in recent legislative sessions with attempts to make education more limited in terms of content and scope including abstinence only until marriage and failure rates of birth control methods such as condoms.

Indian Health Service and Tribal Health

Federal Indian Health Service (IHS) disease prevention and control activities do address hepatitis and services include coverage of vaccination, testing and treatment wherever possible. Federal IHS hepatitis activities include:

- Hepatitis A: Evaluate vaccine effectiveness and careful surveillance for the disease;
- Hepatitis B: Target high risk groups for vaccination (children, prisoners, drug users) and continue routine childhood vaccination;
- Hepatitis C: Evaluation of current screening and treatment guidelines, assessment of burden of disease in population, and determination of budget and cost needs.

Epidemiological data from the IHS show that HAV was historically endemic in American Indian populations until the advent of the vaccine in 1995, after which time it has dramatically decreased almost equal to the level in the rest of the U.S. population. However, in Minnesota, 2002 data from three sites indicate HAV vaccination as low as 2% and ranging up to 15%. More routine HAV vaccination for children is needed.

Routine infant immunization for HBV has also dramatically decreased infection rates, but for older children and adults it remains endemic. In Minnesota, childhood HBV vaccination has increased. No data exists on adult vaccinations, but it is believed to be low.

IHS data from the mid-1990s also show that chronic liver disease and cirrhosis as the fifth leading cause of death among American Indians, compared with overall U.S. estimates as tenth leading cause of death. According to IHS, although alcohol abuse is responsible for some of this mortality, it is also likely that hepatitis C is playing a major role.

In Minnesota, hepatitis C education and information is provided at some IHS facilities, but it is not uniform. Risk assessments also vary by provider and there is no uniform or standard set by the Indian Health Service at this time for behavioral risk assessment. Moreover, chemical health activities may operate independently of other health activities (e.g. prevention, public health, etc.), therefore creating barriers to integration efforts.

In 1998-99, of the lab-confirmed cases of HBV or HCV diagnosed in IHS facilities, only 50% were reported to the relevant state health department. In Minnesota, an IHS representative believes reporting to be better than other states, but still has room for improvement.

C. Medical Services (Vaccination, Testing, Care and Treatment)

Primary Care

Currently in Minnesota, HBV screening is routinely included during prenatal care. There is currently no recommendation for routine screening of pregnant women for HCV because there is no prophylaxis available for the infant and method of delivery has no impact on transmission of disease.

While there are inadequate federal funds to support public adult vaccination program efforts, most medical providers and health care maintenance organizations offer tests, vaccine, and treatments for all types of hepatitis that are available on request. The cost benefit analysis of hepatitis immunizations and screening against the treatment costs and quality of life suggests that it would be a good policy for the private insurance companies to include hepatitis immunizations, screening and treatment in their health plans. However, due to limited treatment success and insurance coverage, some providers and managed care organizations are not efficiently diagnosing hepatitis and underreporting its prevalence.

In a survey of primary care providers in Minnesota, (Appendix D):

- Approximately half of respondents reported that between 1% and 25% of their patients do not have access to needed hepatitis vaccine;
- 65% or more of providers lacked standard hepatitis risk assessment protocols and 50% or more lacked standard protocols for testing, vaccination and treatment of hepatitis;
- While most providers counsel their patients to inform their sexual and needle sharing partners of their hepatitis diagnosis, very few (5% or less) provide any assistance to their patients in that process;

- Less than 50% of providers reported that they had adequate and current training in issues concerning HCV infections;
- 65.9% of respondents indicated an interest in receiving information, training, or technical assistance about treatment for hepatitis B and C, and about half of all respondents reported an interest in risk assessment and diagnosis for viral hepatitis.

Publicly supported primary care

a. STD and Immunization Clinics

Hepatitis B and sometimes hepatitis A testing and immunization services are available to targeted populations through publicly supported STD and Immunization clinics. Hepatitis C testing and referral is currently made available only at the Red Door Clinic (Hennepin County). The Red Door Clinic currently performs the most testing and has the highest positivity rate for HIV in the state and is well equipped to also offer Hepatitis C testing.

b. HIV Test Sites

In Minnesota, the HBV vaccine is currently being offered free of charge to adult clients in some HIV testing sites based on the following risk factor criteria: (1) more than one sex partner in the last 12 months, (2) patient's partner has had more than one sexual partner in the last 12 months, (3) STD in last six months, (4) men who have sex with men, (5) HIV positive, (6) hepatitis C positive, (7) injecting drug use, and (8) household or sexual contact of HBV positive individual.

Pre-vaccination screening for HBV is typically completed for clients who are over 35 years of age, HIV positive, HCV positive, or contacts of cases. As of the end of 1999, more than 700 high-risk patients had started the HBV vaccine series through these HIV testing sites. Vaccine completion rates differed among the clinics. The most successful clinic has had a HBV vaccination program in place since 1993. Fifty-five percent of patients at this clinic received two doses of vaccine and 17% completed a three dose series. In addition, two Twin Cities metropolitan area

clinics have recently started providing HAV vaccine to clients in high-risk groups, including men who have sex with men and injecting drug users.

c. **Community Clinics**

The MDH has worked with 19 Twin Cities area community clinics since 1998 to expand the availability of MDH-supplied HBV vaccine so that high-risk adults can receive free vaccine. These community clinics were chosen based on their ability to offer services on a sliding fee scale. The following criteria were used to define high-risk patients: (1) more than one sex partner in the last 12 months, (2) patient's partner has had more than one sexual partner in the last 12 months, (3) STD in last six months, (4) man who has sex with men, (5) HIV positive, (6) HCV positive, (7) injecting drug use, and (8) household or sexual contact of HBV positive individual. Over the last two years, more than 400 high-risk adults have been vaccinated as part of this activity.

Refugee Health Providers

There are nearly 30 clinics in Minnesota that routinely conduct initial Refugee Health Assessments for newly arrived refugees. A major component of this assessment is screening for HBV infection and initiation of the HBV vaccination series for susceptible persons. Of the 2,510 refugees who were screened in 1999, 2,329 (92.8%) were screened for HBV infection and 615 were given their first dose of HBV vaccine. HCV is currently not a component of the initial Refugee Health Assessment.

Immunization registry

MDH is working with the DHS, local health departments and others to deploy a statewide web-based immunization registry, known as the Minnesota Immunization Information Connection (MIIC). The registry tracks all vaccines given throughout the lifespan. While the initial focus is on pediatric immunizations, the registry will be available to any organization that administers vaccines or is authorized by law to collect immunization histories. MIIC features a confidential, computerized information system that collects vaccination histories and helps ensure correct and timely immunizations. Any provider to

the registry via the Internet can submit new or historical immunization data; similarly any participating provider can look up an immunization record.

MIIC will be very useful in tracking series completion of newborns and household contacts where the mother is surface antigen positive for hepatitis B, as well as for occupations required to receive HBV vaccination. Hospitals and infection control practitioners will also have access. Hepatitis A can also be tracked in high-risk populations, since all tribal and IHS health centers could have access to MIIC. Finally, correctional facilities, county jails, and juvenile detention centers can all use MIIC to record and track HBV given in those settings, as well as assessing during intake whether the inmate/resident needs to be vaccinated.

Full deployment of MIIC, in most if not all of these settings, is expected by the end of 2005. Currently, services are operational in 43 counties, being expanded to another ten counties, pilot tested in three counties, and planned in 21 counties.

Ryan White Care Act Services

For those co-infected with HIV, and who meet income eligibility criteria the federal Ryan White Care Act drug formularies can be used to treat hepatitis. Unfortunately not all drugs that are essential for treating hepatitis are included in the formulary and would need to be paid for out of pocket or through private or public health insurance.

HCV treatment is costly, long in duration and has significant side effects including depression. Treatment is contraindicated for persons currently abusing substances or suffering from mental health concerns. In addition, treatment is only successful for about 40-50% of patients, except for a small sub-group of genotype II and III who generally have higher success rates (75%). Gastroenterologists working with patients face challenges in assessing current mental health and substance abuse concerns, communicating the difficulties of treatment and educating patients about the ongoing improvements in treatment and success rates.

The VA Medical Center and private specialty clinics are currently in the process of developing a research protocol for health assessment and integrating their work with mental health professionals.

Two other sites, the Hennepin County Medical Center (HCMC) and Clinic 42 of Abbott Northwestern Hospital are also exploring funding from pharmaceutical companies for HIV/HCV co-infection. At HCMC, the goal is to establish a clinic specializing in treating co-infected individuals and at Clinic 42, the goal is to hire a nurse case manager for co-infected patients. Finally, a gastroenterologist specializing in Hepatitis C treatment will be practicing at Clinic 42 a few days a week and will see both HCV clients and HIV/HCV co-infected patients.

D. Laboratory Services

Currently only private laboratories provide hepatitis tests, and there is no data describing the number of labs capable of performing these tests in Minnesota. The MDH labs do not currently perform any hepatitis testing, but there is an identified need for publicly supported testing in order to increase awareness, diagnosis, prevention and treatment among persons without insurance coverage that pays for hepatitis-related services.

E. Provider Protocols and Training

During July and August of 2002, VHIP staff conducted an assessment of community clinics in the Minneapolis/St. Paul metro area. (See Appendix E). Clinics included in the assessment were selected based on the knowledge that individuals who inject drugs receive referrals to seek care at these clinics from other community organizations. Of 19 clinics contacted, 16 agreed to complete a questionnaire that assessed training needs; availability of hepatitis A, B, and C services; knowledge and skill level of staff for providing viral hepatitis services including counseling, risk assessment, diagnosis and treatment, and making referrals; comfort level of staff with sexual history taking, substance use history taking, and providing care for high risk groups; barriers to integrating viral hepatitis services into current programs and interest in attending viral hepatitis training. During a

follow-up visit to each clinic, VHIP staff reviewed the questionnaire with the clinic manager and discussed viral hepatitis services and training needs in more detail.

Overall, clinic managers reported that clinical staff had a high level of knowledge and skill for providing viral hepatitis services. The knowledge and skill level of counseling staff was more varied, although only seven of the 16 clinics reported having counseling staff. Clinic managers also reported a high level of comfort for their staff with sexual and substance abuse history taking, as well as providing care for patients from groups at high risk for viral hepatitis infection. Lack of appropriate educational materials, inadequate patient tracking, lack of a policy for providing viral hepatitis services, language and cultural issues, limited time and funding were common barriers to integrating viral hepatitis services for clinics.

Clinic managers reported a wide range of viral hepatitis training needs. Eighty-one (81%) percent of the clinics surveyed felt that training in managing chronic hepatitis B and C infection would be useful. Over half of the clinics surveyed also mentioned viral hepatitis prevention, transmission, counseling, testing, medical referrals, vaccines and co-infection with HIV as training needs. Training in sexual history and substance abuse history taking was of interest to 31% and 38% of clinics respectively.

The most significant barrier to participating in training for clinics was lack of funding (63%), followed by scheduling difficulties (50%) and lack of time (38%). Nineteen percent of the clinics also felt that training was not available or that they had limited time to attend training. All of the clinics surveyed expressed interest in attending a viral hepatitis training sponsored by VHIP. Training on viral hepatitis was offered to community clinic staff by the VHIP in November 2002.

The MDH, STD and HIV section offers training to providers across the state on HIV/STDs, but it currently contains only limited information about HBV and HCV. This is identified as an area of improvement for these trainings.

The Midwest AIDS Training and Education Center (MATEC) also offers some training for providers on HCV (mainly as co-infection with HIV), including hosting conferences in conjunction with the University of Minnesota.

F. Health Plans and Insurance Coverage

Currently, state insurance programs (MNCare and MA) and healthplans that facilitate these programs (MHP, UCare) do cover testing, vaccination and treatment services for their enrollees for all types of viral hepatitis.

Other healthplans in the state (including Blue Cross Blue Shield [BCBSM], Health Partners [HP], and Medica) vary in their coverage of testing, vaccination and treatment of viral hepatitis. According to the MN Council on Healthplans, self-insured employers follow most medical necessity guidelines. The areas of coverage where more variation is found are in coverage of experimental treatments and behavioral health support and behavior modification. For example, BCBSM will sometimes work with a research institution by covering clinical trials of unproven but promising therapies but cannot require self-insured purchasers to cover this. Level of coverage of behavioral health services by self-insured employers is an issue that is being debated at a national level.

HP has also identified ongoing immunizations, including hepatitis, as a priority. They note that the median national HEDIS 2000 Adolescent Immunization Status Rate for Hepatitis B was 40.64%. The 90th percentile nationally was 68.61%. For Health Partners, the rate in 2000 was 72.2%. Health Partners has put financial incentives tied to excellent performance around preventive care for medical groups. The target for 2001 was 85% of all members having been provided all age and gender appropriate preventive care. Thus, hepatitis vaccination (prevention) is measured and improvement noted.

Extent of coverage for testing, vaccination and treatment:

BCBSM: covers medically necessary vaccines, tests and treatments. Medica: HBV, HAV and HCV vaccines, treatments and tests are all covered under the terms of the contract.

(i.e., vaccines fall under immunizations and are covered at 100%, treatments and tests would be covered based on the place of service such as office visit, outpatient hospital, etc.). Health Partners: all diagnosis and treatment is covered. Health Partners covers routine immunizations for children as well as adult immunizations. Coverage policies are on the web site under medical coverage policies - immunizations.

Standard protocols used for risk assessment, screening and treatment:

BCBSM (Blue Plus): Institute for Clinical Systems Improvement (ICSI) guidelines exist for preventive health screening, in which there are recommendations for individuals of all ages. Upon diagnosis, the treatment decisions may vary by provider. BCBSM covers treatments ordered by physicians unless they are specifically excluded in contract (e.g. experimental treatments). Medica adopted the ICSI standards and guidelines in place for HBV and HAV. A medical director at Medica is on the board of ICSI and has recommended that a guideline be established for HCV as well. Health Partners uses the ICSI Preventive Services Guideline (available at www.icsi.org under Health Care Guidelines- immunizations).

Coverage of referrals for treatment adherence, behavior modification or emotional support:

BCBSM has no restrictions on the referrals noted above as long as they are eligible providers under the contract. Medica does not provide coverage for any behavior modification, treatment adherence or emotional support groups. However, Medica does cover treatment for a specific mental health diagnosis that may be an offspring of one of these conditions. Health Partners does not have particular requirements or limitations around hepatitis care.