

**Table 1. Number of New Cases and Rates (per 100,000 persons) of  
HIV Infection, HIV (non-AIDS), and AIDS\* -- Minnesota, 1997-2001**

<b>Disease</b>	<b>1997 Cases</b>	<b>1997 Rate</b>	<b>1998 Cases</b>	<b>1998 Rate</b>	<b>1999 Cases</b>	<b>1999 Rate</b>	<b>2000 Cases</b>	<b>2000 Rate</b>	<b>2001 Cases</b>	<b>2001 Rate</b>
HIV Infection	282	5.9	298	6.2	309	6.4	275	5.6	283	5.8
HIV (non-AIDS)	192	4.0	191	4.0	202	4.2	177	3.6	197	4.0
AIDS	198	4.2	198	4.1	162	3.3	162	3.3	124	2.5

\* HIV Infection = New cases of HIV infection (both HIV (non-AIDS) and AIDS at first diagnosis) diagnosed within a given calendar year.  
HIV (non-AIDS) = New cases of HIV infection (excluding AIDS at first diagnosis) diagnosed within a given calendar year. AIDS = All new cases of AIDS diagnosed within a given calendar year.

**Please Note:** The sum of HIV (non-AIDS) cases and AIDS cases will be greater than the number of cases of HIV Infection in a given year. The difference occurs because, unlike the HIV Infection category, the AIDS category also includes persons who progressed from an HIV diagnosis to an AIDS diagnosis (see above definitions).

Numbers and rates exclude federal and private prisoners and refugees in the HIV-Positive Refugee Resettlement Program.

<b>Table 2. Number of Cases and Rates (per 100,000 persons) of HIV Infection by Residence, Age, &amp; Gender* -- Minnesota, 2001</b>			
<b>Group</b>	<b>HIV Infection Cases %</b>		<b>HIV Infection Rate</b>
<b>Residence**</b>			
Minneapolis	127	45%	33.2
St. Paul	41	15%	14.3
Suburban	86	30%	4.4
Greater Minnesota	28	10%	1.2
<i>Total</i>	<i>282</i>	<i>100%</i>	<i>5.7</i>
<b>Age</b>			
<13 yrs	1	0%	0.1
13-19 yrs	6	2%	1.1
20-24 yrs	26	9%	8.1
25-29 yrs	42	15%	13.1
30-34 yrs	56	20%	15.9
35-39 yrs	62	22%	15.0
40-44 yrs	36	13%	8.7
45-49 yrs	23	8%	6.3
50-54 yrs	17	6%	5.6
55+ yrs	14	5%	1.4
<i>Total</i>	<i>283</i>	<i>100%</i>	<i>5.8</i>
<b>Gender</b>			
Male	211	75%	8.7
Female	72	25%	2.9
<i>Total</i>	<i>283</i>	<i>100%</i>	<i>5.8</i>

\* HIV Infection includes all new cases of HIV infection (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2001.

\*\* Residence information missing for 1 case of HIV infection in 2001.

Suburban = Seven-county metropolitan area except Minneapolis & St. Paul (Anoka, Carver, Dakota, Hennepin (except Minneapolis), Ramsey (except St. Paul), Scott, and Washington counties). Greater Minnesota = Remaining 80 counties outside of the seven-county metropolitan area.

Numbers and rates exclude federal and private prisoners and refugees in the HIV-Positive Refugee Resettlement Program. State prisoners are included (3 new diagnoses in 2001). Rates calculated using U.S. Census 2000 data.

<b>Table 3. Number of Cases and Rates (per 100,000 persons) of HIV Infection by Race/Ethnicity &amp; Mode of Exposure* -- Minnesota, 2001</b>									
	<b>Males</b>			<b>Females</b>			<b>Total</b>		
<b>Group</b>	<b>Cases</b>	<b>%</b>	<b>Rate</b>	<b>Cases</b>	<b>%</b>	<b>Rate</b>	<b>Cases</b>	<b>%</b>	<b>Rate</b>
<b>Race/Ethnicity</b>									
White, non-Hispanic	130	62%	#	15	21%	#	145	51%	3.4
Black**, African-American	34	16%	#	21	29%	#	55	19%	27.1
Black**, African-born	19	9%	X	26	36%	X	45	16%	X
Hispanic	16	8%	#	5	7%	#	21	7%	14.6
American Indian	7	3%	#	2	3%	#	9	3%	11.1
Asian/PI	3	1%	#	2	3%	#	5	2%	3.0
Unknown	2	1%	X	1	1%	X	3	1%	X
<i>Total</i>	211	100%	8.7	72	100%	2.9	283	100%	5.8
<b>Mode of Exposure</b>									
MSM	132	63%	X	--	--	X	132	47%	X
IDU	2	1%	X	4	6%	X	6	2%	X
MSM/IDU	8	4%	X	--	--	X	8	3%	X
Heterosexual	7	3%	X	25	35%	X	32	11%	X
Other	0	0%	X	1	1%	X	1	0%	X
Unspecified	62	29%	X	42	58%	X	104	37%	X
<i>Total</i>	211	100%	8.7	72	100%	2.9	283	100%	5.8

\* HIV infection includes all new cases of HIV infection (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2001.

\*\* African-born Blacks are reported separately from other Blacks (born in the U.S. or elsewhere).

# U.S. Census 2000 data necessary to calculate race-specific rates (specifically a breakdown of the state population by "Race alone or in Combination with one or more races" by gender) have not yet been released for Minnesota. When these data become available this table will be updated.

X Accurate population estimates not available for calculation of rates.

Numbers exclude federal and private prisoners and refugees in the HIV-Positive Refugee Resettlement Program.

MSM = Men who have sex with men. IDU = Injecting drug use. Heterosexual = For males: heterosexual contact with a female known to be HIV+, an injecting drug user, or a blood product or organ transplant recipient. For females: heterosexual contact with a male known to be HIV+, bisexual, an injecting drug user, or a blood product or organ transplant recipient. Other = Perinatal HIV exposure. Unspecified = Cases who did not acknowledge any of the risks listed above or have not been/refused to be interviewed.

**Table 4. Number of Cases and Rates (per 100,000 persons) of HIV Infection by County of Residence\* -- Minnesota, 2001**

<b>County**</b>	<b>HIV Infection Cases</b>	<b>HIV Infection Rate***</b>
Aitkin	0	-
Anoka	15	5.0
Becker	0	-
Beltrami	0	-
Benton	0	-
Big Stone	0	-
Blue Earth	1	-
Brown	0	-
Carlton	1	-
Carver	0	-
Cass	0	-
Chippewa	0	-
Chisago	2	-
Clay	1	-
Clearwater	0	-
Cook	1	-
Cottonwood	0	-
Crow Wing	0	-
Dakota	9	2.5
Dodge	0	-
Douglas	0	-
Faribault	1	-
Fillmore	0	-
Freeborn	0	-
Goodhue	0	-
Grant	1	-
Hennepin	176	15.8
Houston	0	-
Hubbar	0	-
Isanti	0	-
Itasca	0	-
Jackson	0	-
Kanabec	0	-
Kandiyohi	0	-
Kittson	0	-
Koochiching	0	-
Lac Qui Parle	0	-
Lake	0	-
Lake of theWoods	0	-
Le Sueur	0	-
Lincoln	0	-
Lyon	1	-
McLeod	1	-
Mahnomen	0	-
Marshall	1	-
Martin	0	-
Meeker	0	-
Mille Lacs	0	-
Morrison	0	-
Mower	2	-

Murray	0	-
Nicollet	0	-
Nobles	3	-
Norman	0	-
Olmsted	2	-
Otter Tail	0	-
Pennington	0	-
Pine	0	-
Pipestone	0	-
Polk	0	-
Pope	0	-
Ramsey	46	9.0
Red Lake	0	-
Redwood	0	-
Renville	1	-
Rice	1	-
Rock	0	-
Rosseau	0	-
St. Louis	1	-
Scott	5	5.6
Sherburne	0	-
Sibley	0	-
Stearns	4	-
Steele	0	-
Stevens	1	-
Swift	0	-
Todd	0	-
Traverse	0	-
Wabasha	0	-
Wadena	0	-
Waseca	1	-
Washington	3	-
Watonwan	0	-
Wilkin	0	-
Winona	0	-
Wright	1	-
Yellow Medicine	0	-
<i>State Total**</i>	<i>282</i>	<i>5.8</i>

\* HIV infection includes all new cases of HIV infection (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2001. County of residence as reported at time of diagnosis.

\*\* Residence information missing for 1 case of HIV infection in 2001; Total rate is based on all cases in the state (n = 283).

\*\*\* Rates not calculated for counties with fewer than 5 cases.

Numbers and rates exclude federal and private prisoners and refugees in the HIV-Positive Refugee Resettlement Program. HIV infection was diagnosed among 3 state prisoners during 2001 (State correctional facilities are located in the following counties: Anoka, Carlton, Chisago, Goodhue, Pine, Rice, Scott, St. Louis, Stearns, and Washington).

Rates calculated using U.S. Census 2000 data.