

Allergens per 0.5 mL

Amphotericin B	RabAvert (Novartis)	Rabies	< 2 ng
Calf Lymph	Dryvax (W)	Smallpox	
	RabAvert (Novartis)	Rabies	Bovine Serum used in cell culture process
Chicken Protein	Afluria (CSL)	Influenza	trace amounts
	Fluarix (GSK)	Influenza	trace amounts
	FluLaval (GSK)	Influenza	trace amounts
	Imovax Rabies (sp)	Rabies	trace amounts
	YF-Vax (sp)	Yellow Fever	trace amounts
Chlortetracyclin	Dryvax (W)	Smallpox	200 mcg/mL (100/0.5 mL)
	RabAvert (Novartis)	Rabies	< 20 ng
Dihydrostreptomycin	Dryvax (W)	Smallpox	200 mcg/mL (100/0.5 mL)
Egg	Attenuvax (Merck)	Measles	residual egg proteins
	Fluarix (GSK)	Influenza	residual
	FluLaval (GSK)	Influenza	residual (≤ 1 mcg ovalbumin)
	Flumist (MedImmune)	Influenza	
	Fluvirin (Novartis)	Influenza	residual
	Fluzone (sp)	Influenza	residual
	MMR II (Merck)	MMR	residual
	Mumpsvax (Merck)	Mumps	residual
	ProQuad (Merck)	MMR+varicella	residual
	YF-Vax (sp)	Yellow Fever	trace amounts
Gelatin (Bovine)	RabAvert (Novartis)	Rabies	<12 mg (Polygeline)
Gelatin (Porcine)	Attenuvax (Merck)	Measles	Hydrolyzed Gelatin, 14.5 mg
	Fluzone (sp)	Influenza	0.05% (added as a stabilizer)
	Meruvax II (Merck)	Rubella	Hydrolyzed Gelatin, 14.5 mg
	MMR II (Merck)	Measles, Mumps, Rubella	Hydrolyzed Gelatin, 11 mg
	Mumpsvax (Merck)	Mumps	Hydrolyzed Gelatin, 14.5 mg
	ProQuad (Merck)	MMR+varicella	Hydrolyzed Gelatin, 14.5 mg
	Tripedia (sp)	DTaP	Residual used in the production of the pertussis concentrate
	Varivax (Merck)	Varicella	Hydrolyzed Gelatin, 12.5 mg/dose
	YF-Vax (sp)	Yellow Fever	tas stabilizer
	Zostavax (Merck)	Varicella Zoster	Hydrolyzed gelatin, 15.58 mg
Gentamicin Sulfate	Flumist (MedImmune, W)	Influenza	<0.015 mcg/mL
	Fluarix (GSK)	Influenza	≤ 0.15 mcg
Latex (stopper)	ActHIB (AP)	Hib	Diluent vial stopper; vaccine vial contains no rubber
	Boostix (GSK)	Tdap	Cap/Plunger of needleless prefilled syringe contain dry natural latex rubber
	Comvax (Merck)	Hib-HepB	Stopper
	DAPTACEL (sp)	DTaP	Stopper



	DT (AP)	DT	Stopper
	Engerix-B (GSK)	Hep B	Cap/Plunger of needleless prefilled syringe contain dry natural latex rubber
	Fluarix (GSK)	Influenza	Cap/Plunger of needleless prefilled syringe contain dry natural latex rubber
	Havrix (GSK)	Hep A	Cap/Plunger of needleless prefilled syringe contain dry natural latex rubber
	HibTITER (Wyeth)	Hib	vial stopper contains dry natural rubber
	Infanrix (GSK)	DTaP	Cap/Plunger of needleless prefilled syringe contain dry natural latex rubber
	Menactra (sp)	Meningococcal	Stopper
	MENOMUNE (sp)	Meningococcal	Stopper
	Pediarix (GSK)	DTaP-HepB-IPV	Cap/Plunger of needleless prefilled Syringe contain dry natural latex rubber
	Prevnar (WL)	Pneumococcal	Stopper
	Td (sp)	Td	Stopper, needle cover, plunger
	TriHIBit (sp)	DTaP-Hib	Diluent vial stopper; vaccine vial contains no rubber
	Tripedia (sp)	DTaP	Stopper
	Twinrix (GSK)	Hep AB	Tip cap and plunger of needleless prefilled syringes contain dry natural latex rubber; vial stopper is latex-free
	YF-Vax (sp)	Yellow Fever	Stopper
Neomycin	Attenuvax (Merck)	Measles	25 mcg
	Dryvax (W)	Smallpox	100 mcg/mL (50 units/0.5 mL)
	Fluvirin (Novartis)	Influenza	undetectable amounts
	Havrix (GSK)	Hep A	<40 ng/mL (Neomycin sulfate)
	Imovax Rabies (sp)	Rabies	<150 mcg (Neomycin Sulfate)
	IPOL (sp)	Polio	<5 ng
	Meruvax II (Merck)	Rubella	25 mcg
	MMR II (Merck)	MMR	25 mcg
	Mumpsvax (Merck)	Mumps	25 mcg
	Pediarix (GSK)	DTaP-HepB-IPV	≤0.05 ng
	ProQuad (Merck)	MMR+Varicella	<16 mcg
	Varivax (Merck)	Varicella	trace amounts
	Zostavax (Merck)	Varicella Zoster	trace amounts
Ovalbumin	RabAvert (Novartis)	Rabies	< 3 ug
	Fluarix (GSK)	Influenza	≤ 1 mcg
	FluLaval (GSK)	Influenza	≤1 mcg
Polymyxin B	Dryvax (W)	Smallpox	100 units/mL (50 units/0.5 mL)
	Fluvirin (Novartis)	Influenza	undetectable amounts
	IPOL (sp)	Polio	25 ng
	Pediarix (GSK)	DTaP-HepB-IPV	≤0.01 ng
Serum, Bovine Fetal	Attenuvax (Merck)	Measles	<1 ppm
	IPOL (sp)	Polio	<1 ppm
	Meruvax II (Merck)	Rubella	<1 ppm
	MMR II (Merck)	MMR	<1 ppm
	Mumpsvax (Merck)	Mumps	<1 ppm



	ProQuad (Merck)	MMR+varicella	0.5 mcg
	RotaTeq (Merck)	Rotavirus	trace amounts
	Varivax (Merck)	Varicella	trace amounts
	Zostavax (Merck)	Varicella Zoster	trace amounts
Streptomycin	IPOL (sp)	Polio	<200 ng
Thimerosal	DT	DT	25 mcg mercury in multidose; trace amounts in single dose
	Engerix-B (GSK)	HepB	<0.5 mcg mercury
	Fluarix (GSK)	Influenza	trace amounts; ≤1 mcg mercury
	FluLaval (GSK)	Influenza	25 mcg mercury
	Fluvirin (Novartis)	Influenza	24.5 mcg mercury
	Fluzone (sp)	Influenza	none in No Preservative presentations; 25 mcg mercury in 0.5 mL prefilled and multi-dose syringe
	MENOMUNE (sp)	Meningococcal	25 mcg mercury in multidose; trace amounts in single dose
	Pediarix (GSK)	DtAp-HepB-IPV	trace amounts
	TriHIBit (sp)	Hib	trace amounts
	Tripedia (SP)	DTaP	trace amounts
	Twinrix (GSK)	HepAB	trace amounts
Yeast	Comvax (Merck)	Hib-HepB	"The vaccine contains no detectable yeast DNA, and 1% or less of the protein is of yeast origin."
	Engerix-B (GSK)	Hep B	<5%
	Gardasil (Merck)	HPV	"The VLPs are released from the yeast cells by cell disruption and purified by a series of chemical and physical methods."
	HibTITER (Wyeth)	Hib	"...yeast extract-based medium that is ultrafiltered before use."
	Prennar (WL)	Pneumococcal	"...and yeast extract-based medium"
	Recombivax HB (Merck)	Hep B	<1%
	Vivotif Berna (Berna)	Typhoid	yeast extract from media
None	ActHIB (AP)	Hib	Diluent contains latex
	ADACEL (ap)	Tdap	
	DT (sp)	DT	
	Imogam Rabies (sp)	Rabies IG	
	OmniHIB (GSK)	Hib	
	PedvaxHIB (Merck)	Hib	
	Penumovax 23 (Merck)	Pneumococcal	
	Vaqta (Merck)	Hepatitis A	
	Typhim VI (sp)	Typhoid	