




Primary* Refugee Arrivals to MN by Region of World 1979-2006




Primary Refugee Arrival, Minnesota, 2003-2006




2006 Primary Refugee Arrival To Minnesota (N=5,354)



Number of Refugees Arrival By Initial County Of Resettlement



Primary Refugee Arrivals, Minnesota, 2006




N=5,354

Somalia

“Other” includes Cambodia, Cameroon, China (also Tibet), Congo, Cuba, Eritrea, Gabon, Guinea, Iran, Kenya, Nepal, Nigeria, Sierra Leone, Sudan, Togo, Vietnam, and Zimbabwe


Primary Refugee Arrivals Screened in Minnesota 1997-2006



*Ineligible if moved out of state/unknown destination, unable to locate or died before screening

Refugee Health Program, Minnesota Department of Health

Primary Refugees Lost to Follow-up Minnesota, 2006




*Ineligible for the refugee health assessment

Primary Refugee Screenings by Region of Origin, Minnesota, 2006

World Region	Total arrivals	Ineligible for Screening	Number Screened (%*)
Sub-Saharan Africa	4,762	441	4,148 (96)
E.Asia/SE Asia	469	11	456 (100)
Eastern Europe	112	1	89 (80)
Latin America/ Caribbean	9	6	3 (100)
North Africa/ Middle East	2	-	2 (100)

*Percent screened among the eligible

Refugee Screening Rates by Exam Type Minnesota, 2006



Health Status of New Refugees, Minnesota, 2006

Health status upon arrival	No (%) of refugees screened	No (%) with infection among screened
TB infection*	4,344 (92%)	1,990 (46%)
Hep B infection**	4,570 (97%)	397 (9%)
Parasitic Infection***	4,292 (91%)	684 (16%)
Sexually Transmitted Infections(STIs)****	3,830 (82%)	75 (2%)
Malaria Infection	148 (3%)	1 (<1%)
Lead*****	297 (91%)	14 (5%)

Total screened: **N=4,698** (96% of the 4,895 eligible refugees)

* Persons with Latent TB infection or suspect/active TB disease diagnosis

** Positive for Hepatitis B surface antigen (HBsAG)

*** Positive for at least one intestinal parasite infection


**** Positive for at least one STI

*****Children <6 year old (N=328)

Refugee Health Program, Minnesota Department of Health


Tuberculosis Infection* Rate Among Refugees By Region Of Origin, Minnesota, 2006

N=4,344 screened




*Diagnosis of Latent TB infection or Suspect/Active TB disease
Refugee Health Program, Minnesota Department of Health

Hepatitis B infection Rate Among Refugees by Region of Origin, Minnesota, 2006



Intestinal Parasitic Infection* Rates Among Refugees by Region of Origin, Minnesota, 2006

N=4,292 screened



* At least one type of parasite